



# **Avaya Proactive Outreach Manager 4.0.2 SP4 Release Notes**

## Notice

While reasonable efforts have been made to ensure that the information in this document is complete and accurate at the time of printing, Avaya assumes no liability for any errors. Avaya reserves the right to make changes and corrections to the information in this document without the obligation to notify any person or organization of such changes.

## Documentation disclaimer

“Documentation” means information published in varying mediums which may include product information, operating instructions and performance specifications that are generally made available to users of products. Documentation does not include marketing materials. Avaya shall not be responsible for any modifications, additions, or deletions to the original published version of Documentation unless such modifications, additions, or deletions were performed by or on the express behalf of Avaya. End User agrees to indemnify and hold harmless Avaya, Avaya's agents, servants and employees against all claims, lawsuits, demands and judgments arising out of, or in connection with, subsequent modifications, additions or deletions to this documentation, to the extent made by End User.

## Link disclaimer

Avaya is not responsible for the contents or reliability of any linked websites referenced within this site or Documentation provided by Avaya. Avaya is not responsible for the accuracy of any information, statement or content provided on these sites and does not necessarily endorse the products, services, or information described or offered within them. Avaya does not guarantee that these links will work all the time and has no control over the availability of the linked pages.

## Warranty

Avaya provides a limited warranty on Avaya hardware and software. Refer to your sales agreement to establish the terms of the limited warranty. In addition, Avaya's standard warranty language, as well as information regarding support for this product while under warranty is available to Avaya customers and other parties through the Avaya Support website: <https://support.avaya.com/helpcenter/getGenericDetails?detailId=C20091120112456651010> under the link “Warranty & Product Lifecycle” or such successor site as designated by Avaya. Please note that if You acquired the product(s) from an authorized Avaya Channel Partner outside of the United States and Canada, the warranty is provided to You by said Avaya Channel Partner and not by Avaya.

“**Hosted Service**” means an Avaya hosted service subscription that You acquire from either Avaya or an authorized Avaya Channel Partner (as applicable) and which is described further in Hosted SAS or other service description documentation regarding the

applicable hosted service. If You purchase a Hosted Service subscription, the foregoing limited warranty may not apply but You may be entitled to support services in connection with the Hosted Service as described further in your service description documents for the applicable Hosted Service. Contact Avaya or Avaya Channel Partner (as applicable) for more information.

## Hosted Service

THE FOLLOWING APPLIES ONLY IF YOU PURCHASE AN Avaya HOSTED SERVICE SUBSCRIPTION FROM AVAYA OR AN AVAYA CHANNEL PARTNER (AS APPLICABLE), THE TERMS OF USE FOR HOSTED SERVICES ARE AVAILABLE ON THE AVAYA WEBSITE, <https://support.avaya.com/LicenseInfo> under the link “Avaya Terms of Use for Hosted Services” or such successor site as designated by Avaya, AND ARE APPLICABLE TO ANYONE WHO ACCESSES OR USES THE HOSTED SERVICE. BY ACCESSING OR USING THE HOSTED SERVICE, OR AUTHORIZING OTHERS TO DO SO, YOU, ON BEHALF OF YOURSELF AND THE ENTITY FOR WHOM YOU ARE DOING SO (HEREINAFTER REFERRED TO INTERCHANGEABLY AS “YOU” AND “END USER”), AGREE TO THE TERMS OF USE. IF YOU ARE ACCEPTING THE TERMS OF USE ON BEHALF A COMPANY OR OTHER LEGAL ENTITY, YOU REPRESENT THAT YOU HAVE THE AUTHORITY TO BIND SUCH ENTITY TO THESE TERMS OF USE. IF YOU DO NOT HAVE SUCH AUTHORITY, OR IF YOU DO NOT WISH TO ACCEPT THESE TERMS OF USE, YOU MUST NOT ACCESS OR USE THE HOSTED SERVICE OR AUTHORIZE ANYONE TO ACCESS OR USE THE HOSTED SERVICE.

## Licenses

THE SOFTWARE LICENSE TERMS AVAILABLE ON THE AVAYA WEBSITE, <https://support.avaya.com/LICENSEINFO>, UNDER THE LINK “AVAYA SOFTWARE LICENSE TERMS (Avaya Products)” or such successor site as designated by Avaya, ARE APPLICABLE TO ANYONE WHO DOWNLOADS, USES AND/OR INSTALLS AVAYA SOFTWARE, PURCHASED FROM AVAYA LLC, ANY AVAYA AFFILIATE, OR AN AVAYA CHANNEL PARTNER (AS APPLICABLE) UNDER A COMMERCIAL AGREEMENT WITH AVAYA OR AN AVAYA CHANNEL PARTNER. UNLESS OTHERWISE AGREED TO BY AVAYA IN WRITING, AVAYA DOES NOT EXTEND THIS LICENSE IF THE SOFTWARE WAS OBTAINED FROM ANYONE OTHER THAN AVAYA, AN AVAYA AFFILIATE OR AN AVAYA CHANNEL PARTNER; AVAYA RESERVES THE RIGHT TO TAKE LEGAL ACTION AGAINST YOU AND ANYONE ELSE USING OR SELLING THE SOFTWARE WITHOUT A LICENSE. BY INSTALLING, DOWNLOADING OR USING THE SOFTWARE, OR AUTHORIZING OTHERS TO DO SO, YOU, ON BEHALF OF YOURSELF AND THE ENTITY FOR WHOM YOU ARE INSTALLING, DOWNLOADING OR USING THE SOFTWARE (HEREINAFTER REFERRED TO INTERCHANGEABLY AS “YOU” AND “END USER”), AGREE TO THESE TERMS AND CONDITIONS AND CREATE A BINDING CONTRACT BETWEEN YOU AND AVAYA LLC OR THE APPLICABLE AVAYA AFFILIATE (“AVAYA”).

Avaya grants You a license within the scope of the license

types described below, with the exception of Heritage Nortel Software, for which the scope of the license is detailed below. Where the order documentation does not expressly identify a license type, the applicable license will be a Designated System License. The applicable number of licenses and units of capacity for which the license is granted will be one (1), unless a different number of licenses or units of capacity is specified in the documentation or other materials available to You. "Software" means computer programs in object code, provided by Avaya or an Avaya Channel Partner, whether as stand-alone products, pre-installed on hardware products, and any upgrades, updates, patches, bug fixes, or modified versions thereto. "Designated Processor" means a single stand-alone computing device. "Server" means a Designated Processor that hosts a software application to be accessed by multiple users. "Instance" means a single copy of the Software executing at a particular time: (i) on one physical machine; or (ii) on one deployed software virtual machine ("VM") or similar deployment.

## License types

**Designated System(s) License (DS).** End User may install and use each copy or an Instance of the Software only: 1) on a number of Designated Processors up to the number indicated in the order; or 2) up to the number of Instances of the Software as indicated in the order, Documentation, or as authorized by Avaya in writing. Avaya may require the Designated Processor(s) to be identified in the order by type, serial number, feature key, Instance, location or other specific designation, or to be provided by End User to Avaya through electronic means established by Avaya specifically for this purpose.

**Concurrent User License (CU).** End User may install and use the Software on multiple Designated Processors or one or more Servers, so long as only the licensed number of Units are accessing and using the Software at any given time as indicated in the order, Documentation, or as authorized by Avaya in writing. A "Unit" means the unit on which Avaya, at its sole discretion, bases the pricing of its licenses and can be, without limitation, an agent, port or user, an email or voicemail account in the name of a person or corporate function (e.g., webmaster or helpdesk), or a directory entry in the administrative database utilized by the Software that permits one user to interface with the Software. Units may be linked to a specific, identified Server or an Instance of the Software.

**Cluster License (CL).** End User may install and use each copy or an Instance of the Software only up to the number of Clusters as indicated on the order, Documentation, or as authorized by Avaya in writing with a default of one (1) Cluster if not stated.

**Enterprise License (EN).** End User may install and use each copy or an Instance of the Software only for enterprise-wide use of an unlimited number of Instances of the Software as indicated on the order, Documentation, or as authorized by Avaya in writing.

**Named User License (NU).** End User may: (i) install and use each copy or Instance of the Software on a single Designated Processor or Server per authorized

Named User (defined below); or (ii) install and use each copy or Instance of the Software on a Server so long as only authorized Named Users access and use the Software as indicated in the order, Documentation, or as authorized by Avaya in writing. "Named User", means a user or device that has been expressly authorized by Avaya to access and use the Software. At Avaya's sole discretion, a "Named User" may be, without limitation, designated by name, corporate function (e.g., webmaster or helpdesk), an e-mail or voice mail account in the name of a person or corporate function, or a directory entry in the administrative database utilized by the Software that permits one user to interface with the Software.

**Shrinkwrap License (SR).** End User may install and use the Software in accordance with the terms and conditions of the applicable license agreements, such as "shrinkwrap" or "clickthrough" license accompanying or applicable to the Software ("Shrinkwrap License") as indicated in the order, Documentation, or as authorized by Avaya in writing.

**Transaction License (TR).** End User may use the Software up to the number of Transactions as specified during a specified time period and as indicated in the order, Documentation, or as authorized by Avaya in writing. A "Transaction" means the unit by which Avaya, at its sole discretion, bases the pricing of its licensing and can be, without limitation, measured by the usage, access, interaction (between client/server or customer/organization), or operation of the Software within a specified time period (e.g. per hour, per day, per month). Some examples of Transactions include but are not limited to each greeting played/message waiting enabled, each personalized promotion (in any channel), each callback operation, each live agent or web chat session, each call routed or redirected (in any channel). End User may not exceed the number of Transactions without Avaya's prior consent and payment of an additional fee.

## Heritage Nortel Software

"Heritage Nortel Software" means the software that was acquired by Avaya as part of its purchase of the Nortel Enterprise Solutions Business in December 2009. The Heritage Nortel Software is the software contained within the list of Heritage Nortel Products located at <https://support.avaya.com/LicenseInfo/> under the link "Heritage Nortel Products," or such successor site as designated by Avaya. For Heritage Nortel Software, Avaya grants Customer a license to use Heritage Nortel Software provided hereunder solely to the extent of the authorized activation or authorized usage level, solely for the purpose specified in the Documentation, and solely as embedded in, for execution on, or for communication with Avaya equipment. Charges for Heritage Nortel Software may be based on extent of activation or use authorized as specified in an order or invoice.

## Copyright

Except where expressly stated otherwise, no use should be made of materials on this site, the Documentation, Software, Hosted Service, or hardware provided by Avaya. All content on this site, the documentation, Hosted Service, and the product provided by Avaya including the selection, arrangement and design of the content is owned either by Avaya or its licensors and is protected by copyright and other intellectual property laws including the sui generis

rights relating to the protection of databases. You may not modify, copy, reproduce, republish, upload, post, transmit or distribute in any way any content, in whole or in part, including any code and software unless expressly authorized by Avaya. Unauthorized reproduction, transmission, dissemination, storage, and or use without the express written consent of Avaya can be a criminal, as well as a civil offense under the applicable law.

## Virtualization

The following applies if the product is deployed on a virtual machine. Each product has its own ordering code and license types. Note that each Instance of a product must be separately licensed and ordered. For example, if the end user customer or Avaya Channel Partner would like to install two Instances of the same type of products, then two products of that type must be ordered.

### Third Party Components

“Third Party Components” mean certain software programs or portions thereof included in the Software or Hosted Service may contain software (including open source software) distributed under third party agreements (“Third Party Components”), which contain terms regarding the rights to use certain portions of the Software (“Third Party Terms”). As required, information regarding distributed Linux OS source code (for those products that have distributed Linux OS source code) and identifying the copyright holders of the Third Party Components and the Third Party Terms that apply is available in the products, Documentation or on Avaya’s website at: <https://support.avaya.com/Copyright> or such successor site as designated by Avaya. The open source software license terms provided as Third Party Terms are consistent with the license rights granted in these Software License Terms, and may contain additional rights benefiting You, such as modification and distribution of the open source software. The Third Party Terms shall take precedence over these Software License Terms, solely with respect to the applicable Third Party Components, to the extent that these Software License Terms impose greater restrictions on You than the applicable Third Party Terms.

The following applies only if the H.264 (AVC) codec is distributed with the product. THIS PRODUCT IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO (i) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD (“AVC VIDEO”) AND/OR (ii) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE <HTTP://WWW.MPEGLA.COM>

## Service Provider

THE FOLLOWING APPLIES TO AVAYA CHANNEL PARTNER’S HOSTING OF AVAYA PRODUCTS OR SERVICES. THE PRODUCT OR HOSTED SERVICE MAY USE THIRD PARTY COMPONENTS SUBJECT TO THIRD PARTY TERMS AND REQUIRE A SERVICE PROVIDER TO BE INDEPENDENTLY LICENSED DIRECTLY FROM THE THIRD PARTY SUPPLIER. AN AVAYA CHANNEL PARTNER’S HOSTING OF AVAYA PRODUCTS MUST BE AUTHORIZED IN WRITING BY AVAYA AND IF THOSE HOSTED PRODUCTS USE OR EMBED CERTAIN THIRD PARTY SOFTWARE, INCLUDING BUT NOT LIMITED TO MICROSOFT SOFTWARE OR CODECS, THE AVAYA CHANNEL PARTNER IS REQUIRED TO INDEPENDENTLY OBTAIN ANY APPLICABLE LICENSE AGREEMENTS, AT THE AVAYA CHANNEL PARTNER’S EXPENSE, DIRECTLY FROM THE APPLICABLE THIRD PARTY SUPPLIER.

WITH RESPECT TO CODECS, IF THE AVAYA CHANNEL PARTNER IS HOSTING ANY PRODUCTS THAT USE OR EMBED THE G.729 CODEC, H.264 CODEC, OR H.265 CODEC, THE AVAYA CHANNEL PARTNER ACKNOWLEDGES AND AGREES THE AVAYA CHANNEL PARTNER IS RESPONSIBLE FOR ANY AND ALL RELATED FEES AND/OR ROYALTIES. THE G.729 CODEC IS LICENSED BY SIPRO LAB TELECOM INC. SEE <WWW.SIPRO.COM/CONTACT.HTML>. THE H.264 (AVC) CODEC IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO: (I) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD (“AVC VIDEO”) AND/OR (II) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION FOR H.264 (AVC) AND H.265 (HEVC) CODECS MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE <HTTP://WWW.MPEGLA.COM>.

## Compliance with Laws

You acknowledge and agree that it is Your responsibility for complying with any applicable laws and regulations, including, but not limited to laws and regulations related to call recording, data privacy, intellectual property, trade secret, fraud, and music performance rights, in the country or territory where the Avaya product is used.

### Preventing Toll Fraud

“Toll Fraud” is the unauthorized use of your telecommunications system by an unauthorized party (for example, a person who is not a corporate employee, agent, subcontractor, or is not working on your company’s behalf). Be aware that there can be a risk of Toll Fraud associated with your system and that, if Toll Fraud occurs, it can result in substantial additional charges for your telecommunications services.

## Avaya Toll Fraud intervention

If You suspect that You are being victimized by Toll Fraud and You need technical assistance or support, call Technical Service Center Toll Fraud Intervention Hotline at +1-800-643-2353 for the United States and Canada. For additional

support telephone numbers, see the Avaya Support website: <https://support.avaya.com>, or such successor site as designated by Avaya.

### **Security Vulnerabilities**

Information about Avaya's security support policies can be found in the Security Policies and Support section of <https://support.avaya.com/security>

Suspected Avaya product security vulnerabilities are handled per the Avaya Product Security Support Flow (<https://support.avaya.com/css/P8/documents/100161515>).

### **Downloading Documentation**

For the most current versions of Documentation, see the Avaya Support website: <https://support.avaya.com>, or such successor site as designated by Avaya.

Contact Avaya Support

See the Avaya Support website: <https://support.avaya.com> for product or Hosted Service notices and articles, or to report a problem with your Avaya product or Hosted Service. For a list of

support telephone numbers and contact addresses, go to the Avaya Support website: <https://support.avaya.com/> (or such successor site as designated by Avaya), scroll to the bottom of the page, and select Contact Avaya Support.

### **Trademarks**

The trademarks, logos and service marks ("Marks") displayed in this site, the Documentation, Hosted Service(s), and product(s) provided by Avaya are the registered or unregistered Marks of Avaya, its affiliates, its licensors, its suppliers, or other third parties. Users are not permitted to use such Marks without prior written consent from Avaya or such third party which may own the Mark. Nothing contained in this site, the Documentation, Hosted Service(s) and product(s) should be construed as granting, by implication, estoppel, or otherwise, any license or right in and to the Marks without the express written permission of Avaya or the applicable third party.

Avaya is a registered trademark of Avaya LLC.

All non-Avaya trademarks are the property of their respective owners.

Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

# Contents

Document changes .....	8
Introduction.....	8
Prerequisites to POM 4.0.2 SP4 .....	8
New in release – v4.0.2 SP4 (4.0.2.4) .....	8
Agent preferred campaigns.....	8
New API to get Contacts.....	8
Efficient Contacts and Exclude Contacts tabs in UI.....	8
Component Upgrades.....	9
User Experience Enhancements .....	9
New in release – v4.0.2 SP3 (4.0.2.3) .....	9
Timed DNC .....	9
Timed Exclusion.....	9
DNC by User Contact Id.....	9
DNC by Customer Id.....	9
Option to disallow sorting by phone attribute in filter template .....	9
Campaign stop functionality from Campaign Manager UI .....	9
Record Ageing .....	9
"Same calendar day" option for "nuisance frequency" type of rules.....	10
Edit Filter Template from Campaign creation page .....	10
Guardrails for callbacks.....	10
Enhanced Health monitoring to include callbacks .....	10
Enhanced Smart Notification widget on POM Home page to include callbacks .....	10
Automatically Release stuck agents .....	10
New Organization column in Campaign Manager UI.....	10
Support for AURA-10.2 .....	10
Support for EP-8.1.2.1 .....	10
Support for CMS-21 .....	10
Support for Postgres-16.....	10
Component Upgrades.....	10
User Experience Enhancements .....	11
New in release – v4.0.2 SP2 (4.0.2.2) .....	11
SIP Code to Completion Code Mapping.....	11
New category of completion codes for SIP Code .....	11
Enhanced Rules to reduce evaluation of number of rules .....	11
Separate database for POM Reports.....	12
Delete contacts from contact list based on filter template .....	12
Export contact list to a text file .....	12
Enhanced Security for Agent Scripts .....	12
Enhanced Health Monitor that displays adherence to POM System Limits .....	12
Smart Notification Widget on POM Home Page .....	12
Configuring Transactional logs per Agent.....	13
MSSQL Database Manual Failover within the Same Data Center .....	13
Increased limits for records in a contact list.....	13
Support for CMS-20 .....	13
Support for SBC-10.1.2.....	13
Component Upgrades.....	13
New in release – v4.0.2 SP1 (4.0.2.1) .....	13
Quick upload functionality for Contact Lists.....	13
Display agent aux-state reasons in Supervisor Dashboard.....	13
Support \$TODAY for timestamp type of attribute in Rule Engine.....	13
Capability to manage agents in real-time without Supervisor role.....	13
Support for Postgres 14, 15.....	14
POM Capture Tool .....	14
Component Upgrades.....	14
New in release – v4.0 FP2 (4.0.2).....	14

Advanced Guard Time based dialing with Follow-the-sun.....	14
Dialing based on User Preferences .....	14
Time zone for Zip-code and Zip-State .....	14
Dialing based on Common Time and CFPB Compliance.....	15
Contact Distribution.....	15
System Health Monitor.....	15
POM Integrity Checker.....	15
Stop/Pause/Resume all campaigns using manageCampaign.sh.....	15
Time based finish criteria for Campaign .....	15
Bulk Import option added for Automatic File Import.....	15
Bulk Import API added for importing contacts in a Contact List.....	15
Log Rotation.....	16
API updates – Please refer POM Development Guide for more details.....	16
Supervisor Dashboard Enhancements .....	16
Trends .....	17
Completion code .....	17
User Experience Enhancements .....	17
Component Upgrades .....	17
Installation .....	18
Product compatibility .....	18
File list – Proactive Outreach Manager 4.0.2 SP-4 Software .....	18
Installing the release .....	19
Troubleshooting the installation .....	20
Restoring software to previous version.....	20
Fixed Issues .....	20
Known Issues .....	30
Languages supported.....	31
Contacting support .....	31
Contact Support Checklist.....	31
Contact Support Tasks.....	32
Appendix A .....	33

# Document changes

Date	Description
March, 2025	Release notes for Avaya Proactive Outreach Manager 4.0.2.4 (aka 4.0.2 SP4)
July, 2024	Release notes for Avaya Proactive Outreach Manager 4.0.2.3 (aka 4.0.2 SP3)
October, 2023	Release notes for Avaya Proactive Outreach Manager 4.0.2.2 (aka 4.0.2 SP2)
March, 2023	Release notes for Avaya Proactive Outreach Manager 4.0.2.1 (aka 4.0.2 SP1)
October, 2022	Release notes for Avaya Proactive Outreach Manager 4.0.2 (aka 4.0 FP2)

## Introduction

This document provides the latest information to supplement Avaya Proactive Outreach Manager (POM) software and documentation. For updated documentation, product support notices, and service pack information, go to the Avaya Support site at <http://support.avaya.com>

## Prerequisites to POM 4.0.2 SP4

AEP Build: **8.1.2.1.0020** or **8.1.2.0.0202**

Apply AEP latest patches.

**POM-4024 is only compatible with EP-8.1.2.1 or EP-8.1.2, and OD-8.1.2.**

**Note:**

- **Ensure if a new license file is required due to WebLM Host ID change.**
- **You must backup the old host ID before installation.**

## New in release – v4.0.2 SP4 (4.0.2.4)

### Agent preferred campaigns

With this enhancement, agents will have an option to select one or more preferred campaigns. New Agent APIs allow agents to select and view their preferred campaigns. POM will attach the agent to one of their preferred campaigns based on the existing agent assignment logic.

New REST APIs are provided for the supervisor to view and change the agent's preferred campaigns. This provides greater control to the supervisors for configuring the agents to join specific campaigns.

Supervisor Dashboard will provide a real-time view to the supervisors to see the preferred campaigns of the agents. Supervisors can also add/change the preferred campaigns of the agents in real-time from supervisor dashboard without restarting any service.

### New API to get Contacts

New API to get contacts is provided with this release. This new API is highly efficient, has better response time and is optimized to put less load on DB even for frequent executions. It is highly recommended to use this new API instead of the older one.

### Efficient Contacts and Exclude Contacts tabs in UI

With this release, the Contacts tab and Exclude Contacts tabs in Contact Lists UI are made more

efficient to load the contacts faster than ever before enhancing user experience.

### **Component Upgrades**

Following components are upgraded in POM-4024:

- Apache tomcat from 9.0.80 to 9.0.91
- highcharts from 7.2.2 to 11.1.0
- commons-net from 2.0 to 3.9.0
- shiro-core from 1.11.0 to 1.13.0
- shiro-spring from 1.11.0 to 1.13.0
- camel-spring from 2.25.4 to 4.8.0
- camel-core from 2.25.4 to 4.8.0
- camel-jms from 2.25.4 to 4.8.0
- activemq-camel from 5.16.7 to 4.8.0

### **User Experience Enhancements**

Following UI pages are upgraded to provide better user experience:

- Agent Attributes
- Agent Address Book
- Agent Group Configuration
- Agent Configuration

## **New in release – v4.0.2 SP3 (4.0.2.3)**

### **Timed DNC**

Users will have a provision to specify a duration in days for which an address will remain in DNC list. After the duration is expired, the address will be removed from DNC list automatically.

### **Timed Exclusion**

Users will have a provision to specify a duration in days for which a contact will remain excluded. After the duration is expired, the contact will become eligible for dialing automatically.

### **DNC by User Contact Id**

Only phone and email addresses were allowed to be added to the DNC list till now. This enhancement allows to add user contact id of a record to the DNC list. All the phone and email addresses belonging to the given user contact id will be treated as DNC.

### **DNC by Customer Id**

With this enhancement users will have the provision to map their desired CRM attribute (Customer Id) with any attribute in POM's contact list for DNC. The values of Customer Id attribute can then be added to the DNC list. POM will treat the matching contact as DNC.

### **Option to disallow sorting by phone attribute in filter template**

Users will now have option in Global Configurations to disallow sorting by phone attribute in campaign type of filter template to meet compliance. Existing filter template having phone attribute in sort will continue to work.

### **Campaign stop functionality from Campaign Manager UI**

Users will now be able to stop campaign from the campaign manager UI.

### **Record Ageing**

With this enhancement POM provides a new system attribute "Added On" that displays the time when

a new contact is imported, uploaded, or added into a contact list. This attribute will be part of all contact lists for all organizations. With this attribute, a user can filter contacts based on their age. For existing records, the time will be of the day when the system is upgraded to this release.

### **"Same calendar day" option for "nuisance frequency" type of rules**

The option of "same calendar day" was available for rule categories "attempt frequency" and "attempt completion code". With this release the option of "same calendar day" is made available for rule category "nuisance frequency" as well.

### **Edit Filter Template from Campaign creation page**

With this enhancement, users can edit the Filter Template while creating or editing campaigns from the campaign creation page.

### **Guardrails for callbacks**

With this enhancement, creation of new callbacks will be restricted if the number of active callbacks in the system exceed beyond the system defined limits. The limits are in place at system level, organization level, campaign level and agent level.

### **Enhanced Health monitoring to include callbacks**

POM System Limits tab was introduced in POM-4.0.2 SP-2 to display system limits and adherence to it. This page is enhanced to display system limits for callbacks.

### **Enhanced Smart Notification widget on POM Home page to include callbacks**

Smart Notification widget on POM Home page was introduced in POM-4.0.2 SP-2. This widget is enhanced to include system limits for callbacks.

### **Automatically Release stuck agents**

With this enhancement, POM identifies all the agents present in the same state for a long time. POM issues logoff command to all such agents. This functionality is disabled by default.

### **New Organization column in Campaign Manager UI**

For all non-org users, the Campaign Manager UI shows a new column to display the organization name of the campaigns.

### **Support for AURA-10.2**

With this release, POM now supports AURA version 10.2.

### **Support for EP-8.1.2.1**

With this release, POM now supports AEP version 8.1.2.1.

### **Support for CMS-21**

With this release, POM now supports CMS-21.

### **Support for Postgres-16**

With this release, POM now supports Postgres-16.

### **Component Upgrades**

Following components are upgraded in POM-4023:

- commons-fileupload-1.5
- resteasy-jackson2-provider-3.1.4.Final
- resteasy-jaxrs-3.1.4.Final
- resteasy-json-p-provider-3.1.4.Final

- reeasy-multipart-provider-3.1.4.Final
- kafka\_2.13-3.6.1
- kafka-streams-3.6.1
- zookeeper-3.8.3
- JQuery 1.10.4
- sqlite-jdbc-3.45.1.0
- AngularJS 1.8.0
- node-v14.21.3-linux-x64
- npm 6.14.18

### **User Experience Enhancements**

Following UI pages are upgraded to provide better user experience:

- DNC Groups
- Callback Manager
- Supervisor Configuration
- POM Manager

For better performance, the contacts tab inside contact list now limits the display to 15 attributes by default. Users can select the attributes to be displayed from the option given on the page.

## **New in release – v4.0.2 SP2 (4.0.2.2)**

AEP Build: **8.1.2.0.0202**

Apply AEP latest patches.

**POM-4022 is only compatible with EP-8.1.2 and OD-8.1.2.**

### **SIP Code to Completion Code Mapping**

When POM receives a telephony event through MPP or EP, the telephony event contains a SIP code or event. This sip code or event is mapped to a system completion code, which is then used to dispose the record.

With this feature, a user can change this default mapping and map a custom completion code to a sip code or event. The mapped completion code is then used to dispose the record.

User also has an option to add new mappings.

### **New category of completion codes for SIP Code**

The SIP Code to completion code mapping is a system-wide/global configuration, and common for all organizations. This new SIP type of completion codes are used for mapping with SIP codes.

Only an administrator user can see, add, edit, or delete SIP type of completion codes.

### **Enhanced Rules to reduce evaluation of number of rules**

Enhanced rules to use the current number that POM dials regardless of the phone attribute it is a part of.

With this option, you can:

- Avoid the need to create multiple rules for multiple phone or call attributes.
- Improve operating performance by reducing the number of rules that POM evaluates at the time of dialing.

This is the default option for all new rules.

### **Separate database for POM Reports**

By default, POM retrieves reports from the database to which POM is currently connected.

With this feature, POM retrieves reports from a replicated database. This reduces the load on the primary database, since POM can fetch reports from the replicated database.

The replicated database is of the same type as the POM database and has the same information as the POM database. The replicated database is of the same version of the POM database and has the same schema.

### **Delete contacts from contact list based on filter template**

POM has a feature of emptying the contact list while uploading a file through a web browser or while creating a datasource.

As an extension of this feature, users can now delete specific contacts by using a filter template.

POM deletes the contacts that match the criteria in the filter template.

If the contact list is associated to a running campaign, POM deletes the contacts from the running campaign. This also helps to reduce the contacts in an ongoing infinite campaign.

### **Export contact list to a text file**

With this feature, POM exports the contacts to a text file such as a .csv file. Users have a choice to select the attributes to export and also have an option to specify a delimiter of their choice. The file can then be downloaded from the web browser.

Users also have a choice to export from a different database which is of the same version, type as the database to which POM is currently connected, and also has the same schema.

### **Enhanced Security for Agent Scripts**

Native Agent Scripts are now enhanced for better security. This enhanced security can be turned off from the Global Configurations page

### **Enhanced Health Monitor that displays adherence to POM System Limits**

POM Health Monitor page now displays the POM System Limits tab.

The POM System Limits tab displays the supported limits for:

- Total number of Contacts per contact list
- Total number of Contacts per campaign
- Total number of Contacts in the POM database
- Total number of records in the Contact Attempts History table

POM System Limits page also displays system adherence to the supported limits for the above mentioned categories.

### **Smart Notification Widget on POM Home Page**

The POM Home page displays the System Notifications widget only when POM detects that the supported system limits or the threshold for system limits are exceeded. This new widget is not displayed when the system is within the supported limits for specific categories. With this feature, a user can ensure that the system is well under the supported limits for specific categories before it starts impacting system performance.

### **Configuring Transactional logs per Agent**

API message exchanges between an agent (client) and the Agent Manager (server) can now be logged in a separate log file. The log files are created per agent and can be helpful in troubleshooting an issue. The log files can be created on POM servers as well as on the desktop systems of an agent (client).

The creation of log files is governed through a configuration, and the log files get rotated after their size exceeds a threshold.

### **MSSQL Database Manual Failover within the Same Data Center**

POM now supports MSSQL Database manual failover within the same Data Center

### **Increased limits for records in a contact list**

Limit for number of records in a contact list is increased to 200k

### **Support for CMS-20**

With this release, POM now supports CMS version 20.

### **Support for SBC-10.1.2**

With this release. POM now supports SBC version 10.1.2.

### **Component Upgrades**

Following components are upgraded in POM-4022:

- commons-fileupload-1.5
- spring-boot-gradle-plugin:2.7.12
- xstream-1.4.20
- activemq-all-5.16.6
- tomcat-embed-core-9.0.80
- tomcat-embed-websocket-9.0.80
- tomcat-embed-el-9.0.80
- tomcat-annotations-api-9.0.80
- tomcat-jdbc-9.0.80

## **New in release – v4.0.2 SP1 (4.0.2.1)**

### **Quick upload functionality for Contact Lists**

With the quick upload functionality, users will be able to upload contact lists using a csv directly from the contact list web user interface without creating a datasource.

### **Display agent aux-state reasons in Supervisor Dashboard**

The agent's aux-state reasons are visible in Monitor only. With POM-4.0.2.1, these reasons will now be visible in Supervisor Dashboard as well.

### **Support \$TODAY for timestamp type of attribute in Rule Engine**

While creating a rule, users will be able to provide \$TODAY as a value for all timestamp type of attributes.

### **Capability to manage agents in real-time without Supervisor role**

Supervisor role was mandatory to manage agents in real-time through Monitor or Supervisor Dashboard. The operations include View active agents, release from outbound, move to job, place

agent on break, force logoff. Users with one or more of these individual roles will now be able to manage agents in real-time through Monitor or Supervisor Dashboard, without requiring Supervisor Role.

### **Support for Postgres 14, 15**

POM-4.0.2.1 supports Postgres-14.7 and Postgres-15.2 in addition to previously supported Postgres versions.

### **POM Capture Tool**

The POM Config Capturing tool gathers configuration details and produces a report in html format. This report is then used by Avaya's support team for problem investigation. This report must be provided along with any escalation created on POM. This tool will be helpful in reducing time required to capture basic system configuration.

### **Component Upgrades**

Following components are upgraded in POM-4021:

- spring-cloud-starter-oauth2-2.0.0.RELEASE
- spring-kafka-2.9.3
- spring-jdbc-5.3.22
- spring-kafka-test-2.9.3
- kafka\_2.13-3.2.3
- kafka-clients-3.2.3
- kafka-streams-3.2.3
- kafka-log4j-appender-3.2.3
- kafka-streams-test-utils-3.2.3
- tomcat-embed-core-9.0.65
- tomcat-embed-websocket-9.0.65
- tomcat-embed-el-9.0.65
- tomcat-annotations-api-9.0.65
- tomcat-jdbc-9.0.65
- spring-boot-gradle-plugin:2.7.3

## **New in release – v4.0 FP2 (4.0.2)**

Following are the new features and enhancements provided with Proactive Outreach Manager Release 4.0 FP2

### **Advanced Guard Time based dialing with Follow-the-sun**

This release provides dialing based on advanced guard times wherein records are picked for dialing, from the operational database, only if the guard times are open. With this the number of records getting restricted, if the guard times are not open, reduces significantly. Additionally, follow-the-sun dialing can now be achieved by sorting with phone's time-zone attribute in Filter Template.

### **Dialing based on User Preferences**

This release provides additional child attributes for each phone type of attribute to provide user's preference of allowed time to call as well as disallowed time to call.

### **Time zone for Zip-code and Zip-State**

Additional attributes to specify two Zip-codes, two Zip-States, and their corresponding Time-zones with each record are now available with this release. Guard time specified for a country and state is then applied for the records which has that country value in Country Predefined attribute, and state in Zip-state attributes.

## **Dialing based on Common Time and CFPB Compliance**

A common time or intersection time is determined from the guard times specified for state or country or Time-zone, and user preferences of allowed and disallowed time, and zip-state. Records are picked for dialing, from operational database, based on this common time. This is done to meet the CFPB compliance.

## **Contact Distribution**

With this release, Supervisor Dashboard provides a view of how the records of a running campaign are distributed across all the countries, states and time-zones for a campaign. The view also provides details of whether a time-zone is open or closed for dialing for a particular country/state and number of records dialed.

## **System Health Monitor**

System resource consumption like CPU, memory, database connections and many more can now be seen on the UI based System Health Monitor.

## **POM Integrity Checker**

This release comes with the integrity checker tool to identify any files/jars in the POM Home directory that is not part of the standard installation.

## **Stop/Pause/Resume all campaigns using manageCampaign.sh**

This release provides options to stop/pause/resume all the campaigns at once using the manageCampaign.sh tool. This change is an extension to the already existing functionality provided by the manageCampaign.sh tool.

## **Time based finish criteria for Campaign**

POM now supports "Abort At" feature for time-based finish criteria. Users can now provide Date and Time at which the job should be aborted. Date is optional, but time field is mandatory. Users can also set this criteria for a running campaign from POM Dashboard.

## **Bulk Import option added for Automatic File Import**

POM now supports bulk import for Automatic File Import into POM contact list. Users can now select this option and provide a file name. POM will use this file name as a prefix and will search all files matching the pattern FILENAME[0-9]\*. All files matching this pattern will be imported using the single Automatic File Import data source. For example, if user provides the file name as CreditContactList.csv, then users could copy file with name CreditContactList1.csv, CreditContactList2.csv, CreditContactList302.csv and so on. POM will import contacts from all these files using the same data source.

## **Bulk Import API added for importing contacts in a Contact List**

Users can now use this API to import multiple contacts using a single Rest API. Please refer to POM Development Guide for more details.

## **Windows Authentication support for connecting to MSSQL DB**

POM now supports Windows Authentication mechanism for connecting to MSSQL DB. This option is now available with installDB script.

## **Campaign Export**

Account Admin will be able to download campaign export files on their local machine. Campaign export files can also be copied to customer's SFTP location, if SFTP server configured.

## Hikari Connection Pool

- Observed 40-50% reduction in total number of connections to database compared with c3p0 in same environment and conditions.
- HikariCP has better response to connection timeout. HikariCP will give timeout message if any connectivity issue with database whereas c3p0 provide no response to activity.

## Configurable Alarms

Externalize the Event Level, Throttle Interval, Severity of Alarms and ON/OFF Alarms from POM side. A new scripting tool is provided to perform these operations available at \$POM\_HOME/bin/eventSettingOperation.sh. Revisited the alarms settings and update the settings for some of the alarms. For updated alarms settings, refer POM Troubleshooting Guide. To maintain the backward compatibility, during upgrade customized alarm settings will be maintained in case of any customization done using existing tool in earlier release patch - \$POM\_HOME/bin/eventSettingOperation.sh

## System Completion Code Name in export data

System Completion Code Name can be included in export data. This can be enabled/disabled through a configuration. By default it is enabled.

## Log Rotation

The .out files log rotation will be done only using the "logrotate" command. In this approach we are maintaining 10 files for every service. The file size limit is kept as 5MB. Once the file size reaches 5MB, it will be rollover automatically. Also, compress the rotated .out files (the default format is .gz). "logrotate" command is run using a cron job.

## API updates – Please refer POM Development Guide for more details

1. New API to assign a completion code to a running job.
2. New API to get list of POM applications.
3. New API to list Agent Address book.
4. Existing API updated to save contact to a list and associate it to a running job.

## Supervisor Dashboard Enhancements

- The Complete Supervisor Dashboard UI is migrated to latest version of Avaya Neo Framework following all the WCAG guidelines and conforming to CEC and 508 Accessibility guidelines.
- Column Filters and Column Names are updated as per Avaya Analytics Inbound Realtime reporting Standards.
- Color codes updated as per NEO accessibility guidelines across dashboard.
- Completion code detail view updated with Last 5 , 15, 30 mins data as per parity with Old POM Monitor
- Agent RPC Success Closure trend chart added to Agent Detail
- Campaign detail screens updated to utilize full screen and show data on a single page without scrolling
- Breadcrumbs added in all pages for easier navigation.
- Billboard view updated to show additional information.
- Option to hide Billboard View title added to Dashboard Creation.
- Connection Status updated with correct error messages to handle different error handling scenarios.
- New Kafka Topic CCTRENDS added to capture historical data for Campaigns.
- Contact List distribution UI Is added to Contact list detail page.
- Changing of Pacing parameters is now possible from Campaign Settings page.
- Campaign setting page updated to show hierarchical settings.
- Supervisor Dashboard supports keycloak SSO mechanism added in Experience Portal for

loading Dashboard in Avaya Workspaces for CCaaS integration

### **Trends**

- Completion Code trend charts added to complete the feature parity with Old Dashboard. The feature parity with old POM monitor is now complete in 4.0.2 release.
- The Last 5 min, Last 15 min , Last 30 min and Last 60 min columns are added to the Completion Code View and also Multiple Campaign Summary View of Campaigns
- Staffed Agent Detail view now shows RPC (Right Party Contact), Success , Closure trend charts

### **Completion code**

- Completion code trend charts are added in Campaign Detail page for all Handler specific view.
- Trend charts are displayed as Last 48 hours by default which are updated in Realtime and from beginning which shows static data directly fetched from POM Database.

### **User Experience Enhancements**

Below pages provide enhanced user experience:

- Home Page
- Campaign Manager
- Contact List
- Filter Templates
- Completion Codes
- Campaign Attributes
- Contact Attributes
- Rule Editor
- File Splitter
- Purge Schedule
- Holiday
- Global Configuration

### **Common UX changes:**

- All Table actions column icons are moved under 3 dot action menus.
- Long forms are divided into multiple sections and its easy to navigate between the sections with tabs/bookmarks. Form errors highlighted for each section in tabs with error icon. Implemented in CCW and global configurations.
- User can add multiple campaign/contact attributes at once.
- Now user can view and perform small action on same page instead of navigating to other page. Like Save as campaign, Associate organizations, Strategy summary etc.

### **Component Upgrades**

Following components are upgraded in POM-402

- Kafka version 2.13.0-3.2.0
- Log4j-2.17.2
- ckEditor- 4.17.2
- ActiveMQ 5.16.4

# Installation

## Product compatibility

For the latest and most accurate compatibility information go to <https://support.avaya.com/CompatibilityMatrix/Index.aspx>

## File list – Proactive Outreach Manager 4.0.2 SP-4 Software

Filename	Modification time stamp	File size	Version number	sha256 SUM
POM.04.00.02.04.00.250305-r6afe478fbbf-x86_64.iso	Jan 30, 2025, 9:20:52 AM	1016883200 bytes	POM.04.00.02.04.00.250305	3b77150b5277be1b96daae001a1e7acd336235bc17e595d4f1f1fc6e6db4d9
POM.04.00.02.04.00.250305-r6afe478fbbf-x86_64.iso.sha256.crt	Jan 30, 2025, 9:21:23 AM	1842 bytes	POM.04.00.02.04.00.250305	a79ea87dc2ab3c0e0b090db819909357cabb1eff57a95b7a06be35c3d1007202
POM.04.00.02.04.00.250305-r6afe478fbbf-x86_64.iso.sha256.sig	Jan 30, 2025, 9:21:23 AM	256 bytes	POM.04.00.02.04.00.250305	f8c5741a99b58e66d2a3b85000f36fa1ea5c3faf8d31c06c2dea43105728f714
POM.04.00.02.04.00.250305-POMDesktopJavaAPI.zip	Jan 30, 2025, 9:20:52 AM	2052073 bytes	POM.04.00.02.04.00.250305	09ee15e929fe67ceb37883248abf0048e66382d99f8ef7675c75e613c12c2734
POM.04.00.02.04.00.250130-DesktopDotNetAPI.zip	Jan 30, 2025, 9:20:52 AM	280988 bytes	POM.04.00.02.04.00.250130	92b1aee9f5f2181c455767df357e61afddf12649e3e2b55a884599cb7ef2e4cd

Note: The following software bundles are not changed in POM 4.0.2.4. Software bundles released as part of POM 4.0.2 will continue to work with POM 4.0.2.4 also.

- POMEventSDK
- PomPDC

Avaya Proactive Outreach Manager ISO software package is protected via code signing. The SHA256 hash is generated and signed by the *Avaya File Signing Authority* for Avaya Proactive Outreach Manager 4.0.2 SP4 ISO software package. The following describes the steps to validate the SHA256 hash and digital signature.

Software Package name	Steps to validate the SHA256 hash and digital signature
POM.04.00.02.04.00.250305-r6afe478fbbf-x86_64.iso	This is the Proactive Outreach Manager 4.0.2 SP4 ISO Image. Login to the Linux system as a root privilege user and perform the following commands: <ol style="list-style-type: none"> <li>1. Use “sha256sum” command to generate a SHA256 hash against the Proactive Outreach Manager POM.04.0.2 SP4 ISO Image:</li> </ol>

Software Package name	Steps to validate the SHA256 hash and digital signature
	<p>2. <code>sha256sum</code> POM.04.00.02.04.00.250305-r6afe478fbbf-x86_64.iso. Compare the calculated hash from the above #1 step with the published SHA256 sum on support site. Both SHA256 hashes should be the same value to ensure the ISO image is not corrupted.</p> <p>3. The following steps are to validate the SHA256 hash signature:</p> <ul style="list-style-type: none"> <li>• First extract the public key from the certificate that signed the SHA256 hash to "<code>pubkey.pem</code>". <code>openssl x509 -pubkey -noout -in v.sha256.crt &gt;pubkey.pem</code></li> <li>• Create POM.04.00.02.04.00.250305-r6afe478fbbf-x86_64.iso file with below data : &lt; published SHA256 sum on support site &gt; &lt;ISO name&gt; e.g. 3b77150b5277be1b96daae001a1e7acd336235bc17e595d4f1f1fc6e6db4d9 POM.04.00.02.04.00.250305-r6afe478fbbf-x86_64.iso <b>Note:</b> There are two white spaces between &lt; published SHA256 sum on support site &gt; and &lt;ISO name&gt;</li> <li>• Verify the SHA256 hash signature using the public key "<code>pubkey.pem</code>": <code>openssl dgst -sha256 -verify pubkey.pem -signature POM.04.00.02.04.00.250305-r6afe478fbbf-x86_64.iso.sha256.sig POM.04.00.02.04.00.250305-r6afe478fbbf-x86_64.iso.sha256</code> "Verified OK" from the above command indicates the SHA256 hash signature is valid.</li> </ul>

### Installing the release

To install POM 4.0.2 SP4 software (File Name: POM.04.00.02.04.00.250305-r6afe478fbbf-x86\_64.iso) refer to the "*Implementing Avaya Proactive Outreach Manager*" guide for step by step instructions.

The POM on-line help library is integrated with the GA software. When you install POM on a system, the installer also installs the on-line help library on the system. However, you can download the updated on-line help library from the Avaya support site. To update the on-line help library on POM system, execute the following steps:

Download the POM on-line help library *POMAdminHelp\_R4.0.2\_Feb2025.zip* from <https://download.avaya.com/css/public/documents/101083667>

1. FTP the file in binary mode at /home/craft location on POM server.
2. Login to command prompt using root or sroot user.
3. Stop the VPMS service.  
Enter the command: `service vpms stop`
4. Copy the downloaded ZIP file to the /opt/Tomcat/tomcat/webapps/VP\_POM/help/AvayaPOMDocLibrary directory.  
Enter the command: `cp /home/craft/POMAdminHelp_R4.0.2_Feb2025.zip`

- /opt/Tomcat/tomcat/webapps/VP\_POM/help/AvayaPOMDocLibrary
5. Go to the directory.  
Enter the command: cd  
/opt/Tomcat/tomcat/webapps/VP\_POM/help/AvayaPOMDocLibrary
  6. Extract the ZIP file.  
Enter the command: unzip POMAdminHelp\_R4.0.2\_Feb2025.zip
  7. Enter A to overwrite all files.
  8. From the directory, delete the ZIP file.  
Enter the command: rm POMAdminHelp\_R4.0.2\_Feb2025.zip
  9. Change the ownership of all files to avayavp:avayavpgroup  
Enter the command: chown avayavp:avayavpgroup \*
  10. Set the file permissions to 755.  
Enter the command: chmod 755 \*
  11. Start the vpms service.  
Enter the command: service vpms start

**Note:**

**Troubleshooting the installation**

Refer to the “*Troubleshooting Avaya Proactive Outreach Manager*” guide section “*Troubleshooting install, upgrade, and uninstall*” for details.

**Restoring software to previous version**

NA

## Fixed Issues

SR	PEA	JIRA	Summary	Fixed in Release
1-22658724432	1-AESWTLO	OUTREACH-54101	The feature "Export contact list to a text file" doesn't work for a user having Export Contacts permission	4.0.2.4
1-22653396152	1-AEV2KP0	OUTREACH-54093	Using Global custom Rule, DATE datatype with \$TO-DAY is not working as expected, it blocks all dialing	4.0.2.4
1-22045569317	1-A4LD25T	OUTREACH-54065	In case of Oracle, if 'Contact_Dial_Batch_Size' is greater than 1, contacts are not getting dialled (cache is disabled).	4.0.2.4
1-22590069132	1-AERSVWW	OUTREACH-54052	Record type filter Excluded Contacts and Contact Exclusion Reset not working for POM Contact List Import Details Report	4.0.2.4
1-22475102142	1-ACAOTYE	OUTREACH-54020	Detached Contact List Not Removed from pim_contact_store Table in MSSQL	4.0.2.4
		OUTREACH-53900	Any custom user with admin roles but not with "admin" name, gets an error code: 11136 while uploading contact in a contact list which is for different organization but contacts are getting uploaded successfully.	4.0.2.4
1-22517481882	1-ACGJ9B8	OUTREACH-53893	Recorder Setting's WFO port value reverts back to default on UI if changed from default port 7999 to something else.	4.0.2.4
1-22370484522 1-22435690192	1-A9Y7DBZ 1-ACPX0D9	OUTREACH-53877	Contact list upload from UI fails when campaign director of aux POM is assigned to the zone of contact list	4.0.2.4

1- 22474100229 1- 22366628812	1- ABOHYRK 1-AAPAJ64	OUTREACH- 53857	When the strategy changed in any specific campaign, the completion code summary report only displays current strategy for that campaign	4.0.2.4
1- 22308015572	1- A9DD2Y8	OUTREACH- 53770	Edit Filter not working for Float type Attribute when Campaign In Progress state.	4.0.2.4
1- 22242401241	1- A7UJUOI	OUTREACH- 53769	DNC Group Assignment Issue when default DNC group assigned to Org campaign	4.0.2.4
1- 22356675742	1- A9QP1W6	OUTREACH- 53768	Disable Export contacts option and making it configurable	4.0.2.4
1- 22471637742	1- AC54L9S	OUTREACH- 53767	POM Agent Delete operation does not work from Agent Configuration page	4.0.2.4
1- 22181063151 1- 22218377622	1- A6UCS4F 1- A7G75NK	OUTREACH- 53760	POM Dashboard is not showing completion code for which 'Retry' set	4.0.2.4
1- 22149489521	1- A7LY8RZ	OUTREACH- 53759	Rule Engine throwing NullPointerException when address_attribute_name field value NULL	4.0.2.4
1- 22221202582	1- A7HCZOT	OUTREACH- 53758	An error occurred while generating POM Completion code summary report	4.0.2.4
1- 22476994491	1- ABTBOLL	OUTREACH- 53757	Campaign Detail Report shows previous pacing even after a pacing type is changed on the runtime through runtime pacing change option	4.0.2.4
1- 22481871326 1- 22422186731	1- ABTHDXF 1- AATLA1C	OUTREACH- 53755	After runtime pacing change (Cruise Control to Preview) followed by job pause-resume, agent manager is fetching previous pacing type, causing unexpected results	4.0.2.4
1- 22217078672	1- A7YUQ02	OUTREACH- 53752	Rule Engine allows redial attempt to be dialed even though attempt type "redial" is not excluded in rule configuration	4.0.2.4
1- 22392016462	1- AABLQ6K	OUTREACH- 53747	Callback is getting postponed with "rejected due to attempt already in progress completion code"	4.0.2.4
1- 22602129703	1- ADSW448	OUTREACH- 53745	For a preview call, if agent desktop sends contact number as null, system completion code for the attempt remains "Preview_In_Progress" instead of updating to "Invalid_Number"	4.0.2.4
1- 22199176648	1- A74XYPJ	OUTREACH- 53739	Developer guide needs to be correct for Callback Job State from Get campaign Details API	4.0.2.4
1- 22383985922	1- AAFJJSV	OUTREACH- 53735	Filter Template created by Organization user cannot be seen by Admin user.	4.0.2.4
1- 21992367792 1- 22104283601	1- A41S8B6 1- A646EO3	OUTREACH- 53726	Getting "Failed to add completion code" error while adding completion code from UI. User is able to add the same completion code using API.	4.0.2.4
1- 22253806782 1- 22253806782	1- A8BQT12 1- A923DQG	OUTREACH- 53725	Unable to use Japanese campaign names	4.0.2.4
1- 22392674642	1- AAET7YD	OUTREACH- 53724	POM Campaign Configuration page slowness	4.0.2.4
1- 22530265285	1- ACLY7FQ	OUTREACH- 53723	View Contacts on the campaign manager is inactive	4.0.2.4
1- 22511201382 1- 22530265285	1- ACLZ9WU 1- ACLY7FQ	OUTREACH- 53722	Can't save the change after edit contacts in campaign manager	4.0.2.4
1- 22419062192	1- ADQC2HE	OUTREACH- 53713	Japanese input is not supported for custom completion code finish criteria in the Campaign creation wizard.	4.0.2.4
1- 22564039022	1- AD61O05	OUTREACH- 53687	AgentSDKService thread is getting terminated when Callback notes are over 100KB	4.0.2.4

1- 22395497792 1- 22404007802	1- AAOND2V 1- ACUNN2B	OUTREACH- 53682	Contact List associated with infinite campaign cannot be removed after enabling 'Do not associate contact list at the start'. It can be seen in Campaign Manager list page.	4.0.2.4
1- 22404007802	1- ACUNN2B	OUTREACH- 53681	"Do not associate any contact list at start" is giving "Campaign Type change is not allowed" error	4.0.2.4
1- 22345236622 1- 22560876322	1-A9L38N0 1- AD87AAS	OUTREACH- 53473	Licenses are getting negative after moving job from progressive to preview and vice-versa	4.0.2.4
1- 22565438662	1- AD6TCSS	OUTREACH- 53466	While checking POM services status on UI (Configurations -> Servers -> POM Manager), customer is getting "An unknow error occurred while processing the request. Please report this incidence to administrator" error.	4.0.2.4
		OUTREACH- 53420	Campaign Name Validation issue	4.0.2.4
1- 22133596141 1- 22148843982 1- 22214373482 1- 22435690192 1- 22641460171 1- 22651211052	1-A61RS3Z 1- A6CASE7 1- A7F8WT3 1- AB9YSDE 1- AEG531V 1- AET0CR5	OUTREACH- 53304	Error code: 11136 appears on screen if uploading contacts in a contact list with custom user (non-admin user).	4.0.2.4
-	-	OUTREACH- 53402	Search option not working in OLH	4.0.2.4
1- 20163803282	1- 9AB5RNO	OUTREACH- 51774	Contact filter missing contacts when using timestamp attribute	4.0.2.3
1- 20214070532	1- 9B948BB	OUTREACH- 51775	When using Spanish language in Browser, filters can't be configured	4.0.2.3
1- 20227302762	1- 9AKR4CM	OUTREACH- 51776	"Invalid Pacing Parameters" error while changing the runtime pacing to preview	4.0.2.3
1- 19736871282, 1- 20307743311	1- 99TJPDC, 1- 9BUQM7E	OUTREACH- 51780	UII is NULL in External Transfer.	4.0.2.3
1- 20259799452	1- 9BCTOQV	OUTREACH- 51781	POM Dashboard doesn't show Completion code under active campaigns and Queue length in Inbound skills	4.0.2.3
1- 20230993542	1- 9AQ9OE2	OUTREACH- 51783	Search and Sort DNC Groups" API is not working	4.0.2.3
1- 20206826790	1- 9AXCVEJ	OUTREACH- 51784	With MSSQL database, if a custom contact attribute created by org user is deleted from UI, its record is not removed from pim_attribute table	4.0.2.3
1- 20185917594	1-99VZRZL	OUTREACH- 51785	Further call dialing stops after nullPointerException caused by retry attempt's data not found in pim_contact_attempts and	4.0.2.3

			pim_contact_attempts_history table	
1- 20241688587	1- 9ARKD4Z	OUTREACH- 51788	Different nuisance rates showing for same set of statistics in Nuisance Summary Report	4.0.2.3
		OUTREACH- 51806	Finish button is intermittently grayed out	4.0.2.3
1- 21640190642	1- 9XW5JOM	OUTREACH- 52541	Eliminate Callback Notes from Enriched Event's CallbackInfo Parameter from the document	
1- 20289989952	1- 9BLQ3RW	OUTREACH- 51814	Callback gets postponed with completion code "Rejected_Due_To_Attempt_Already_In_Progress" due to CM socket timeout	4.0.2.3
1- 20261445622, 1- 20413208092, 1- 22044364391, 1- 22049493254	1- 9B4AKFY, 1- 9XMEF4L, 1- A4KZYMW, 1- A4QWOZP	OUTREACH- 51998	Port # defaults to 1521 even though we have saved a DSN with a different port	4.0.2.3
1- 20332909452, 1- 22125991162	1- 9CDZPHS, 1- A5ZVCCP	OUTREACH- 52009	Schema creation failed while running installDB.sh on 4.0.2 SP2	4.0.2.3
-	-	OUTREACH- 52014	Security Vulnerability CVE-2023-46604 in ActiveMQ	4.0.2.3
1- 20324453712	1-9CI7IPA	OUTREACH- 52078	Agent consult transfer shows ANI as agent id instead of agent extension	4.0.2.3
1- 20259799452	1- 9BYVYW8	OUTREACH- 52103	Queue length in Inbound skills is not displaying in dashboard	4.0.2.3
1- 20304927462	1- 9D99ZHM	OUTREACH- 52199	Enriched event is not generated for preview call when we created a callback event in Other Organization	4.0.2.3
1- 20384018972, 1- 21979332932	1- 9DEOM6T, 1-A3IQ4LE	OUTREACH- 52099	Finite Campaign cannot be created in multi-zone environment. The Campaign payload data retains the value of 'Default' zone which creates problem.	4.0.2.3
1- 21963161161	1- A39YAGC	OUTREACH- 52405	POM Monitor showing nuisanceRateToday > 0 on a preview campaign	4.0.2.3
1- 21635380322	1- 9XWDY7Q	OUTREACH- 52410	Selected Rules & Holiday is not getting copied from main campaign to duplicate campaign	4.0.2.3
1- 22001148879	1- A3UWZ66	OUTREACH- 52532	Retries are getting lost when campaign filter template is dynamically associated	4.0.2.3
1- 20290529001	1- 9BKGGH1	OUTREACH- 52550	POM Monitor statistics and POM Dashboard statistic do not match	4.0.2.3
1- 21124114142	1- 9XBDX2K	OUTREACH- 52647	"Server is Invalid" error while browsing the Health Monitor.	4.0.2.3
1- 21975066642	1-A3FH05E	OUTREACH- 52648	Agent Performance Summary Report shows no records if selected date range does not include job start time.	4.0.2.3
		OUTREACH- 52649	Active campaigns tab in the POM Monitor intermittently shows no data when there campaigns are actually in progress	4.0.2.3
1- 20456877652	1- 9XT3W3X	OUTREACH- 52650	Remove contact from job API is not removing contact from job	4.0.2.3
1- 20364843622	1-A0461Y2	OUTREACH- 52652	Value of Total_Calls in the pim_job table is incorrect, does not match with attempt count from the campaign summary report	4.0.2.3
1- 20413208092	1- 9XMEF3P	OUTREACH- 52654	While editing a campaign, the error 'EPM Server for zone is required' occurs and campaign cannot be saved after Edit.	4.0.2.3
1-	1-	OUTREACH-	POM Announcement playing twice for queued call when	4.0.2.3

20102928292, 1- 20412974341, 1- 22024756312, 1- 22024756312	9CRFKC4, 1- 9E3WQ9T, 1- A4C981R, 1-A4J7K1H	52655	enhanced CCA is off	
1- 20958993803	1- 9XKVN4H	OUTREACH- 52657	For Nuisance Call Summary report, the results shows data out of selected date range or no data between selected date range	4.0.2.3
1- 20958993803	1- 9MMFZ80	OUTREACH- 52658	In Nuisance Call Summary Report, the Answer Machine Calls count for a job is same for all the dates	4.0.2.3
1- 20421328252	1- 9DQD88M	OUTREACH- 52661	After update to POM 4.0.2 SP 2 from POM 4.0.2 SP 1, Filter Template with \$TODAY variable not working for MSSQL database	4.0.2.3
1- 20251270462	1-9CE067I	OUTREACH- 52662	Agents are unable to login as it gets 'Agent is Already Logged-in' return code 7 and PIM_AgtMgr logs gets flooded with 'AGTGetErrorInfo' messages.	4.0.2.3
1- 20432285491, 1- 20272858892	1- 9DWUSFI, 1- 9GO6XGU	OUTREACH- 52663	When POM server does not have internet connectivity, POM Homepage and POM Dashboard page takes more than 10 seconds to load.	4.0.2.3
1- 20250401172	1-9BKVK2F	OUTREACH- 52664	SFTP Export does not work for files around 500 KB, it throws NullPointerException	4.0.2.3
1- 20192371412	1-99Z0DG2	OUTREACH- 52665	URL Agent Script not working with QueryString	4.0.2.3
1- 19283834662	1-8WL6L6A	OUTREACH- 52677	contact list upload failed on specific record show invalid attribute	4.0.2.3
1- 20298349242	1- 9BUEO42	OUTREACH- 52701	Campaign is not dialing any contacts when Nuisance frequency rule is assigned, and all contacts remains unattempted	4.0.2.3
1- 21605790421	1- 9XUYDX8	OUTREACH- 52706	Discrepancy between Monitor and Dashboard with rest to Nuisance Rate	4.0.2.3
-	-	OUTREACH- 52720	Nuisance Call Rate is different between POM Campaign Summary Report and POM Nuisance Call Summary Report	4.0.2.3
1- 21626989341	1- 9XO5FSV	OUTREACH- 52724	For Nuisance Call Summary report, nuisance rate calculated in the report is zero percent even though nuisance call count is a non-zero positive value	4.0.2.3
-	-	OUTREACH- 52732	Nuisance Information is not shown correctly on POM Monitor and Dashboard when executing 100% Nuisance calls	4.0.2.3
-	-	OUTREACH- 52763	Total Nuisance Rate on POM Nuisance Call Summary is not correct in some cases	4.0.2.3
1- 22027208092	1-A4ABEBJ	OUTREACH- 52779	'Do not associate any contact list at start' option for Infinite Campaign keeps the 'Default zone' and it doesn't get removed if added once	4.0.2.3
1- 22051691222	1-A4SBE12	OUTREACH- 52900	For new filter template creation in POM 4.0.2 SP 2 Patch 1 (with MSSQL DB) where multiple conditions are configured, user cannot save the template if \$TODAY is not used in first condition	4.0.2.3
1- 22014265832	1- A4DA25U	OUTREACH- 52901	Callbacks are getting postponed with 'Attempt_Timeout' completion code and then subsequent attempts are getting marked as 'Rejected due to attempt already in progress'	4.0.2.3
1- 21986453921	1- A3M60G7	OUTREACH- 52904	Server monitor thread calculates incorrect count of ITodayCallsToAnsMachToLiveAgent (answer machine by agent call count for today) resulting in incorrect nuisance rate for today on POM Monitor	4.0.2.3
1-	1-9AK1110,	OUTREACH-	No of ports used by a Notification campaign exceeds	4.0.2.3

20106345152, 1- 22226210587	1-A7LCC99	52906	the max ports allocated to it	
1- 21992367792, 1- 22104283601	1- A41S8B6, 1-A646EO3	OUTREACH- 53053	Getting "Failed to add completion code" error while adding completion code from UI. User is able to add the same completion code using API	4.0.2.3
1- 22080785722	1- A5EMG84	OUTREACH- 53060	File Splitter not showing Frequency time for Run Every Minutes on UI.	4.0.2.3
1- 22087286542, 1- 22131631162, 1- 22142380972	1- A5C7ZDW, 1- A62R2DS, 1-A66KJ4Y	OUTREACH- 53126	POM Agent login failed if packet ID increases and goes beyond 8 digits	4.0.2.3
1- 21975002241	1- A3FCK9Y	OUTREACH- 53128	Total value of POM Completion codes in POM Monitor shows zero	4.0.2.3
1- 22101343961, 1- 22112682596	1-A5IKI63, 1-A5PBJ4L	OUTREACH- 53328	pim_agent_info' table is not getting created in POM DB while upgrading POM	4.0.2.3
-	-	OUTREACH- 51773	In the campaign strategy call node option min and max time if we enter the same time in both options, there is no validation or check for same time	4.0.2.3
-	-	OUTREACH- 51771	Advanced search contact list is working incorrect if contact list name is containing underscore and hyphen	4.0.2.3
-	-	OUTREACH- 50862	POM UI - Rule/Global rule was automatically re-enable	4.0.2.3
-	-	OUTREACH- 50465	After click on other tab in Campaign Manager, only type 1 characters for campaign name in Details tab	4.0.2.3
1- 20163772292	1- 99VWPUS	OUTREACH- 51703	Priority contacts added in running campaign doesn't dial after finishing the current contact. They get dialed after all the old medium priority contacts dialing gets over.	4.0.2.2
1- 19459964262	1-9202IYZ	OUTREACH- 50490	Security Vulnerability: Need to remove all weak ciphers	4.0.2.2
1- 20081325952	1- 98RW742	OUTREACH- 51690	Datacenter name is not visible in front of EPM name (Media tab) while trying to create a campaign with Org user.	4.0.2.2
1- 19534579252	1-8Z4SSX8	OUTREACH- 50488	Unable to save Campaign strategy while using the Restrict & Exception Nodes and put the \$NOW in min/max value	4.0.2.2
1- 19805534432, 1- 19805534432	1- 93NO36H, 1-99LS09T	OUTREACH- 51664	Unable to configure/modify campaigns	4.0.2.2
1- 20084754372	1- 98ULQ0W	OUTREACH- 51575	DB connection leak for PIMADMIN service resulting in Web UI inaccessible for POM	4.0.2.2
1- 20150348112	1- 99G6WXY	OUTREACH- 51662	Org based User is unable to Edit Campaign when show all Contacts is disabled from Roles	4.0.2.2
1- 19442206152	1- 8XVFPNO	OUTREACH- 50484	Second preview call to an Agent after consult transfer doesn't get dropped while the preview is in ringing	4.0.2.2
1- 19775146291	1- 95C1BRE	OUTREACH- 51141	Need validation logic on characters [] : in campaign name while new campaign creation	4.0.2.2
1- 19547089101	1-8Z9TYIV	OUTREACH- 51665	Invalid Service Level getting displayed on Supervisor Dashboard UI	4.0.2.2
1- 19930040292, 1- 20244862342	1- 98PY5QR, 1- 9AUMGQK	OUTREACH- 50969	Campaign Manager is leaking DB connection	4.0.2.2

1- 20164789402	1-99J3GNU	OUTREACH- 51656	User with 'POM Campaign Manager' role is unable to create global rule. User get error "Rule creation failed, Error in associating global rule." on screen	4.0.2.2
1- 20163803282	1- 9AB5RNO	OUTREACH- 51139	Supervisor displays agents while campaign is paused but POM Monitor shows 0 agent	4.0.2.2
1- 20140003122	1-99O9G7T	OUTREACH- 51633	Contact attributes not visible in Campaign Manager/Contact List	4.0.2.2
1- 19586821112, 1- 20098183842	1- 8ZXAA0T, 1- 9A2BEBW	OUTREACH- 51661	When navigating to POM Health Monitor, it shows "Server is invalid"	4.0.2.2
1- 20104082292	1-99N1SG4	OUTREACH- 51574	After deploying fix for OUTREACH-51118, empty values are exported in campaign export files	4.0.2.2
1- 20128168782	1-993UP1C	OUTREACH- 51330	Campaign strategy is not found when searched with underscore in Strategy's name	4.0.2.2
1- 20055477632	1-99098SU	OUTREACH- 51331	Campaign Export Files from UI is not working when underscore is used in Campaign name	4.0.2.2
1- 19862859712	1- 95CDB7C	OUTREACH- 51140	POM log masking doesnot work for PHONENumber	4.0.2.2
1- 20046859422	1- 98GA9XO	OUTREACH- 51171	POM Capture tool not working with secure data connection ON	4.0.2.2
1- 19791695591	1-967B222	OUTREACH- 50734	User with "Add DNC List" and "Delete DNC List" permission can not get DNC list name displayed	4.0.2.2
1- 20044569872, 1- 20104082292	1- 9848A8C, 1- 99FOM53	OUTREACH- 51120	java.lang.NoSuchMethodError exception during Export Data Configuration operation of a campaign	4.0.2.2
1- 19467713882	1- 8YCNLLU	OUTREACH- 50498	Linked Campaign through POM Monitor doesn't get started once yetToDialContacts becomes 0 for the base campaign and is paused/resumed in between	4.0.2.2
1- 20037317957	1-97DP9J6	OUTREACH- 50808	database datasource details are not preserved during edit action if the datasource is run successfully before edit	4.0.2.2
1- 19830401612	1-9420BYE	OUTREACH- 50731	New added country code is not displayed in Global Configuration->Contact Settings->Home Country	4.0.2.2
1- 20074668255	1- 97ZXTQA	OUTREACH- 50494	POM API for Delete Contact from Contact list throws and exception for invalid contact ID	4.0.2.2
1- 20033602482, 1- 20033602482	1- 97BG7NV, 1-97UPXJT	OUTREACH- 50850	Contact Attribute type as Float shows different value when we save 0 as a value	4.0.2.2
1- 19486021881, 1- 19543391592	1- 94BON9K, 1-95K5EC5	OUTREACH- 50764	Simultaneously running two database datasources configured on same database and same table/view intermittently results in one of them stuck in "Running" state without fetching any records	4.0.2.2
1- 19520821672	1-8ZPEX04	OUTREACH- 50483	Runtime parameter changed through POM Monitor does not take effect after pause/resume campaign	4.0.2.2
1- 19915761899, 1- 19981118212, 1- 20156103732	1- 95DBWB8, 1-97C04IV, 1-99M6490	OUTREACH- 50642	SQL Query field in database datasource of contact list has a limit of 75 characters	4.0.2.2
1- 19437861442, 1- 19883029932, 1- 19915761741, 1- 20156484171	1- 8YJCDUI, 1- 94Z4D8S, 1- 95DBW5W, 1-99O8JHV	OUTREACH- 50489	Test Connection to MSSQL database failed from Data Source (Contact List)	4.0.2.2

1-19598155552	1-929GHOW	OUTREACH-50495	During DNC list import, if datasource is created without filename in path, running the datasource removes the entire folder	4.0.2.2
1-19515806222	1-9276AIC	OUTREACH-50492	Unable to select 'AND' operator in the filter template when using Japanese Chrome, works fine with the English Chrome	4.0.2.2
1-19726154702	1-93C2BAD	OUTREACH-50497	POM SMS Campaign Runtime settings page shows incorrect for Pacing settings	4.0.2.2
1-19697320712	1-932P6AG	OUTREACH-50496	POM Campaign Parameter History report are not working	4.0.2.2
1-19485912612	1-8YZNDTC	OUTREACH-50487	For a preview campaign, if agent releases the call while customer phone is ringing, Nailer CCXML returns the failure reason as Network Refusal	4.0.2.2
1-18141877470	1-8LTQE5Q	OUTREACH-50327	Default completion code for CCA timeout is "Call Answered". No check for Enhanced CCA flag before setting default completion code	4.0.2.2
1-19553199322	1-921QKVA	OUTREACH-51663	Security: Application discloses web server name in the HTTP Response	4.0.2.2
1-20155251612	1-99PINOG	OUTREACH-51646	POM doesn't dial based on sort order defined in filter template	4.0.2.2
1-19462229112, 1-19804759812	1-968QA1Y, 1-96TGRAM	OUTREACH-51138	When campaign is paused, Agent on call cannot initiate a consult due to wrong capabilities.	4.0.2.2
1-19282217082	1-8VBV4GY	OUTREACH-51128	User with custom role has issues in supervisor functionality	4.0.2.2
1-19470852042	1-92AB31H	OUTREACH-50493	When cache is enabled, dynamic filter does not re-add applicable contacts for dialing.	4.0.2.2
1-19392767512	1-8XORAKW	OUTREACH-50485	In a race condition for a consult during a preview call, if customer drops the call before consult is initiated, POM does not check agent state before proceeding with consult call.	4.0.2.2
1-19561888862	1-93AVEFW	OUTREACH-51641	After failover to auxiliary POM (primary server is disconnected from network), agent desktop application gets next contact details after 10-12 seconds once previous call is wrapped up (previous call was released in ringing state)	4.0.2.2
1-19650445571	1-90ZD8VB	OUTREACH-51127	Document Jira: Overview and Specification document mentions 'campaign manager executes a rule in the end' but custom rules execution is done before guard time check since POM 4.0	4.0.2.2
1-19804759812	1-93J858W	OUTREACH-50491	Need to update POM Agent API document regarding AGTCapabilitiesChanged and Capability matrix for missing 'Record Capability'	4.0.2.2
1-18148649914	1-8C5ER27	OUTREACH-50333	Time between retries is configured at 60 seconds but take 5-10 minutes, causing Agents to sit idle	4.0.2.2
-	-	OUTREACH-51762	WAV files with wrong encoding	4.0.2.2
1-17865769972	1-88R3W2Y	OUTREACH-50334	Callback was created by agent in timezone (Europe/Athens) which is currently running on DST but the Time zone which shows in callback manager page (Edit callback) is TZ Baghdad	4.0.2.2
1-19413429512	1-8XMWCLQ	OUTREACH-50342	Tab/Spaces should not be allowed in Campaign name, need validation logic on it.	4.0.2.1
1-19219582044	1-8TUUCGO	OUTREACH-50326	Schedule callback API which is used to create callback for dial now functionality is ignoring seconds value and considering only hours and minutes in StartTime.	4.0.2.1
1-19255687992	1-8UMT8FC	OUTREACH-50325	For Save Contact to List API, JSON response for emptiedAttributes does match developer guide	4.0.2.1

1- 19319694822	1-8VO288I	OUTREACH- 50324	No provision to check active VPMS during make CCXML call, resulting in invoking CCXML with unreachable VPMS. This results in additional 10-12 seconds delay before invoke CCXML is routed to active VPMS.	4.0.2.1
1- 19337286432	1- 8WB4VBW	OUTREACH- 50323	Contact List Sorting is not performed using selected attributes from second page onwards	4.0.2.1
1- 19347668502	1- 8W7VNEO	OUTREACH- 50322	Call in queue is not assigned to ready agent if campaign is stopped. The call is marked as nuisance.	4.0.2.1
1- 19357332462	1- 8WN7NJW	OUTREACH- 50304	Getting different OffJobBreakPercentage value from webservice API and POM Monitor	4.0.2.1
1- 19325269312	1- 8W65IFK	OUTREACH- 50253	Calls getting disposed with "Rejected Due To Attempt Already In Progress" code when Restrict node is used in strategy.	4.0.2.1
1- 19331209132	1-8VU1R1Z	OUTREACH- 50241	Unable to save campaign strategy with the required exception logic as per customer business	4.0.2.1
-	-	OUTREACH- 50133	Calls getting rejected by RuleEngine and marked as "Rejected Due To Attempt Already In Progress"	4.0.2.1
1- 19181403942	1- 8TEMPMO	OUTREACH- 50131	Linked Campaign to Infinite Campaign does not start after all the records gets dialed from base campaign and yetToDialContacts=0	4.0.2.1
1- 19059370442	1- 8SQ1CR3	OUTREACH- 50120	Security Vulnerability: need to remove weak ciphers	4.0.2.1
1- 19274408892, 1- 19103213332	1- 8URAOZU, 1-8S8LC7X	OUTREACH- 50116	POM Agent Blend Report run by Org User but it shows all Org reports	4.0.2.1
1- 17973257191	1-898TA1U	OUTREACH- 50054	Callback get stuck in 'in-progress' state and never changes it's state.	4.0.2.1
1- 19071194572	1- 8RM1UE8	OUTREACH- 50009	With MSSQL database, filter criteria is not working for Thai characters	4.0.2.1
1- 18815686262, 1- 18974987052, 1- 19329390431, 1- 19413655082	1- 8NTSGMI, 1- 8U563SK, 1- 8VO7X4Z, 1- 8XZKU3K	OUTREACH- 48871	Agent SDK service HA/heart beat not working as expected when network is down	4.0.2.1
-	-	OUTREACH- 45889	POM Realtime Supervisor dashboard and POM Strategy are not in sync for Pacing Parameter (Max Agents attribute).	4.0.2.1
1- 17991093522	1-89LP373	OUTREACH- 44754	Agent can not be force log out from POM dashboard	4.0.2.1
-	-	OUTREACH- 41173	Scotiabank : Different behavior when all phone numbers are cleared due to validations and when no phone number provided for record	4.0.2.1
-	-	OUTREACH- 37196	Enriched Attempt Event is not generated in Attempt_Timeout scenario	4.0.2.1
-	-	OUTREACH- 50329	Change Log Level script: log4j properties file variable has relative path instead of absolute path	4.0.2.1
-	-	OUTREACH- 49230	EP ->Manager -> HTTP Status 404 – Not Found displayed when db is not configured	4.0.2.1
-	-	OUTREACH- 48821	In POM402, none mode to CCElite is not working.	4.0.2.1
1- 18141877470, 1- 18746004182	1- 8LTQE5Q, 1- 8MCHLTZ	OUTREACH- 48944	Agentless/Notification campaign with enhanced CCA on, we get "Call_Answered" completion code	4.0.2

1-18750983801	1-8M3UNQO	OUTREACH-49017	Predictive cruise control campaign pacing: performance issue for a list with lower contact rates	4.0.2
1-18781398991	1-8MM43B5	OUTREACH-48745	Campaign Manager sometimes generating false P_POMCM042 alarm	4.0.2
1-18825649902	1-8NO6W4M	OUTREACH-48749	Need to restrict Org based User to access POM Trusted Certificate	4.0.2
1-18734313261	1-8NAB9AH	OUTREACH-48747	Linked job is started even before contact filtering is complete in the first job.	4.0.2
1-18107847002	1-8BQ0860	OUTREACH-45641	Contacts are not showing properly in contact preview using filter when Database is MSSQL	4.0.2
1-18887989112	1-8ODYHNNH	OUTREACH-48784	Contact list import : Data source created by deleted user runs with the same username causing 'Multiple Users found in data base' error.	4.0.2
1-18390507942	1-8KXDQRC	OUTREACH-41970	Job id coming 0 for Redial call	4.0.2
1-18820961992	1-8O3Z81A	OUTREACH-47871	POM Native Agent script fails to load JQuery components from AUX servers	4.0.2
1-18827337292	1-8NSZ8P2	OUTREACH-48605	Export data files are incomplete	4.0.2
SR 1-18066159602	1-8B5MU5I	OUTREACH-41355	Getting Error when trying to add Completion Code	4.0.2
			(Expected behaviour : In case of USE_CC_CODE=false , user won't be able to add completion code if same name/description exists.	4.0.2
			To add completion code with same name as description USE_CC_CODE should be true).	4.0.2
1-17933215612	1-89H1KCL	OUTREACH-41417	if customer stop services in primary POM. Some auxiliary services seem to be also stopped	4.0.2
1-17835510332	1-87KT1VZ	OUTREACH-39555	When POM mode is NONE Chrome language set to Chinese campaign strategy -> handler -> call -> pacing parameter , there is no Min Port and Max port	4.0.2
1-17897514412	1-8970EFR	OUTREACH-40734	log rotation request for .out POM services file using "logrotate" command	4.0.2
1-17934870731	1-88LYIUV	OUTREACH-38387	Rule Engine process remain in DORMANT Mode for all the Rule engine process and no one become mas-ter after DB Connection glitch scenario	4.0.2
1-17893166123	1-88IU1F2	OUTREACH-39595	Importing Contact List fails after first batch insertion and the connection closes after that	4.0.2
1-17774368997	1-817G12O	OUTREACH-37449	Agent "Acquire event" is not sending to Recorder	4.0.2
1-17469777993	1-81EGMP4	OUTREACH-37192	POM Export Report data are not aligned in proper columns.	4.0.2
1-17479692761	1-812YHC5, 1-816XHV0	OUTREACH-37448	Export data records are missing in the export file when we run export on frequency ba-sis(daily/Hourly/Run Every N Minutes)	4.0.2
1-17815423632	1-86VKOX4, 1-8RG3COE	OUTREACH-38000	Getting count of "CallsPassedToLiveAgent" parameter on the basis of Populated "agent_id" which is further used in Nuisance Rate Calculation	4.0.2
1-17405940875	1-80X5ZZP	OUTREACH-31375	Agent State Time on Supervisor Dashboard doesn't reset to 00:00:00 whenever Agent State is changed	4.0.2
1-17136673792	1-7VEQEBD	OUTREACH-32822	No validation for empty value in two fields "Initial Hit Rate, Minimum Hit Rate" in ECR call pacing type	4.0.2

1-17376506472	1-7ZH2CJW	OUTREACH-35400	Notification campaigns no more run with H323 trunk.	4.0.2
1-17369090827	1-7ZB7GJK	OUTREACH-35731	Refresh Skills button on UI authorized outbound user instead of loggedIn user	4.0.2
1-17334196224	1-80GMLIO	OUTREACH-36704	Org directories get deleted by ALM service when POM services are started from UI	4.0.2
1-17330404341	1-7YM2PLL	OUTREACH-32822	PMonitorAgentPageSize is not fetching data for specific user role.	4.0.2

## Known Issues

ID	Impact	Workaround/Comments
OUTREACH-51740	Inbound skill is not displaying in Dashboard while Monitor displaying	
OUTREACH-54125	Values in Time Zone column are missed after imported data sources successfully	
OUTREACH-51772	After save contact list with forward flash sign in name, it showed up two messages displaying	
OUTREACH-50670	Filter Template is not working with value IsNull or Is not Null	
OUTREACH-51165	Unable to edit records if ID attribute is got masked for User	Do not mask ID attribute
OUTREACH-51283	Agent scripts is not shown on 2nd Agent after transferred	
OUTREACH-51284	The Updated function on Agent Script is not working after much talking time	
OUTREACH-50021	POM 4.0.2 : GA Build 2: Email load shows exceptions "OutboundQueueSize already reached the maximum size"	
OUTREACH-49264	Dashboard is not able to connect Kafka in HA Lab : Data stream is broken since Kafka server is down, new updated data won't be available until data stream is restored.	

**Note:** POM Soap Services are deprecated.

# Languages supported

## G14 Countries Written Language

G14 Countries	Written Language
<b>APAC:</b>	
1. China	Simplified Chinese
2. Japan	Japanese
3. Korea	Korean
4. India	English
5. Australia	English
<b>EMEA:</b>	
6. France	French
7. Germany	German
8. Italy	Italian
9. Russia	Russian
10. UK	English
<b>AI:</b>	
11. Mexico	Lat-Spanish
12. Brazil	Brazilian-Portuguese
13. Canada	French/English
<b>US:</b>	
14. US	English

## Contacting support

### Contact Support Checklist

As a practice FINEST level logs against each item from following location are required for initial investigation at POM level:

- \$POM\_HOME/logs
- POM Agent API logs from desktop side for affected agent.
- \$AVAYA\_MPP\_HOME/logs
- \$APPSERVER\_HOME/logs (In case of external application server please check logs directory on external server instead.)
- \$APPSERVER\_HOME/webapps/<APP\_NAME>/data/log (Depends on channel type used in campaign )
- \$CATALINA\_HOME/logs
- If used custom OD application logs.

Use \$POM\_HOME/bin/getpomlogs utility to collect log files. To understand usage of this utility run \$POM\_HOME/bin/getpomlogs.sh command. With this utility you can collect POM, local application server logs. You can also collect MPP CXI logs if MPP and POM co-exists in single server deployment.

You may be asked for one or more log files and reports by Technical Support for analysis and investigation depending on scenario.

If you are having trouble with Avaya Proactive Outreach Manager you should:

1. Retry the action. Carefully follow the instructions in written or online documentation.
2. Check the documentation that came with your hardware for maintenance or hardware-related problems.

3. Note the sequence of events that led to the problem and the exact messages displayed.  
Have the Avaya documentation available?

If you continue to have a problem, contact Avaya Technical Support:

1. Log in to the Avaya Technical Support Web site <https://support.avaya.com>.
2. Contact Avaya Technical Support at one of the telephone numbers in the Support Directory listings on the Avaya support Web site.

Avaya Global Services Escalation Management provides the means to escalate urgent service issues. For more information, see the Escalation Contacts listings on the Avaya Web site.

### **Contact Support Tasks**

You may be asked to email one or more files to Technical Support for analysis of your application and its environment.

# Appendix A

Document Title	Link to Download
Avaya Proactive Outreach Manager Overview and Specification	<a href="https://download.avaya.com/css/public/documents/101083655">https://download.avaya.com/css/public/documents/101083655</a>
Implementing Avaya Proactive Outreach Manager	<a href="https://download.avaya.com/css/public/documents/101083657">https://download.avaya.com/css/public/documents/101083657</a>
Upgrading Avaya Proactive Outreach Manager	<a href="https://downloads.avaya.com/css/public/documents/101083548">https://downloads.avaya.com/css/public/documents/101083548</a>
Administering Avaya Proactive Outreach Manager	<a href="https://download.avaya.com/css/public/documents/101083665">https://download.avaya.com/css/public/documents/101083665</a>
Using Avaya Workspaces for Avaya Proactive Outreach Manager	<a href="https://download.avaya.com/css/public/documents/101083651">https://download.avaya.com/css/public/documents/101083651</a>
Avaya Proactive Outreach Manager High Availability	<a href="https://download.avaya.com/css/public/documents/101083661">https://download.avaya.com/css/public/documents/101083661</a>
Avaya Proactive Outreach Manager Integration	<a href="https://download.avaya.com/css/public/documents/101083715">https://download.avaya.com/css/public/documents/101083715</a>
Avaya Proactive Outreach Manager Database Dictionary	MSSQL: <a href="https://download.avaya.com/css/public/documents/101083696">https://download.avaya.com/css/public/documents/101083696</a> Postgres: <a href="https://download.avaya.com/css/public/documents/101083692">https://download.avaya.com/css/public/documents/101083692</a> Oracle: <a href="https://download.avaya.com/css/public/documents/101083694">https://download.avaya.com/css/public/documents/101083694</a>
Avaya Proactive Outreach Manager Database Model	<a href="https://download.avaya.com/css/public/documents/101083698">https://download.avaya.com/css/public/documents/101083698</a>
Avaya Proactive Outreach Manager Developer Guide	<a href="https://download.avaya.com/css/public/documents/101083700">https://download.avaya.com/css/public/documents/101083700</a>
Avaya Proactive Outreach Manager Agent API	<a href="https://download.avaya.com/css/public/documents/101083709">https://download.avaya.com/css/public/documents/101083709</a>
Avaya Proactive Outreach Manager Event SDK	<a href="https://download.avaya.com/css/public/documents/101083703">https://download.avaya.com/css/public/documents/101083703</a>
Using ELK Stack with Avaya Proactive Outreach Manager Reference Guide	<a href="https://download.avaya.com/css/public/documents/101083717">https://download.avaya.com/css/public/documents/101083717</a> <a href="https://download.avaya.com/css/public/documents/101083719">https://download.avaya.com/css/public/documents/101083719</a>
Avaya Proactive Outreach Manager Port Matrix	<a href="https://download.avaya.com/css/public/documents/101083705">https://download.avaya.com/css/public/documents/101083705</a>
Avaya Proactive Outreach Manager Security White Paper	<a href="https://download.avaya.com/css/public/documents/101083713">https://download.avaya.com/css/public/documents/101083713</a>

Avaya Proactive Outreach Manager Privacy Statement	<a href="https://download.avaya.com/css/public/documents/101083711">https://download.avaya.com/css/public/documents/101083711</a>
Troubleshooting Avaya Proactive Outreach Manager	<a href="https://download.avaya.com/css/public/documents/101083671">https://download.avaya.com/css/public/documents/101083671</a>
Using Avaya Proactive Outreach Manager Supervisor dashboard	<a href="https://download.avaya.com/css/public/documents/101083659">https://download.avaya.com/css/public/documents/101083659</a>
Using Avaya Proactive Outreach Manager Reports	<a href="https://download.avaya.com/css/public/documents/101083669">https://download.avaya.com/css/public/documents/101083669</a>
POMAdminHelp_R4.0.2_Feb 2025.zip	<a href="https://download.avaya.com/css/public/documents/101083667">https://download.avaya.com/css/public/documents/101083667</a>