



Product Release Notes for Avaya Proactive Contact 4.1.2 Database

Product Release Notes for Avaya Proactive Contact 4.1.2 Database

Notice:

While reasonable efforts were made to ensure that the information in this document was complete and accurate at the time of printing, Avaya Inc. can assume no liability for any errors. Changes and corrections to the information in this document might be incorporated in future releases.

Documentation disclaimer:

Avaya Inc. is not responsible for any modifications, additions, or deletions to the original published version of this documentation unless such modifications, additions, or deletions were performed by Avaya. Customer and/or End User agree to indemnify and hold harmless Avaya, Avaya's agents, servants and employees against all claims, lawsuits, demands and judgments arising out of, or in connection with, subsequent modifications, additions or deletions to this documentation to the extent made by the Customer or End User.

Link disclaimer:

Avaya Inc. is not responsible for the contents or reliability of any linked Web sites referenced elsewhere within this documentation, and Avaya does not necessarily endorse the products, services, or information described or offered within them. We cannot guarantee that these links will work all the time and we have no control over the availability of the linked pages.

Warranty:

Avaya Inc. provides a limited warranty on this product. Refer to your sales agreement to establish the terms of the limited warranty. In addition, Avaya's standard warranty language, as well as information regarding support for this product, while under warranty, is available through the Avaya Support Web site: <http://www.avaya.com/support>

License:

USE OR INSTALLATION OF THE PRODUCT INDICATES THE END USER'S ACCEPTANCE OF THE TERMS SET FORTH HEREIN AND THE GENERAL LICENSE TERMS AVAILABLE ON THE AVAYA WEB SITE <http://support.avaya.com/LicenseInfo/> ("GENERAL LICENSE TERMS"). IF YOU DO NOT WISH TO BE BOUND BY THESE TERMS, YOU MUST RETURN THE PRODUCT(S) TO THE POINT OF PURCHASE WITHIN TEN (10) DAYS OF DELIVERY FOR A REFUND OR CREDIT. Avaya grants End User a license within the scope of the license types described below. The applicable number of licenses and units of capacity for which the license is granted will be one (1), unless a different number of licenses or units of capacity is specified in the Documentation or other materials available to End User. "Designated Processor" means a single stand-alone computing device. "Server" means a Designated Processor that hosts a software application to be accessed by multiple users. "Software" means the computer programs in object code, originally licensed by Avaya and ultimately utilized by End User, whether as stand-alone Products or pre-installed on Hardware. "Hardware" means the standard hardware Products, originally sold by Avaya and ultimately utilized by End User.

License type(s)

Designated System(s) License (DS):

End User may install and use each copy of the Software on only one Designated Processor, unless a different number of Designated Processors is indicated in the Documentation or other materials available to End User. Avaya may require the Designated Processor(s) to be identified by type, serial number, feature key, location or other specific designation, or to be provided by End User to Avaya through electronic means established by Avaya specifically for this purpose.

Concurrent User License (CU):

End User may install and use the Software on multiple Designated Processors or one or more Servers, so long as only the licensed number of Units are accessing and using the Software at any given time. A "Unit" means the unit on which Avaya, at its sole discretion, bases the pricing of its licenses and can be, without limitation, an agent, port or user, an e-mail or voice mail account in the name of a person or corporate function (e.g., webmaster or helpdesk), or a directory entry in the administrative database utilized by the Product that permits one user to interface with the Software. Units may be linked to a specific, identified Server.

Database License (DL):

Customer may install and use each copy of the Software on one Server or on multiple Servers provided that each of the Servers on which the Software is installed communicate with no more than a

single instance of the same database.

CPU License (CP):

End User may install and use each copy of the Software on a number of Servers up to the number indicated by Avaya provided that the performance capacity of the Server(s) does not exceed the performance capacity specified for the Software. End User may not re-install or operate the Software on Server(s) with a larger performance capacity without Avaya's prior consent and payment of an upgrade fee.

Named User License (NU):

Customer may: (i) install and use the Software on a single Designated Processor or Server per authorized Named User (defined below); or (ii) install and use the Software on a Server so long as only authorized Named Users access and use the Software. "Named User," means a user or device that has been expressly authorized by Avaya to access and use the Software. At Avaya's sole discretion, a "Named User" may be, without limitation, designated by name, corporate function (e.g., webmaster or helpdesk), an e-mail or voice mail account in the name of a person or corporate function, or a directory entry in the administrative database utilized by the Product that permits one user to interface with the Product.

Shrinkwrap License (SR):

With respect to Software that contains elements provided by third party suppliers, End User may install and use the Software in accordance with the terms and conditions of the applicable license agreements, such as "shrinkwrap" or "clickwrap" license accompanying or applicable to the Software ("Shrinkwrap License"). The text of the Shrinkwrap License will be available from Avaya upon End User's request (see "Third-party Components" for more information).

Copyright:

Except where expressly stated otherwise, the Product is protected by copyright and other laws respecting proprietary rights. Unauthorized reproduction, transfer, and or use can be a criminal, as well as a civil, offense under the applicable law.

Third-party components:

Certain software programs or portions thereof included in the Product may contain software distributed under third party agreements ("Third Party Components"), which may contain terms that expand or limit rights to use certain portions of the Product ("Third Party Terms"). Information identifying Third Party Components and the Third Party Terms that apply to them is available on the Avaya Support Web site: <http://support.avaya.com/ThirdPartyLicense/>

Preventing toll fraud:

"Toll fraud" is the unauthorized use of your telecommunications system by an unauthorized party (for example, a person who is not a corporate employee, agent, subcontractor, or is not working on your company's behalf). Be aware that there can be a risk of toll fraud associated with your system and that, if toll fraud occurs, it can result in substantial additional charges for your telecommunications services.

Avaya fraud intervention:

If you suspect that you are being victimized by toll fraud and you need technical assistance or support, call Technical Service Center Toll Fraud Intervention Hotline at +1-800-643-2353 for the United States and Canada. For additional support telephone numbers, see the Avaya Support Web site: <http://www.avaya.com/support>

Trademarks:

Avaya and the Avaya logo are either registered trademarks or trademarks of Avaya Inc. in the United States of America and/or other jurisdictions. All other trademarks are the property of their respective owners.

Downloading documents:

For the most current versions of documentation, see the Avaya Support Web site: <http://www.avaya.com/support>

Table of Contents

1.	Pre-requisite	3
1.1.	Check the version of the Oracle Database currently installed	3
1.2.	Software Dependencies	3
1.3.	Obtaining Avaya Proactive Contact 4.1.2 Oracle database updates	4
2.	Installation	4
2.1.	List of Patches provided by Third Party	4
2.2.	Pre-installation Procedure	5
2.3.	Installation Procedure.....	5
2.4.	Post-Installation Procedure	8
2.5.	Uninstallation Procedure	10
3.	List of Customer Fixed Issues, Known Issues, Troubleshooting, and Improvements	10
4.	Contact Support	10

Revision History

Version	Date
0	September 14, 2009
0.1	October 9, 2009
0.2	October 9, 2009
0.3	October 15, 2009
0.4	October 22, 2009
0.5	October 28, 2009
0.6	November 9, 2009
1.0	November 13, 2009
1.1	November 16, 2009
1.2	November 18, 2009
1.3	November 19, 2009
1.4	December 14, 2009
1.5	January 06, 2010

This document is the release notes for Avaya Proactive Contact 4.1.2 Database. This document details the necessary steps to update an existing Oracle Database.

Before proceeding with this release note, for determining the correct order of referring to the release notes, refer to the “*Sequence of using Avaya Proactive Contact 4.1.2 Release Notes*” document on the Avaya Support site:

<https://support.avaya.com/css/P8/documents/100068921>

NOTE:

- You perform this installation only if you are upgrading from Avaya Proactive Contact 4.1 to Avaya Proactive Contact SP 4.1.2.
- This installation is not required if you are upgrading from Avaya Proactive Contact SP 4.1.1 to Avaya Proactive Contact SP 4.1.2 and have already installed the Oracle Database updates during the Avaya Proactive Contact SP 4.1.1 installation.
- The contents of SP 4.1.1 Oracle updates are bundled with SP 4.1.2 SP; therefore, the log files for Oracle updates have not changed and still reflect the 4.1.1 SP in log statements and or log file name.
- The Oracle updates take approximately 45 minutes to 60 minutes.

1. Pre-requisite

1.1. **Check the version of the Oracle Database currently installed**

To check the version of the Oracle Database that is currently installed on the dialer:

1. Login to the dialer as `oracle`.
2. Run the following command:

```
/opt/dbase/OraHome1/OPatch/patch lsinventory
```

3. Verify the version of Oracle.

If the output of the above command is:

```
Installed Top-level Products (2):
```

```
Oracle Database 10g                               10.2.0.1.0  
Oracle Database 10g Release 2 Patch Set 3       10.2.0.4.0
```

There are 2 products installed in this Oracle Home.

Then, Avaya Proactive Contact 4.1.2 Database update does not need to be installed. Continue with the Avaya Proactive Contact 4.1.2 Dialer Release Notes.

If the output of the above command is:

```
Installed Top-level Products (1):
```

```
Oracle Database 10g                               10.2.0.1.0
```

There are 1 products installed in this Oracle Home.

Then, Avaya Proactive Contact 4.1.2 Database update needs to be installed. Continue with this Release Notes to install the Avaya Proactive Contact 4.1.2 Database update.

1.2. **Software Dependencies**

This procedure assumes that Oracle Database 10g Enterprise Edition Release 10.2.0.1.0 is already installed and functioning. The software referenced in this document is for update purposes only. For this software, the Material ID is *700479058* and DVD is labeled as follows:

Avaya Proactive Contact 4.1.2 Database

Material ID: *700479058*

1.3. **Obtaining Avaya Proactive Contact 4.1.2 Oracle database updates**

You can order all the CDs or DVDs for Avaya Proactive Contact 4.1.2 using the high level bundle code 700478969. The two ways to obtain this release are:

- Ordering the installation DVD labeled Avaya Proactive Contact 4.1.2 Database, Material ID: 700479058.
- Downloading the ISO file from Avaya Support Web site and writing it on a DVD.

To download the ISO file:

1. Go to Avaya Support site at <http://support.avaya.com>
2. In the left pane, click **Downloads**.
3. In the “**Please enter the name of your product**” text box, type Proactive Contact. The “Proactive Contact” option appears below the text box. Click **Proactive Contact**.
The webpage is redirected to the Avaya Proactive Contact page.
4. From the version drop down box, select **4.1.x**.
5. Download the Avaya Proactive Contact 4.1.2 Database ISO image.

To write the ISO file on a DVD:

1. Insert a blank writable DVD in the DVD RW drive.

NOTE: You can use any available DVD writing tool such as Roxio or Nero to write the ISO file on a DVD.
2. Select the image burning option from the DVD writing software.
 - For Roxio, select the **Copy > Burn Image** option.
 - For Nero Express, select the **Image, Project, and Copy > Disc Image or Saved Project** option.
3. Browse and select the ISO image for burning. Wait until the DVD burning is completed.
4. Label the DVD as Avaya Proactive Contact 4.1.2 Database. Material ID: 700479058.

2. **Installation**

2.1. **List of Patches provided by Third Party**

This section provides a list of third party patches included in this release.

Work item	Oracle Patch Set	Description
-----------	------------------	-------------

Work item	Oracle Patch Set	Description
wi00313255	p6810189_10204_Linux-x86	Oracle® Database 10g Release 2 (10.2.0.4) Patch Set 3 for Linux x86
wi00313255	p6880880_102000_LINUX	Oracle Interim Patching Tool
wi00313255	p8290506_10204_Linux-x86	Critical Patch Update April 2009

2.2. Pre-installation Procedure

NOTE: Avaya Proactive Contact 4.1.2 Dialer (Material ID: 700479025) should be installed before starting this installation.

The system should be in a “quiet” state; that is, the application should be shutdown and users logged off.

1. Login to the dialer as **admin**.
2. Run the following commands to shutdown all the PDS processes:
stop_pds
stop_mts
stop_db
3. Run the following commands to verify that all the PDS processes are shutdown:
check_pds
check_mts
check_db

NOTE: Ensure that the swap space must be more than 3036 MB to start the installation. Run the **swapon -s** command to find the amount of swap space.

2.3. Installation Procedure

This procedure will install the Avaya Proactive Contact 4.1.2 Database:

1. Login to the dialer as **sroot**.
2. Verify the following:
 - a. Type **cd /etc** and press **Enter**.
 - b. Open the **oratab** file in an editor and ensure the following entry exists at the end of the file:

```
orastd:/opt/dbase/OraHome1:N
```

In case, the above entry does not exist, then include the above entry at the end of the file.

- c. Type **ls -altr oratab** and press **Enter**. The oratab file permission and the ownership must be as follows:

```
-rw-rw-r-- 1 oracle root      707 Aug 22 08:04 oratab
```

In case, the permission and ownership of oratab file is not as stated above, then:

- i. Type **chmod 664 oratab** and press **Enter**.
- ii. Type **chown oracle:root oratab** and press **Enter**.

This will change the file permission and ownership to the required value.

3. Go to "\$ORACLE_HOME/network/admin".
4. Run the following command to take backup of tnsnames.ora:
cp tnsnames.ora tnsnames.ora.bkp
5. Insert the installation DVD in the DVD ROM drive.
6. Mount the DVD using the following command:
mount /mnt/cdrom
7. Go to the path- "/mnt/cdrom"
cd /mnt/cdrom

You will see the following files on the DVD.

- OracleUpdateInstaller
 - OraclePostInstaller
 - OracleCriticalPatchInstaller
 - upgrade.sql
 - p6880880_102000_LINUX.zip
 - p8290506_10204_Linux-x86.zip
 - p6810189_10204_Linux-x86.zip
 - ReadMe.txt
8. If you are installing Oracle updates on a Non-English version of Avaya Proactive Contact 4.1.2 Dialer then run the following command:

```
export LANG=C
```

9. Go to the location where the DVD is mounted. Run the following command to install oracle updates.
./OracleUpdateInstaller
 - a. In the "Have you stopped all the Dialer, Oracle and Midtier processes? (Y or N)" prompt, type **"Y"** if Dialer, Oracle and Mid-tier processes are stopped. If any of these processes are still running, type **"N"** and stop the processes before proceeding.

- b. In the “Please specify path where you have mounted DVD:” prompt, specify the path where the DVD is mounted.
- c. In the “Please specify path where you want to copy p6810189_10204_Linux-x86.zip,p8290506_10204_Linux-x86.zip,p6880880_102000_LINUX.zip and upgrade.sql files min space required is 2621440K bytes (2.5 GB):” prompt, specify the path where you would like to copy the files. For example, /DVD_OPS path.

NOTE: The above step takes approximately 5-7 minutes to complete. If the directory named as “Disk1” already exists in the copying location, rename it to “Disk1.old”.

```
mv <directory>/Disk1 <directory>/Disk1.old
```

Here the <directory> denotes a path where the installation files are copied. The oracle user must have execute permissions on the folder where the files are copied.

- d. In the “Have you installed the Oracle Database 10g Enterprise Edition Release 10.2.0.1.0? (Y or N)” prompt, type “Y”.

This script takes approximately 10-15 minutes to complete.

- e. After the installation is successful you will see the following message:

```
“The installation of Oracle Database 10g Release 2  
Patchset 3 was successful”.
```

NOTE: When the above message is displayed, you must press **Enter** to exit.

NOTE: The following warning will be displayed before the above message appears:

WARNING:

The following configuration scripts need to be executed as the "root" user.

```
#!/bin/sh
```

```
#Root script to run
```

```
/opt/dbase/OraHome1/root.sh
```

To execute the configuration scripts:

1. Open a terminal window
2. Log in as "root"
3. Run the scripts

The execution of root.sh script is automated in the OraclePostInstaller script that is run in the Post-Installation procedure. The user does not have to do anything manually; therefore ignore this warning.

2.4. Post-Installation Procedure

After successful installation of the Avaya Proactive Contact 4.1.2 Database, run the following steps:

1. Go to the location where the DVD is mounted. Run the following command to run the OraclePostInstaller script:
./OraclePostInstaller
2. At the “Have you run OracleUpdateInstaller script? (Y or N)” prompt, type “Y” and press **Enter**, if no error occurs.
3. At the “Please specify path where you have copied upgrade.sql file:” prompt, specify the path where you have copied the ‘upgrade.sql’ file.
4. At the “Enter the full pathname of the local bin directory: [/usr/local/bin]:” prompt, press **Enter** to select the default location.
5. At the “The file “dbhome” already exists in /usr/local/bin. Overwrite it? (y/n) [n]:” prompt, type “Y” and press **Enter**.
6. At the “The file “oraenv” already exists in /usr/local/bin. Overwrite it? (y/n) [n]:” prompt, type “Y” and press **Enter**.
7. At the “The file “coraenv” already exists in /usr/local/bin. Overwrite it? (y/n) [n]:” prompt, type “Y” and press **Enter**.

NOTE: The oracle database upgrade assistant takes approximately 45-50 minutes to complete the post-installation tasks. You see the following message on completion of post installation tasks:

```
“The command completed successfully. Completed invocation of Oracle post installation”.
```

8. If you are installing Oracle updates on a Non-English version of Avaya Proactive Contact 4.1.2 Dialer then run the following command:

```
export LANG=C
```

9. Go to the location where the DVD is mounted. Run the following command to run the OracleCriticalPatchInstaller script.
./OracleCriticalPatchInstaller
10. At the “Have you run OracleUpdateInstaller and OraclePostInstaller script? (Y or N)” prompt, type “Y” and press **Enter**.
11. At the “Please specify path where you have copied p6880880_102000_LINUX.zip and p8290506_10204_Linux-x86.zip files:” prompt, specify the path where you have copied these files.

12. At the “Replace Patch/docs/FAQ? [y]es, [n]o, [A]ll, [N]one, [r]ename:” prompt, type “**A**” and press **Enter**.
13. At the “Do you want to proceed? [y|n]” prompt, type “**Y**” and press **Enter**.
14. At the “Email address/User Name:]” prompt, press **Enter**.
15. At the “You have not provided an email address for notification of security issues. Do you wish to remain uninformed of security issues ([Y]es, [N]o) [N]:” prompt, type “**Y**” and press **Enter**.
16. At the “Is the local system ready for patching? [y|n]” prompt, type “**Y**” and press **Enter**.

You see the message “Completed invocation of Oracle's critical patch installer” on completion of critical patch installation.

NOTE: The critical patch installation takes approximately 10-15 minutes to install.

17. Reboot the dialer.
18. Login to the dialer as **admin**.
19. Run following commands:
sqlplus / as sysdba
SQL> **STARTUP**
SQL> **alter system reset local_listener scope=spfile sid='*';**
SQL> **commit;**
SQL> **SHUTDOWN;**
SQL> **quit;**
20. Login to the dialer as **sroot**.
21. Go to “\$ORACLE_HOME/network/admin”. Run the following commands:
 - a. **mv tnsnames.ora.bkp tnsnames.ora**
 - b. Type **ls -altr tnsnames.ora** and press **Enter**. The tnsnames.ora file permission and the ownership must be as follows:

```
-rw-r--r-- 1 oracle oinstall 515 Sep 1 09:33  
tnsnames.ora
```
 - c. In case, the permission and ownership of tnsnames.ora file is not as stated above, then run following commands:
 - i. Type **chmod 644 tnsnames.ora** and press **Enter**.
 - ii. Type **chown oracle:oinstall tnsnames.ora** and press **Enter**. This will change the file permission and ownership to the required value.
 - d. Verify the correct hostname is present in tnsnames.ora and listener.ora. For example:

```
(ADDRESS =  
    (PROTOCOL = tcps)  
    (HOST = <HOSTNAME>)  
    (PORT = 2484)  
)
```

22. Login to the dialer as **admin**.
23. Run the following command to start the database:
start_db
24. Run the following command to verify that the database is running:
check_db
25. Run the following command to stop the database:
stop_db

2.5. Uninstallation Procedure

Not Applicable.

3. List of Customer Fixed Issues, Known Issues, Troubleshooting, and Improvements

For information on Customer Fixed Issues, Known Issues, Troubleshooting, and Improvements as included in the Avaya Proactive Contact 4.1.2 release, refer to the "List of Fixed Issues, Improvements, Known Issues, and Troubleshooting for Avaya Proactive Contact 4.1.1 and 4.1.2 (Dialer, OS, Agent, Agent API, Supervisor, and Database)" document on the Avaya Support site:

<https://support.avaya.com/css/P8/documents/100068989>

4. Contact Support

Customers can contact Avaya Proactive Contact Technical Support through Internet, email, or telephone. For details visit:

http://support.avaya.com/japple/css/japple?PAGE=OpenPage&temp.template.name=Support_Countries