

# 9600 Series IP Deskphones Overview and Specification

© 2014 Avaya Inc.

All Rights Reserved.

#### **Notice**

While reasonable efforts have been made to ensure that the information in this document is complete and accurate at the time of printing, Avaya assumes no liability for any errors. Avaya reserves the right to make changes and corrections to the information in this document without the obligation to notify any person or organization of such changes.

#### Note

Using a cell, mobile, or GSM phone, or a two-way radio in close proximity to an Avaya IP telephone might cause interference.

#### **Documentation disclaimer**

"Documentation" means information published by Avaya in varying mediums which may include product information, operating instructions and performance specifications that Avaya may generally make available to users of its products and Hosted Services. Documentation does not include marketing materials. Avaya shall not be responsible for any modifications, additions, or deletions to the original published version of documentation unless such modifications, additions, or deletions were performed by Avaya. End User agrees to indemnify and hold harmless Avaya, Avaya's agents, servants and employees against all claims, lawsuits, demands and judgments arising out of, or in connection with, subsequent modifications, additions or deletions to this documentation, to the extent made by End User.

#### Link disclaimer

Avaya is not responsible for the contents or reliability of any linked websites referenced within this site or documentation provided by Avaya. Avaya is not responsible for the accuracy of any information, statement or content provided on these sites and does not necessarily endorse the products, services, or information described or offered within them. Avaya does not guarantee that these links will work all the time and has no control over the availability of the linked pages.

#### Warranty

Avaya provides a limited warranty on Avaya hardware and software. Refer to your sales agreement to establish the terms of the limited warranty. In addition, Avaya's standard warranty language, as well as information regarding support for this product while under warranty is available to Avaya customers and other parties through the Avaya Support website: <a href="http://support.avaya.com">http://support.avaya.com</a> or such successor site as designated by Avaya. Please note that if you acquired the product(s) from an authorized Avaya Channel Partner outside of the United States and Canada, the warranty is provided to you by said Avaya Channel Partner and not by Avaya.

#### Licenses

THE SOFTWARE LICENSE TERMS AVAILABLE ON THE AVAYA WEBSITE, HTTP://SUPPORT.AVAYA.COM/LICENSEINFO OR SUCH SUCCESSOR SITE AS DESIGNATED BY AVAYA, ARE APPLICABLE TO ANYONE WHO DOWNLOADS, USES AND/OR INSTALLS AVAYA SOFTWARE, PURCHASED FROM AVAYA INC., ANY AVAYA AFFILIATE, OR AN AVAYA CHANNEL PARTNER (AS APPLICABLE) UNDER A COMMERCIAL AGREEMENT WITH AVAYA OR AN AVAYA CHANNEL PARTNER. UNLESS OTHERWISE AGREED TO BY AVAYA IN WRITING, AVAYA DOES NOT EXTEND THIS LICENSE IF THE SOFTWARE WAS OBTAINED FROM ANYONE OTHER THAN AVAYA, AN AVAYA AFFILIATE OR AN AVAYA CHANNEL PARTNER; AVAYA RESERVES THE RIGHT TO TAKE LEGAL ACTION AGAINST YOU AND ANYONE ELSE USING OR SELLING THE SOFTWARE WITHOUT A LICENSE. BY INSTALLING, DOWNLOADING OR USING THE SOFTWARE, OR AUTHORIZING OTHERS TO DO SO, YOU, ON BEHALF OF YOURSELF AND THE ENTITY FOR WHOM YOU ARE INSTALLING, DOWNLOADING OR USING THE SOFTWARE (HEREINAFTER REFERRED TO INTERCHANGEABLY AS "YOU" AND "END USER"), AGREE TO THESE TERMS AND CONDITIONS AND CREATE A BINDING CONTRACT BETWEEN YOU AND AVAYA INC. OR THE APPLICABLE AVAYA AFFILIATE ("AVAYA").

Avaya grants you a license within the scope of the license types described below, with the exception of Heritage Nortel Software, for which the scope of the license is detailed below. Where the order documentation does not expressly identify a license type, the applicable license will be a Designated System License. The applicable number of licenses and units of capacity for which the license is granted will be one (1), unless a different number of licenses or units of capacity is specified in the documentation or other materials available to you. "Software" means Avaya's computer programs in object code, provided by Avaya or an Avaya Channel Partner, whether as stand-alone products, pre-installed, or remotely accessed on hardware products, and any upgrades, updates, bug fixes, or modified versions thereto. "Designated Processor" means a single stand-alone computing device. "Server" means a Designated Processor that hosts a software application to be accessed by multiple users. "Instance" means a single copy of the Software executing at a particular time: (i) on one physical machine; or (ii) on one deployed software virtual machine ("VM") or similar deployment.

#### License types

Designated System(s) License (DS). End User may install and use each copy or an Instance of the Software only on a number of Designated Processors up to the number indicated in the order. Avaya may require the Designated Processor(s) to be identified in the order by type, serial number, feature key, Instance, location or other specific designation, or to be provided by End User to Avaya through electronic means established by Avaya specifically for this purpose.

Shrinkwrap License (SR). You may install and use the Software in accordance with the terms and conditions of the applicable license agreements, such as "shrinkwrap" or "clickthrough" license accompanying or applicable to the Software ("Shrinkwrap License").

#### Copyright

Except where expressly stated otherwise, no use should be made of materials on this site, the Documentation, Software, Hosted Service, or hardware provided by Avaya. All content on this site, the documentation, Hosted Service, and the Product provided by Avaya including the selection, arrangement and design of the content is owned either by Avaya or its licensors and is protected by copyright and other intellectual property laws including the sui generis rights relating to the protection of databases. You may not modify, copy, reproduce, republish, upload, post, transmit or distribute in any way any content, in whole or in part, including any code and software unless expressly authorized by Avaya. Unauthorized reproduction, transmission, dissemination, storage, and or use without the express written consent of Avaya can be a criminal, as well as a civil offense under the applicable law.

#### **Third Party Components**

"Third Party Components" mean certain software programs or portions thereof included in the Software or Hosted Service may contain software (including open source software) distributed under third party agreements ("Third Party Components"), which contain terms regarding the rights to use certain portions of the Software ("Third Party Terms"). As required, information regarding distributed Linux OS source code (for those Products that have distributed Linux OS source code) and identifying the copyright holders of the Third Party Components and the Third Party Terms that apply is available in the Documentation or on Avaya's website at: <a href="http://support.avaya.com/Copyright">http://support.avaya.com/Copyright</a> or such successor site as designated by Avaya. You agree to the Third Party Terms for any such Third Party Components.

#### **Preventing Toll Fraud**

"Toll Fraud" is the unauthorized use of your telecommunications system by an unauthorized party (for example, a person who is not a corporate employee, agent, subcontractor, or is not working on your company's behalf). Be aware that there can be a risk of Toll Fraud associated with your system and that, if Toll Fraud occurs, it can result in substantial additional charges for your telecommunications services.

#### Avaya Toll Fraud intervention

If you suspect that you are being victimized by Toll Fraud and you need technical assistance or support, call Technical Service Center Toll Fraud Intervention Hotline at +1-800-643-2353 for the United States and Canada. For additional support telephone numbers, see

the Avaya Support website: <a href="http://support.avaya.com">http://support.avaya.com</a> or such successor site as designated by Avaya. Suspected security vulnerabilities with Avaya products should be reported to Avaya by sending mail to: securityalerts@avaya.com.

#### **Trademarks**

All non-Avaya trademarks are the property of their respective owners. Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

#### **Downloading Documentation**

For the most current versions of Documentation, see the Avaya Support website: <a href="http://support.avaya.com">http://support.avaya.com</a>, or such successor site as designated by Avaya.

#### **Contact Avaya Support**

See the Avaya Support website: <a href="http://support.avaya.com">http://support.avaya.com</a> for Product or Hosted Service notices and articles, or to report a problem with your Avaya Product or Hosted Service. For a list of support telephone numbers and contact addresses, go to the Avaya Support website: <a href="http://support.avaya.com">http://support.avaya.com</a> (or such successor site as designated by Avaya), scroll to the bottom of the page, and select Contact Avaya Support.

#### **VCCI-Class B statement:**

This is a Class B product based on the standard of the VCCI Council. If this is used near a radio or television receiver in a domestic environment, it may cause radio interference. Install and use the equipment according to the instruction manual.

### **Contents**

Purpose	Chapter 1: Introduction	6
Related resources       6         Documentation       6         Support       8         Chapter 2: 9600 Series IP Deskphones overview       9         9600 Series IP Deskphones models       10         Feature description       10         Easy to use interface       10         Support for diverse users       11         Deskphone customization       11         Contact center models       12         Support for Gigabit Ethernet       12         Boost employee productivity       12         What is new in the 6.5 release       12         Feature comparison of H.323-based and SIP-based models       13         Chapter 3: Interoperability       15         Product compatibility       15         Product compatibility       15         Product compatibility       15         Power       16         Power       16         Power       16         Port and switch       17         Software       18         Chapter 5: Environmental specifications       19         Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Ph	Purpose	6
Documentation	Intended audience	6
Support.       8         Chapter 2: 9600 Series IP Deskphones overview.       9         9600 Series IP Deskphones models.       10         Feature description.       10         Easy to use interface.       10         Support for diverse users.       11         Deskphone customization       11         Contact center models.       12         Support for Gigabit Ethernet       12         Boost employee productivity.       12         What is new in the 6.5 release       12         Feature comparison of H.323-based and SIP-based models.       13         Chapter 3: Interoperability       15         Product compatibility       15         Chapter 4: Performance specifications.       16         Traffic.       16         Power.       16         Power.       16         Port and switch.       17         Software.       18         Chapter 5: Environmental specifications.       19         Hardware.       19         Altitude and air pressure       19         Temperature and humidity       21         Physical system protection       23         Regulatory standards.       25         Chapter 6: Dial Plan.<	Related resources	6
Chapter 2: 9600 Series IP Deskphones overview       9         9600 Series IP Deskphones models       10         Feature description       10         Easy to use interface       10         Support for diverse users       11         Deskphone customization       11         Contact center models       12         Support for Gigabit Ethernet       12         Boost employee productivity       12         What is new in the 6.5 release       12         Feature comparison of H.323-based and SIP-based models       13         Chapter 3: Interoperability       15         Product compatibility       15         Chapter 4: Performance specifications       16         Traffic       16         Power       16         Port and switch       17         Software       18         Chapter 5: Environmental specifications       19         Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: S	Documentation	6
9600 Series IP Deskphones models.       10         Feature description.       10         Easy to use interface.       10         Support for diverse users.       11         Deskphone customization.       11         Contact center models.       12         Support for Gigabit Ethernet.       12         Boost employee productivity.       12         What is new in the 6.5 release.       12         Feature comparison of H.323-based and SIP-based models.       13         Chapter 3: Interoperability.       15         Product compatibility.       15         Product compatibility.       15         Chapter 4: Performance specifications.       16         Traffic.       16         Power.       16         Port and switch.       17         Software.       18         Chapter 5: Environmental specifications.       19         Hardware.       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan.       27         Dialable characters.       27         Chapter 7: Se	Support	8
9600 Series IP Deskphones models.       10         Feature description.       10         Easy to use interface.       10         Support for diverse users.       11         Deskphone customization.       11         Contact center models.       12         Support for Gigabit Ethernet.       12         Boost employee productivity.       12         What is new in the 6.5 release.       12         Feature comparison of H.323-based and SIP-based models.       13         Chapter 3: Interoperability.       15         Product compatibility.       15         Product compatibility.       15         Chapter 4: Performance specifications.       16         Traffic.       16         Power.       16         Port and switch.       17         Software.       18         Chapter 5: Environmental specifications.       19         Hardware.       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan.       27         Dialable characters.       27         Chapter 7: Se	Chapter 2: 9600 Series IP Deskphones overview	9
Easy to use interface.       10         Support for diverse users.       11         Deskphone customization.       11         Contact center models.       12         Support for Gigabit Ethernet.       12         Boost employee productivity.       12         What is new in the 6.5 release.       12         Feature comparison of H.323-based and SIP-based models.       13         Chapter 3: Interoperability.       15         Product compatibility.       15         Chapter 4: Performance specifications.       16         Traffic.       16         Power.       16         Port and switch.       17         Software.       18         Chapter 5: Environmental specifications.       19         Hardware.       19         Altitude and air pressure.       21         Temperature and humidity.       21         Physical system protection.       23         Regulatory standards.       25         Chapter 6: Dial Plan.       27         Dialable characters.       27         Chapter 7: Security.       28         SSH.       28         VPN.       28		
Support for diverse users       11         Deskphone customization       11         Contact center models       12         Support for Gigabit Ethernet       12         Boost employee productivity       12         What is new in the 6.5 release       12         Feature comparison of H.323-based and SIP-based models       13         Chapter 3: Interoperability       15         Product compatibility       15         Chapter 4: Performance specifications       16         Traffic       16         Power       16         Power       16         Port and switch       17         Software       18         Chapter 5: Environmental specifications       19         Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         SeCurity overview       28         SSH       28         VPN       28	Feature description	10
Deskphone customization       11         Contact center models       12         Support for Gigabit Ethernet       12         Boost employee productivity       12         What is new in the 6.5 release       12         Feature comparison of H.323-based and SIP-based models       13         Chapter 3: Interoperability       15         Product compatibility       15         Chapter 4: Performance specifications       16         Traffic       16         Power       16         Port and switch       17         Software       18         Chapter 5: Environmental specifications       19         Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         VPN       28	Easy to use interface	10
Contact center models       12         Support for Gigabit Ethernet       12         Boost employee productivity       12         What is new in the 6.5 release       12         Feature comparison of H.323-based and SIP-based models       13         Chapter 3: Interoperability       15         Product compatibility       15         Chapter 4: Performance specifications       16         Traffic       16         Power       16         Port and switch       17         Software       18         Chapter 5: Environmental specifications       19         Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28	Support for diverse users	11
Support for Gigabit Ethernet       12         Boost employee productivity       12         What is new in the 6.5 release       12         Feature comparison of H.323-based and SIP-based models       13         Chapter 3: Interoperability       15         Product compatibility       15         Chapter 4: Performance specifications       16         Traffic       16         Power       16         Port and switch       17         Software       18         Chapter 5: Environmental specifications       19         Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         VPN       28	Deskphone customization	11
Boost employee productivity	Contact center models	12
What is new in the 6.5 release       12         Feature comparison of H.323-based and SIP-based models.       13         Chapter 3: Interoperability       15         Product compatibility       15         Chapter 4: Performance specifications       16         Traffic       16         Power       16         Port and switch       17         Software       18         Chapter 5: Environmental specifications       19         Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28	Support for Gigabit Ethernet	12
Feature comparison of H.323-based and SIP-based models       13         Chapter 3: Interoperability       15         Product compatibility       15         Chapter 4: Performance specifications       16         Traffic       16         Power       16         Port and switch       17         Software       18         Chapter 5: Environmental specifications       19         Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28	Boost employee productivity	12
Chapter 3: Interoperability       15         Product compatibility       15         Chapter 4: Performance specifications       16         Traffic       16         Power       16         Port and switch       17         Software       18         Chapter 5: Environmental specifications       19         Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         SSH       28         TLS       28         VPN       28	What is new in the 6.5 release	12
Product compatibility.       15         Chapter 4: Performance specifications       16         Traffic.       16         Power.       16         Port and switch.       17         Software.       18         Chapter 5: Environmental specifications       19         Hardware.       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         SSH       28         TLS       28         VPN       28	Feature comparison of H.323-based and SIP-based models	13
Chapter 4: Performance specifications       16         Traffic.       16         Power.       16         Port and switch.       17         Software.       18         Chapter 5: Environmental specifications       19         Hardware.       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards.       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28	Chapter 3: Interoperability	15
Traffic.       16         Power.       16         Port and switch.       17         Software.       18         Chapter 5: Environmental specifications       19         Hardware.       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28	Product compatibility	15
Traffic.       16         Power.       16         Port and switch.       17         Software.       18         Chapter 5: Environmental specifications       19         Hardware.       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28	Chapter 4: Performance specifications	16
Power       16         Port and switch       17         Software       18         Chapter 5: Environmental specifications       19         Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28	·	
Port and switch       17         Software       18         Chapter 5: Environmental specifications       19         Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28		
Software       18         Chapter 5: Environmental specifications       19         Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28		
Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28		
Hardware       19         Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28	Chapter 5: Environmental specifications	19
Altitude and air pressure       21         Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28		
Temperature and humidity       21         Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28		
Physical system protection       23         Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         TLS       28         VPN       28	·	
Regulatory standards       25         Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28		
Chapter 6: Dial Plan       27         Dialable characters       27         Chapter 7: Security       28         Security overview       28         TLS       28         VPN       28		
27   Dialable characters   27   Chapter 7: Security   28   Security overview   28   SSH   28   TLS   28   VPN   28   28   28   28   28   28   28   2		
Dialable characters       27         Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28		
Chapter 7: Security       28         Security overview       28         SSH       28         TLS       28         VPN       28		
Security overview.       28         SSH.       28         TLS.       28         VPN.       28		
SSH		
TLS	•	
VPN28		

EAP-TLS	29
SCEP	29
802.1X Supplicant operation	30
Virus malware related attacks	
JITC certification	
Port utilization	
Chapter 8: Licensing requirements	
	31

# **Chapter 1: Introduction**

### **Purpose**

This document describes tested product characteristics and capabilities, including feature descriptions, interoperability, performance specifications, security, and licensing requirements.

### Intended audience

This document is intended for people who want to gain a high-level understanding of the product features, functions, capacities, and limitations.

### **Related resources**

### **Documentation**

See the following related documents.

Document number	Title	Use this document to:	Audience	
Implementing -	- H.323			
Avaya deskphone H.323, 9608, 9611, 9621G, and 9641G Installation and Maintenance Guide  Avaya deskphone H.323, 9608, 9601, 9608, 9611G, 9621G, and 9641G IP Deskphones in an H.323 engineers  Administrators and network engineers				
Implementing —	- SIP			
16-603504	Installing and Maintaining Avaya 9601/9608/9608G/ 9611G/9621G/9641G IP Deskphones SIP	See install and upgrade procedures for 9601, 9608, 9611G, 9621G, and 9641G IP Deskphones in a SIP environment.	Administrators and network engineers	
Using — H.323			1	

Document number	Title	Use this document to:	Audience	
16–603593	Using Avaya IP Deskphone H. 323 9608 and 9611G	See tasks that you can perform using the Avaya IP Deskphone H.323 9608 and 9611G deskphone.	Users and administrators	
16–603594	Using Avaya IP Deskphone H. 323 9621G and 9641G	See tasks that you can perform using the Avaya IP Deskphone H.323 9621G and 9641G deskphone.	Users and administrators	
16–603613	Using Avaya IP Deskphone H. 323 9608, 9611G,921G and 9641G in the Call Center	See tasks that you can perform in a call center using the Avaya IP Deskphone H.323 9608, 9611G, 9621G, and 9641G deskphone.	Users and administrators	
16–300698	Administering Avaya IP Deskphone H.323, 9608, 9611G, 9621G, and 9641G	Administer configurations and settings for 9608, 9611G, 9621G, and 9641G IP deskphones in an H. 323 environment.	Administrators	
Using — SIP				
16-603618	Using Avaya 9601 IP Deskphone SIP	See the capabilities of a 9601 IP SIP deskphone and to learn about how various features work.	Users and administrators	
16-603595	Using Avaya 9608/9608G/ 9611G IP Deskphones SIP	See the capabilities of 9608 and 9611G IP SIP deskphones and to learn about how various features work.	Users and administrators	
16-603596	Using Avaya 9621G/9641G IP Deskphones SIP	See the capabilities of 9621G and 9641G IP SIP deskphones and to learn about how various features work.	Users and administrators	
16-604108	Using Avaya 9608/9608G/ 9611G IP Deskphones SIP for Call Center Agents	See the capabilities of 9608 and 9611G IP SIP deskphones in a call center set up and to learn about how various features work.	Call center agents and administrators	
16-603759	Using Avaya 9621G/9641G IP Deskphones SIP for Call Center Agents	See the capabilities of 9621G and 9641G IP SIP deskphones in a call center set up and to learn about how various features work.	Call center agents and administrators	
16-603620	Avaya 9601 IP Deskphones SIP Quick Reference	See frequently used tasks.	Users and administrators	
16-603600	Avaya 9608/9608G/9611G IP Deskphones SIP Quick Reference	See frequently used tasks.	Users and administrators	
16-603601	Avaya 9621G/9641G IP Deskphones SIP Quick Reference	See frequently used tasks.	Users and administrators	

Document number	Title	Use this document to:	Audience
18-604338	Avaya 9608/9608G/9611G/ 9621G/9641G IP Deskphones SIP Quick Reference for Call Center Agents	See frequently used tasks.	Call center agents and administrators
16-603813	Administering 9601/9608/9608G/9611G/ 9621G/9641G IP Deskphones SIP	Administer configurations and settings for 9608, 9611G, 9621G, and 9641G IP deskphones in a SIP environment.	Administrators

### **Support**

Go to the Avaya Support website at <a href="http://support.avaya.com">http://support.avaya.com</a> for the most up-to-date documentation, product notices, and knowledge articles. You can also search for release notes, downloads, and resolutions to issues. Use the online service request system to create a service request. Chat with live agents to get answers to questions, or request an agent to connect you to a support team if an issue requires additional expertise.

# Chapter 2: 9600 Series IP Deskphones overview

9600 Series IP Deskphones is a series of desk handset devices that you can use for unified communication. The series leverages the enterprise IP network and eliminates the need for a separate voice network.

Avaya 9600 Series IP Deskphones offers high audio quality and customizability with low power requirements. With the high-performance models of this series that can operate in both the H.323 and the Session Initiated Protocol (SIP) environment, you can:

- · Make conference calls more efficient and enhance customer interactions with high-quality audio.
- Gain access to information quickly through easy-to-read and high-resolution displays.
- Speed completion of common telephony tasks by using prompts on touch screens.
- Improve productivity with context-sensitive graphical interfaces that enhance call control and call management.
- Create a survivable, scalable infrastructure that delivers reliable performance and flexible growth as business needs change.
- Increase performance by deploying Gigabit Ethernet within your infrastructure.
- · Reduce energy costs using efficient Power-over-Ethernet (POE) including sleep mode which lowers energy consumption dramatically.

The 9600 Series IP Deskphones works with the Avaya Aura® environment to provide a flexible architecture that works with your investments and accommodates growth as your business needs change. Most models in the series also work with the IP Office environment.

#### Related Links

9600 Series IP Deskphones models on page 10 What is new in the 6.5 release on page 12 Feature comparison of H.323-based and SIP-based models on page 13

### 9600 Series IP Deskphones models

Deskphone model	Description
9601	The 9601 deskphone is SIP-only phone that provides a four-row monochrome display and two lines with dual red and green LEDs. The phone has a built in 10/100 Ethernet switch with a port for your personal computer or a laptop.
9608/9608G	You can use up to eight lines for the deskphone. The deskphone supports a traditional user interface and a graphical monochrome display.
9611G	The 9611G has a traditional user interface and a graphical color display. You can use up to eight lines with the 9611G deskphone. The 9611G deskphone supports an integrated Gigabit and a USB interface. The deskphone has a graphical color display with a white backlight.
9621G	The 9621G IP deskphone provides gigabit capability and touch screen functionality. Customers with a need for gigabit connectivity to the desktop prefer the 9621G deskphone.
9641G	The 9641G deskphone provides advanced capabilities with a color touch screen, wideband speaker, USB interface, Bluetooth headset support for H.323–based deskphones, and gigabit connectivity to the desktop. Customers who require gigabit capability for the desktop and the option to add more advanced capabilities prefer the 9641G deskphone.

#### **Related Links**

9600 Series IP Deskphones overview on page 9

### **Feature description**

9600 Series IP Deskphones offers the following salient features:

- · Easy to use interface
- · Support for diverse users
- · Deskphone customization
- · Contact center models
- Support for Gigabit Ethernet
- · Boost employee productivity

### Easy to use interface

Avaya 9600 Series IP Deskphones has:

- Clear and intuitive user interface.
- Monochrome and color high resolution screens that display context sensitive information, contextual menus, prompts, and instructions that are easy to read.
- Touch screens on select models that you can use to navigate through the applications for Weather, World Clock, My Pictures, WML Browser, and Favorites.
- · High resolution graphical displays.
- Integrated LED buttons that are available on traditional models 9601, 9608, and 9611 provide visual cues that enhance usability.
- Adapter interfaces that accommodate button modules and dual headset adapters to provide flexibility and adaptability. You can use SBM24 and BM12 button modules that provide up to 24 and 12 system based Call Appearances or Feature buttons.
- USB support with the H.323-based 9611G and 9641G models. These models support one USB device on the USB interface if you enable the USB power parameter through the settings file.

### Support for diverse users

9600 Series IP Deskphones meets the need of the following user types.

User type	Description
Walkup users	People who visit your company, such as customers or suppliers. The 9601 model is ideal for these users.
Everyday users	People who use a phone as one of many communications tools – along with IM, email, or PDA. The 9608, 9608G, 9611G, and 9621G models meet their needs.
Essential users	People who rely on real-time voice communication and make use of many advanced phone applications. The 9611 and 9621G models meet their needs.
Navigators	People who are on the phone throughout the day because they handle calls for others, such as receptionists and executive assistants. The 9641G model is ideal for these users.

### **Deskphone customization**

You can customize 9600 Series IP Deskphones through:

- Custom logos that enhances corporate identity and branding.
- Screen savers and background display images.

#### Contact center models

Contact center versions of the 9608, 9608G, 9611G, 9621G. and 9641G models provides a range of features for enhancing agent productivity, such as handling greetings, monitoring calls in the queue, updating status, and quickly completing many other day-to-day tasks. You can add a dual headset adapter to the 9608, 9608G, 9611G, and 9641G models so that you an use two headsets simultaneously. You can use a contact center faceplate on the 9641G model that eliminates the handset cradle.

### **Support for Gigabit Ethernet**

Gigabit Ethernet helps ensure compatibility with your current network and leverages existing bandwidth efficiently. Gigabit Ethernet handles data intensive traffic to co-located computers for high performance that facilitates the demands of future services and applications.

### **Boost employee productivity**

To help users, 9600 Series IP Deskphones provides:

- Collaboration features, such as conference calls, instant messaging for only SIP-based phones, and Web applications.
- Increased call control and call management with intuitive interface and context sensitive screens. Touch screen options provide easy-to-manage messages and quick access to key applications such as call logs and phone book.
- Calendar integration for only SIP-based phones through which phones can display appointments and call into conference calls with a single button press.
- Presence integration for only SIP-based phones through which phones can display presence status of other users in the phone contact list. For example, whether the other user is on a call or in a do-not-disturb mode.
- Easy-to-use critical functions, such as call transferring, call forwarding, and conference calls.

### What is new in the 6.5 release

#### SIP

Feature	Description
Presence profile	Support for Presence Server scalability by supporting Presence Server clusters.

Feature	Description
	Support of the Presence Server High Availability architecture enabling the deskphone to automatically reestablish service when presence switches hosts.
	<ul> <li>Support for Presence Server resiliency by allowing the phone to immediately log back into the Presence Server after the Presence server has been restarted.</li> </ul>
	<ul> <li>Ease of Presence management by removing the requirement to explicitly specify the Presence Server IP address in the deskphone's settings file.</li> </ul>
	<ul> <li>Requires a release of the Presence Server and Avaya Aura® 6.2 FP4.</li> </ul>

#### **Related Links**

9600 Series IP Deskphones overview on page 9

### Feature comparison of H.323-based and SIP-based models

Two major protocols that handle Voice over IP (VoIP) signaling for 9600 Series IP Deskphones are SIP and H.323. The two protocols provide connection control and call progress signaling, but in very different ways. You can use these protocols simultaneously over the same network. The 9600 Series IP Deskphones models do not support both protocols at the same time. Neither protocol is necessarily superior, but each offers some unique advantages.

Feature	H.323-based models	SIP-based models
Additional required servers	None	Use the following servers:
		SIP Proxy server to control SIP signalling.
		Network Time server to control time-related parameters.
		Presence server to track presence information of contacts added in the contacts list.
Backup and restore	Use HTTP to store backup files.	Use the Personal Profile Manager (PPM) services for backup and restore.
Network Address Translation (NAT)	Support	Do not support
Settings file and system parameters	Same as used by SIP models	Same as used by H.323. However, there are number of SIP-specific parameters

Feature	H.323-based models	SIP-based models
		used only by SIP-based models.
Language Support	Support the following languages:	Support the following languages:
	Arabic	Arabic
	Chinese	Simplified Chinese
	• Dutch	• Dutch
	• English	• English
	French	Parisian French
	German	German
	Hebrew	Hebrew
	Italian	Italian
	Japanese	Japanese
	Korean	Korean
	Portuguese	Brazilian Portuguese
	Russian	Russian
	Spanish	Latin American Spanish
	Turkish	Canadian French
	• Polish	Castilian Spanish
Resource ReSerVation Protocol (RSVP)	Support	Do not support
Quality of Service (QoS)	Use Avaya Aura® Communication Manager to set QoS.	Use parameters, such as L2QAUD, L2QSIG, DSCPAUD, and DSCPSIG to set QoS.
Presence	Do not support	Support
Integration with Microsoft Exchange and calender	Do not support	Support
Support of remote workers	Through Virtual Private Network (VPN)	Through Avaya SBCE (Session Border Controller for Enterprise)
Integrated Bluetooth on 9641G	Support	Do not support

#### **Related Links**

9600 Series IP Deskphones overview on page 9

# **Chapter 3: Interoperability**

### **Product compatibility**

For the latest and most accurate product compatibility information of 9600 Series IP Deskphones, see <a href="Product Compatibility Matrix">Product Compatibility Matrix</a>.

For the latest and most accurate compatibility information of SIP-based 9600 Series IP Deskphones with headsets, see the document *Avaya one-X*® 96X1 Series IP Deskphone Headset Profiles at the <u>Avaya Support</u> website.

# **Chapter 4: Performance specifications**

### **Traffic**

9600 Series IP Deskphones supports operations that IEEE 802.3 standards specify. The following table lists the standards and the models that support them.

Standard	9601	9608	9611G	9621G	9641G
		9608G			
10BASE-T with autonegotiation	Yes	Yes	Yes	Yes	Yes
100BASE-TX with autonegotiation	Yes	Yes	Yes	Yes	Yes
1000BASE-T with autonegotiation	No	9608: No	Yes	Yes	Yes
		9608G: Yes			
Internal Ethernet switch that support half- duplex or full-duplex at the speed of 10 Mbps or 100 Mbps for non-gigabit phones and 10 Mbps, 100 Mbps, or 1000 Mbps for gigabit phones on either interface	Yes	Yes	Yes	Yes	Yes
Media Access Control (MAC) frame structure	Yes	Yes	Yes	Yes	Yes
Collision backoff delay	Yes	Yes	Yes	Yes	Yes
Auto MDI/MDI-X	Yes	Yes	Yes	Yes	Yes

### **Power**

9600 Series IP Deskphones supports:

- Local powering, that is, by plugging the power cord into the power source.
- Power over Ethernet (PoE) or LAN-based powering as per IEEE 802.3af specification.

The IEEE 802.3af standard specifies up to 15.4 W of DC power that has a voltage of minimum 44 V DC and a current specification of 350 mA for each device. The following table provides the details of power consumption for each model.

Standard	9601	9608	9611G	9621G	9641G
		9608G			
IEEE power classification	1	1	1	2	2
Power consumption when conservation mode is disabled (watts)	1.73	2.08	3.12	3.49	3.44
Power usage when conservation mode is enabled and backlight is turned off (watts)	1.73	1.93	2.64	3.18	3.28
Maximum power consumption (watts)	2.02	2.55	3.78	4.27	4.12
Power class target when button module is attached	Does not support button module	1,2	1,3	Does not support button module	2,3
Power class switch to change power class when you attach button module	No	Yes	Yes	No	Yes

### Port and switch

9600 Series IP Deskphones supports the following ports and switches.

Port and switch	9601	9608 9608G	9611G	9621G	9641G
USB 2.0	No	No	Yes	No	Yes
PC port	Yes	Yes	Yes	Yes	Yes
Headset jack	Yes	Yes	Yes	Yes	Yes
Button module interface	No	Yes	Yes	No	Yes
Adapter interface	No	No	No	No	No
Ethernet interface	10/100 Mbps	9608: 10/100 Mbps 9608G: 10/100/1000	10/100/1000 Mbps	10/100/1000 Mbps	10/100/1000 Mbps
Secondary Ethernet interface	10/100 Mbps	Mbps 9608: 10/100 Mbps 9608G: 10/100/1000 Mbps	10/100/1000 Mbps	10/100/1000 Mbps	10/100/1000 Mbps
IEEE power switch	No	No	Yes	No	Yes

### **Software**

9600 Series IP Deskphones supports the following software.

Software	9601	9608	9611G	9621G	9641G
		9608G			
Call control protocol	SIP	SIP and H. 323	SIP and H. 323	SIP and H. 323	SIP and H. 323
Codec	• G.711 u/a law	• G.711 u/a law	• G.711 u/a law	• G.711 u/a law	• G.711 u/a law
	• G.722	• G.722	• G.722	• G.722	• G.722
	• G.726	• G.726	• G.726	• G.726	• G.726
	• G.729 a/b	• G.729 a/b	• G.729 a/b	• G.729 a/b	• G.729 a/b

# **Chapter 5: Environmental specifications**

### **Hardware**

9600 Series IP Deskphones supports the following hardware specifications.

Standard	9601	9608	9611G	9621G	9641G
		9608G			
Dimensions in inches (cms):	9.1 (23)	9.1 (23)	9.1 (23)	9.1 (23)	9.1 (23)
Height	7.1 (18)	8 (20.4)	8 (20.4)	9.1 (23)	9.1 (23)
Width	1.4 (3.5)	1.4 (3.5)	1.4 (3.5)	1.4 (3.5)	1.4 (3.5)
Depth without the stand					
Wall mountable	Yes	Yes	Yes	Yes	Yes
Stand	Dual position	Dual position flip	Dual position flip	Dual position flip	Dual position flip
Resistive touch screen	No	No	No	Yes	Yes
Display type	Monochrome	FSTN monochrome	TFT 8 bit color	TFT 24 bit color	TFT 24 bit color
Display size in inches (cms)	2.4 x 1.1 (6.2 x 2.6)	3.2 x 2.2 (8.2 x 5.5)	2.8 x 2.1 (7.0 x 5.3)	3.7 x 2.1 (9.5 x 5.4)	4.1 x 2.3 (10.4 x 5.9)
Display resolution	132 x 59 pixel	180 x 120 pixel	320 x 240 pixel	480 x 272 pixel	480 x 272 pixel
Display backlight	No backlight	White	Yes	Yes	Yes
Call appearance or display buttons	2 with red and green LEDs each	8 with red and green LEDs each	8 with red and green LEDs each	Integrated in display	Integrated in display
Softkeys call control	3	4	4	Variable integrated in display	Variable integrated in display
Bluetooth support	Yes, with external adapter	Yes, with external adapter	Yes, with external adapter	Yes, with external adapter	Integrated Bluetooth supported only for H. 323–based phones
Handset	Wideband	Wideband	Wideband	Wideband	Wideband

Standard	9601	9608 9608G	9611G	9621G	9641G
Handset weight in lbs (gms)	0.31(141)	0.31 (141)	0.31 (141)	0.31 (141)	0.31 (141)
Handset cord: length, type	9 ft (274.3 cms), 4-conductor coiled	9 ft (274.3 cm), 4- conductor coiled			
Handset transmission frequency	7 Khz				
Handset receiving frequency	7 Khz				
Handsfree	Narrowband	Narrowband	Narrowband	Wideband	Wideband
Microphone	1 omni- directional				
Gigabit Ethernet	No	9608: No 9608G: Yes	Yes	Yes	Yes
Ethernet signal range	100 meters on category 5e unshielded twisted pair (UTP) cabl	100 meters on category 5e unshielded twisted pair (UTP) cable			
Buttons	Activation force = 100 to 160 grams				
	Travel distance = 1.1 to 1.3 millimeters				
	Height = approximatel y 0.5 millimeter above the housing when fully depressed	Height = approximatel y 0.5 millimeter above the housing when fully depressed	Height = approximatel y 0.5 millimeter above the housing when fully depressed	Height = approximatel y 0.5 millimeter above the housing when fully depressed	Height = approximatel y 0.5 millimeter above the housing when fully depressed
	Snap ratio of 0.35 +/- 0.1 or higher	Snap ratio of 0.35 +/- 0.1 or higher	Snap ratio of 0.35 +/- 0.1 or higher	Snap ratio of 0.35 +/- 0.1 or higher	Snap ratio of 0.35 +/- 0.1 or higher
Permanently labeled feature buttons	Speaker with red LED				
	Headset with red LED				

Standard	9601	9608	9611G	9621G	9641G
		9608G			
	Mute with red LED				
	Volume	Volume	Volume	Volume	Volume
	Phone	Phone	Phone	Phone	Phone
	History with red LED				
	Contacts	Contacts	Contacts	Contacts	Contacts
	"A" Menu	"A" Home	"A" Home	"A" Home	"A" Home
	Message	Message	Message	Message	Message
	Navigation:	Navigation:	Navigation:	with red LED	with red LED
	up, down, left, right	up, down, left, right	up, down, left, right	Forwarding with red LED	Forwarding with red LED
	OK	ОК	ОК		
	More				
Reliability rate in technician usage rate measured as the number of units used from repair stock per month per 100 units in the installed base	Less than or equal to 0.1				

### Altitude and air pressure

9600 Series IP Deskphones function normally at altitudes from sea level to 10,000 feet and can withstand a pressure of 15.2 to 9.4 psia.

### Temperature and humidity

All Avaya IP 9600 Series IP deskphones work in a temperature range from 40 to 120 degrees Fahrenheit or 4 to 49 degrees Celsius.

#### Storage environment specifications

**Extreme temperature specifications**: All Avaya IP 9600 Series IP deskphones work normally after being soaked for at least 6 hours each in a non-operational state at -40 degree Fahrenheit and any relative humidity, at 90 degree Fahrenheit and 90% relative humidity, and at 150 degrees Fahrenheit and 15% relative humidity. The deskphones can function normally after up to three hours of recovery time at ambient conditions following each stress.

**Temperature and humidity specifications**: All Avaya IP 9600 Series IP deskphones function normally after a recovery time of up a to three hours at ambient conditions when cycled through the following temperature and non-condensing humidity conditions three times: 30 minutes at 150 degree Fahrenheit and 15 percent relative humidity, followed by 30 minutes at 90 degrees Fahrenheit and 90 percent relative humidity, followed by 30 minutes at -40 degrees F and any convenient humidity.

**Normal operating specification**: All Avaya IP 9600 Series IP deskphones function normally in the environment where temperatures are between 40 degrees Fahrenheit and relative humidities are between 5 percent and 95 percent, except that above 84 degree Fahrenheit, the maximum relative humidity is limited to that corresponding to a specific (absolute) humidity of 168 grains of water vapor per pound (lbm) of dry air. For example, 34 percent relative humidity at 120 degrees Fahrenheit, assuming an atmospheric pressure of 14.7 psia. The deskphones are allowed up to 30 minutes to stabilize at each temperature tested.

#### **Design for Environment Guidelines and specifications**

All 9600 Series IP deskphones conform to the Design for Environment Guidelines and Requirements [8.1-5] as clarified below.

DFE Guidelines for Energy Efficient Products (Section 2): All 9600 Series IP deskphones do not require a cooling fan.

DFE Guidelines for Products Containing Batteries (Section 3): All 9600 Series IP deskphones do not contain batteries.

DFE Guidelines for Designing Plastic Parts (Section 4): All 9600 Series deskphone plastic parts are not coated (Section 4.4). Note: Section 4.4 of the Design for Environment Guidelines and Requirements specifies that plastic parts are not to be painted. However some deskphones might have been painted.

All 9600 Series IP deskphones housing and handset surfaces are textured (Section 4.5).

All 9600 Series deskphone plastic parts do not use resins containing:

- PVC (Section 4.7.1.2)
- Brominated flame retardants: polybrominated biphenyl, polybrominated biphenyl oxide (PBBO, also called polybrominated biphenyl ether (PBBE), polybrominated diphenyl oxide (PBDO) and polybrominated diphenyl ether (PBDE)), bromomethane and halothane (Sections 4.7.1.3, 4.9.1 and Appendix A)
- Halogenated flame retardants (Section 4.9.2)
- Heavy metal additives: lead, cadmium, chromium and mercury (Sections 4.7.1.4 and 4.9.3).
- All 9600 Series IP deskphone plastic parts weighing more than 25 grams are marked with ISOcompliant resin codes (Section 4.8). DFE Guidelines for Designing Printed Wiring Boards (Section 5):
- All 9600 Series IP deskphones do not contain lead (Section 5.3). All IP telephones do not use components containing mercury (Section 5.7.2).
- DFE Guideline for Waste Electrical and Electronic Equipment (WEEE) (Section 6.5.1). See also section [8.4-6].

### Physical system protection

#### External voltages, surges, and transient specifications

All Avaya 9600 Series IP deskphones function normally after being subjected to surges marked normal in the table below. All Avaya 9600 Series IP deskphones comply with appropriate safety requirements after being subjected to all surges in the following table. Surges are specified below as either normal or FCC (Part 68 Rules). The peak voltage and peak current define a constant source resistance of the surge generator.

Table 1: High voltage surge table

TYPE	Peak voltage (Volts)	Peak current (Amps)	Maximum rise time (µ sec)	Maximum decay time (µ sec)	Number of surges of polarity each
P-2 FCC	2500	1000	2	10	10
P-4A Normal	6000	200	0.5	See Note A	12
T-1A Normal	6000	200	0.5	See Note A	12

NOTE A:  $0.5~\mu sec$  - 100~kHz ringing wave shape; refer to IEEE-587 IEEE, Inc., IEEE Guide for Surge Voltages in Low-Voltage AC Power Circuits, IEEE Std 587-1980, January 30, 1981.

Peak voltage applies with the source terminated in at least 10,000 Ohms. Peak current applies with the source terminated in a short circuit. Rise and decay times apply to both voltage and current waveforms terminated as indicated above, and are defined as follows: Rise Time is the interval between the 10 percent and 90 percent of peak points on the leading edge multiplied by 1.25.

Decay Time is the time interval between the 10 percent of peak point on the leading edge and the 50 percent of peak point on the trailing edge.

#### **Electromagnetic compatibility specifications**

Radiated Emissions: All 9600 Series IP deskphones meet the applicable FCC Rules Part 15 regulations for Class B devices. Radiated emissions from 9600 Series IP deskphones do not exceed the level of field strength specified in the following table for Class B devices.

Table 2: Maximum allowed radiated field strength

Freq	Class A	Class A	
	Field strength in dbµV/m	Field strength in dbµV/m	
	At 10 metres	At 3 metres	At 3 metres
30 to 88	39	49	40
88 to 216	44	54	43
216 to 960	46	56	46
above 960	50	60	54

#### Radiated RF emission specification

All 9600 Series IP deskphones meet Class B radiated emissions limits EN55022:2006 as specified in the following table:

**Table 3: Radiated Emission Limits for International Applications** 

Frequency	Class A	Class B
	Quasi-Peak Field Strength Limit (dBµV/m at 10 m)	Quasi-Peak Field Strength Limit (dBµV/m at 10 m)
30 - 230	40	30
230 - 1000	47	37

#### Conducted RF emissions specifications (FCC)

All 9600 Series IP deskphones meet the applicable FCC Rules Part 15 regulations <sup>2</sup> for Class B devices. 9600 Series IP deskphones limit radio frequency voltage conducted back into the ac power lines to values below FCC Part 15 Class B levels.

#### **Conducted RF emissions specifications (CE Mark)**

All 9600 Series IP deskphones meet the following Class B conducted emissions limits for ac Mains and for telecommunication ports (EN55022:2006).

Table 4: Conducted Emissions Limits for International Applications on AC Mains

Freq (MHz)	Class A Emission Limits (dbµV)		Class B Emission Limits (dbµV)	
	Quasi-Peak	Average	Quasi-Peak	Average
0.15 – 0.5	79	66	66 - 56	56 - 46
0.5 - 5	73	60	56	46
5 - 30	73	60	60	50

Table 5: Conducted Common Mode Emissions Limits for International Applicationson Telecommunication Ports for Class B Equipment

Freq (MHz)	Voltage limits (dbµV)		Voltage limits (dbμA)	
	Quasi-Peak	Average	Quasi-Peak	Average
0.15 – 0.5	84 - 74	74 - 64	40 - 30	30 - 20
0.5 - 30	74	64	30	20

Where a range of limits is specified, the limits decrease linearly with the logarithm of the frequency. The above limits are given in terms of the current measured into a terminating impedance stabilization network (ISN) under the assumption that the 150-Ohm impedance will be realized throughout the test range. The tighter (lower) limit applies at the transition frequency.

## Electrostatic Discharge (ESD) Immunity – ESD Performance under Normal Operation for CE Mark:

All 9600 Series IP deskphones comply with the ESD immunity requirements in EN 55024:1998, and Amendment A1:2001 to EN 55024:1998 and Amendment A2:2003 to EN 55024:1998

#### Radiated RF Electromagnetic Field Immunity

All 9600 Series IP deskphones comply with the conducted RF Field immunity requirements in EN 55024:1998, and Amendment A1:2001 to EN 55024:1998 and Amendment A2:2003 to EN 55024:1998, including the particular test conditions and particular performance criteria in Appendix A of that standard.

#### **EFT Immunity for CE Mark**

All 9600 Series IP deskphones comply with the EFT immunity requirements in EN 55024:1998, and Amendment A1:2001 to EN 55024:1998 and Amendment A2:2003 to EN 55024:1998.

#### **Surge Immunity for CE Mark**

All 9600 Series IP deskphones comply with the Surge immunity requirements in EN 55024:1998, and Amendment A1:2001 to EN 55024:1998 and Amendment A2:2003 to EN 55024:1998.

#### **Power Frequency Magnetic Field Immunity for CE Mark**

All 9600 Series IP deskphones comply with the Power Frequency Magnetic Field immunity requirements in EN 55024:1998, and Amendment A1:2001 to EN 55024:1998 and Amendment A2:2003 to EN 55024:1998, including the particular test conditions and particular performance criteria in Appendix B of that standard.

#### AC Voltage Dips and Interruptions Immunity for CE Mark

All 9600 Series IP deskphones comply with the ac Voltage Dips and Interruptions immunity requirements in EN 55024:1998, and Amendment A1:2001 to EN 55024:1998 and Amendment A2:2003 to EN 55024:1998.

#### Safety and Protection Platform specifications

All 9600 Series IP deskphones conform to the requirements of IEC-60950-1 [8.4-4a], EN60950-1 [8.4-4b] and UL-60950-1 [8.4-4c].

All 9600 Series IP deskphones are listed with c/UL to the requirements of UL 60950-1.

All 9600 Series IP deskphones are certified to the requirements of IEC 60950-1 according to the procedure of the IECEE CB Scheme.

### Regulatory standards

#### **Table 6: Telecom specifications**

US FCC (Part 15, including Class B EMC, and Part 68 (HAC) hearing-aid compatibility)

European Union CE (including Class B EMC and CB Scheme report with all National Differences) EC EN55022: 2006

CSA / UL (Canadian and USA Safety)

VCCI (Japanese Voluntary Control Council for Interference by Information Technology Equipment)

**CB Test for TUV** 

JATE (Japan Approvals Institute for Telecommunications Equipment)

NOM (Normas Oficiales Mexicanas -safety)

RoHS/lead free compliance

ANATEL (label with registration number and EAN number/bar code for Brazil)

China RoHS

Korea (only MIC Information device test certificate, the Telecommunication will be done by Avaya)

**AUS C-Tick** 

Russian PCT Type Approval

B

WEEE compliance with associated icon:

FCC Part 15 Class B and EU Class B EMC requirements

ACP systems (of which the IP telephones are a part) are registered for FCC Part 68 compliance.

Dialpad layout- ITU-T Recommendation E.161 [8.6-1]

HAC on handset "HAC" is included on the phone per FCC Part 68.300 (c) to indicate hearing-aid compatibility

# **Chapter 6: Dial Plan**

You can create a dial plan for 9600 Series IP Deskphones using the following characters.

Character	Description
Digits 0 through 9	Specific dialpad digits.
Asterisk (*)	The dialpad character asterisk (*).
Pound (#)	The dialpad character #, but only if it is the first character in the dialed string.
х	Any dialpad digit from 0 to 9.
Z or z	Present dial tone to the user. For example, for Feature Access Code (FAC) entry.
Brackets ([ ])	Any one character within the brackets is a valid match for a dial plan string.
Minus (-)	Any one digit between the bounds within the brackets, inclusive, is a match.
Plus (+)	The character before plus (+) may be repeated 0 or more additional times, for a valid match.
Pipe ( )	If there are multiple valid dial plan elements, each one is separated from the next by an OR symbol.
(" ")	If the dial plan text string begins or ends with an OR symbol, that symbol is ignored.

### **Dialable characters**

Characters that a user would put in a dial string. These are different from the dial plan elements.

Character	Description
Comma (,)	A comma (,) creates a 1.5-second pause between the digits that are sent. Do not use a comma (,) as the first character in the string.
Pound (#)	Can either be the first dialed element used in a FAC or TAC or the last character which is an end of dial string indication.
Asterisk (*)	Can either be the 1st dialed element used in a FAC or TAC.

# **Chapter 7: Security**

### **Security overview**

9600 Series IP Deskphones supports the following security features:

- HTTP authentication for backup and restore operations.
- Compliance with IETF RFC 1948 Defending Against Sequence Number Attacks, May 1996, 14 by S. Bellovin from Release 1.5 onwards.
- Models that provide WML Web applications to support Transport Layer Security (TLS) to establish a secure connection to an HTTP server on which the upgrade and settings files reside.

### SSH

Avaya Services uses Secure Shell (SSH) protocol to remotely connect to 9600 Series IP Deskphones to monitor, diagnose, or debug phone performance. Release 6.2 supports only the SSHv2 version.

### **TLS**

9600 Series IP Deskphones supports Transport Layer Security (TLS) to enhance the security of your HTTP environment. The deskphones support HTTP and HTTPS authentication for backup and restore operations.

### **VPN**

You can use H.323–based 9600 Series IP Deskphones on a Virtual Private Network (VPN) if your administrator configures the VPN option for your deskphones. VPN uses a high-speed connection to the Internet and then to the VPN-administered solution in the enterprise network. VPN provides a significant improvement of the communications capabilities of SOHO users. With the 9600 Series IP

Deskphones Release 3.1 and later, you can implement a VPN in enterprise networks with third-party devices.

### **Avaya SBCE**

You can use 9600 Series IP Deskphones with Avaya Session Border Controller for Enterprise (SBCE) to provide support for remote workers. Avaya SBCE provides the SIP trunking feature that allows SIP trunk-enabled enterprises to completely secure SIP connectivity over the Internet through SIP trunking services that Internet Telephony Service Provider (ITSP) provides.

SIP trunking ensures the privacy of all calls traversing the enterprise network, while maintaining a well-defined demarcation point between the core and access network. In addition, organizations can use SIP trunking to maintain granular control through well-defined domain policies. These policies secure SIP devices and servers from known SIP and Media vulnerabilities.

#### **EAP-TLS**

9600 Series IP Deskphones supports Extensible Authentication Protocol-Transport Layer Security (EAP-TLS) mode of authentication. The call server supports EAP-TLS as specified in RFC 2716 if an identity certificate is present in the deskphone.

### **SCEP**

9600 Series IP Deskphones supports Simple Certificate Enrollment Protocol (SCEP) to provide an identity certificate for use with certificate-based VPN authentication methods. The 802.1x EAP-TLS method also uses the identity certificate for authentication. When you use TLS with HTTPS, you can use the identity certificate to:

- Authenticate the deskphone
- Save the agent greetings
- Perform a backup or restore

9600 Series IP Deskphones supports Media Encryption (SRTP) and uses built-in Avaya certificates for trust management. You can apply SCEP to your VPN operations or to standard enterprise network operations.

### 802.1X Supplicant operation

9600 Series IP Deskphones supports Supplicant operation and Extensible Authentication Protocol (EAP), but for software Release 6.1 and earlier, only with the MD5-Challenge authentication method.

#### Virus malware related attacks

Deskphones are delivered free from known viruses, worms, and other malware. Products are built in an environment that is free from known viruses, worms, and other malware. The "gold" version of a product is built on a machine that is known to be clean. For example, built from a known source or the operating system version is taken from the manufacturer's source.

### JITC certification

For products sold into the U.S. Government sector, Joint Interoperability Test Command (JITC) certification is a mandatory requirement. Based on the operating system and the capabilities of the product, each product must adhere to the respective standard specified at http://iase.disa.mil/stigs/checklist/index.html.

Verification of JITC functionality includes execution of the scripts for the respective operating system on the product. The scripts are specified at http://iase.disa.mil/stigs/SRR/index.html.



Only H.323-based phones are JITC certified.

### Port utilization

For the latest and most accurate information about ports and protocols that 9600 Series IP Deskphones utilizes, see <u>Port Matrix</u>. On the Web page, select the required link under Avaya one-X<sup>®</sup> Deskphone.

# **Chapter 8: Licensing requirements**

You require the following licences for 9600 Series IP Deskphones:

- The Right to Use the software that runs on 9600 Series IP Deskphones. This license is already included with the purchase of the deskphone.
- The Right to Connect 9600 Series IP Deskphones to Communication Manager, Session Manager, or IP Office. This license is controlled by simultaneous user licenses that these servers enforce.

You can purchase licenses in bulk as required. For more information on the software license terms, see <u>Policies & Legal</u>.

# Index

Numerics	G	
1000BASE-T	Gigabit support	<u>12</u>
100BASE-TX	3 11	
10BASE-T	11	
802.1X Supplicant operation30	Н	
	handset	
Α	cord	<u>19</u>
•	receiving frequency	<u>19</u>
Altitude and air pressure specification21	transmission frequency	19
auto MDI/MDI-X	weight	19
autonegotiation	hardware	
_	backlight	<u>19</u>
C	bluetooth	<u>19</u>
· ·	buttons	19
call control protocol	call appearance	<del>19</del>
codec	dimensions	_
Collision backoff delay	stand	19
compatibility matrix	wall mountable	<u>19</u>
compatible headsets	Gigabit Ethernet	
compatible products	handset	
contact center models	handsfree	
Contact center models <u>12</u>	microphone	
	PCB	
D	softkeys	
	touch screen	
deskphone customization11	hardware specification	
dialable characters <u>27</u>	headset compatibility	
dial plan specification27		<u></u>
difference between H.323 and SIP models	1	
	1	
E	internal Ethernet switch	<u>16</u>
EAP-TLS29		
employee productivity	J	
essential users		
everyday users	Joint Interoperability Test Command certification	3 <u>0</u>
Extensible Authentication Protocol-Transport Layer Security	•	
29	T.	
	-	
F	legal notices	
•	legal requirements	<u>31</u>
feature comparison13	licensing requirements	<u>31</u>
features		
boost employee productivity	M	
contact center models	141	
deskphone customization	MAC frame structure	16
diverse users	models	
easy to use interface		<u></u>
Gigabit support	M	
G	N	
	navigators	11

new features in the 6.5 release	<u>12</u>	software specification	<u>18</u>
new in this release	<u>12</u>	specifications	
		altitude and air pressure	<u>2</u> 1
0		call control protocol	<u>18</u>
O .		codec	<u>18</u>
overview	q	dial plan	27
security		hardware	<u>19</u>
Security	<u>20</u>	physical system protection	
		port and switch	
P		power	
		software	
physical system protection specification	<u>23</u>	temperature and humidity	
policies	<u>31</u>	traffic	
port and switch		support	
adapter interface	<u>17</u>	oupport	<u>v</u>
button module	<u>17</u>	_	
Ethernet interface	<u>17</u>	T	
Gigabit Ethernet switch	<u>17</u>		
headset jack	<u>17</u>	temperature and humidity specification	
IEEE power switch		TLS	
PC port		traffic specification	
secondary interface		Transport Layer Security	<u>28</u>
USB		types of users	
port and switch specification		essential	<u>11</u>
port utilization		everyday	<u>11</u>
power	<u>oo</u>	navigators	<u>11</u>
classification	16	walkup	<u>11</u>
class target		·	
usage		V	
•		V	
power specification		Virtual Brivata Natwork	20
product compatibility		Virtual Private Network Virus malware related attacks	
product compatibility matrix	<u>15</u>		
		VPN	<u>28</u>
R			
		W	
regulatory standards	<u>25</u>		
related documentation	<u>6</u>	walkup users	<u>11</u>
requirement			
licensing	<u>31</u>		
right to connect	<u>31</u>		
right to use			
· ·	_		
S			
Secure Shell	<u>28</u>		
security			
802.1X Supplicant operation			
Avaya SBCE	<u>29</u>		
JITC certification			
Simple Certificate Enrollment Protocol	<u>29</u>		
SSH	<u>28</u>		
TLS			
Virus malware related attacks	30		
VPN			
securityEAP-TLS			
security overview			
Simple Certificate Enrollment Protocol			