



Using Avaya J129 IP Phone

Note

Using a cell, mobile, or GSM phone, or a two-way radio in close proximity to an Avaya IP telephone might cause interference.

Documentation disclaimer

"Documentation" means information published in varying mediums which may include product information, operating instructions and performance specifications that are generally made available to users of products. Documentation does not include marketing materials. Avaya shall not be responsible for any modifications, additions, or deletions to the original published version of Documentation unless such modifications, additions, or deletions were performed by or on the express behalf of Avaya. End User agrees to indemnify and hold harmless Avaya, Avaya's agents, servants and employees against all claims, lawsuits, demands and judgments arising out of, or in connection with, subsequent modifications, additions or deletions to this documentation, to the extent made by End User.

Link disclaimer

Avaya is not responsible for the contents or reliability of any linked websites referenced within this site or Documentation provided by Avaya. Avaya is not responsible for the accuracy of any information, statement or content provided on these sites and does not necessarily endorse the products, services, or information described or offered within them. Avaya does not guarantee that these links will work all the time and has no control over the availability of the linked pages.

Warranty

Avaya provides a limited warranty on Avaya hardware and software. Refer to your sales agreement to establish the terms of the limited warranty. In addition, Avaya's standard warranty language, as well as information regarding support for this product while under warranty is available to Avaya customers and other parties through the Avaya Support website: <https://support.avaya.com/helpcenter/getGenericDetails?detailId=C20091120112456651010> under the link "Warranty & Product Lifecycle" or such successor site as designated by Avaya. Please note that if You acquired the product(s) from an authorized Avaya Channel Partner outside of the United States and Canada, the warranty is provided to You by said Avaya Channel Partner and not by Avaya.

"Hosted Service" means an Avaya hosted service subscription that You acquire from either Avaya or an authorized Avaya Channel Partner (as applicable) and which is described further in Hosted SAS or other service description documentation regarding the applicable hosted service. If You purchase a Hosted Service subscription, the foregoing limited warranty may not apply but You may be entitled to support services in connection with the Hosted Service as described further in your service description documents for the applicable Hosted Service. Contact Avaya or Avaya Channel Partner (as applicable) for more information.

Hosted Service

THE FOLLOWING APPLIES ONLY IF YOU PURCHASE AN AVAYA HOSTED SERVICE SUBSCRIPTION FROM AVAYA OR AN AVAYA CHANNEL PARTNER (AS APPLICABLE), THE TERMS OF USE FOR HOSTED SERVICES ARE AVAILABLE ON THE AVAYA WEBSITE, [HTTPS://SUPPORT.AVAYA.COM/LICENSEINFO](https://support.avaya.com/LICENSEINFO) UNDER THE LINK "Avaya Terms of Use for Hosted Services" OR SUCH SUCCESSOR SITE AS DESIGNATED BY AVAYA, AND ARE APPLICABLE TO ANYONE WHO ACCESSES OR USES THE HOSTED SERVICE. BY ACCESSING OR USING THE HOSTED SERVICE, OR AUTHORIZING OTHERS TO DO SO, YOU, ON BEHALF OF YOURSELF AND THE ENTITY FOR WHOM YOU ARE DOING SO (HEREINAFTER REFERRED TO INTERCHANGEABLY AS "YOU" AND "END USER"), AGREE TO THE TERMS OF USE. IF YOU ARE ACCEPTING THE TERMS OF USE ON BEHALF A COMPANY OR OTHER LEGAL ENTITY, YOU REPRESENT THAT YOU HAVE THE AUTHORITY TO BIND SUCH ENTITY TO THESE TERMS OF USE. IF YOU DO NOT HAVE SUCH AUTHORITY, OR IF YOU DO NOT WISH TO ACCEPT THESE TERMS OF USE, YOU MUST NOT ACCESS OR USE THE HOSTED SERVICE OR AUTHORIZE ANYONE TO ACCESS OR USE THE HOSTED SERVICE.

Licenses

THE SOFTWARE LICENSE TERMS AVAILABLE ON THE AVAYA WEBSITE, [HTTPS://SUPPORT.AVAYA.COM/LICENSEINFO](https://support.avaya.com/LICENSEINFO), UNDER THE LINK "AVAYA SOFTWARE LICENSE TERMS (Avaya Products)" OR SUCH SUCCESSOR SITE AS DESIGNATED BY AVAYA, ARE APPLICABLE TO ANYONE WHO DOWNLOADS, USES AND/OR INSTALLS AVAYA SOFTWARE, PURCHASED FROM AVAYA INC., ANY AVAYA AFFILIATE, OR AN AVAYA CHANNEL PARTNER (AS APPLICABLE) UNDER A COMMERCIAL AGREEMENT WITH AVAYA OR AN AVAYA CHANNEL PARTNER. UNLESS OTHERWISE AGREED TO BY AVAYA IN WRITING, AVAYA DOES NOT EXTEND THIS LICENSE IF THE SOFTWARE WAS OBTAINED FROM ANYONE OTHER THAN AVAYA, AN AVAYA AFFILIATE OR AN AVAYA CHANNEL PARTNER; AVAYA RESERVES THE RIGHT TO TAKE LEGAL ACTION AGAINST YOU AND ANYONE ELSE USING OR SELLING THE SOFTWARE WITHOUT A LICENSE. BY INSTALLING, DOWNLOADING OR USING THE SOFTWARE, OR AUTHORIZING OTHERS TO DO SO, YOU, ON BEHALF OF YOURSELF AND THE ENTITY FOR WHOM YOU ARE INSTALLING, DOWNLOADING OR USING THE SOFTWARE (HEREINAFTER REFERRED TO INTERCHANGEABLY AS "YOU" AND "END USER"), AGREE TO THESE TERMS AND CONDITIONS AND CREATE A BINDING CONTRACT BETWEEN YOU AND AVAYA INC. OR THE APPLICABLE AVAYA AFFILIATE ("AVAYA").

Avaya grants You a license within the scope of the license types described below, with the exception of Heritage Nortel Software, for which the scope of the license is detailed below. Where the order documentation does not expressly identify a license type, the applicable license will be a Designated System License. The applicable number of licenses and units of capacity for which the license is granted will be one (1), unless a different number of licenses or units of capacity is specified in the documentation or other materials available to You. "Software" means computer programs in object code, provided by Avaya or an Avaya Channel Partner, whether as stand-alone products, pre-installed on hardware products, and any upgrades, updates, patches, bug fixes, or modified versions thereto. "Designated Processor" means a single stand-alone computing device. "Server" means a Designated Processor that hosts a software application to be accessed by multiple users. "Instance" means a single copy of the Software executing at a particular time: (i) on one physical machine; or (ii) on one deployed software virtual machine ("VM") or similar deployment.

License types

Designated System(s) License (DS). End User may install and use each copy or an Instance of the Software only on a number of Designated Processors up to the number indicated in the order. Avaya may require the Designated Processor(s) to be identified in the order by type, serial number, feature key, Instance, location or other specific designation, or to be provided by End User to Avaya through electronic means established by Avaya specifically for this purpose.

Shrinkwrap License (SR). You may install and use the Software in accordance with the terms and conditions of the applicable license agreements, such as "shrinkwrap" or "clickthrough" license accompanying or applicable to the Software ("Shrinkwrap License").

Heritage Nortel Software

"Heritage Nortel Software" means the software that was acquired by Avaya as part of its purchase of the Nortel Enterprise Solutions Business in December 2009. The Heritage Nortel Software is the software contained within the list of Heritage Nortel Products located at <https://support.avaya.com/LicenseInfo> under the link "Heritage Nortel Products" or such successor site as designated by Avaya. For Heritage Nortel Software, Avaya grants Customer a license to use Heritage Nortel Software provided hereunder solely to the extent of the authorized activation or authorized usage level, solely for the purpose specified in the Documentation, and solely as embedded in, for execution on, or for communication with Avaya equipment. Charges for Heritage Nortel Software may be based on extent of activation or use authorized as specified in an order or invoice.

Copyright

Except where expressly stated otherwise, no use should be made of materials on this site, the Documentation, Software, Hosted Service, or hardware provided by Avaya. All content on this site, the

documentation, Hosted Service, and the product provided by Avaya including the selection, arrangement and design of the content is owned either by Avaya or its licensors and is protected by copyright and other intellectual property laws including the sui generis rights relating to the protection of databases. You may not modify, copy, reproduce, republish, upload, post, transmit or distribute in any way any content, in whole or in part, including any code and software unless expressly authorized by Avaya. Unauthorized reproduction, transmission, dissemination, storage, and or use without the express written consent of Avaya can be a criminal, as well as a civil offense under the applicable law.

Virtualization

The following applies if the product is deployed on a virtual machine. Each product has its own ordering code and license types. Note that each Instance of a product must be separately licensed and ordered. For example, if the end user customer or Avaya Channel Partner would like to install two Instances of the same type of products, then two products of that type must be ordered.

Third Party Components

"Third Party Components" mean certain software programs or portions thereof included in the Software or Hosted Service may contain software (including open source software) distributed under third party agreements ("Third Party Components"), which contain terms regarding the rights to use certain portions of the Software ("Third Party Terms"). As required, information regarding distributed Linux OS source code (for those products that have distributed Linux OS source code) and identifying the copyright holders of the Third Party Components and the Third Party Terms that apply is available in the products, Documentation or on Avaya's website at: <https://support.avaya.com/Copyright> or such successor site as designated by Avaya. The open source software license terms provided as Third Party Terms are consistent with the license rights granted in these Software License Terms, and may contain additional rights benefiting You, such as modification and distribution of the open source software. The Third Party Terms shall take precedence over these Software License Terms, solely with respect to the applicable Third Party Components to the extent that these Software License Terms impose greater restrictions on You than the applicable Third Party Terms.

The following applies only if the H.264 (AVC) codec is distributed with the product. THIS PRODUCT IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO (i) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD ("AVC VIDEO") AND/OR (ii) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE [HTTP://WWW.MPEGLA.COM](http://www.mpegla.com).

Service Provider

THE FOLLOWING APPLIES TO AVAYA CHANNEL PARTNER'S HOSTING OF AVAYA PRODUCTS OR SERVICES. THE PRODUCT OR HOSTED SERVICE MAY USE THIRD PARTY COMPONENTS SUBJECT TO THIRD PARTY TERMS AND REQUIRE A SERVICE PROVIDER TO BE INDEPENDENTLY LICENSED DIRECTLY FROM THE THIRD PARTY SUPPLIER. AN AVAYA CHANNEL PARTNER'S HOSTING OF AVAYA PRODUCTS MUST BE AUTHORIZED IN WRITING BY AVAYA AND IF THOSE HOSTED PRODUCTS USE OR EMBED CERTAIN THIRD PARTY SOFTWARE, INCLUDING BUT NOT LIMITED TO MICROSOFT SOFTWARE OR CODECS, THE AVAYA CHANNEL PARTNER IS REQUIRED TO INDEPENDENTLY OBTAIN ANY APPLICABLE LICENSE AGREEMENTS, AT THE AVAYA CHANNEL PARTNER'S EXPENSE, DIRECTLY FROM THE APPLICABLE THIRD PARTY SUPPLIER.

WITH RESPECT TO CODECS, IF THE AVAYA CHANNEL PARTNER IS HOSTING ANY PRODUCTS THAT USE OR EMBED THE G.729 CODEC, H.264 CODEC, OR H.265 CODEC, THE AVAYA CHANNEL PARTNER ACKNOWLEDGES AND AGREES THE AVAYA CHANNEL PARTNER IS RESPONSIBLE FOR ANY AND ALL RELATED FEES AND/OR ROYALTIES. THE G.729 CODEC IS LICENSED BY SIPRO LAB TELECOM INC. SEE WWW.SIPRO.COM/CONTACT.HTML. THE H.264 (AVC) CODEC IS

LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO: (I) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD ("AVC VIDEO") AND/OR (II) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION FOR H.264 (AVC) AND H.265 (HEVC) CODECS MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE [HTTP://WWW.MPEGLA.COM](http://WWW.MPEGLA.COM).

Compliance with Laws

You acknowledge and agree that it is Your responsibility for complying with any applicable laws and regulations, including, but not limited to laws and regulations related to call recording, data privacy, intellectual property, trade secret, fraud, and music performance rights, in the country or territory where the Avaya product is used.

Preventing Toll Fraud

"Toll Fraud" is the unauthorized use of your telecommunications system by an unauthorized party (for example, a person who is not a corporate employee, agent, subcontractor, or is not working on your company's behalf). Be aware that there can be a risk of Toll Fraud associated with your system and that, if Toll Fraud occurs, it can result in substantial additional charges for your telecommunications services.

Avaya Toll Fraud intervention

If You suspect that You are being victimized by Toll Fraud and You need technical assistance or support, call Technical Service Center Toll Fraud Intervention Hotline at +1-800-643-2353 for the United States and Canada. For additional support telephone numbers, see the Avaya Support website: <https://support.avaya.com> or such successor site as designated by Avaya.

Security Vulnerabilities

Information about Avaya's security support policies can be found in the Security Policies and Support section of <https://support.avaya.com/security>.

Suspected Avaya product security vulnerabilities are handled per the Avaya Product Security Support Flow (<https://support.avaya.com/css/P8/documents/100161515>).

Downloading Documentation

For the most current versions of Documentation, see the Avaya Support website: <https://support.avaya.com>, or such successor site as designated by Avaya.

Contact Avaya Support

See the Avaya Support website: <https://support.avaya.com> for product or Hosted Service notices and articles, or to report a problem with your Avaya product or Hosted Service. For a list of support telephone numbers and contact addresses, go to the Avaya Support website: <https://support.avaya.com> (or such successor site as designated by Avaya), scroll to the bottom of the page, and select Contact Avaya Support.

Regulatory Statements

Australia Statements

Handset Magnets Statement:

Danger:

The handset receiver contains magnetic devices that can attract small metallic objects. Care should be taken to avoid personal injury.

Industry Canada (IC) Statements

RSS Standards Statement

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

1. This device may not cause interference, and

2. This device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

1. L'appareil ne doit pas produire de brouillage, et
2. L'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Radio Transmitter Statement

Under Industry Canada regulations, this radio transmitter may only operate using an antenna of a type and maximum (or lesser) gain approved for the transmitter by Industry Canada. To reduce potential radio interference to other users, the antenna type and its gain should be so chosen that the equivalent isotropically radiated power (EIRP) is not more than that necessary for successful communication.

Conformément à la réglementation d'Industrie Canada, le présent émetteur radio peut fonctionner avec une antenne d'un type et d'un gain maximal (ou inférieur) approuvé pour l'émetteur par Industrie Canada. Dans le but de réduire les risques de brouillage radioélectrique à l'intention des autres utilisateurs, il faut choisir le type d'antenne et son gain de sorte que la puissance isotrope rayonnée équivalente ne dépasse pas l'intensité nécessaire à l'établissement d'une communication satisfaisante.

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

Radiation Exposure Statement

This equipment complies with FCC & IC RSS102 radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Cet équipement est conforme aux limites d'exposition aux rayonnements ISÉD établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.

Japan Statements

Class B Statement

This is a Class B product based on the standard of the VCCI Council. If this is used near a radio or television receiver in a domestic environment, it may cause radio interference. Install and use the equipment according to the instruction manual.

この装置は、クラスB情報技術装置です。この装置は、家庭環境で使用することを目的としていますが、この装置がラジオやテレビジョン受信機に近接して使用されると、受信障害を引き起こすことがあります。

取扱説明書に従って正しい取り扱いをして下さい。 VCCI-B

Denan Power Cord Statement



Danger:

Please be careful of the following while installing the equipment:

- Please only use the connecting cables, power cord, and AC adapters shipped with the equipment or specified by Avaya to be used with the equipment. If you use any other equipment, it may cause failures, malfunctioning, or fire.
- Power cords shipped with this equipment must not be used with any other equipment. In case the above guidelines are not followed, it may lead to death or severe injury.



警告

本製品を安全にご使用頂くため、以下のことにご注意ください。

- 接続ケーブル、電源コード、ACアダプタなどの部品は、必ず製品に同梱されております添付品または指定品をご使用ください。添付品指定品以外の部品をご使用になると故障や動作不良、火災の原因となることがあります。
- 同梱されております付属の電源コードを他の機器には使用しないでください。上記注意事項を守らないと、死亡や大怪我等など人身事故の原因となることがあります。

México Statement

The operation of this equipment is subject to the following two conditions:

1. It is possible that this equipment or device may not cause harmful interference, and
2. This equipment or device must accept any interference, including interference that may cause undesired operation.

La operación de este equipo está sujeta a las siguientes dos condiciones:

1. Es posible que este equipo o dispositivo no cause interferencia perjudicial y
2. Este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.

Power over Ethernet (PoE) Statement

This equipment must be connected to PoE networks without routing to the outside plant.

U.S. Federal Communications Commission (FCC) Statements

Compliance Statement

The changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

To comply with the FCC RF exposure compliance requirements, this device and its antenna must not be co-located or operating to conjunction with any other antenna or transmitter.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interferences that may cause undesired operation.

When using IEEE 802.11a wireless LAN, this product is restricted to indoor use, due to its operation in the 5.15 to 5.25GHz frequency range. The FCC requires this product to be used indoors for the frequency range of 5.15 to 5.25GHz to reduce the potential for harmful interference to co channel mobile satellite systems. High-power radar is allocated as the primary user of the 5.25 to 5.35GHz and 5.65 to 5.85GHz bands. These radar stations can cause interference with and/or damage to this device.

Class B Part 15 Statement

For product available in the USA/Canada market, only channel 1~11 can be operated. Selection of other channels is not possible.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designated to provide reasonable protection against harmful interferences in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interferences to radio or television reception, which can be determined by turning the

equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 8 in or 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

EU Countries

This device complies with the essential requirements and other relevant provisions of Directive 1999/5/EC. A copy of the Declaration may be obtained from <http://support.avaya.com> or Avaya Inc., 4655 Great America Parkway, Santa Clara, CA 95054–1233 USA.

General Safety Warning

- Use only the Avaya approved Limited Power Source power supplies specified for this product.
- Ensure that you:
 - Do not operate the device near water.
 - Do not use the device during a lightning storm.
 - Do not report a gas leak while in the vicinity of the leak.
 - Limit the power to the device over telecommunications wiring to 36-57 volt DC or ≤ 1.3 ampere DC.

Trademarks

The trademarks, logos and service marks ("Marks") displayed in this site, the Documentation, Hosted Service(s), and product(s) provided by Avaya are the registered or unregistered Marks of Avaya, its affiliates, its licensors, its suppliers, or other third parties. Users are not permitted to use such Marks without prior written consent from Avaya or such third party which may own the Mark. Nothing contained in this site, the Documentation, Hosted Service(s) and product(s) should be construed as granting, by implication, estoppel, or otherwise, any license or right in and to the Marks without the express written permission of Avaya or the applicable third party.

Avaya is a registered trademark of Avaya Inc.

All non-Avaya trademarks are the property of their respective owners. Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

Contents

Chapter 1: Introduction	9
Purpose	9
Chapter 2: Avaya J129 IP Phone overview	10
Physical layout	11
Connection jacks	12
Icons on the phone	13
Supported features	15
Chapter 3: Getting started	16
Entering the provisioning server address	16
Logging in to your phone	16
Logging out of your phone	17
Locking and unlocking the phone	17
Chapter 4: Handling outgoing calls	18
Making a call by using the dial mode	18
Making a call without using the dial mode	18
Redialing a number	18
Making a call using speed dial	19
Toggling between calls	19
Making a call from the local contacts list	19
Making a call from the corporate database contacts list	20
Making a call from call history	20
Emergency calling overview	21
Making an emergency call	21
Making an international call	22
Chapter 5: Handling incoming calls	23
Answering a call	23
Answering a call when on another call	23
Ignoring a call	24
Switching to another phone during an active call	24
Making an attended transfer	24
Making an unattended transfer	25
Transferring a call on hold	25
Chapter 6: Managing contacts	27
Adding a new contact	27
Editing a contact	27
Viewing the contact details	28
Searching for a contact	29
Deleting a contact	29
Chapter 7: Managing call history	30

Turning call history on and off.....	30
Viewing call history details.....	30
Adding or deleting a call record from the call history menu.....	31
Clearing the call history menu.....	31
Chapter 8: Managing conference calls.....	32
Adding a person to an active call.....	32
Adding a person on hold to a conference call.....	32
Putting a conference call on hold.....	33
Chapter 9: Using call related features.....	34
Muting and unmuting a call.....	34
Activating Mute Alert.....	34
Visual alerting.....	35
Placing a call on hold and resuming the call.....	35
Activating transfer to voice mail.....	35
Parking and unparking a call.....	36
Activating Do Not Disturb.....	36
Setting up automatic call back.....	37
Call Forward overview.....	37
Activating and deactivating call forward.....	38
Activating EC500.....	38
Tracing a malicious call.....	39
Blocking your extension from displaying during calls.....	39
Chapter 10: Managing your presence.....	40
Enabling Away timer.....	40
Chapter 11: Managing voice mails.....	41
Retrieving a voice mail.....	41
Chapter 12: Customizing Avaya J129 IP Phone.....	42
Setting the Dial mode.....	42
Assigning Speed Dial.....	42
Replacing and clearing a Speed Dial contact.....	43
Setting Visual alerting.....	43
Displaying Call timers.....	44
Setting a ring tone for incoming calls.....	44
Turning Button Clicks on and off.....	44
Turning Error Tones on and off.....	44
Turning audio settings on and off.....	45
Setting Handset Profile.....	45
Adjusting the contrast of the display screen.....	46
Setting the display language.....	46
Setting the Time Format.....	46
Setting the Date Format.....	47
Setting the time zone.....	47

Chapter 13: Related resources..... 48

 Documentation..... 48

 Finding documents on the Avaya Support website..... 50

 Viewing Avaya Mentor videos..... 50

 Support..... 51

Chapter 1: Introduction

Purpose

This document describes how to use Avaya J129 IP Phone features.

This document is intended for people who use Avaya J129 IP Phone.

Chapter 2: Avaya J129 IP Phone overview

The Avaya J129 IP Phone is a SIP-based phone intended to be used for basic business communications. The phone supports two-call appearances with a single-line call display.

Physical specifications

- Two call appearances
- A 128 x 32 pixels graphical LCD
- Three softkeys
- Dual 10/100 network ports
- Power over Ethernet class one device
- Magnetic Hook Switch

Physical layout




Callout number	Name	Description
1	Beacon LED	Displays a flashing red light to indicate a voice mail or incoming call. The Beacon LED also flashes when you are on a call using the hands free speaker capability.
2	Phone display	Displays information such as time, softkey labels, and menu items.

Table continues...

Callout number	Name	Description
		If a text is wider than the display area, then the text is followed by three dots. Use the Right and Left Arrow keys to scroll through the text. If there is a scroll bar or a line indicator at the right of the phone display, use the up and down arrow keys to scroll up and down.
3	Softkeys	Displays screen-specific commands.
4	OK	Selects the function assigned to the left softkey.
5	Navigation arrows	Navigates between various menu options.
6	Phone	Displays the Phone screen.
7	Back	Cancels the current action and returns to the previous menu.
8	Speaker	Activates and deactivates the speakerphone. You can also lift the handset to deactivate the speakerphone.
9	Main Menu	Displays the menu options and other phone settings.
10	Hold	Puts the call on hold.
11	Volume	Increases or decreases the volume of the handset, or speaker when you are on a call. Adjusts the ringer volume when you are not on a call.
12	Mute	Mutes and unmutes the microphone.

Connection jacks

The following image illustrates the connection jacks that are present on the back panel of Avaya J129 IP Phone models. The image schematically describes which device to connect in which jack.



Icons on the phone

The following table lists the icons used in the Avaya J129 IP Phone:

Icon	Description
	Line indicator; first call appearance

Table continues...

Icon	Description
	Line indicator; second call appearance
	More than 10 recent missed calls
	Recents- Outgoing call
	Recents- Missed call
	Recents- Incoming call
	Outgoing recents MDA
	Missed call
	Check
	MDA active
	New call setup
	Voicemail
	Checkbox off
	Checkbox on
	Active conference
	Conference on hold
	Contrast
	EC500
	Failover
	Radio button off
	Radio button on
	Feature unavailable
	Call forward
	Handset
	Hold
	Phone lock
	Ringer on
	Ringer off
	Speaker
	Do not disturb

Supported features

Avaya J129 IP Phone supports the Avaya Aura® and IP Office environments. The following table shows the supported features in both the environments.

Features	Avaya Aura®	IP Office
End to end security indicator	Yes	No
Private call	Yes	No
Automatic call back	Yes	No
Call forward	Yes	Yes. It is supported using short codes.
Emergency dialing when user not logged in	Yes	No
Conference calls	Yes	Yes. Conference call supports three participants and the call is hosted on the phone.
Attended transfer	Yes	Yes
Unattended transfer	Yes	Yes
Transferring a call by selecting a contact or Recents	Yes	Yes
Contacts	Yes	Yes
Presence	Yes	No
Quick log in	Yes	No
Multiple Device Access (MDA)	Yes	No
Concurrent log in	Yes	No
Voice mail	Yes	Yes
Call Park/Unpark	Yes	Yes. It is supported using short codes.
Block Calling party info	Yes	No
EC500	Yes	No
Malicious Call Trace (MCT)	Yes	No
Do No Disturb	Yes	Yes. It is supported using short codes.
Automatic call back	Yes	Yes. It is supported using short codes.
Dial mode	Yes	Yes. It supports only manual mode.
Speed dial	Yes	No

Chapter 3: Getting started

Entering the provisioning server address

About this task

Use this procedure to enter the provisioning server address where asked to do so. For example, when the phone is first plugged into the network.

Before you begin

Get the provisioning server address from the system administrator.

Procedure

1. On the Configure Provision Server screen, press one of the following softkeys:
 - **Config**: To enter the provisioning server address.
 - **Never**: To never prompt for the provisioning server address.
 - **Cancel**: To cancel the prompt and display the Log Out screen. You can also press **Back** to cancel the prompt and display the Log Out screen.
2. In the **Prov Server** field, enter the provisioning server address. The address can be in the form of a numerical IP address or an alphanumeric Fully Qualified Domain Name (FQDN).

Tip:

To enter the dot symbol (.) in the field, press the alphanumeric softkey to toggle to the alphanumeric mode.

3. Press **Save**.

The phone reboots.

Logging in to your phone

About this task

Before you begin

Get the log in password from the system administrator.

Procedure

1. Press the **Log In** softkey.
2. Enter your extension.
3. Enter the password that your administrator assigned to you.
4. Press **Enter** or **OK** or **#**.

Logging out of your phone

About this task

If the administrator enables the offline call-log feature, missed calls are added to the call history. The offline call-log feature is only available in an Avaya Aura® environment.

Procedure

1. Press **Main Menu > Log Out**.

 Note:

In IP Office, press **Main Menu > Admin > Log Out**.

2. Press **Log Out** when the phone prompts for confirmation.

Locking and unlocking the phone

About this task

Use this procedure to lock your phone to prevent the use of the phone when you are away. Locking your phone does not log you out, so you can make emergency calls and receive calls.

Procedure

- To lock the phone, press **Main Menu > Lock**.
- To unlock the phone, press **Unlock** and enter the log in password.

Chapter 4: Handling outgoing calls

Making a call by using the dial mode

About this task

Use this procedure to make a call without lifting the handset or pressing **Speaker**.

Before you begin

Set the dial mode on the phone to **Auto** or **Manual**.

Procedure

- If the dial mode is set to **Auto**, dial the required number of digits.
The phone initiates the call when the inter digit timer times out.
- If the dial mode is set to **Manual**, dial the number and press the **Call** softkey.

Related links

[Setting the Dial mode](#) on page 42

Making a call without using the dial mode

Procedure

1. Lift the handset or press **Speaker**.
2. Press the digits on the dial pad.

The phone initiates the call when the inter digit timer times out.

Redialing a number

About this task

Use this procedure to redial a number. If you delete the outgoing call log, the last dialed number is deleted.

Procedure

On the Phone screen, press one of the following:

- **Redial**
- **OK**

Making a call using speed dial

About this task

This feature is only available in the Avaya Aura® environment.

Before you begin

Ensure that you assign speed dial numbers to your contacts.

Procedure

Press and briefly hold the dialpad key assigned to the person you want to call.

Related links

[Assigning Speed Dial](#) on page 42

Toggling between calls

About this task

Use this procedure to toggle between active call appearances.

Before you begin

Ensure that you have more than one active call appearances.

Procedure

1. Press **Swap**.
The current call goes on hold and the other resumes.
2. Press **Swap** again to go back to the first call.

Making a call from the local contacts list

Procedure

1. Press **Main Menu > Contacts**.

The phone displays the message `Use dialpad to search`.

2. Press the digits on the dial pad that correspond to the letters of the name of the person you want to call. For example, press 764 to search for someone whose name is Smith.
3. Press one of the following to start a call to the selected number:
 - **Call**
 - **OK**

Related links

[Adding a new contact](#) on page 27

Making a call from the corporate database contacts list

About this task

Use this procedure to make a call from the corporate database contacts list. This feature is only available in the Avaya Aura® environment.

Procedure

1. On the Phone screen, press one of the following:
 - **Main Menu > Contacts > Search.**
 - **Contacts > Search.**
2. Press the digits on the dial pad that correspond to the name of the person you want to call.
3. Press **Search**.
4. Press one of the following to start a call:
 - **Call**
 - **OK**

Making a call from call history

About this task

Use this procedure to make a call from call history. If the system administrator configures emergency calling for your phone, then **Emerg** softkey replaces the **Recents** softkey.

Procedure

1. On the Phone screen, press one of the following:
 - **Main Menu > Recents**

- **Recents**
- 2. Use the **Up** and **Down Arrow** keys to select the number that you want to call.
- 3. Press one of the following to start a call:
 - **Call**
 - **OK**

Related links

[Adding or deleting a call record from the call history menu](#) on page 31

Emergency calling overview

Emergency calling is used to connect with a preset emergency services number.

You can make an emergency call from the following screens:

- The Status screen
- The Lock screen.

However, in IP Office environment, you can make an emergency call only when you are logged in to your phone.

If your system administrator configures emergency calling for your phone, the Phone screen displays an **Emerg** softkey. Otherwise, a **Recents** softkey replaces the **Emerg** softkey. Using the **Emerg** softkey, you can dial only the number that is given the highest priority by the system administrator. Alternatively, you can also dial the emergency numbers by using the dial pad in the following cases:

- The **Emerg** softkey is unavailable
- The **Emerg** softkey is available. However, you want to call an emergency number that is not the highest priority number set by the system administrator.

In IP Office environment, **Emerg** softkey is not available. You must dial the emergency number by using the dial pad.

Making an emergency call

Procedure

Do one of the following:

- On the Phone screen, press **Emerg** softkey, and again press **Emerg** when the phone prompts for confirmation.
- Dial the emergency number by using the dial pad.

Making an international call

About this task

E.164 is a standard format of international public telephone numbering. An E.164 number can have up to 15 digits and is preceded by a plus sign (+). Use the following procedure to dial an E.164 number.

Procedure

1. Long press the **0** key to display the plus sign (+).
2. Dial the number that you want to call.

Chapter 5: Handling incoming calls

Answering a call

About this task

Use this procedure to answer a call. When you receive a call, the phone does the following:

- Generates audio visual alerts.
- Displays the name or number of the incoming call.

Procedure

Do one of the following:

- Lift the handset.
- Press **Speaker**.
- Press **OK**.
- Press the **Answer** softkey.

Related links

[Placing a call on hold and resuming the call](#) on page 35

Answering a call when on another call

About this task

Use this procedure to answer a call when you are attending a call. When you get another call while you are on a call, the phone plays a call waiting tone. If you disconnect the ongoing call without answering the other call, the phone stops playing the call waiting tone and generates audio visual alerts.

Procedure

Press one of the following:

- The **Answer** softkey
- **OK**

The phone puts the first call on hold and moves to the second call.

Ignoring a call

About this task

Use this procedure to ignore a call. When you ignore a call, the phone does not disconnect the call. If you ignore a call while you are on a call, you can still use the **Up** and **Down Arrow** keys to select the call and then answer the call.

Procedure

Press one of the following:

- The **Ignore** softkey
- **Back**

The phone turns off the audio alert and returns to the previous screen.

Switching to another phone during an active call

About this task

The phone supports Multiple Device Access (MDA) in which you can register up to 10 SIP devices with your extension. If you register to multiple devices with the same extension, you can switch between devices during an active call.

This feature is only available in an Avaya Aura® environment.

Before you begin

Ensure that the system administrator activates the option for your extension.

Procedure

1. Answer the incoming call from your phone.
2. To switch to the other phone, press **Bridge** on that phone.

Making an attended transfer

About this task

An attended transfer is when you put an active call on hold and establish a second call with the call-transfer recipient before transferring the call.

Procedure

1. While on the first call, press the **Transfer** softkey.

2. Do one of the following:
 - Use the keypad to dial the number to which you want to transfer the call .
 - Call the person from the **Contacts** list or the **Recents** list.

The first call is put on hold, and the recipient's phone starts ringing.

3. Press the **Complete** softkey after the recipient answers the call.

The phone transfers the call to the selected number.

Making an unattended transfer

About this task

An unattended transfer is when you transfer an active call without establishing a call with the call-transfer recipient.

Procedure

1. While on the first call, press the **Transfer** softkey.
2. Do one of the following:
 - Use the keypad to dial the number to which you want to transfer the call.
 - Call the person from the **Contacts** list or the **Recents** list.

The first call is put on hold, and the recipient's phone starts ringing.

3. To complete the transfer, press the **Complete** softkey.

The phone transfers the call to the selected number.

If the called party does not answer the call, then the unanswered call returns to your phone as a recalled transfer call.

Transferring a call on hold

About this task

Use this procedure to transfer a call on hold to an outgoing or an incoming call.

Before you begin

Press **Hold** to put an ongoing call on hold.

Procedure

1. Press one of the following softkeys:
 - **NewCall**: To make a new call.

- **Answer:** To answer a call
2. When the called party answers the call or you answer the call, press the **Transfer** softkey.
 3. Press the **Transfer** softkey again when the phone prompts for confirmation.

Chapter 6: Managing contacts

Adding a new contact

About this task

Use this procedure to add a contact to the phone. You can save a maximum of 250 contacts.

Procedure

1. Do one of the following:
 - If there is no contact in the contacts list, press **Contacts > New** or press **Main Menu > Contacts > New**.
 - If there is at least one contact in the contacts list, press **Contacts > More > New** or press **Main Menu > Contacts > More > New**.
2. Use the dial pad to enter the name.
 - Press the number key that corresponds to the letter or number that you want to enter.
 - If the characters are on the same key, pause before entering the next character.
 - To enter a space, press 0.
 - Enter the remaining letters or numbers.
 - To enter a symbol, press **More > Symbol**. Use the navigation arrows to highlight the symbol that you want to enter and press **Insert**.
 - To delete the last character, press the **Bksp** softkey.
3. Enter the number.

The contact number can include uppercase and lowercase letters, numbers 0-9, and special symbols, such as comma (,), plus (+), and dot (.).
4. Press **Save**.

Editing a contact

About this task

Use this procedure to edit a contact in the contacts list. In IP Office environment, during failover, the **Edit** softkey is not available.

Before you begin

You must have at least one contact in the contacts list.

Procedure

1. Do one of the following:
 - Press **Contacts**.
 - Press **Main Menu > Contacts**.
2. Select the contact that you want to edit.
3. Press **More > Details > Edit**.
4. Choose the field that you want to edit.
5. Use the dial pad and softkeys to change the contact information.
6. Press **Save**.

Viewing the contact details

About this task

Use this procedure to view the details of a contact. You can make a call, edit or delete a contact from the details.

Before you begin

You must have at least one contact in the contacts list.

Procedure

1. Do one of the following:
 - Press **Contacts**.
 - Press **Main Menu > Contacts**.
2. Select the contact that you want to view.
3. Press **More > Details**.
 - To call a contact, press **Call**.
 - To edit a contact, press **Edit**.
 - To delete a contact, press **Delete**.

Searching for a contact

About this task

Use this procedure to search contacts from the local contacts list or enterprise directory. However, in IP Office environment, you can search for a contact only from the local contacts list.

Procedure

1. To search for a contact from the local contacts, do the following:
 - a. Press **Main Menu > Contacts**.
The phone displays the message `Use dialpad to search`.
 - b. Press the digits on the dial pad that correspond to the letters of the name of the person you want to call. For example, press `764` to search for someone whose name is Smith.
2. To search for a contact from the enterprise directory, do the following:
 - a. On the Phone screen, press **Contacts > Search** or press **Main Menu > Contacts > Search**.
 - b. Use the dialpad to enter the name.
 - c. Press **Search**.
To add the contact to the local contacts, press **+Contact**.

Deleting a contact

Before you begin

You must have at least one contact in the contacts list.

Procedure

1. Do one of the following:
 - Press **Contacts**.
 - Press **Main Menu > Contacts**.
2. Select the contact you want to delete.
3. Press **More > Details > Delete**.

Chapter 7: Managing call history

Turning call history on and off

Procedure

1. Press **Main Menu > Settings > Phone Settings**.
2. Use the **Down Arrow** key to go to the Log recent calls screen.
3. To toggle the call history feature on or off, do one of the following:
 - Select **Change**.
 - Use the **Left** and **Right Arrow** keys.
4. Press **Save**.

Related links

[Clearing the call history menu](#) on page 31

Viewing call history details

Procedure

1. Do one of the following:
 - Press **Recents**.
 - Press **Main Menu > Recents**.
2. Select the number that you want to view.
3. Press **Details**.

The details section contain: call type icon such as incoming call icon, outgoing call icon, or missed call icon, name, extension number, time, date, and duration.

Adding or deleting a call record from the call history menu

Procedure

1. Do one of the following:
 - Press **Recents**.
 - Press **Main Menu > Recents**.
2. Select the number that you want to add or delete.
3. Select **Details**.
4. Select one of the following:
 - **+Contact**: To add a call record from the call history menu to the contacts list.
 - **Delete**: To delete a call record from the call history.

Clearing the call history menu

Procedure

1. Do one of the following:
 - Press **Recents**.
 - Press **Main Menu > Recents**.
 2. Select **ClearAll**.
-  **Note:**
- In IP Office, the **ClearAll** softkey is available only from the **Main Menu**.
3. Select one of the following when the phone prompts for confirmation:
 - **ClearAll**: To clear all entries.
 - **Cancel**: To cancel and return to the previous menu.

Chapter 8: Managing conference calls

Adding a person to an active call

About this task

Use this procedure to add participants to an active call to set up a conference call.

Before you begin

You must be on a call to initiate a conference call.

Procedure

1. During a call, on the Phone screen, press **Conf**.
The phone puts the second call on hold.
2. To make a call to a third participant, do one of the following:
 - Dial the phone number by using the dial pad.
 - Call the person from the **Contacts** list or from the **Recents** list
 - Redial the last dialed number by using the **Redial** softkey.

The third participant answers the call.

3. Press the **Join** softkey.
4. To add another person, press **Add** and repeat steps 3 and 4.

In IP Office environment, the **Add** softkey is not available. Therefore, the conference is hosted on the phone and only three participants are supported.

Adding a person on hold to a conference call

About this task

Use this task to add a person that you have put on hold to a conference call.

Procedure

1. During an active call, press **Hold**.

2. Do one of the following:
 - To make a new call, press **NewCall** and dial the extension of the second person.
 - To answer an incoming call, press **Answer**.

 Note:

To toggle between the calls, press **Swap**.

3. When the second person answers the call, press the **Conf** softkey.

The person on hold adds to the conference call.

Related links

[Toggling between calls](#) on page 19

Putting a conference call on hold

About this task

Use this procedure to put a conference call on hold, while the other parties can talk to each other.

Procedure

1. Press **Hold** during a conference call.
2. Press **Resume** or **OK** or select the call appearance to resume the conference call.

Chapter 9: Using call related features

Muting and unmuting a call

Procedure

1. To mute an active call, press **Mute**.
2. To unmute the call, press **Mute** again.

 Note:

The **Mute** button is illuminated when you press mute.

Activating Mute Alert

About this task

Use this procedure to configure your phone to alert if you speak while your phone is on mute.

Before you begin

Ensure that the system administrator activates the option for your extension.

Procedure

1. Press **Main Menu > Settings > Phone Settings**.
2. Use the **Down Arrow** key to go to the Mute Alert screen.
3. Press **Change** to select one of the following:
 - **Audible:** If you put a call on mute and start speaking after eight seconds, the phone produces a beep to notify that you are on mute.
 - **Visual:** If you put a call on mute and start speaking after eight seconds, the phone displays the Call Muted icon.

 Note:

If the user stops talking while mute alerting is on, after a delay of 500 milliseconds, the call muted icon is replaced by the normal active call icon

- **Both:** Combines the actions of both audible and visual alerting.
- **None:** Disables the mute alert for your phone.

4. Press **Save**.

Mute alert turns off automatically when you take the call off mute.

Visual alerting

The beacon LED works in the following manner to indicate incoming calls and messages:

- If there is an incoming call, the beacon LED blinks.
- If there are new voice mail messages, the beacon LED is lit continuously.
- If the speaker is on during an active call and there are new voice mail messages, the beacon LED turns off every 15 seconds.
- If the speaker is on during an active call and there are no voice mail messages, the beacon LED turns on every 15 seconds.

Note:

- When the call is on speaker, the speaker icon (🔊) replaces the active call handset (📞) icon.
- If the call is on hold, the beacon LED stops flashing.

Related links

[Setting Visual alerting](#) on page 43

Placing a call on hold and resuming the call

Procedure

1. To put an active call on hold, press **Hold**.
2. To resume the call, press **Resume** or **OK**.

Activating transfer to voice mail

About this task

Use this procedure to transfer an active call to voice mail.

Before you begin

Your system administrator must activate the feature for your extension.

This feature is only available in the Avaya Aura® environment.

Procedure

1. During an active call, press **Main Menu > Features**.
2. Use the **Down Arrow** key to go to the Transfer to VM screen.
3. Press **Select** or **OK** to activate the transfer to voice mail.

Parking and unparking a call

About this task

Use this procedure to park the active call and answer the call from another extension.

This feature is only available in the Avaya Aura® environment.

Your system administrator must activate the feature for your extension.

In the IP Office environment, this feature is supported using short code dialing. Contact your system administrator for the list of short codes.

Procedure

1. While on an active call, press **Main Menu > Features**.
2. Use the **Down Arrow** key to go to the Call Park screen.
3. Press **Select** or **OK**.
- The phone parks the call.
4. To answer a parked call, press **Main Menu > Features**.
5. Use the **Down Arrow** key to go to the Call Unpark screen.
6. Press **Select** or **OK**.
7. Enter the extension from which the call was parked.
8. Press **OK**.

The phone unparks the call.

Activating Do Not Disturb

About this task

Use this procedure to direct incoming calls to a predefined coverage number that is set by the system administrator.

In the IP Office environment, this feature is supported using short code dialing. Contact your system administrator for the list of short codes.

Before you begin

Your system administrator must activate the feature for your extension.

Procedure

1. Press **Main Menu > Features**.
2. Use the **Down Arrow** key to go to the Do Not Disturb screen.
3. Select **Do Not Disturb**.

Setting up automatic call back

About this task

When an extension is busy, use this procedure to receive a call back automatically after the extension is free.

In the IP Office environment, this feature is supported using short code dialing. Contact your system administrator for the list of short codes.

Before you begin

Your system administrator must activate the feature for your extension.

Procedure

1. During an active call, press **Main Menu > Features**.
2. Use the **Down Arrow** key to go to the Auto Callback screen.
3. Press **Select** or **OK** to activate **Auto Callback**.

When you end the callback call, the system deactivates the feature automatically.

Call Forward overview

Use the Call Forward feature to divert incoming calls to another number. The phone supports the following Call Forward types:

- Call Forward: Forwards all incoming calls to another number.
- Call Forward Busy: Forwards incoming calls to another number if you are on a call.
- Call Forward No Answer: Forwards incoming calls that you do not answer within a stipulated time to another number.

Activating and deactivating call forward

About this task

Use this procedure to forward incoming calls to a specified number.

In the IP Office environment, this feature is supported using short code dialing. Contact your system administrator for the list of short codes.

Before you begin

Ensure that the system administrator enables Call Forward features for your extension.

Procedure

1. Press **Main Menu > Features**.
2. Use the **Down Arrow** key to go to one of the following Call Forward screens.
 - Call Fwd
 - Call Forward-Busy
 - Call Forward-No Answer
3. Press **Select** or **OK**.
4. In the **Destination** field, enter the number where you want to forward the incoming calls.
5. Press **Save** or **OK**.

The phone generates a confirmation tone and returns to the Features menu.

6. To deactivate any of the Call Forward feature, go to the respective screen and press **Select** or **OK**.

Activating EC500

About this task

Use this procedure to answer calls on your cell phone.

This feature is only available in the Avaya Aura® environment.

Before you begin

The system administrator must program the phone so that you can receive incoming calls on your cell phone.

Procedure

1. Press **Main Menu > Features**.
2. Use the **Down Arrow** key to go the EC500 screen.

3. Press **OK**.

Tracing a malicious call

About this task

Use this procedure to activate malicious call tracing (MCT) and providing information about the malicious call. This feature is available only if your administrator has set up the phone system to trace and track malicious calls and there is an attendant or controlling user to oversee the trace. This feature is only available in an Avaya Aura® environment.

Before you begin

Your system administrator must activate the feature for your extension.

Procedure

1. During an active call, press **Main Menu > Features**.
2. Use the **Down Arrow** key to go to the MCT Act screen.
3. Press **OK**.

An alerting tone or flashing beacon LED indicates that the trace is active. Hanging up deactivates MCT.

Blocking your extension from displaying during calls

About this task

This feature is only available in an Avaya Aura® environment.

Before you begin

Ensure that the system administrator activates the option for your extension.

Procedure

1. Press **Main Menu > Features**.
2. Select **CPN block**.
3. In the **Destination** field, enter the extension number that you do not want the called party to see.
4. Press **OK**.

Chapter 10: Managing your presence

Enabling Away timer

About this task

Although Avaya J129 IP Phone does not display presence, it can report it so that the other devices can display your presence. Use this procedure to automatically update the presence status to Away after a predefined time.

Note:

This feature is only available in the Avaya Aura[®] environment.

Procedure

1. Press **Main Menu > Settings > Presence Settings**.
The phone displays the Away Timer screen.
2. Press **Change** to turn on the timer.
3. Use the **Down Arrow** key to go to the Timer Value screen.
4. Enter time in minutes.
You can enter any value from 1 to 999.
5. Press **Save**.

Chapter 11: Managing voice mails

Retrieving a voice mail

About this task

Use this procedure to listen to your voice mail messages. The beacon LED illuminates to indicate that you have a voice mail.

Before you begin

- Ensure that the system administrator configures the voice mail for your extension.
- Get the User ID and password of your voice mail from your system administrator.

Procedure

1. Press **Main Menu**.
2. Use the **Down Arrow** key to go to the Voicemail screen.
3. Press **Select**.
4. Follow the voice prompts to playback your voice messages.

Chapter 12: Customizing Avaya J129 IP Phone

Setting the Dial mode

About this task

Use this procedure to set the dialing method used to initiate dialing.

Procedure

1. Press **Main Menu > Settings > Phone Settings**.
 2. Use the **Down Arrow** key to go to the Dial mode screen.
 3. Press **Change** to select one of the following :
 - **Manual**: Press the **Call** softkey to start a call.
-  **Note:**
- In the IP Office environment, use the **Manual** mode.
- **Auto**: The dialed digits must match the dialplan to start a call.
4. Press **Save**.

Assigning Speed Dial

About this task

Use this procedure to assign speed dial numbers to your contacts. You can assign up to nine speed dial entries.

This feature is only available in the Avaya Aura® environment.

Procedure

1. Press **Main Menu > Settings > Phone Settings**.
2. Select **Speed Dial**.
3. Use the **Up** and **Down Arrow** keys to select a Speed Dial number.
4. Press **Contacts** to select a contact.

5. Press **Select** to assign the contact to the selected Speed Dial number.
You can assign only one contact to a Speed dial number.

Replacing and clearing a Speed Dial contact

About this task

Use this procedure to replace or remove a Speed Dial contact.

This feature is only available in the Avaya Aura® environment.

Before you begin

Assign a contact to a Speed Dial number.

Procedure

1. Press **Main Menu > Settings > Phone Settings**.
2. Select **Speed Dial**.
3. Use the **Down Arrow** key to go to the Speed Dial contact that you want to replace or clear.
4. Press one of the following:
 - **Replace**: To replace the contact with another contact.
 - **Clear**: To remove the contact from the Speed Dial.
5. Press **Replace** or **Clear** when the phone prompts for confirmation.

Setting Visual alerting

About this task

Use this procedure to illuminate the beacon LED when there are incoming calls and messages.

Procedure

1. Press **Main Menu > Settings > Phone Settings**.
2. Use the **Down Arrow** key to go to the Visual alerting screen.
3. Press **Change** to activate or deactivate visual alerting.
4. Press **Save**.

Displaying Call timers

About this task

Use this procedure to display the duration of calls.

Procedure

1. Press **Main Menu > Settings > Phone Settings**.
2. Use the **Down Arrow** key to go to the Call timers screen.
3. Press **Change** to activate or deactivate the call timers.
4. Press **Save**.

Setting a ring tone for incoming calls

Procedure

1. Press **Main Menu > Settings > Audio Settings**.
2. Use the **Down Arrow** key to select **Ring Type**.
3. Press **Select** to choose the required ring tone.
4. Press **Save**.

Turning Button Clicks on and off

Procedure

1. Press **Main Menu > Settings > Audio Settings**.
2. Use the **Down Arrow** key to go to the Button Clicks screen.
3. Press **Change** to turn the audio on or off.
4. Press **Save**.

Turning Error Tones on and off

About this task

Use this procedure to activate the error tone alarm when you perform an incorrect action while using the phone.

Procedure

1. Press **Main Menu > Settings > Audio Settings**.
2. Use the **Down Arrow** key to go to the Error Tones screen.
3. Press **Change** to turn error tones on or off.
4. Press **Save**.

Turning audio settings on and off

About this task

Automatic gain control (AGC) raises the volume when a caller is speaking in a low voice and lowers the volume when the caller is speaking aloud. Use this procedure to turn AGC on or off separately for the headset and speaker.

Procedure

1. Press **Main Menu > Settings > Audio Settings**.
2. Select **AGC**.
3. Use the **Up** and **Down Arrow** keys to select the handset or speaker for which you want to turn AGC on or off.
4. Press **Change** to turn AGC on or off.
5. Press **Save**.

Setting Handset Profile

About this task

The task is relevant for people with hearing difficulties. Use this procedure to change the audio characteristic of the phone.

Procedure

1. Press **Main Menu > Settings > Audio Settings**.
2. Select **Handset Profile**.

The phone displays the following:

- **Default**
- **Normal**
- **Amplified**: Extends the maximum volume beyond the normal audio level. The option must be used with care because long term extended use of the highest volume settings can cause ear damage.

- **Hearing Aid:** Optimizes the sound quality of hearing aids.
3. Press **Change** to select one of the options.
 4. Press **Save**.

Adjusting the contrast of the display screen

Procedure

1. Press **Main Menu > Settings > Display Settings**.
2. Select **Contrast**.
3. Use the **Left** and **Right Arrow** keys to increase or decrease the contrast.
4. Press **Save**.

Setting the display language

Procedure

1. Press **Main Menu > Settings > Display Settings**.
2. Select **Language**.
3. Press **Select** or **OK** to change the language.
4. Press **Yes** or **OK** when the phone prompts for confirmation.

The phone returns to the Display Settings screen and the language changes to the selected language.

Setting the Time Format

Procedure

1. Press **Main Menu > Settings > Display Settings**.
2. Use the **Down Arrow** key to go to the Time Format screen.

The phone displays the following:

- **Time Format 24 Hour**
- **Time Format 12 Hour**

3. Press **Change** to select one of the options.
4. Press **Save**.

Setting the Date Format

Procedure

1. Press **Main Menu > Settings > Display Settings**.
2. Use the **Down Arrow** key to go to the Date Format screen.

The phone displays one of the following:

- **Default**
- **mm/dd**
- **dd/mm**
- **mm.dd**
- **dd.mm**
- **mm-dd**
- **dd-mm**
- **mmm dd**

3. Press **Change** to select one of the options.
4. Press **Save**.

Setting the time zone

About this task

Use this procedure to set the current time of the phone.

Procedure

1. Press **Main Menu > Settings > Display Settings**.
2. Select **Time Zone** to go to the My time screen.
3. To set the required time, do one of the following:
 - Use the **Left** and **Right Arrow** key.
 - Press **-** or **+** softkey.
4. Press **Save**.

Chapter 13: Related resources

Documentation

See the following related documents at <http://support.avaya.com>.

Title	Use this document to:	Audience
Overview		
<i>Avaya Aura® Session Manager Overview and Specification</i>	See characteristics and capabilities, including feature descriptions, interoperability, performance specifications, security and licensing requirements of the Avaya Aura® Session Manager.	For people who want to gain a high-level understanding of the Avaya Aura® Session Manager features, functions, capacities, and limitations.
<i>Avaya IP Office™ Platform Feature Description</i>	See information about the feature descriptions.	For people who perform system administration tasks.
<i>Avaya IP Office™ Platform Solution Description</i>	See information about how the products and services that interoperate with this solution.	For people who want to gain a high-level understanding of the IP Office features, functions, capacities, and limitations.
Implementing		
<i>Deploying Avaya Aura® Session Manager</i>	See the installation procedures and initial administration information for Avaya Aura® Session Manager.	For people who install, configure, and verify Avaya Aura® Session Manager on Avaya Aura® System Platform.
<i>Upgrading Avaya Aura® Session Manager</i>	See upgrading checklists and procedures.	For people who perform upgrades of Avaya Aura® Session Manager.
<i>Deploying Avaya Aura® System Manager on System Platform</i>	See the installation procedures and initial administration information for Avaya Aura® System Manager.	For people who install, configure, and verify Avaya Aura®

Table continues...

Title	Use this document to:	Audience
		System Manager on Avaya Aura® System Platform at a customer site.
<i>Avaya IP Office™ Platform SIP Telephone Installation Notes</i>	See the installation procedures and initial administration information for IP Office SIP telephone devices.	For people who install, configure and verify SIP telephone devices on IP Office.
Administering		
<i>Administering Avaya Aura® Session Manager</i>	See information about how to perform Avaya Aura® Session Manager administration tasks including how to use management tools, how to manage data and security, and how to perform periodic maintenance tasks.	For people who perform Avaya Aura® Session Manager system administration tasks.
<i>Administering Avaya Aura® System Manager</i>	See information about how to perform Avaya Aura® System Manager administration tasks including how to use management tools, how to manage data and security, and how to perform periodic maintenance tasks.	For people who perform Avaya Aura® System Manager administration tasks.
<i>Administering Avaya IP Office™ Platform with Manager</i>	See information about short code configurations for the feature list	For people who need to access IP Office features using short codes.
<i>Administering Avaya IP Office™ Platform with Web Manager</i>	See information about IP Office Web Manager administration tasks including how to use the management tool, how to manage data and security, and how to perform maintenance tasks.	For people who perform IP Office Web Manager administration tasks.
Maintaining		
<i>Maintaining Avaya Aura® Session Manager</i>	See information about the maintenance tasks for Avaya Aura® Session Manager.	For people who maintain Avaya Aura® Session Manager.
<i>Troubleshooting Avaya Aura® Session Manager</i>	See information for troubleshooting Avaya Aura® Session Manager, resolving alarms, replacing hardware, and alarm codes and event ID descriptions.	For people who troubleshoot Avaya Aura® Session Manager.
<i>Using Avaya IP Office™ Platform System Status Application</i>	See information about the maintenance tasks for System Status Application.	For people who maintain System Status Application.
<i>Using Avaya IP Office™ Platform System Monitor</i>	See information about the maintenance tasks for SysMonitor.	For people who maintain SysMonitor.

Finding documents on the Avaya Support website

Procedure

1. Navigate to <http://support.avaya.com/>.
2. At the top of the screen, type your username and password and click **Login**.
3. Click **Support by Product > Documents**.
4. In **Enter your Product Here**, type the product name and then select the product from the list.
5. In **Choose Release**, select an appropriate release number.
6. In the **Content Type** filter, click a document type, or click **Select All** to see a list of all available documents.

For example, for user guides, click **User Guides** in the **Content Type** filter. The list displays the documents only from the selected category.
7. Click **Enter**.

Viewing Avaya Mentor videos

Avaya Mentor videos provide technical content on how to install, configure, and troubleshoot Avaya products.

About this task

Videos are available on the Avaya Support website, listed under the video document type, and on the Avaya-run channel on YouTube.

Procedure

- To find videos on the Avaya Support website, go to <http://support.avaya.com> and perform one of the following actions:
 - In **Search**, type `Avaya Mentor Videos` to see a list of the available videos.
 - In **Search**, type the product name. On the Search Results page, select **Video** in the **Content Type** column on the left.
- To find the Avaya Mentor videos on YouTube, go to www.youtube.com/AvayaMentor and perform one of the following actions:
 - Enter a key word or key words in the **Search Channel** to search for a specific product or topic.
 - Scroll down Playlists, and click the name of a topic to see the available list of videos posted on the website.

 Note:

Videos are not available for all products.

Support

Go to the Avaya Support website at <http://support.avaya.com> for the most up-to-date documentation, product notices, and knowledge articles. You can also search for release notes, downloads, and resolutions to issues. Use the online service request system to create a service request. Chat with live agents to get answers to questions, or request an agent to connect you to a support team if an issue requires additional expertise.

Index

A

adding	
contacts	27
administrative methods	
provisioning server	16
admin menu	
Call timers	44
AGC	
audio settings	45
settings	45
answering	
another incoming call	23
audio settings	
AGC	45
Button Clicks	44
error tones	44
Handset Profile	45
ring type	44
settings	44, 45
automatic callback	
calls	37
away timer	
timer value	40

B

back-panel	12
blind transfer	25
Button Clicks	
audio settings	44
settings	44

C

call forwarding	
call forward busy	37
call forward no answer	37
call history	
adding a contact	31
clearing all entries	31
deleting a call record	31
calling	
corporate database list	20
dial pad	19, 20
emergency calling	21
local contacts list	19
Main Menu	19
calls	
attended transfer	24
automatic callback	37
beacon LED	35
Call Forward	38

calls (continued)

call forwarding	37
call parking	36
Call timers	44
call unparking	36
clearing history	31
e.164 dialing	22
editing a contact	28
history	20
hold	35
ignoring	24
incoming call	23
international	22
MCT	39
multiple device access	24
Mute Alert	34
muting a call	34
MWI	35
resume	35
speed dialing	19
switching between active calls	19
switching phone	24
toggling	19
transferring call	25
unmuting a call	34
visual alerting	35, 43
Call timers	
phone settings	44
call transfer	
attended	24
unattended	25
Conference calls	
putting a call on hold	33
setting up	32
Conference Calls	
adding a person on hold	32
configure provision server	
prov server	16
contacts	
adding	27
adding a contact from call history	31
deleting	29
deleting a contact from call history	31
details	28
editing	27
last name	29
new contact	27
searching	20, 29
speed dialing	19, 42

D

deleting	
----------	--

deleting (<i>continued</i>)	
removing a contact	28
details	
contacts	28
recents	30
Dial mode	
automatic dialing	42
manual dialing	42
display settings	
Contrast	46
Date Format	47
language	46
Time Format	46
time zone	47
do not disturb	
send all calls	36

E

editing	
contact details	28
contacts	27
emergency calling	
dial pad	21
Emerg	21
lock screen	21
status screen	21
emergency calls	17
error tones	
audio settings	44
Error Tones	
settings	44

F

features	
automatic callback	37
tracing malicious call	39
transfer to voice mail	35

H

Handset Profile	
Amplified	45
audio settings	45
default	45
Hearing Aid	45
normal	45
history	
calls	
recents	20
making calls	20
Hold	
putting a conference call on hold	33

I

icons	13
ignoring	
incoming calls	24
incoming call	
audio alert	23
visual alert	23
incoming calls	
activating Call Forward	38
do not disturb	36
EC500	38
send all calls	36

L

legal notices	
lock	
unlock	17
Logging in to your deskphone extension	16

M

main menu	
features	35
language	46
making a call	
auto	18
dial mode	18
manual	18
using the dial mode	18
making calls	
history	20
messages	
visual alerting	43
mute	
Mute Alert	34
Mute Alert	
calls	34

O

outgoing calls	
blocking extension display	39
international	22
redialing a number	18
overview	
feature specifications	10
physical specifications	10

P

phone	
log out	17
phone settings	
call history	30

Index

phone settings (<i>continued</i>)	
Call timers	44
log recent calls	30
visual alerting	43
physical layout	
front face	11
presence status	
away timer	40
provisioning server	16

R

recents	
adding a contact	31
clearing all	31
deleting a call record	31
details	30
related documentation	48
ring type	
audio settings	44
settings	44

S

search	
contacts	29
first name	29
searching	
corporate database	20
enterprise directory	29
local	29
settings	
AGC	45
audio settings	44 , 45
Button Clicks	44
call history	30
Call timers	44
Contrast	46
Date Format	47
display settings	46
Error Tones	44
language	46
log recent calls	30
ring type	44
Time Format	46
time zone	47
visual alerting	43
speed dialing	
contacts	42
removing contact	43
replacing contact	43
support	51
supporting features	
Avaya Aura environment	15
IP Office environments	15

T

time zone	
display settings	47
settings	47
transferring call	
incoming call	25
outgoing call	25

U

unattended call transfer	25
--------------------------------	--------------------

V

videos	50
voice mail	
beacon LED	41
voice mail user ID	41