

# **Avaya CMS Supervisor Reports**

© 2019, Avaya Inc. All Rights Reserved.

#### Notice

While reasonable efforts have been made to ensure that the information in this document is complete and accurate at the time of printing, Avaya assumes no liability for any errors. Avaya reserves the right to make changes and corrections to the information in this document without the obligation to notify any person or organization of such changes.

#### **Documentation disclaimer**

"Documentation" means information published in varying mediums which may include product information, operating instructions and performance specifications that are generally made available to users of products. Documentation does not include marketing materials. Avaya shall not be responsible for any modifications, additions, or deletions to the original published version of Documentation unless such modifications, additions, or deletions were performed by or on the express behalf of Avaya. End User agrees to indemnify and hold harmless Avaya, Avaya's agents, servants and employees against all claims, lawsuits, demands and judgments arising out of, or in connection with, subsequent modifications, additions or deletions to this documentation, to the extent made by End User.

#### Link disclaimer

Avaya is not responsible for the contents or reliability of any linked websites referenced within this site or Documentation provided by Avaya. Avaya is not responsible for the accuracy of any information, statement or content provided on these sites and does not necessarily endorse the products, services, or information described or offered within them. Avaya does not guarantee that these links will work all the time and has no control over the availability of the linked pages.

#### Warranty

Avaya provides a limited warranty on Avaya hardware and software. Refer to your sales agreement to establish the terms of the limited warranty. In addition, Avaya's standard warranty language, as well as information regarding support for this product while under warranty is available to Avaya customers and other parties through the Avaya Support website: <a href="https://support.avaya.com/helpcenter/getGenericDetails?detailld=C20091120112456651010">https://support.avaya.com/helpcenter/getGenericDetails?detailld=C20091120112456651010</a> under the link "Warranty & Product Lifecycle" or such successor site as designated by Avaya. Please note that if You acquired the product(s) from an authorized Avaya Channel Partner outside of the United States and Canada, the warranty is provided to You by said Avaya Channel Partner and not by Avaya.

#### **Hosted Service**

THE FOLLOWING APPLIES ONLY IF YOU PURCHASE AN AVAYA HOSTED SERVICE SUBSCRIPTION FROM AVAYA OR AN AVAYA CHANNEL PARTNER (AS APPLICABLE), THE TERMS OF USE FOR HOSTED SERVICES ARE AVAILABLE ON THE AVAYA WEBSITE, <u>HTTPS://SUPPORT.AVAYA.COM/LICENSEINFO</u> UNDER THE LINK "Avaya Terms of Use for Hosted Services" OR SUCH SUCCESSOR SITE AS DESIGNATED BY AVAYA, AND ARE APPLICABLE TO ANYONE WHO ACCESSES OR USES THE HOSTED SERVICE. BY ACCESSING OR USING THE HOSTED SERVICE, OR AUTHORIZING OTHERS TO DO SO, YOU, ON BEHALF OF YOURSELF AND THE ENTITY FOR WHOM YOU ARE DOING SO (HEREINAFTER REFERRED TO INTERCHANGEABLY AS "YOU" AND "END USER"), AGREE TO THE TERMS OF USE. IF YOU ARE ACCEPTING THE TERMS OF USE ON BEHALF A COMPANY OR OTHER LEGAL ENTITY, YOU REPRESENT THAT YOU HAVE THE AUTHORITY TO BIND SUCH ENTITY TO THESE TERMS OF USE. IF YOU DO NOT HAVE SUCH AUTHORITY, OR IF YOU DO NOT WISH TO ACCEPT THESE TERMS OF USE, YOU MUST NOT ACCESS OR USE THE HOSTED SERVICE OR AUTHORIZE ANYONE TO ACCESS OR USE THE HOSTED SERVICE.

#### Licenses

THE SOFTWARE LICENSE TERMS AVAILABLE ON THE AVAYA WEBSITE, HTTPS://SUPPORT.AVAYA.COM/LICENSEINFO, UNDER THE LINK "AVAYA SOFTWARE LICENSE TERMS (Avaya Products)" OR SUCH SUCCESSOR SITE AS DESIGNATED BY AVAYA, ARE APPLICABLE TO ANYONE WHO DOWNLOADS,

USES AND/OR INSTALLS AVAYA SOFTWARE, PURCHASED FROM AVAYA INC., ANY AVAYA AFFILIATE, OR AN AVAYA CHANNEL PARTNER (AS APPLICABLE) UNDER A COMMERCIAL AGREEMENT WITH AVAYA OR AN AVAYA CHANNEL PARTNER. UNLESS OTHERWISE AGREED TO BY AVAYA IN WRITING, AVAYA DOES NOT EXTEND THIS LICENSE IF THE SOFTWARE WAS OBTAINED FROM ANYONE OTHER THAN AVAYA, AN AVAYA AFFILIATE OR AN AVAYA CHANNEL PARTNER; AVAYA RESERVES THE RIGHT TO TAKE LEGAL ACTION AGAINST YOU AND ANYONE ELSE USING OR SELLING THE SOFTWARE WITHOUT A LICENSE. BY INSTALLING, DOWNLOADING OR USING THE SOFTWARE, OR AUTHORIZING OTHERS TO DO SO, YOU, ON BEHALF OF YOURSELF AND THE ENTITY FOR WHOM YOU ARE INSTALLING, DOWNLOADING OR USING THE SOFTWARE (HEREINAFTER REFERRED TO INTERCHANGEABLY AS "YOU" AND "END USER"), AGREE TO THESE TERMS AND CONDITIONS AND CREATE A BINDING CONTRACT BETWEEN YOU AND AVAYA INC. OR THE APPLICABLE AVAYA AFFILIATE ("AVAYA").

Avaya grants You a license within the scope of the license types described below, with the exception of Heritage Nortel Software, for which the scope of the license is detailed below. Where the order documentation does not expressly identify a license type, the applicable license will be a Designated System License as set forth below in the Designated System(s) License (DS) section as applicable. The applicable number of licenses and units of capacity for which the license is granted will be one (1), unless a different number of licenses or units of capacity is specified in the documentation or other materials available to You. "Software" means computer programs in object code, provided by Avaya or an Avaya Channel Partner, whether as stand-alone products, pre-installed on hardware products, and any upgrades, updates, patches, bug fixes, or modified versions thereto. "Designated Processor" means a single stand-alone computing device. "Server" means a set of Designated Processors that hosts (physically or virtually) a software application to be accessed by multiple users. "Instance" means a single copy of the Software executing at a particular time: (i) on one physical machine; or (ii) on one deployed software virtual machine ("VM") or similar deployment.

#### License type(s)

Designated System(s) License (DS). End User may install and use each copy or an Instance of the Software only: 1) on a number of Designated Processors up to the number indicated in the order; or 2) up to the number of Instances of the Software as indicated in the order, Documentation, or as authorized by Avaya in writing. Avaya may require the Designated Processor(s) to be identified in the order by type, serial number, feature key, Instance, location or other specific designation, or to be provided by End User to Avaya through electronic means established by Avaya specifically for this purpose.

Concurrent User License (CU). End User may install and use the Software on multiple Designated Processors or one or more Servers, so long as only the licensed number of Units are accessing and using the Software at any given time. A "Unit" means the unit on which Avaya, at its sole discretion, bases the pricing of its licenses and can be, without limitation, an agent, port or user, an e-mail or voice mail account in the name of a person or corporate function (e.g., webmaster or helpdesk), or a directory entry in the administrative database utilized by the Software that permits one user to interface with the Software. Units may be linked to a specific, identified Server or an Instance of the Software.

Shrinkwrap License (SR). You may install and use the Software in accordance with the terms and conditions of the applicable license agreements, such as "shrinkwrap" or "clickthrough" license accompanying or applicable to the Software ("Shrinkwrap License").

#### **Heritage Nortel Software**

"Heritage Nortel Software" means the software that was acquired by Avaya as part of its purchase of the Nortel Enterprise Solutions Business in December 2009. The Heritage Nortel Software is the software contained within the list of Heritage Nortel Products located at <a href="https://support.avaya.com/LicenseInfo">https://support.avaya.com/LicenseInfo</a> under the link "Heritage Nortel Products" or such successor site as designated by Avaya. For Heritage Nortel Software, Avaya grants Customer a license to use Heritage Nortel Software provided hereunder solely to the extent of the authorized activation or authorized usage level, solely for the purpose specified in the Documentation, and solely as embedded in,

for execution on, or for communication with Avaya equipment. Charges for Heritage Nortel Software may be based on extent of activation or use authorized as specified in an order or invoice.

#### Copyright

Except where expressly stated otherwise, no use should be made of materials on this site, the Documentation, Software, Hosted Service, or hardware provided by Avaya. All content on this site, the documentation, Hosted Service, and the product provided by Avaya including the selection, arrangement and design of the content is owned either by Avaya or its licensors and is protected by copyright and other intellectual property laws including the sui generis rights relating to the protection of databases. You may not modify, copy, reproduce, republish, upload, post, transmit or distribute in any way any content, in whole or in part, including any code and software unless expressly authorized by Avaya. Unauthorized reproduction, transmission, dissemination, storage, and or use without the express written consent of Avaya can be a criminal, as well as a civil offense under the applicable law.

#### Virtualization

The following applies if the product is deployed on a virtual machine. Each product has its own ordering code and license types. Unless otherwise stated, each Instance of a product must be separately licensed and ordered. For example, if the end user customer or Avaya Channel Partner would like to install two Instances of the same type of products, then two products of that type must be ordered.

#### **Third Party Components**

"Third Party Components" mean certain software programs or portions thereof included in the Software or Hosted Service may contain software (including open source software) distributed under third party agreements ("Third Party Components"), which contain terms regarding the rights to use certain portions of the Software ("Third Party Terms"). As required, information regarding distributed Linux OS source code (for those products that have distributed Linux OS source code) and identifying the copyright holders of the Third Party Components and the Third Party Terms that apply is available in the products, Documentation or on Avaya's website at: https:// support.avaya.com/Copyright or such successor site as designated by Avava. The open source software license terms provided as Third Party Terms are consistent with the license rights granted in these Software License Terms, and may contain additional rights benefiting You, such as modification and distribution of the open source software. The Third Party Terms shall take precedence over these Software License Terms, solely with respect to the applicable Third Party Components to the extent that these Software License Terms impose greater restrictions on You than the applicable Third Party

The following applies only if the H.264 (AVC) codec is distributed with the product. THIS PRODUCT IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO (i) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD ("AVC VIDEO") AND/OR (ii) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE http://www.mpegla.com.

#### Service Provider

THE FOLLOWING APPLIES TO AVAYA CHANNEL PARTNER'S HOSTING OF AVAYA PRODUCTS OR SERVICES. THE PRODUCT OR HOSTED SERVICE MAY USE THIRD PARTY COMPONENTS SUBJECT TO THIRD PARTY TERMS AND REQUIRE A SERVICE PROVIDER TO BE INDEPENDENTLY LICENSED DIRECTLY FROM THE THIRD PARTY SUPPLIER. AN AVAYA CHANNEL PARTNER'S HOSTING OF AVAYA PRODUCTS MUST BE AUTHORIZED IN WRITING BY AVAYA AND IF THOSE HOSTED PRODUCTS USE OR EMBED CERTAIN THIRD PARTY SOFTWARE, INCLUDING BUT NOT LIMITED TO MICROSOFT SOFTWARE OR CODECS, THE AVAYA CHANNEL PARTNER IS REQUIRED TO INDEPENDENTLY OBTAIN ANY APPLICABLE LICENSE AGREEMENTS, AT THE AVAYA CHANNEL PARTNER'S EXPENSE, DIRECTLY FROM THE APPLICABLE THIRD PARTY SUPPLIER.

WITH RESPECT TO CODECS, IF THE AVAYA CHANNEL PARTNER IS HOSTING ANY PRODUCTS THAT USE OR EMBED THE H.264 CODEC OR H.265 CODEC, THE AVAYA CHANNEL PARTNER ACKNOWLEDGES AND AGREES THE AVAYA CHANNEL PARTNER IS RESPONSIBLE FOR ANY AND ALL RELATED FEES AND/OR ROYALTIES. THE H.264 (AVC) CODEC IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO: (I) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD ("AVC VIDEO") AND/OR (II) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION FOR H.264 (AVC) AND H.265 (HEVC) CODECS MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE HTTP:// WWW.MPEGLA.COM.

#### Compliance with Laws

You acknowledge and agree that it is Your responsibility for complying with any applicable laws and regulations, including, but not limited to laws and regulations related to call recording, data privacy, intellectual property, trade secret, fraud, and music performance rights, in the country or territory where the Avaya product is used.

#### **Preventing Toll Fraud**

"Toll Fraud" is the unauthorized use of your telecommunications system by an unauthorized party (for example, a person who is not a corporate employee, agent, subcontractor, or is not working on your company's behalf). Be aware that there can be a risk of Toll Fraud associated with your system and that, if Toll Fraud occurs, it can result in substantial additional charges for your telecommunications services.

#### **Avaya Toll Fraud intervention**

If You suspect that You are being victimized by Toll Fraud and You need technical assistance or support, call Technical Service Center Toll Fraud Intervention Hotline at +1-800-643-2353 for the United States and Canada. For additional support telephone numbers, see the Avaya Support website: <a href="https://support.avaya.com">https://support.avaya.com</a> or such successor site as designated by Avaya.

### Security Vulnerabilities

Information about Avaya's security support policies can be found in the Security Policies and Support section of <a href="https://support.avaya.com/security">https://support.avaya.com/security</a>.

Suspected Avaya product security vulnerabilities are handled per the Avaya Product Security Support Flow (https://support.avaya.com/css/P8/documents/100161515).

#### **Downloading Documentation**

For the most current versions of Documentation, see the Avaya Support website: <a href="https://support.avaya.com">https://support.avaya.com</a>, or such successor site as designated by Avaya.

### **Contact Avaya Support**

See the Avaya Support website: <a href="https://support.avaya.com">https://support.avaya.com</a> for product or Hosted Service notices and articles, or to report a problem with your Avaya product or Hosted Service. For a list of support telephone numbers and contact addresses, go to the Avaya Support website: <a href="https://support.avaya.com">https://support.avaya.com</a> (or such successor site as designated by Avaya), scroll to the bottom of the page, and select Contact Avaya Support.

#### **Trademarks**

The trademarks, logos and service marks ("Marks") displayed in this site, the Documentation, Hosted Service(s), and product(s) provided by Avaya are the registered or unregistered Marks of Avaya, its affiliates, its licensors, its suppliers, or other third parties. Users are not permitted to use such Marks without prior written consent from Avaya or such third party which may own the Mark. Nothing contained in this site, the Documentation, Hosted Service(s) and product(s) should be construed as granting, by implication, estoppel, or otherwise, any license or right in and to the Marks without the express written permission of Avaya or the applicable third party.

Avaya is a registered trademark of Avaya Inc.

All non-Avaya trademarks are the property of their respective owners. Linux $^{\otimes}$  is the registered trademark of Linus Torvalds in the U.S. and other countries.

# **Contents**

Chapter 1: Introduction	8
Purpose	8
Chapter 2: Introduction to CMS Supervisor Reports	9
About CMS and CMS Supervisor	
Available reports	
Interactions with communication server features	
How CMS tracks ACD data	
AUX reason codes	13
Performing prerequisite system administration	
Relationships of real-time reports to other subsystems	
Timetable	
CMS	
Dictionary	14
Exceptions	. 14
Scripting	
User permissions	15
Agent, skill, and trunk states	. 15
Refresh rate for real-time and integrated reports	17
Chapter 3: Using reports	. 19
How to access reports on CMS Supervisor PC client	
Accessing reports on CMS Supervisor Web	
Report Designer and Scripting features in CMS Supervisor PC client	
Report Designer	
Scripting	21
Saving As Script	. 21
Troubleshooting errors during saving a script	. 21
Selecting and running reports	
Using Browse buttons	. 23
Selecting historical report run dates	25
Selecting dates in different ways	. 25
About the browse windows	. 25
About selecting historical report run times	28
Selecting times	. 28
Report menu bar of CMS Supervisor PC client	30
Edit	35
Edit menu	35
Menu item functions for Edit menu	. 35
Format	36
Format menu	36

### Contents

	Menu item functions for Format menu	. 36
	Tools	. 37
	Tools menu	. 37
	Menu item functions for Tools menu	. 37
	Options	38
	Options menu	. 38
	Menu item functions for Options menu	. 38
	The Report Window of CMS Supervisor Web	39
	About editing and viewing reports	. 39
	Report layouts	. 40
	Report types	. 40
	What constitutes a report?	. 40
	Tables	
	Charts	. 41
	Resizing report windows and columns in CMS Supervisor PC client	
	Resizing a window using the mouse button	. 55
	Resizing a window using the maximize and minimize buttons	. 55
	Standard report window resizing	. 55
	Graphical report window resizing	. 56
	Changing a column width	
	Using the CMS Servers tab of CMS Supervisor PC client	
	Options window of CMS Supervisor PC client	
	Customizing buttons in CMS Supervisor PC client	73
Cha	apter 4: Real-time reports	75
	About real-time reports	. 75
	Introduction to real-time reports	. 75
	Presentation of real-time reports	. 76
	Structure of the real-time reporting system	. 76
	Agent reports	. 78
	What an Agent report contains	. 78
	Organization of Agent reports	. 78
	Other reports	90
	Queue/Agent reports	100
	Split/Skill reports	110
	Trunk Group report	160
	VDN reports	162
	Vector report	170
	Drill-down reports	172
Cha	apter 5: Historical reports	178
	About historical reports	
	Introduction to historical reports	
	Presentation of historical reports	
	Structure of the historical reporting system	179

Presentation of historical report information	181
How long does CMS store data?	182
Administrable timeout value	182
Agent reports	182
Other reports	213
Split/Skill reports	220
System reports	252
Trunk/Trunk Group reports	265
VDN reports	274
Vector report	292
Chapter 6: Integrated reports	297
About integrated reports	297
Definition of integrated reports	297
Integrated report data	297
Structure of the integrated reporting system	297
Presentation of the integrated report information	298
Agent reports	298
Split/Skill reports	306
VDN report	312
Chapter 7: Resources	316
Documentation	316
Finding documents on the Avaya Support website	320
Avaya Documentation Portal navigation	
Viewing Avaya Mentor videos	
Support	322
Using the Avaya InSite Knowledge Base	
Glossary	
	_

# **Chapter 1: Introduction**

# **Purpose**

The document describes how to use Avaya Call Management System (CMS) Supervisor reports.

This document is intended for:

- · Contact center administrators
- Personnel responsible for determining the effectiveness of a contact center

# Chapter 2: Introduction to CMS Supervisor Reports

This section is written for Avaya Call Management System (CMS) Supervisor users who access the real-time, historical, and integrated reports subsystems using the two methods of accessing CMS reports which include CMS Supervisor Web and CMS Supervisor PC client. It outlines how reporting works and the reports that are available.

# **About CMS and CMS Supervisor**

Call center reports are generated through the Supervisor software. The CMS Supervisor software is available as a PC client and as a web client in CMS R18.

The software monitors the operations of and collects data from an Avaya communication server, such as Avaya Communication Manager. This data is then organized into reports that help you manage call center facilities and personnel. These reports may be displayed in real time, printed immediately, stored in a file, or scheduled for printing later.

The data tracked includes caller identification, service parameters, internal call transfers, outgoing calls, and agent sales. Real-time reports can be updated as often as every three seconds and summarized as often as every 15 minutes. Historical reports are available in intervals of 15, 30, or 60 minutes; daily; weekly; and monthly summaries. Integrated reports can be updated as often as every 10 seconds. Integrated reports include data for a specified start time in the past 24 hours up to and including the moment the report is generated.

You can use reports to do the following:

- Determine how many agents are needed.
- Manage call volume fluctuations.
- Configure the software to make changes automatically and to meet unexpected demands.
- Change agent skill assignments.
- Move agents between skills and/or initiate agent audit trails.
- Change Vector Directory Numbers (VDNs) to vector associations.

# **Available reports**

The following table lists the Supervisor reports that are available. The following sections give you an overview and an example of each report. The reports you see depend on your communication server type, permissions, and system performance.

Report name	Real-time	Historical	Integrated
Actual Relative to Target (ART)	•	•	•
Agent Attendance		•	
Agent AUX		•	
Agent Event Count		•	
Agent Graphical Information			•
Agent Graphical Time Spent		•	
Agent Group Attendance		•	
Agent Group AUX		•	
Agent Group Report	•		
Agent Group Summary		•	
Agent Inbound/Outbound		•	
Agent Information			•
Agent Login/Logout (Skill)		•	
Agent Login/Logout (Split)		•	
Agent Report	•		
Agent Split/Skill		•	
Agent Status by Location	•		
Agent Summary		•	
Agent Trace		•	
Busy Hour by Trunk Group		•	
Busy Hour by VDN		•	
Call Record		•	
Call Work Code		•	
Event Count Summary	•		
Graphical Active Agents	•		
Graphical Allocated Agents	•		
Graphical AUX Reserve1 Agents	•		
Graphical AUX Reserve2 Agents	•		
Graphical Average Positions Staffed Interval		•	
Graphical Busy/Abandon/ Disconnect		•	
Graphical Maximum Delay		•	

Table continues...

Report name	Real-time	Historical	Integrated
Graphical Multi-ACD Service Level Daily		•	
Graphical Queue	•		
Graphical Skill Overload			•
Graphical Split/Skill	•		
Graphical Split/Skill Call Profile	•		
Graphical Split/Skill View			•
Graphical Staffing Profile	•		
Graphical VDN Call Profile	•		
Multi-ACD	•	•	
Multi-ACD by Split/Skill		•	
Multi-ACD Call Flow by VDN		•	
Multi-ACD Top Agent	•		
Outbound Split/Skill		•	
Queue/Agent Status	•		
Queue/Agent Summary	•		
Queue/Top Agent Status	•		
Reserve1 AUX Agents	•		
Reserve2 AUX Agents		•	
Skill AUX Report	•		
Skill Status	•		
Skill Top Agent Report	•		
Split Status	•		
Split/Skill Average Speed of Answer		•	
Split/Skill by Location	•		
Split/Skill Call Profile	•	•	
Split/Skill Comparison			•
Split/Skill Graphical AUX Agents	•		
Split/Skill Graphical AUX Top Agents	•		
Split/Skill Graphical Call Profile	•	•	
Split/Skill Graphical EWT	•		
Split/Skill Graphical Service Level		•	
Split/Skill Graphical Status	•		
Split/Skill Graphical Time Spent		•	
Split/Skill Graphical Top Skill Status	•		
Split/Skill Outbound		•	

Table continues...

Report name	Real-time	Historical	Integrated
Split/Skill Preferred Skill Level Summary		•	
Split/Skill Queue	•		
Split/Skill Report	•	•	
Split/Skill Service Level		•	
Split/Skill Status		•	
Split/Skill Summary		•	
System		•	
System Multi-ACD		•	
System Multi-ACD by Split/Skill		•	
Top Agent Status	•		
Trunk		•	
Trunk Group	•	•	
Trunk Group Summary		•	
VDN Call Handling			•
VDN Call Profile	•	•	
VDN Multi-ACD Flow		•	
VDN Multi-ACD Inflow		•	
VDN Report	•	•	
VDN Service Level		•	
VDN Skill Preference	•	•	
Vector	•	•	
Work State Report for Reserve1 Agents	•		
Work State Report for Reserve2 Agents	•		

# Interactions with communication server features

See the Avaya Call Management System Database Items and Calculations document or the Avaya Call Management System Administration document for information about the interactions with the features of Avaya communication servers.

# **How CMS tracks ACD data**

Using the data in the real-time and historical databases, CMS can generate standard reports which allow you to track your call center's activities. CMS tracks the various agent, split/skill, trunk,

trunk group, vector, and VDN activities at different points in the call process. See the *Avaya Call Management System Administration* document for more information.

### **AUX** reason codes

CMS and CMS Supervisor can support 100 AUX reason codes.

# Performing prerequisite system administration

### About this task

The following system administration tasks must be performed before you can fully use the realtime and historical reports subsystem.

### **Procedure**

1. Perform the task related to the Dictionary subsystem.

If you want names to appear on split/skill, trunk group, agent group, ACD, call work code, VDN, and vector reports, the names must first be entered in the Dictionary subsystem. If names are not assigned in the Dictionary subsystem, numbers appear as the default.

- 2. Perform the task related to the Call Center Administration subsystem.
  - a. To get Split/Skill Call Profile or VDN Call Profile reports, you must first define your acceptable service level and service level increments for the splits/skills and VDNs in the Split/Skill Call Profile Setup and VDN Call Profile Setup window in the Call Center Administration subsystem.
  - b. To get an Agent Trace report, you must first start collecting agent trace data.

See the Avaya Call Management System Administration document for more information on setting call profiles and activating agent traces.

3. Perform the task related to user permissions.

For a report to display data, you must have read permission for the split/skill, trunk group, ACD, vector, or VDN. For example, if you have read permission for Splits 1, 2, and 4, and try to run a report on Splits 1, 4, and 5, you receive data for Splits 1 and 4 but not for Split 5, because you do not have read permission for that split.

For more information, see the Avaya Call Management System Administration document.

4. Perform the task related to system setup.

You need to specify how much of the data to save for later use by historical reports.

For more information, see the Avaya Call Management System Administration document.

# Relationships of real-time reports to other subsystems

### **Timetable**

You cannot put a real-time report on a timetable. You can use shortcuts to display real-time reports. You must use the CMS terminal emulator to use Timetable.

For more information, see the Avaya Call Management System Administration document.

### **CMS**

If you cancel a report in CMS Supervisor PC Client, the CMS server terminates any data requests running on it soon after the report is cancelled. On the CMS Supervisor web client, the session runs for up to 4 minutes but the report stops when the related browser tab or window is closed.

# **Dictionary**

For split/skill, VDN, vector, and ACD names to appear on reports, names must be defined and entered in the Dictionary subsystem.

For more information, see the Avaya Call Management System Administration document.

# **Exceptions**

When an exception occurs, CMS notifies you in three ways:

The terminal beeps unless you have disabled the beep using the Supervisor Controller.



### Note:

The terminal does not beep if you are using CMS Supervisor Web.

- You can see information about exception conditions by looking at appropriate real-time reports.
- The Commands: The exceptions menu item in Supervisor allows you to view a running count of exceptions for Real-Time, Agents, Splits/Skills, VDNs, Vectors, and Trunk Groups. To be notified of these exceptions, you must have exception permission turned on for the specific split/skill, trunk group, ACD, VDN, and vector. Exception permissions are assigned in the Supervisor Tools: User Permissions menu item.



### Note:

This does not apply to CMS Supervisor Web.

The exception is entered in the real-time exceptions log.

For more information, see the Avaya Call Management System Administration document.

# **Scripting**

The Scripting feature lets you create a script to run a specified report or run a report and export the data on schedule. The scripts require a customer-provided scheduler to be run later.



### Note:

This is not available in CMS Supervisor Web.

For more information on the Scripting feature, see the Avaya Call Management System Administration document.

# **User permissions**

The default real-time and integrated reports refresh rate is determined by your Avaya Call Management System (CMS) System Administrator. The administrator then assigns each user a minimum refresh rate in the Avaya CMS Supervisor User Permissions menu item. If you enter a refresh rate that is less than your administrator-assigned refresh rate, an error message displays.

For more information, see the Avaya Call Management System Administration document.



#### Note:

In CMS Supervisor Web, you cannot set the default refresh rate from your web browser. CMS Supervisor web uses the value of the default refresh rate that is set on the CMS server. For more information on the refresh rate of CMS Supervisor Web, go to Refresh rate for real-time and integrated reports on page 17.

# Agent, skill, and trunk states

Status changes of all ACD data (for splits/skills, trunk groups, vectors, VDNs, agents, and trunks) are sent from the communication server. As a result, the states of agent extensions, skills, and trunks are what all other data is based on. Agent states and skill states appear on real-time reports as CMS records the current status of the ACD and trunk states appear on the CMS realtime trunk report. The following list of agent states includes the default agent states. The names can be changed in the Dictionary.

# **Agent states**

Agent state	Description
ACD	The agent logged into this extension is on a split/skill or direct agent call.
After Call Work (ACW)	The agent is engaged in bookkeeping, data entry, or other work related to the previous call, and is not available to receive another call. The extension enters ACW after an ACD call in the MANUAL-IN mode completes. On the Enterprise Communications Server (ECS), the agent can select the state with the ACW key. If the agent presses the ACW button while on an ACD call, then the agent goes into ACW mode when the call is released. This ACW time is tracked as call-associated ACW. If the agent presses the ACW button while the agent is not on an ACD call, then the agent will be placed into the ACW mode, but this ACW will not be tracked as call-associated ACW. An agent's time in ACW includes time an agent is on incoming or outgoing calls while in ACW, as well as time in ACW when the agent is not connected to any calls.
Auxiliary Work (AUX)	The agent is engaged in non-ACD work, is on break, in a meeting, at lunch, and so on. The agent presses the AUX WORK key when the agent wants CMS to recognize the extension as staffed, but does not want the ACD to distribute calls to the voice terminal. An agent's time in AUX includes time an agent is on incoming or outgoing calls while in AUX, as well as time in AUX when the agent is not connected to any calls. Agents also accrue AUX time when they make or receive extension calls from AUTO-IN or MANUAL-IN mode. Reason codes describe the reasons you are in the AUX work mode (for example, you are on break).
Available (AVAIL)	The extension is able to accept an ACD call. An extension is AVAIL in AUTO-IN (AI) or MANUAL-IN (MI) work modes any time a station does not have a call active or on hold.
Direct Agent ACD (DACD)	The agent is on a direct agent ACD call.
Direct Agent ACW (DACW)	The agent is in the after call work state for a direct agent ACD call.
OTHER	The agent is doing other work. This may represent that an agent is in multiple splits or with multiple skills and is doing work for a split or skill other than this one, or that the agent has put a call on hold, or that the agent is dialing to place a call or activate a feature.
RINGING	The time a call rings at an agent's voice terminal after leaving the queue and before the agent answers the call. With this state, you can actually determine how long a call rings before an agent answers, and thereby determine the actual time a caller waits in queue and waits while the call is ringing to better analyze your call center's performance.
UNKNOWN	CMS does not recognize the current state. UNKNOWN remains until the condition is cleared (corrected) and/or the agent completes the current ACD call and any associated ACW, or a current agent state message is sent to CMS from the communication server.
UNSTAF Unstaffed	The agent is not logged in and is not being tracked by CMS.

### **Skill states**

Skill state	Description	
UNKNOWN	CMS does not recognize the current state. UNKNOWN remains until the condition is cleared, corrected, or the skill enters a known state.	
NORMAL	The skill is in an expected state.	
OVERLOAD1	The skill is using the Service Level Supervisor feature as the first specified threshold has been exceeded.	
OVERLOAD2	The skill is using the Service Level Supervisor feature as both the first and second thresholds have been exceeded.	
BEHIND	The skill is not meeting the specified expected service level and agents are not being auto-reserved	
AUTORSV	The skill is not meeting the specified expected service level and agents are being reserved to take calls from this skill.	

### **Trunk states**

Trunk state	Description
IDLE	The trunk is waiting for a call.
CONN	The caller and agent are connected on a call.
QUEUED	An ACD call has seized a trunk and is queued to a split or skill waiting for an agent to answer.
SEIZED	A call is using the trunk, either incoming or outgoing.
MBUSY	The trunk is maintenance busy, or out of service for maintenance purposes.
HOLD	The agent has put the caller on this trunk on hold.
UNKNOWN	CMS does not recognize the state of the trunk.
DABN	The caller abandoned the call. The trunk quickly goes to idle.
FBUSY	Forced busy. For the ECS, you can receive busy calls if there is no call in queue for the split and no agents are available.
FDISC	The caller receives a forced disconnect. This appears only if you have the Vectoring feature.
RINGING	A call is ringing at the agent's voice terminal.

# Refresh rate for real-time and integrated reports

When you order a real-time or integrated report, you must specify a refresh rate for the report. This rate determines how often the report is updated to display new data.

### Fastest allowable refresh rate

Your fastest allowable refresh rate is defined in the User Permissions-User Data window as minimum refresh rate. For more information, see the *Avaya Call Management System* 

Administration document. For any user, the minimum refresh rate is 3 seconds for real-time reports and 10 seconds for integrated reports. However, the actual speed at which a report refreshes may be slower than the defined speed depending on whether the supervisor is using the Web or PC client, since the number of active terminals, the number of active windows, and the number of active reports can have an impact on refresh rates.

### Default refresh rate

For the CMS Supervisor PC client, the default refresh rate when you bring up the report input window is your minimum refresh rate (defined by the CMS System Administrator) plus 15 seconds. The minimum refresh rate can be changed at any time for any user, within the defined minimum allowable refresh rates. The minimum default refresh rate when a report is run as a script is user-defined.

For CMS Supervisor Web, the default refresh rate when you bring up the report input window is your minimum refresh rate plus 15 seconds.

# **Chapter 3: Using reports**

This chapter gives you general information about how to use Avaya Call Management System (CMS) Supervisor reports. Supervisor reports display, report, and summarize the performance of any measured subset of the Automatic Call Distribution (ACD), including agents, splits/skills, trunks/trunk groups, Vector Directory Numbers (VDNs), and vectors.

# How to access reports on CMS Supervisor PC client

No matter where you run a report from, the way you select, run, edit, and view a report is the same.

You will find reports available under the following menus and tabs:

- Commands | Reports | Real-Time, Historical, or Integrated tab
- Commands | Tenant Administration | Reports tab
- Commands | Dictionary | Reports tab
- Commands | Exceptions | Reports tab
- · Commands | Agent Administration | Reports tab

### Note:

If the customer is using EAS, the **Reports** tab in the Agent Administration Agent Report window is greyed out. If the customer is not using EAS, then the **Reports** tab in the Agent Administration Agent Report window is functional because it contains a split members report.

- Commands | Call Center Administration | Reports tab
- Tools | Maintenance | Reports tab

### Note:

Procedures that apply to reports that are located in a specific Command or Tool are located in the appropriate chapter in the *Avaya Call Management System Administration* document.

# Accessing reports on CMS Supervisor Web

### About this task

The following steps explain how to access a Realtime, Historical, or Integrated report in your web browser:

### Procedure

- 1. Once you log in to CMS Supervisor Web, the left-hand navigation pane on your web browser displays Historical, Realtime, or Integrated reports.
- 2. Select **Historical**, **Realtime**, or **Integrated** to populate the right hand area of the screen with the available report categories.
- 3. Select a report category to get the list of all reports in that category.



### Note:

The Report filter is a text box located next to the magnifying glass in the central content pane that allows the user to reduce the number of reports displayed by looking for an exact match of the string the user enters. For example, if the user enters the string "Agents" in the Report filter, CMS Supervisor Web displays only report names which have Agents as part of their name.

- 4. To run a report, select a report name and click **Run**.
- 5. The report opens in a new browser window or browser tab depending on your browser settings.

# Report Designer and Scripting features in CMS Supervisor **PC** client

# **Report Designer**

If you have Report Designer and want to easily generate a new customized report, select the Report Wizard button in the Controller toolbar.

For more information about Report Designer, see the Avaya CMS Supervisor Report Designer user guide.

# **Scripting**

The Scripting feature lets you create a script to run a specified report or run a report and export the data on schedule. The report can run in the current Supervisor session and be displayed on the PC, or it can run in the background.

# **Saving As Script**

### About this task

You can save a current display or resulting operation as a script.

### **Procedure**

- 1. Select the Script button from any of the windows on which it appears.
  - The Save As Script window appears.
- Select from the Save in field the name of the folder where the script file will be saved. Use
  the drop-down list displaying the folder hierarchy to choose a folder, or the Create New
  Folder button. The default is the Scripts sub-folder in the folder where Avaya CMS
  Supervisor is installed.
- 3. Enter in the File name field the name of the script file. Existing script files may be added to or replaced, or new files created.
- 4. Specify in the Save as type field whether the script is to be Interactive or Automatic. The default is Automatic unless you are scripting a report selector window.
  - The Save As Script window shows the files of the selected script type.
- 5. Select Save.

The script is saved as the specified type.

# Troubleshooting errors during saving a script

You may encounter the following errors or warnings while attempting to save a script.

# CMS login ID and password not specified

The system displays the following message:

This script will not run unless a CMS login ID and password have been specified.

### Solution

### About this task

The system displays the error message because the CMS login ID and password have not been set in the Scripting tab of the Controller Options window.

### **Procedure**

Press the Set User button and then specify a login ID and password. Confirm the password in the User Information window.

### Automatic scripts set to run with the permissions of another user

The system displays the following warning message:

Automatic scripts are set to run with the permissions of another user of the PC.

### Solution

### About this task

The system displays the warning message because the User Information window designates the other user as the owner of automatic scripts.

### **Procedure**

You can change the permissions by modifying the login information displayed on the Scripting tab of the Controller Options window. The change will apply to subsequent automatic scripts run on the computer.

# The Add or Replace window displays

The system displays the Add or Replace window.

### Solution

### About this task

The system displays the Add or Replace window because the file already exists.

### **Procedure**

Select a button from the bottom of the window. Add is the default button.

Field	Description
Add	Adds the new script to the end of the existing script.
Replace	Deletes the existing script and creates a new script file.
Cancel	Closes the Add or Replace window and returns you to the Save As Script window.
Help	Displays a help topic for the window.

### Result

For more information on the Scripting feature, see the *Avaya Call Management System Administration* document.

# Selecting and running reports

### **Using Browse buttons**

### **Procedure**

If you want to display a list of valid inputs, click on the Browse button located to the right of most input fields in Avaya CMS Supervisor.

A browse window will open, from which you can make your selection(s).

Note:

When you use the browse button to add skills, VDNs, and other entities, do not pre-populate the input field with numeric designations for these items.

Note:

You can now add single entries to the list of selected values for an entity in the browse screen by leaving the first value of the range blank and only entering the last value of the range. You can also specify a range by entering the first value and the last value of the range. This is applicable only to fields that allow a range of values and have at least one dictionary value.

# Using the browse window for single entities

### About this task

For split/skill, VDN, vector, trunk group and ACD, the list contains the items for which you have permissions. For agent groups, agent names and call work codes, the list contains everything that is administered in the Dictionary. The ACD list contains the list of real ACDs, pseudo ACDs, or both, depending on the input field.

#### **Procedure**

To use the browse window, click on the name/number of the entity that you want to work with and select OK. The input window displays and the input field is populated with the name of the entity that you selected in the browse window.

# **Entering multiple entries in CMS Supervisor PC client**

### About this task

If the input allows for multiple entries of an entity such as split/skills, vectors, agents, VDNs, trunks, or trunk groups, a multiple-value browse window displays. To use this window, complete the following steps:

### **Procedure**

1. In the Choices box, click on the names of the entities you want to work with.

You can select the entities individually or select a range. You can also shift-click and ctrl-click to get a range. To select a range:

- a. Select the **Range of...** option.
- b. In the First input box, type a beginning entity number for the range.
- c. Tab to the Last input box.
- d. In the Last input box, type an ending entity number for the range.
  - For example, if your call center has skills 1, 2, 3, 4, and 5, and you want to select all of them, you can type 1 in the First input box and then type 5 in the **Last** input box.
- Select the Add button after every selection (or double click each Available selection) to transfer it to the Selected list for input. Select the Remove button to delete a choice from the Selected list and place it back in the Available list.

The entities that were highlighted in the Choices box and/or the range you specified are now listed in the Selected box.

Select OK.

The input window displays and the input field is populated with the names/numbers of the entities that you selected in the browse window.

# **Entering multiple entries in CMS Supervisor Web**

### About this task

If the input allows for multiple entries of an entity such as split/skills, vectors, agents, VDNs, trunks, or trunk groups, a multiple-value browse window displays.

### **Procedure**

- 1. To select a single item, select it as you would for the single entity entry.
- 2. To select multiple items, use CONTROL+select to select and deselect multiple entities.
- 3. To select a range, select the first entity in the range, then use SHIFT+select to select the other end of the range.

# Selecting historical report run dates

# Selecting dates in different ways

### About this task

When you run historical reports, you need to select the date or dates for which to run the report. To do this, you can do any of the following:

- Type the date or date range in the Date or Dates input field.
- Type a relative date. For example, type -2 for two days ago.
- Select the date or dates from the history list of previously-used dates for this report.
- · Select the Browse button.

### About the browse windows

When you select the **Browse** button from an input window for a historical report, one of the following windows will open:

If your input window is for the following type of historical report	Then the following window opens from the Browse button next to the Date or Dates field
Interval	Browse Date
Daily or Weekly	Browse Dates
Monthly (reports for one month of data)	Browse Month
Monthly (reports for one or more months of data)	Browse Months

# **Using the Browse Date window**

### About this task

Use the Browse Date window to select a date for a report. TheBrowse Date window opens from an input window for a report that uses a single date, for example, an interval historical report.

To use the Browse Date window, do the following:

### **Procedure**

1. From an input window, press the **Browse** button after the Date field.



CMS Supervisor displays the Browse Date window.

2. To select a specific date, click on the date. The day is highlighted.

If you want to choose a date that is not in the current month, use the arrow buttons to scroll between months.

### Note:

On CMS Supervisor Web, you can also use the Page Up and Page Down keys on the keyboard.

3. Select the OK button.

### Using the Browse Dates window

### About this task

Use the Browse Dates window to select date(s) for a report. The Browse Dates window opens from an input window for a report that can use multiple dates, for example, a daily historical report.

To use the Browse Dates window, do the following:

### **Procedure**

1. From an input window, press the **Browse** button after the **Dates** field.



CMS Supervisor displays the Browse Dates window.

- 2. In CMS Supervisor PC Client, perform the following steps:
  - To select a single date, select it as you would for the single date entry.
  - To select multiple dates, click to select and deselect multiple dates.
  - To select a range, first click Range, then click on the first date in the range you wish to enter. Next select the last date in the range you wish to enter. Doing this selects the dates between the first and last date.
  - If you make a mistake, you can select individual dates to deselect them or click Clear to remove all selected dates.

If you want to choose a date that is not in the current month, use the scroll bar to move between months.

In CMS Supervisor Web, perform the following steps:

- To select a single date, select it as you would for the single date entry.
- Select multiple dates using CONTROL+select to select and deselect multiple entries.
- To select a range, select the first date in the range, then use SHIFT+select to select the other end of the range.

If you want to choose a date that is not in the current month, use the arrow buttons to move between months. You can also use the Page Up and Page Down keys on the keyboard to perform the same action.

3. Select the **OK** button.

### Using the Browse Month window in CMS Supervisor PC client

### About this task

Use the Browse Month window to select dates for a report. The Browse Month window opens only from an input window for a monthly historical report. The Browse Month window is used in monthly reports where the data is for a single month. The window is initialized to the values in the input field or to the month previous to the current month when the input field is empty.

To use the Browse Month window, do the following:

### **Procedure**

- Navigate to the required location using Commands > Reports > Historical > a monthly report.
- 2. From an input window for a monthly historical report, press the **Browse** button after the **Dates** field.



- Select the Month and the Year from the drop-down menus.
   The minimum date is January 1980 and the maximum date is December 2037.
- 4. Select the **OK** button.

# Using the Browse Months window in CMS Supervisor PC client

### About this task

Use the Agent Report Input window to select dates for a report. The Agent Report Input window opens only from an input window for a monthly historical report. The Agent Report Input window is used in monthly reports where the data is for one or more months.

To use the Agent Report Input window, do the following:

### **Procedure**

- 1. Navigate to the required location using **Commands > Reports > Historical > a monthly report**.
- 2. From an input window for a monthly historical report, press the **Browse** button after the **Dates** field.



- 3. Select the month and year from the **First month** drop-down menu.
  - The minimum date is January 1980 and the maximum date is December 2037.
- 4. Select the **Number of Months** you want displayed in the report.
  - The system populates the **Last Month** field with the month specified in the **Number of Months** field.
- 5. Select the **OK** button.

### The Browse Month window in CMS Supervisor Web

There is no separate window for Browse Month in the web client as it uses the Browse Date window. Select the first day of the month if you want reports for that particular month.

### The Browse Months window in CMS Supervisor Web

There is no separate window for Browse Months in the web client as it uses the Browse Dates window. Individual dates or a range can be selected but only the first date of each month determines if it is included in a report.

For example, if you select February 2, 2011 to April 1, 2011, then select May 22, 2011 and June 10, 2011, the report will run for only March 2011 and April 2011 and no other months because January 1, February 1, May 1 and June 1 were not selected.

### The Browse Week window

There is no separate window for Browse Week as it uses the Browse Date window. Select the first day of the week if you want reports for that particular week.

The first day of the week is as administered for the CMS server. For example, if the CMS server is administered to have Wednesday as the first day of the week and you select any day of the week other than a Wednesday, then no weeks will be queried.

### The Browse Weeks window

There is no separate window for Browse Weeks as it uses the Browse Dates window. Individual dates or a range can be selected but only the first day of each week determines if it is included in a report.

For example, if a month starts on Monday, February 1, and CMS is configured to have Thursday as the first day of the week, then only the 4th, 11th, 18th and 25th determine which weeks are queried for February. Therefore, entering a range of Monday 1st to Tuesday 23rd queries on the weeks beginning 4th, 11th and 18th but not the week beginning Thursday 25th.

# About selecting historical report run times

# **Selecting times**

### **Procedure**

When you run interval historical reports, you need to select the time period for which to run the report.

To do this, do any of the following:

• Type the time range in the **Times** input field.

- Select the times from the history list of previously used times for this report.
- Select the Browse button next to the Times input field.

### Using the Browse Time window

### About this task

Use the Browse Timewindow to select times for a report. The Browse Time window opens only from an input window for an interval historical report.

To use the Browse Time window, do the following:

### **Procedure**

1. From an input window for an interval historical report, press the **Browse** button after the Time field.



- Select the time you want the report to begin with from the Starting interval drop-down list. The report data will begin with the interval that begins immediately after the time you enter.
- Select the time you want the report to end with from the Ending interval drop-down list.
- 4. Select the **OK** button.

# Exiting and restarting reports in CMS Supervisor PC client **Procedure**

1. To restart a report (return to the report input window), select **Restart** from the **Report** menu.



### Note:

Work State drill-down reports and unsaved reports created in Report Wizard cannot be restarted.

- 2. To exit a report (return to the Controller), do one of the following:
  - Double click the System button.
  - Select Close from the System button menu.
  - Select **Exit** from the **Report** menu.



### Note:

If the system shuts down due to an error, any changes you have made to the reports you are running are saved.

# Exiting and restarting reports in CMS Supervisor Web **Procedure**

1. To exit a report, close the browser tab or window.

2. To restart a report, you can use **Set Input** to go to the input screen of the Report window or you can reload the web page to perform a complete restart of the report.

# Report menu bar of CMS Supervisor PC client

This section describes the menu items that are available in each of the Report menu bar menus.

### Report menu

The **Report** menu has options that relate specifically to the report that you are running.

This table describes the action that each menu item performs:

Name	Description
Restart	Closes the current report output window and displays the input window for the current report. This allows you to run the same report, changing inputs as needed. This is disabled for Drill-Down reports and if the report is an unsaved report created using the Report Wizard (this item is reenabled when the report is saved).
Page Setup	Displays the Page Setup window. For more information, refer to the Microsoft Windows documentation or Help.
Print	Displays the Print window. When you select Print from the <b>Report</b> menu, the report that is active will be printed according to the options you choose in the Print window. If the report is a real-time report, only one refresh of the report will be printed. For more information, refer to the Windows documentation or Help.
Print Preview	Displays the report so that you can see it before printing. Once you have selected Print Preview, you may print the report. For more information, refer to the Windows documentation or Help.

Table continues...

Name	Description
Design	If you have purchased the Report Designer software and your Avaya Call Management System (CMS) User ID is authorized to use the Report Designer, you can access the Report Designer Design Mode window from any report using this menu item. When you select Design from the Report menu, the report that is currently running remains visible, but you are placed in the Design Mode, where you can edit the report. For more information on the Design Mode, see the <i>Avaya CMS Supervisor Report Designer</i> user guide. The Design menu item will be grayed out if you are currently running a drill-down report.
Save	Saves the report that you edited. This is available only in the design mode of the report.
Save as	Saves the report you edited under a different file name. This is available only in the design mode of the report.
Save as HTML	Displays the Save as HTML window, which lets you save a snapshot of the report output as an HTML file. Selecting the <b>Script</b> button in this window displays the Save as Script dialog box, which lets you create a script to run the specified report and save the output as an HTML file.
Script	Displays the Save as Script dialog box, which enables you to create a script to run a specified report on schedule and display it on your computer. The script can be interactive or automatic.
Exit	Closes the active report output window. The location of the report output window is saved when the report is exited, and that is where the report will display the next time you run it.

# Page Setup

The Page Setup window allows you to specify how each page of a report is positioned when printed. The changes you make in this window apply only to printed reports and do not affect reports displayed on-screen.

The Page Setup window is a standard Windows print window.

### Page setup options

The following options are available in the Page Setup window:

Field	Description	
Margins	Allows you to define the spaces at the edges of the page where nothing will be printed.	
	The margin settings are defined as follows:	
	Top - the margin is measured from the top of the page. The report is offset by this amount at the top of each page.	
	Bottom - the margin is measured from the bottom of the page. When a printed table reaches the bottom of the page, it will continue printing at the top of the next page, with the table titles repeated. If a chart would overlap the bottom margin, it will be scaled smaller so that it fits within the margin. Text that reaches the bottom of the page will be printed on the next page.	
	Left - the margin is measured from the left of the page. The report is offset by this amount on the left of each page.	
	• Right - the margin is measured from the right of the page. Tables and text that are too wide to fit on the printed page are truncated at the right margin. Charts that would overlap the right margin are scaled smaller to fit within the margin.	
Page Numbers	Allows you to choose whether to display page numbers.	
	The following settings are valid:	
	Yes - page numbers will be displayed.	
	No - no page numbers will be displayed. This is equivalent to the way Avaya CMS Supervisor currently prints reports.	
Box Around Tables	Allows you to choose whether to display a box around report tables when printed.	
	The following settings are valid:	
	Box - boxes will be displayed.	
	No Box - boxes will not be displayed.	

### Save as HTML

The Save as Hypertext Markup Language (HTML) function allows the user to export a snapshot of a report running in Supervisor and save it as an HTML file. Any report generated in Supervisor can be converted to an HTML file. This file can then be stored on a web server for viewing on the Internet or an Intranet.

### Things to note:

- Save as HTML does not automatically save the HTML file onto a web server. You must copy the HTML file and any associated graphics to the Internet server you want to use.
- Save as HTML does not automatically update the HTML for real-time reports.
- Save as HTML is found in the report pull-down menu on an open report.
- Save as HTML does not support 32-bit color mode for graphics saved using Save as HTML.

### **Browsers**

To view the HTML file, your Internet browser must support tables and Graphic Interchange Format (GIF) graphic files.

### Selecting and using Save as HTML

### About this task

Save as HTML function can be found in the Report pull-down menu.

When you select **Save as HTML**, the Save as HTML dialog box displays:

### Procedure

To save a report as an HTML file, use the following steps:

- 1. While running the report you want to save, select **Save as HTML** from the **Report** menu.
- 2. Select a template option.
  - Type the template file name in the template field, select the template from the pull-down history list, or select the **Browse** button and browse for a template.
  - If you do not want to use a template, select the **Do not use a template** radio button.
- 3. Select an output option.
  - Selecting Use Avaya CMS Supervisor report fonts preserves the report fonts as you see them in Supervisor.
  - Selecting **Use the web browser default fonts** displays the output file using Internet browser default fonts.
- 4. Type the name of the output file in the file name field, select the file name from the pull-down history list, or select the Browse button and browse for a file name.
- 5. Select the OK button to save the report in HTML file format.

### Result

The report is now saved as an HTML file for viewing with an Internet browser.

The HTML file that has been generated can be modified to fit your specific need using an HTML or text editor.

### **Output files**

You must select a name for the HTML file you are creating. You must specify the full file path (for example, c:\temp\myrpt.htm) to save the file in a directory other than the current directory.

If there are charts associated with the file, they are converted into GIF files and numbered in the order created. For example, c:\temp\myrpt1.gif and c:\temp\myrpt2.gif.

The output file is created using the templates and fonts you have specified. After the HTML is saved, you can move or copy it and all associated graphics files to a web server directory for viewing on the Internet or an Intranet.

### **Templates**

A template can be used to provide company logos, background color, specific fonts, or surrounding text to the HTML file. If you do not select a template, the HTML file displays only the report.

Note the following:

- Templates are HTML files that can be created or edited using an HTML or text editor.
- The templates are limited by what your web browser supports.

### Not using templates

If you choose not to use existing templates, **Save as HTML** generates basic HTML tags in order for your report to be converted to HTML.

Note the following:

- The standard surround tags <HTML> and <BODY> are generated.
- The background color is set to white and font color is set to black.
- The title of the page is the same as the report title.

### Sample templates

Supervisor provides you with Sample templates, which can be found in the samples directory of the Supervisor directory where the executable files were installed. Use these installed templates when saving a report as an HTML file.

### Save as HTML template tags

The following describes the tags used by Save as HTML and which can be used to create templates:

HTML Tag	Description
<cvsup_title></cvsup_title>	This tag is replaced with the title of report in the HTML file. If this tag is used within the <title> tags, the title of the report will be used as a heading to the page. Multiple uses of this tag are allowed.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;CVSUP_BODY&gt;&lt;/td&gt;&lt;td&gt;This tag is replaced by the report body in the HTML file. However, only the first occurrence of this tag is replaced. If a template is used and the &lt;CVSUP_BODY&gt; tag is not in the template, an error occurs, and the Save as HTML operation is aborted.&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</title>

### **Fonts**

If you choose to use the Supervisor fonts, the font face and size are preserved in the HTML file.

- The fonts used in Supervisor are Arial, Courier New, and Times New Roman.
- In the event these fonts are not available on the computer viewing the HTML file, backup fonts are used. The backup fonts are Helvetica for Arial, Courier for Courier New, and Times for Times New Roman.
- If you choose to use the web browser's default fonts, the HTML file will not specify any fonts.

- · Note the following:
  - If you choose not to preserve the Supervisor fonts, the appearance of the report in the HTML file may change.
  - If you choose to use a template, do not preserve the Supervisor fonts if the template specifies the fonts.

_		•	1
_	М	11	r
ᆫ	u		L

### **Edit menu**

The Edit menu has standard Windows editing options.

### Menu item functions for Edit menu

This table describes the action that each menu item performs.

Name	Description
Сору	The image of the currently selected chart is copied to the clipboard in Windows metafile format. This allows you to paste the chart picture into most Windows applications, such as a word processor. You can also get <b>Copy</b> from the right mouse button pop-up menu. See <u>Copying chart reports</u> on page 54 for instructions on using <b>Copy</b> .
Export Chart Data	The Data Export Options window is shown to allow you to export the data in the currently selected chart. If the report is a real-time report, only one refresh of the data will be exported. You can also get the Data Export Options window from the right mouse button pop-up menu. If there is more than one chart on this report, this option will be grayed out until you select a chart. For more information on exporting data, see About exporting report data on CMS Supervisor PC client on page 53.

Table continues...

Name	Description
Export Table Data	The Data Export Options window is shown to allow you to export the table data. If the report is a real-time report, only one refresh of the data will be exported. You can also get the Data Export Options window from the right mouse button pop-up menu. If there is more than one table on the report, this option will be grayed out until you select a table. For more information on exporting data, see About exporting report data on CMS Supervisor PC client on page 53.
Export All Data	The Data Export Options window is shown to allow you to export all data in the report. You will also be allowed to include labels and headers in the data that are exported. If the report is a real-time report, only one refresh of the data will be exported. You can also get the Data Export Options window from the right mouse button pop-up menu. For more information on exporting data, see <a href="About exporting report data">About exporting report data on CMS Supervisor PC client</a> on page 53.

# **Format**

# Format menu

The Format menu contains actions for modifying the display format of the currently selected object. If one (or more) of the actions does not apply to the selected object, it will be grayed out.

# Menu item functions for Format menu

This table describes the action that each menu item performs:

Name	Description
Chart	Allows you to format a chart. You can also access the Format Chart window from the right mouse button pop-up menu.
Table	Allows you to format a table. You can also access the Format Table window from the right mouse button pop-up menu.

Table continues...

Name	Description
Sort by	Allows you to sort the table by several parameters specific to the information in the selected table. You can also access the Sort by window from the right mouse button pop-up menu.

# **Tools**

## **Tools menu**

The Tools menu contains additional actions that affect the currently selected object. You can also access the Tools actions from the right mouse button:

## Menu item functions for Tools menu

This table describes the action that each menu item performs.

Name	Description
Available Drill-Down reports	If you are running a report that allows you to access one or more drill-down reports, the available drill-down reports will be accessible from the Tools menu.
Threshold Settings	Opens a window that allows you to view or modify threshold highlight settings. Threshold highlight settings apply only to some real-time data items in real-time and integrated reports.
	For information on setting threshold highlights, see Report threshold highlights on page 56.

Name	Description
Change Agent Splits/Skills	If the current ACD supports Expert Agent Selection (EAS), this menu item reads Change Agent Skills; otherwise, it reads Change Agent Splits. This menu item is enabled only when the selected table cell in a report is an agent name or agent login ID; otherwise, it is disabled. If you do not have write permission for Agent Administration, then this menu item is not shown. This action opens the Change Agent Skills window (EAS) or Change Agent Split Assignments window (non-EAS) for the selected agent. You can then modify the split/skill assignments for the agent. For more information, see the Avaya Call Management System Administration document.

# **Options**

# **Options menu**

The Options menu contains actions that affect the basic display of the report.

# Menu item functions for Options menu

This table describes the action that each menu item performs:

Name	Description
Thresholds	Turns threshold highlighting on or off for this real-time report. When threshold highlighting is on (there is a check by the menu item), the report shows the colors (icons if the report is minimized) specified in the Threshold Settings window. When threshold highlighting is off (there is no check by the menu item), the report shows none of the threshold highlights (or icons if the report is minimized).  See Report threshold highlights on page 56 for additional information on Threshold Highlights.

Name	Description
Status bar	Shows or hides the status bar. When the status bar is hidden, the window remains the same size but the contents are resized to fill the window. You would choose this to get a larger viewing area for the report. When the status bar is made visible, the window remains the same size but the contents are resized to fill the smaller window area. The status bar setting is saved in the report view.
Restore Original View	Restores the Report View to the original settings. All changes made to the format of this report are discarded.

# The Report Window of CMS Supervisor Web

This section discusses the options that are available to the user in the Report Window of CMS Supervisor Web. The Report Window displays the report you have selected to be viewed. The top of the Report Window provides the user with the following options:

Name	Description
Set Input	Select <b>Set Input</b> to reopen the report input popup where you can modify input values without restarting the report.
Print	Select <b>Print</b> to print the report. Do not use the print button in the browser as it will not format the output correctly.
Export to CSV	Select <b>Export to CSV</b> to export the report data to a file in csv format. You can then import the report into other applications.
Disable Thresholds	Select <b>Disable Thresholds</b> to stop displaying the thresholds and their values. Once <b>Disable Thresholds</b> is selected, the Report Window displays the <b>Enable Thresholds</b> option. If you disable thresholds, the Report Window does not display the thresholds but the threshold values are preserved. So, if a user reselects <b>Enable Thresholds</b> , the thresholds are automatically displayed.

# About editing and viewing reports

This section describes the various formatting and display options for reports. It also includes some procedures for manipulating reports.

# **Report layouts**

## Report types

There are two types of report layouts in Supervisor:

- Tables the presentation of standard reports
- · Charts the presentation of graphical reports

## What constitutes a report?


A report can consist of only a table/tables, only a chart/charts, or a combination of tables and charts.

In addition to the tables and charts that make up the main body of reports, reports can include text and field names that are followed by single data items. Text and data fields are used on both table and chart reports.

## **Tables**

Most standard reports (reports that are not prefaced by graphical) are displayed in tables.


The information on a standard report window is organized as follows:



Standard real-time reports can be sorted. See <u>About formatting table reports in CMS Supervisor</u> PC client on page 42.

## **Charts**

The graphical reports are displayed in charts:



There are several options for formatting the appearance of the charts (graphical reports). See About the Chart Format Options window in CMS Supervisor PC client on page 44 for more information.

## About formatting table reports in CMS Supervisor PC client

If you are in a report containing a table, you can format how the report is displayed using the Table Format Options window.

The changes you make to a report's format affect only your view of the report. The changes do not affect how other users see the report.

## **Accessing the Table Format Options window**

### About this task

To access the Table Format Options window, use one of the following steps:

### **Procedure**

- 1. Double click on a column heading in the report.
- 2. Select **Format Table** or **Sort by** from the **Format** menu or the right mouse button pop-up menu.

If you select **Sort by**, the Table Format Options window displays with the **Sort** tab active. If you select **Format Table**, the Table Format Options window displays with the **General** tab active. Descriptions of these tabs follow.

The Table Format Options window allows you to make layout changes to a table. All changes you make are saved as part of the report view when the report exits.

#### General tab

The General tab allows you to make format changes to a table.

## General tab parameters

The following table parameters can be changed:

Name	Description
Show Gridlines	Specifies whether table lines are to be shown in the table.
Fixed Region, Columns	Specifies the number of columns from the left of the table that are fixed in place and do not scroll. Valid values are in the range of 0 through 99. You can use the spin boxes to select a valid value or type the value in.
Fixed Region, Rows	Specifies the number of rows from the top of the table that are fixed in place and do not scroll. Valid values are in the range of 0 through 99. You can use the spin boxes to select a valid value or type the value in.

### Sort tab

The Sort tab allows you to specify the order in which the information on the real-time table report is displayed.

### Using the Sort tab

### **Procedure**

- 1. When you are setting up display order for a real-time report, specify the sort column (**Sort by**) and the sort order (**Ascending** or **Descending**).
  - The drop-down list for **Sort by** lists all of the database table and item names used in the report.
- 2. As sorting may cause report refreshes to take longer, speed up the refresh rate by turning off the sort options by selecting (none) for all of the **Sort by** criteria.

## Viewing a list of agents alphabetically

### **Procedure**

- 1. Select **Agent Name** from the first **Sort by** drop-down list.
- 2. Select **Ascending** as the sort order, and leave the other two **Then By** boxes set to (none).

## Searching for agents who have been in a certain state for too long Procedure

- 1. Select State from the first Sort by drop-down list.
- 2. Select **Time**Time from the second **Then By**drop-down list.
- 3. Select **Descending** as the sort order for the second **Then By**.

# Formatting table reports in CMS Supervisor Web Procedure

To sort table columns, click on the column header.

## About the Chart Format Options window in CMS Supervisor PC client

If you are in a report that contains a chart, you can change the layout of the chart using the Chart Format Options window.

### **About charts**

Charts (found in graphical reports) provide a graphical representation of data. Values or data points are displayed in formats such as bars, lines, filled areas, and pie charts. These data points are grouped into series that are identified with unique colors.

In many chart types, one data point from each series is grouped together by category across an axis. Categories are plotted along the x-axis, while values are plotted along the y-axis. A two-dimensional chart shows series next to each other, while a three-dimensional chart plots series along the z-axis. A chart can also have a title and a legend.



3-D charts are not available in CMS Supervisor Web.

# Accessing the Chart Format Options window Procedure

To format a chart report, select **Format Chart** or **Sort by** from the **Format** menu list or the right mouse button pop-up menu.

The Chart Format Options window opens.

### How your changes affect others

The changes you make to the report's format affect only your view of the report. The changes do not affect how other users see the report.

For information about the differences between tables and reports, see Report layouts .

## General tab window and fields in CMS Supervisor PC client

Use the General tab to change the format of a chart. To navigate to the required location, go to **Format > Chart > General** from the graphical report.

This table describes the following fields:

Name	Description
Background Color	Specifies whether the backdrop of the chart is a solid color or whether it is displayed as a gradient, a smooth transition from one color to another. The gradient transition can be one of the following: Horizontal, Vertical, Rectangle, or Oval. The quality of the gradient effect will vary depending on the video card installed in the PC, or the capabilities of the printer for printed reports.
Real-Time	If the chart is a rolling chart, you can specify the number of data points to be displayed in the chart. Permitted values are 2 through 100, with 10 being the default. A rolling chart is a line chart that is initially displayed with no data points. For each refresh of the report, a data point is added. As data points are added, the chart rolls from left to right. When enough refreshes have occurred so that the chart is displaying the number of specified data points, at the next refresh, the oldest data point is dropped from the display and the newest data point is displayed.

# 3D Effects tab window and fields in CMS Supervisor PC client

Use the 3D Effects tab to control the 3 Dimensional (3D) appearance of the chart. If the current chart is a 2D chart, this tab is disabled. To navigate to the required location, go to **Format** > **Chart** > **3D** from a graphical report.

For an easy way to change the elevation and rotation of a chart using the mouse, see Rotating a 3D chart on page 52.

This table describes the following fields:

Name	Description
Elevation	A number from 0 through 90 degrees that describes the relative height from which a chart is viewed. An elevation of 90 looks directly down on the top of the chart, while an elevation of 0 looks directly at the side of the chart. The example charts throughout this document use an elevation of 30 degrees.

Name	Description
Rotation	A number from -360 through 360 degrees that specifies the angle that the chart is turned relative to the viewing position. The example charts throughout this document use a rotation of 60 degrees. Rotation does not apply to 3D pie charts.
Projection	Selects one of three mathematical algorithms used to give a 3D appearance on a 2D sheet of paper or computer screen.
	You can choose any of the following values:
	Oblique: The chart has depth but the X-Y plane does not change when the chart is rotated or elevated.
	Orthogonal: Perspective is not applied to the chart, resulting in less of a 3D effect. The advantage of using this type of projection is that vertical lines remain vertical, making some charts easier to read.
	Perspective: This provides the most realistic 3D appearance. Objects farther away from you converge toward a vanishing point.
Viewing Distance	A number from 50 through 1000 that represents the distance from which the chart is viewed as a percentage of the depth of the chart.
Width to Height	A number from 5 through 2000 that represents the percentage of the chart's height that is used to draw the chart's width.
Depth to Height	A number from 5 through 2000 that represents the percentage of the chart's height that is used to draw the chart's depth.

## Axis tab window and fields in CMS Supervisor PC client

Use the Axis tab to specify the title that will display on each axis of the chart. To navigate to the required location, go to **Format > Chart > Axis** from a graphical report.

This table describes the following fields:

Name	Description
Axis Display	Makes each of the axes visible or invisible. The
	choices are X Axis, Y Axis, 2nd Y Axis, and Z Axis.

## Type tab window and fields in CMS Supervisor PC client

Use the Type tab to change the chart type. To navigate to the required location, go to **Format > Chart > Type** from a graphical report.

This table describes the following fields:

Name	Description
2D and 3D	Changes the chart between 2-dimensional and 3-dimensional views. 2D charts update faster than 3D charts, so if the drawing speed seems too slow, you may want to display charts as 2D.
Chart Type	Specifies how the data is presented. You choose a chart type from the list. The types of charts available vary slightly depending on whether a 2D or 3D chart has been selected.
	All possible chart types are as follows:
	Bar Chart (2D and 3D)
	Line Chart (2D and 3D)
	Area Chart (2D and 3D)
	Step Chart (2D and 3D)
	Horizontal Bar Chart (2D and 3D)
	Clustered Bar Chart (3D only)
	Pie Chart (2D and 3D)
Stacked check box	Causes the data for all series to be stacked rather than shown separately. This check box is disabled for pie charts.
% Axis check box	Causes the value axis (y-axis) to be displayed as percentages rather than as actual data values. This can be combined with the stacked check box to produce a percentage-stacked chart.



3-D charts are not available in CMS Supervisor Web.

## Title tab window and fields in CMS Supervisor PC client

Use the Title tab to control the location of the chart title. To navigate to the required location, go to **Format > Chart > Title** from a graphical report.

This table describes the following fields:

Name	Description
Visible check box	Allows you to display or not display report titles. Since the title takes up space, the drawn chart will be smaller if you have selected Visible. If you wish to increase the size of the chart, do not select the Visible option.
Location of title	If you elect to have report titles visible, you can select where the titles display. The available options are Top left, Top (center), Top right, Left, Right, Bottom left, Bottom (center), and Bottom right.

## Legend tab window and fields in CMS Supervisor PC client

Use the Legend tab to control the location of the chart title. To navigate to the required location, go to **Format > Chart > Legend** from a graphical report.

This table describes the following fields:

Name	Description
Visible check box	Allows you to display or not display report legends. Since legends take up space, the drawn chart will be smaller if you have selected Visible. If you wish to increase the size of the chart, do not select the Visible option.
Location of legend	If you elect to have report legends visible, you can select where the legend displays. The available options are Top left, Top (center), Top right, Left, Right, Bottom left, Bottom (center), and Bottom right.

## Data Labels tab window and fields in CMS Supervisor PC client

Use the Data Labels tab to control the location of the chart title. To navigate to the required location, go to **Format > Chart > Data Labels** from a graphical report.

This table describes the following fields:

Name	Description
None	Labels are not displayed.
Above Point	Displays the label above the data point. This location is valid only for bar, line, area, and step charts.
Below Point	Displays the label below the data point. This location is valid only for bar, line, area, and step charts.
Center	Displays the label centered on the data point. This location is valid only for bar, line, area, and step charts.
Base	Displays the label along the category axis, directly beneath the data point. This location is valid only for bar, line, area, and step charts.
Inside	Displays the label inside a pie slice. This location is valid only for pie charts.
Outside	Displays the label outside a pie slice. This location is valid only for pie charts.
Left	Displays the label at the left of a pie slice. This location is valid only for pie charts.

Name	Description
Right	Displays the label at the right of a pie slice. This location is valid only for pie charts.
Value	The value of the data point appears in the label.
Percent	The value of the data point appears in the label as a percentage.
Series Name	The series name is used to label the data point.
Category Name	The category name is used to label the data point.

## Minimizing report output windows in CMS Supervisor PC client

### **About this task**

To minimize a report window, select the minimize button, which is located in the upper right-hand corner of the window.

## Icons associated with minimized report windows

When a report output window is minimized, the report's icon is displayed.



CMS Supervisor Web does not support displaying the report's icons.

Depending on the category of the report, one of the following icons will be displayed:

Name	Description
Agent administration reports	(i)
Call Center administration reports	
Agent real-time, historical, and integrated reports	
Dictionary reports	
Exceptions reports	<u> </u>
Maintenance reports	~
Other, queue/agent, and custom real-time and historical reports	
Split/skill real-time, historical, and integrated reports	\$₩
Trunk/trunk group real-time and historical reports	1

Name	Description
VDN real-time, historical, and integrated reports	<b>*</b>
Vector real-time and historical reports	

## Icons associated with minimized report thresholds

If Report Thresholds are enabled, real-time and integrated reports continue to update while they are minimized. If no Caution or Warning threshold condition is currently being met, the report's normal icon, as shown on the previous table, displays on the toolbar and in the system tray. If thresholds are being met, the report's icon on the toolbar remains the same, but the Caution or Warning threshold symbol appears in the system tray.

The threshold symbols are as follows:

Name	Description
Caution Threshold	•
Warning Threshold	49

## About minimizing report output windows in CMS Supervisor Web

You can minimize the report output by minimizing the browser window. There are no colors and icons associated with minimized browser windows.

# Using the mouse button pop-up menus in CMS Supervisor PC client

### About this task

The mouse button pop-up menu is available only in running reports. Use the right mouse button to enable the pop-up menus.

### **Procedure**

- 1. When you click the right mouse button, a pop-up menu displays.
  - The menu that displays is dependent on where your cursor is located. It can include options from the **Edit**, **Format**, and **Tools** menus on the **Reports** menu bar. The applicable menu items for the input field are enabled. If a report object is not selected, a menu is not displayed when you hold down the right mouse button.
- 2. To deselect a selected object, click anywhere else on the report.

## Interpreting the mouse button pop-up menu based on user actions

The right mouse button pop-up menu is available when you do any of the following actions:

When you	This pop-up menu displays	And
Select a cell in a table and hold down the right mouse button.	Export Table Data Format Table Sort by Change Agent Skills Help	A dotted border is drawn around the cell.  If you select a cell that displays an agent name, agent number, or work mode, the available drill-down reports for that cell display at the top of the right mouse button menu. See examples of these later in this section.
Select an output field or label and hold down the right mouse button.	Export Table Data Format Table Sort by Change Agent Skills Help	The data point is highlighted using selection handles (dots along the edges of the data point).  If you selected a data point that allows report threshold highlighting to be set, the menu item will not be grayed out.
Select a data point in a chart and hold down the right mouse button.	<u>I</u> hreshold Settings <u>H</u> elp	A dotted border is drawn around the field.  The Threshold Settings menu item is enabled if the highlighted field has related threshold settings.
Select an agent name or agent number in a table and hold down the right mouse button.	Real Time Agent Information Integrated Agent Information  Export Table Data Format Table Sort by  Ihreshold Settings Change Agent Skills Help	A dotted border is drawn around the agent name.  If you do not have the EAS feature on your Avaya communication server, the drill-down reports available will be the Real-Time Agent Information report and the Integrated Agent Information report.  From this menu, you can access either the Real-Time or the Integrated Agent Graphical Information report. If you double click on the agent name and you are running a real-time report, the default drill-down report is the Real-Time Agent Graphical Information report.  You can change an agent's splits/skills while you are in a report using this method of selection. For more information, see the Avaya Call Management System Administration guide

When you	This pop-up menu displays	And
Select a cell on a table or a point on a chart that displays agent work state information and hold down the right mouse button.	Top Agent Work State	The data point is highlighted using selection handles (dots along the edges of the data
	Export Grid Data Format Grid Sort by	point).  If you have an Avaya communication server with the EAS feature, the Real-Time AUX
	<u>I</u> hreshold Settings Change <u>Agent Skills</u> <u>H</u> elp	Agent drill-down report will also be available.  From this menu, you can access the Real- Time Split/Skill Top Agent Work State report, which also displays when you double click on the work state in the report.

## Using the mouse button pop-up menus in CMS Supervisor Web

### About this task

The mouse button pop-up menu is available only in running reports. Use the left mouse button to enable the pop-up menus.

### **Procedure**

- 1. When you click the left mouse button, a pop-up menu displays if you click on an object with a menu item. The menu that displays is dependent on where your cursor is located.
- 2. To close the pop-up menu, click a blank area of the report.
- 3. To open a menu, click a cell in a table, an output field, or label, or a data point in a chart.
- 4. If you select an item that displays an agent name, agent number, or work mode, the available drill down reports appear in the menu.
- 5. If you select a data point that allows report threshold highlighting to be set, the Threshold option appears in the menu.

## Rotating a 3D chart

### About this task



### Note:

3-D charts are not available in CMS Supervisor Web. This is applicable only to CMS Supervisor PC client.

The rotation and elevation of any 3D chart can be changed interactively using the mouse. This is easier than using the 3D Effects tab of the Chart Format Options window (see 3D Effects tab window and fields in CMS Supervisor PC client on page 45 for information on using the 3D Effects tab).

To change the rotation and elevation of a 3D chart, do the following steps:

### **Procedure**

1. Place the pointer over a 3D chart.

- 2. Press and hold the CTRL key. The pointer changes to indicate that the chart can be rotated.
- 3. Click and hold the left mouse button. A dotted 3D outline appears around the chart.
- 4. Move the pointer up and down to change the chart elevation, and left and right to change the chart rotation. The dotted 3D outline shows the position of the chart as you move the mouse.
- 5. When you find the rotation and elevation you want, release the mouse button. The chart is redrawn in the new position.

### Result

The 3D rotation and elevation of each chart is saved as part of the report view.

## About exporting report data on CMS Supervisor PC client

You can export the data from both standard (table) and graphical (chart) reports, either to a file or to the Windows clipboard. Once you have exported report data, you can copy the report information into another application (for instance, a spreadsheet).

### About default exported data

By default, only the data from the chart or table is exported. You can select the **Include Labels** and **Headers** check box on the Export Data window to include that information in the export of data.

## Report format

Reports are exported from Supervisor in the following format:

- Data is exported as ASCII characters.
- For table reports, each row of data is written as one line, terminated by a carriage return (ASCII value 13).
- The field separator character is written between fields.
- The field separator does not follow the last character in the line.
- Text strings are delineated according to the specified text delimiter.

### **Exporting a data report**

### About this task

To export the data from a report, do the following:

### **Procedure**

- 1. Click on the table or chart within a report.
- 2. Select **Export Table Data** or **Export Chart Data** or **Export All Data**, as appropriate, from the **Edit** menu or the right mouse button pop-up menu.

The Export Data window appears. The Export Data window allows you to copy the data from a report to the clipboard or a file.

- 3. Complete the following parts of the Export Data window:
  - **Destination** selection box choose to export the report to the clipboard or to a file. If you are exporting the report to a file, you need to type in a name for the file.
  - You can select the **File** button to browse the files on your PC, or use the history list to select a file you previously used.
  - Export Format selection box define the export format of the report. The character you choose from the drop- down list in the Field Separator text box is what will be placed between each field in the report. The character you choose for the Text Delimiter determines what is used around text strings in the exported file. If a text delimiter is specified, no special checks are done to ensure that the data does not contain that character and the data is written unmodified.

If you want to export data to Microsoft Excel, choose **Tab** as the field separator and **None** as the text delimiter.

- Export Null Values as Zero select this check box to include data that is null as a zero in the export of information. This is helpful if you are exporting a table report because a null value that is not included in the export of the data could disrupt the order of the rows/columns in the data.
- Include Labels and Headers check box select this check box to include the text information (such as column headers in table reports) in the export of the report's data.
- Export Time Durations in Seconds select this check box to include the time duration in the export of information.
- 4. If you want to automatically export data on a schedule, select the **Script** button to display the Save as Script dialog box. This dialog box will create a script to export data from the report.
- 5. Select **OK** in the Export Data window.

## **Exporting report data on CMS Supervisor Web**

#### About this task

You can export report data from the Report Window displaying the report you have selected to be viewed. The **Export to CSV** button appears at the top of the ReportWindow.

### **Procedure**

- 1. Click **Export to CSV** to export the report data to a file in csv format.
- 2. Import the report into other applications.

## **Copying chart reports**

### About this task



You cannot copy chart reports to the Windows clipboard in CMS Supervisor Web.

You can copy chart reports to the Windows clipboard. The copy of the selected chart report is copied to the clipboard in the Windows metafile (WMF) format. This allows you to paste the chart

image into any Windows application that can read the metafile format. For instance, you can copy chart reports and import the files into word processing files to be used as viewgraphs.

### **Procedure**

To copy a chart report to the metafile format, do the following steps:

- 1. Run a chart (graphical) report.
- 2. Select the image that you want to copy by clicking on it.
- 3. Select Copy from the Edit menu or use the right mouse button menu to select Copy.

#### Result

The chart you selected is copied to the clipboard.

# Resizing report windows and columns in CMS Supervisor PC client

# Resizing a window using the mouse button

### **Procedure**

- 1. Resize report windows by moving the cursor to the edge of the window and, when the resize arrow appears, holding down the left mouse button and moving the mouse to size the window.
- 2. When the window is the size you want it, release the mouse button.

# Resizing a window using the maximize and minimize buttons Procedure

Use the maximize and minimize buttons at the top of the window to size the window.

## Standard report window resizing

When you resize the window of a standard report, the contents of the window do not change in size to reflect the new window size.

If you made the window smaller than the size of the report, scroll bars will appear to allow you to view the entire contents of the report.

## **Graphical report window resizing**

When you resize the window of a graphical report, the contents of the window will change in size to reflect the new window size.

If a window is made too small, some elements may shrink in such a way to become unreadable. If this happens, resize the window to a more appropriate size. You may also choose to turn chart legends or data labels off to make more room for the chart itself.

The window size is saved as part of the report view.

## Changing a column width

### **Procedure**

- 1. Change the width of an individual table column in a table or chart report by positioning the mouse pointer between the column headers.
  - The pointer will change to indicate that a resize is possible.
- 2. Drag the mouse to change the column size.

## About resizing report windows and columns in CMS Supervisor Web

You can resize the browser window if that feature is available in your browser.

## Report threshold highlights

Report threshold highlights let you set visual flags to key you when a real-time data item is out of acceptable bounds. In CMS Supervisor PC client, this feature enables you to run a minimized report and be notified (through color/icon changes) when an item has passed a specific threshold.

### **Reports**

You can set threshold highlights only for real-time data items in real-time or integrated reports. The threshold highlights you set will tell you when data for an entity (split/skill, agent, agent group, or VDN) has reached a certain level (threshold), as defined by you.

### **Entities**

Threshold highlight settings apply to a single entity on a specific ACD. For example, if you run a real-time split report for split 17 on ACD 1 and set the threshold highlights, the threshold settings apply to split 17 on ACD 1 for all reports you run for that split and ACD.

In CMS Supervisor PC client, the threshold highlight settings are saved on the PC you are currently using. So, if you move to another PC, you need to set up the threshold highlights on that PC. If multiple users log into the same PC, each user's threshold highlight settings are saved individually.

In CMS Supervisor Web, the threshold highlight settings are saved individually on the server.

## Turn highlights on and off

By default, the thresholds for each report are turned on, but the threshold highlight settings are empty and the sample size threshold is zero. Therefore, no threshold highlights show on any reports until you create them using the Threshold Settings window. You can turn thresholds on and off for each report by selecting/deselecting the **Threshold Settings** check box in the report input window, or by selecting **Threshold Settings** from the **Options** menu in the report output window.

## **Example of setting report threshold highlights**

An example of setting report threshold highlights is to set thresholds for Time on ACD Calls in the skill named Sales. You might set the **High Caution** threshold to 50 seconds and the **High Warning** threshold to 60 seconds. If an agent spends more than 50 seconds, but less than 60 seconds, on an ACD call in the Sales skill, the item on the report will highlight with the **High Caution** threshold color. If the time exceeds 60 seconds, the item on the report will highlight with the **High Warning** threshold color. However, if the agent spends more than 50 seconds on an ACD call in any other skill (that does not have the same thresholds), the item on the report will not display any threshold highlighting.

## Note:

CMS Supervisor Web allows different colors for low caution, low warning, high caution and high warning whereas CMS Supervisor PC client allows you to set one color for high and low caution and another color for high and low warning.

## Important:

Report threshold highlights are not the same as Avaya CMS Exceptions Thresholds. The threshold highlighting you can do with this feature is available through the Supervisor interface only.

## Setting report threshold highlights

### About this task

## Important:

When a data item/items for which threshold highlights can be set is selected, the **Threshold Settings** menu item is enabled. When the data item that is selected does not allow thresholds, an error message will display. See the tables later in this section for a list of the report outputs that allow threshold highlighting.

Depending on which data item you have selected, the Sample Size box at the bottom of the Threshold Settings window may or may not be visible. If you selected a data item that is a percentage or an average, the Sample Size box is present.

### **Procedure**

- 1. Run a report that contains real-time data (a real-time or integrated report).
- 2. Select on a data item in the report for which you can set threshold highlights.

- 3. For CMS Supervisor PC client, select **Threshold Settings** from the right mouse button or from the **Tools** menu. For CMS Supervisor Web, use the left mouse button to open the menu.
- 4. Complete the Threshold Settings window.

## **Description of the Threshold Settings window**

Name	Description
Item	Shows the name of the report threshold that applies to the selected data value. In most cases, this box contains a single entry. If the data value is agent Time in State or Time in Workmode, or agent group Time in State or Time in Workmode, then this list box contains multiple names, one for each possible agent state or workmode. Threshold highlights can be set for each individual state and workmode.
Description	Shows a description of the threshold currently selected.
Thresholds	Shows the colors (as defined in the <b>Options</b> Threshold Colors tab, accessed from the Tools menu, for CMS Supervisor PC client and the Chart and Text threshold color tabs, accessed from User > Preferences, for CMS Supervisor Web), icons, and current numerical settings for the threshold highlights of this item. For thresholds that are time-related, the numbers you enter are in seconds. For example, if you are entering a High Caution threshold for three minutes, type 180 (for 180 seconds) in the <b>High Caution</b> field.
Sample Size	Contains the current value for the Sufficient Sample Size value. You can set this to any value from 0 to 999. When you set Sufficient Sample Size value, you are defining a minimum number of items that must be currently tracked before the threshold highlighting is enabled. You will only see Sample Size if the data item you selected is a percentage or an average.
Low Warning	This is a type of threshold that contains the current value for the Low Warning threshold for the selected data item. If no value is defined, the field is blank. You can set the value to any positive integer from 0 to 999,999,999 or leave it blank. If the field is blank, no threshold is set.

Name	Description
Low Caution	This is a type of threshold that contains the current value for the Low Caution threshold for the selected data item. If no value is defined, the field is blank. You can set the value to any positive integer from 0 to 999,999,999 or leave it blank. If the field is blank, no threshold is set.
High Caution	This is a type of threshold that contains the current value for the High Caution threshold for the selected data item. If no value is defined, the field is blank. You can set the value to any positive integer from 0 to 999,999,999 or leave it blank. If the field is blank, no threshold is set.
High Warning	This is a type of threshold that contains the current value for the High Warning threshold for the selected data item. If no value is defined, the field is blank. You can set the value to any positive integer from 0 to 999,999,999 or leave it blank. If the field is blank, no threshold is set.

## Tips for setting report threshold highlights

Use the tips in this section when setting report threshold highlights.

Keep the following tips in mind when you are setting report threshold highlights:

- Before you can administer threshold highlights for a data item, you must first click on the data item in the report to select it. When a data item is highlighted in a table (standard) report, it is outlined with a dotted line. When a data item is highlighted in a chart (graphical) report, it has pull-bars around the perimeter.
- See the <u>Available agent threshold settings</u> on page 60, <u>Available Split/Skill threshold settings</u> on page 62, and <u>Available VDN threshold settings</u> on page 63 for more information on the real-time data items in reports for which you can set threshold highlights.
- In standard reports, you can select items from the table or from the output information at the top of the report.
- In chart reports, you can select items from the pie charts, bar charts, graphical reports, or tables
- When you set threshold highlights for an entity (split/skill, agent, agent group, or VDN), that set of threshold highlights applies to every report that is run specifically for that entity.
- The report threshold highlights are updated with each refresh of the report, but not between report refreshes.
- The numbers you define for the threshold highlights must increase from left to right (the number you use for **Low Warning** must be less than the number you use for **High Warning**).
- In CMS Supervisor PC client, you can set the label colors by choosing Options from the Tools menu on the Controller. In CMS Supervisor Web, you can set the label colors by choosing User > Preferences.

- Depending on how you define the colors, the sample size threshold can behave in the following ways:
  - If you want to be alerted to the fact that a particular calculation is not statistically significant, set the Insufficient color to a different color than any other threshold condition. This causes data with insufficient sample size to be highlighted in a special color.
  - If you want to ignore values with insufficient sample sizes, set the Insufficient color to be black text on a gray background. This causes the value with insufficient sample size to not be highlighted.
- You can set report thresholds to affect how report data is displayed.
- There are two ways data is affected:
  - If the data calculation contains a non-zero Sample Size threshold, the denominator of the specified calculation is compared to the Sample Size threshold. If the denominator is less than the Sample Size threshold, the value displays in the Insufficient color, indicating that the sample size is insufficient for the value to be significant.
  - If the sample size is sufficient or if there is no sample size associated with the data, then
    the data value is compared to the Low Warning, Low Caution, High Caution, and High
    Warning threshold values to determine which band applies. The value is displayed in the
    color associated with the appropriate threshold.

## Available agent threshold settings

Use the data items in this section when setting agent threshold highlights.

All of the data that Supervisor uses for agent threshold highlights are retrieved from the cagent (current interval agent) database table. For more information on the database tables, see the *Avaya Call Management System Database Items and Calculations* document.

The Average Talk Time data item includes Sample Size thresholds.

The agent threshold highlights you can set are as follows:

Threshold	Description/database item or calculation
Time in AUX State	Description - Amount of time the agent is in the Auxiliary Work state.  Measures - DURATION while AGSTATE = AUX
Time in AUX-IN State	Description - Amount of time the agent is on an incoming call while in the Auxiliary Work state. Measures - DURATION while AGSTATE = AUX-IN
Time in AUX-OUT State	Description - Amount of time the agent is on an outgoing call while in the Auxiliary Work state. Measures - DURATION while AGSTATE = AUX-OUT
Time in ACW State	Description - Amount of time the agent is in the After Call Work state.  Measures - DURATION while AGSTATE = ACW
Time in ACW-IN State	Description - Amount of time the agent is on an incoming call while in the After Call Work state. Measures - DURATION while AGSTATE = ACW-IN
Time in ACW-OUT State	Description - Amount of time the agent is on an outgoing call while in the After Call Work state. Measures - DURATION while AGSTATE = ACW-OUT

Time in AVAIL State	Description - Amount of time the agent is in the AVAIL state. Measures - DURATION while AGSTATE = AVAIL
Time in ACD State	Description - Amount of time the agent is in the ACD state. Measures - DURATION while AGSTATE = ACD
Time in ACD-IN State	Description - Amount of time the agent is in the ACD-IN state. Measures - DURATION while AGSTATE = ACD-IN
Time in ACD-OUT State	Description - Amount of time the agent is in the ACD-OUT state. Measures - DURATION while AGSTATE = ACD-OUT
Time in DACD State	Description - Amount of time the agent is in the DACD state. Measures - DURATION while AGSTATE = DACD
Time in DACD-IN State	Description - Amount of time the agent is in the DACD-IN state. Measures - DURATION while AGSTATE = DACD-IN
Time in DACD-OUT State	Description - Amount of time the agent is in the DACD-OUT state. Measures - DURATION while AGSTATE = DACD-OUT
Time in DACW State	Description - Amount of time the agent is in the DACW state. Measures - DURATION while AGSTATE = DACW
Time in DACW-IN State	Description - Amount of time the agent is in the DACW-IN state. Measures - DURATION while AGSTATE = DACW-IN
Time in DACW-OUT State	Description - Amount of time the agent is in the DACW-OUT state. Measures - DURATION while AGSTATE = DACW-OUT
Time in RING State	Description - Amount of time the agent is in the RING state. Measures - DURATION while AGSTATE = RING
Time AUX Workmode	Description - Amount of time the agent is in the AUX workmode, including incoming and outgoing calls. This time measures the time the agent remains in AUX, regardless of any incoming or outgoing calls handled. Measures - AGTIME while WORKMODE = AUX.
Time in ACD Workmode	Description - Amount of time the agent is in the ACD workmode, including incoming and outgoing calls. This time measures the time the agent remains in ACD, regardless of any incoming or outgoing calls handled. Measures - AGTIME while WORKMODE = ACD
Time in ACW Workmode	Description - Amount of time the agent is in the ACW workmode, including incoming and outgoing calls. This time measures the time the agent remains in ACW, regardless of any incoming or outgoing calls handled. Measures - AGTIME while WORKMODE = ACW
Time in AVAIL Workmode	Description - Amount of time the agent is in the AVAIL workmode, including incoming and outgoing calls. This time measures the time the agent remains in AVAIL, regardless of any incoming or outgoing calls handled. Measures - AGTIME while WORKMODE = AVAIL
Time in DACD Workmode	Description - Amount of time the agent is in the DACD workmode. This time measures the time the agent remains in DACD, regardless of any incoming or outgoing calls handled. Measures - AGTIME while WORKMODE = DACD

Time in DACW Workmode	Description - Amount of time the agent is in the DACW workmode, including incoming and outgoing calls. This time measures the time the agent remains in DACW, regardless of any incoming or outgoing calls handled. Measures - AGTIME while WORKMODE = DACW
Calls in Direct Agent Queue	Description - Number of Direct Agent calls that are queued to the agent. DA_INQUEUE is the current number of Direct Agent calls waiting in any split/skill queue for a specific agent. Measures - DA_INQUEUE
Time call waiting in Direct Agent Queue	Description - Amount of time the caller has waited in the Direct Agent queue. DA_OLDESTCALL is the length of time that the oldest Direct Agent call has waited in any split/skill queue for this agent. Measures - DA_OLDESTCALL
Average Talk Time	Description - Average length of time the agent spends talking on ACD calls. Measures - AVG_AGENT_TALK_TIME calculation.

## **Available Split/Skill threshold settings**

Use the data items in this section when setting split/skill threshold highlights.

## About split/skill threshold settings

All of the data that Supervisor uses for split/skill threshold highlights are retrieved from the csplit (current interval split) database table. For more information on the database tables, see the *Avaya Call Management System Database Items and Calculations* document.

The following data items include Sample Size thresholds:

- Average Speed of Answer
- · Average Talk Time
- Average Time to Abandon
- · Percent of Calls Answered in Service Level
- · Percent of Calls Abandoned
- · Percent of Calls Answered

## Split/Skill table

The split/skill threshold highlights you can set are as follows:

Threshold	Description/database item or calculation
Oldest Call Waiting	Description - Amount of time the oldest call to this split/skill has waited in queue. OLDESTCALL is the number of seconds the oldest split/skill ACD call has waited in queue or ringing. Measures - OLDESTCALL
Number of Calls Waiting in Queue	Description - Number of calls queued to this split/skill. The computation measures the number of calls in queue or ringing at an agent position.  Measures - INQUEUE + INRING
Number of Calls Abandoned	Description - Number of calls that were queued to this split/skill and then abandoned. ABNCALLS is the number of calls offered to a split/queue which were subsequently abandoned by the caller. Measures - ABNCALLS

Average Speed of Answer	Description - Number of seconds, on average, before a call to this split/skill is answered. Average speed of answer is the ANSTIME (time spent by callers in queue or ringing before being answered) divided by the ACDCALLS (number of calls queued to the split/skill that were answered by an agent at this split/skill). Measures - AVG_ANSWER_SPEED
Average Talk Time	Description -Average length of time spent on ACD calls to the split/skill.  Measures - AVG_ACD_TALK_TIME
Average Time to Abandon	Description - Average length of time callers waited before abandoning calls to the split/skill. Measures - AVG_ABANDON_TIME
Full Time Equivalent Agents Staffed	Description - Number of total full-time equivalent agents currently staffed for the skill. Measures - FTE_AGENTS
Number of Calls Forced Busy	Description - Number of calls to the split/skill that were given a busy signal by the communication server. Measures - BUSYCALLS
Number of Calls Disconnected	Description - Number of calls to the split/skill that were disconnected by the communication server. Measures - DISCCALLS
Percent of Calls Answered in Service Level	Description - Percentage of ACD calls to the split/skill that were answered within the service level. Measures - PERCENT_SERV_LVL_SPL
Percent of Calls Abandoned	Description - Percentage of ACD calls to the split/skill that were abandoned.  Measures - PERCENT_CALL_ABAN
Number of Agents Staffed	Description - Number of agents logged into the split/skill. Measures - STAFFED
Percent of Calls Answered	Description - Percent of ACD calls offered to the split/skill that were answered. Measures - PERCENT_CALL_ANS
Call Profile Abandon per Service Level Increment	Description - Number of abandoned calls to the split/skill for any service level increment. A single report threshold applies to all of the values. If the number of abandoned calls for the split/skill reaches the threshold for any of the service level increments, the value for that service level increment is highlighted. Measures - ABNCALLS1 through ABNCALLS10
Rolling Average Speed of Answer	Description - Communication server-based Rolling Average Speed of Answer for this split/skill. The Rolling Average Speed of Answer is the average speed of answer across intervals. Measures - ASA
Expected Wait Time (Low)	Description - Expected Wait Time for a call queued to this split/skill at a low priority level. Measures - EWTLOW
Expected Wait Time (Medium)	Description - Expected Wait Time for a call queued to this split/skill at medium priority level. Measures - EWTMEDIUM
Expected Wait Time (High)	Description - Expected Wait Time for a call queued to this split/skill at high priority level. Measures - EWTHIGH
Expected Wait Time (Top)	Description - Expected Wait Time for a call queued to this split/skill at top priority level. Measures - EWTTOP

# **Available VDN threshold settings**

Use the data items in this section when setting VDN threshold highlights.

All of the data that Supervisor uses for VDN threshold highlights are retrieved from the cvdn (current interval VDN) database table. For more information on the database tables, see the *Avaya Call Management System Database Items and Calculations* document.

The following data items include Sample Size thresholds:

- · Percent of Calls Answered in Service Level
- Percent of Calls Abandoned
- · Percent of Calls Answered
- · Average Speed of Answer
- · Average Talk Time
- Average Time to Abandon

The VDN threshold highlights you can set are as follows:

Threshold	Description/database item or calculation
Number of Calls Abandoned During the Interval	Description - Number of calls that were queued to this VDN and then abandoned. Measures - ABNCALLS
Number of Calls Forced Busy During the Interval	Description - Number of calls to the VDN that were given a busy signal by the communication server. Measures - BUSYCALLS
Number of Calls Disconnected During the Interval	Description - Number of calls to the VDN that were disconnected by the communication server via the vector disconnect command. Measures - DISCCALLS
Oldest Call Waiting	Description - Number of seconds the oldest call has waited in this VDN. Measures - OLDESTCALL
Number of Calls Waiting	Description - Number of calls queued to this VDN that have not been answered by an agent. Measures - INPROGRESS - ATAGENT
Percent of Calls Answered in Service Level	Description - Percentage of ACD calls to the VDN that were answered within the service level. Measures - 100*(ACCEPTABLE / INCALLS)
Percent of Calls Abandoned	Description - Percentage of ACD calls to the VDN that were abandoned.  Measures - 100*(ABNCALLS / INCALLS)
Percent of Calls Answered	Description - Percentage of ACD calls offered to the VDN that were answered. Measures - 100*[(ACDCALLS + CONNECTCALLS) / INCALLS]
Call Profile Abandon per Service Level Increment	Description - Number of abandoned calls to this VDN for any service level increment. A single report threshold applies to all of the values. If the number of abandoned calls for the VDN reaches the threshold for any of the service level increments, the value for that service level increment is highlighted. Measures - ABNCALLS1 through ABNCALLS10
Average Speed of Answer	Description - Number of seconds, on average, before a call to this VDN is answered. This value is the time callers spent in queue or ringing before being answered divided by the number of calls queued to the VDN that were answered by an agent at this VDN. Measures - AVG_ANSWER_SPEED

Average Talk Time	Description - Average length of time spent on ACD calls to the VDN. Measures - AVG_ACD_TALK_TIME
Average Time to Abandon	Description - Average length of time callers waited before abandoning calls to the VDN. Measures - AVG_ABANDON_TIME
Rolling Average Speed of Answer	Description - Communication server-based Rolling Average Speed of Answer for this VDN. The Rolling Average Speed of Answer is the average speed of answer across intervals. Measures - ASA

## Using the report options of CMS Supervisor PC client

### About this task

Use the Options tab to do the following actions:

### **Procedure**

- 1. Set the ACD and other general options that Supervisor will default to when you log in (**General** tab).
- 2. Set up the colors that will be used in your graphical reports (Report Colors tab).
- 3. Set up the colors that will be used in reports to tell you when threshold highlights (not exceptions thresholds) have been reached. See <u>Setting report threshold highlights</u> on page 57 for more information on threshold highlights.
- 4. Choose or create a name format using {name} for Dictionary Name, {entity} for entity type, and {number} for entity number. The name format determines how items will be displayed in reports. For instance, if you select the name format of {entity} {number}, then all of the entities (splits/skills, ACDs, VDNs, vectors, trunks, trunk groups, call work codes, and AUX codes) that can be named in the Dictionary will display as the entity type and number instead of the Dictionary name. If you selected {name} as the name format, then the names that have been assigned to the entities in the Dictionary will display.

## Using the report options of CMS Supervisor Web

### **Procedure**

Use User > Preferences in the control panel menu bar to access the Chart Threshold Colors, Text Threshold Colors, and Report Chart Colors tabs.

### **Chart Threshold Colors tab**

This tab, on activation, provides a range of colors for the following options to change the chart threshold colors:

- Chart warning low color
- Chart caution low color
- Chart insufficient sample size color
- Chart caution high color
- Chart warning high color

The user has to click **Apply** to make the changes active.

### **Text Threshold Colors tab**

This tab, on activation, provides a range of colors for the following options to change the text threshold colors:

- · Text warning low color
- Text warning low background color
- Text caution low color
- · Text caution low background color
- · Text insufficient sample size color
- Text insufficient sample size background color
- · Text caution high color
- Text caution high background color
- · Text warning high color
- Text warning high background color

The user has to click **Apply** to make the changes active.

## **Report Chart Colors tab**

This tab, on activation, provides a drop down list box for choices of color schemes. There are 12 color schemes and on selecting a particular color scheme, the 16 Report colors acquire the shades associated with the color scheme. However, Report colors also provide you a range of colors from which you can choose the color for your charts.

The user has to click **Apply** to make the changes active.

## Using the CMS Servers tab of CMS Supervisor PC client

### About this task

Use the **CMS** Servers tab to add a CMS server, modify a connection to a CMS server, or delete the name from the list of possible servers.



The **CMS Servers** tab is disabled after you are logged in to a CMS server.

### **Procedure**

- 1. Select **CMS Servers** from the **Connect** menu.
- 2. From the Options window, select:
  - New to specify the parameters for a new server
  - **Properties** to show the values for the selected server
  - Remove to delete the name of the selected server

## **CMS Server properties**

Use the CMS Servers properties screen to choose a connection method for the server and set its options. This could be for a new server or an already selected server.

The system provides the following connection options for connecting to the server:

	Field	Description
Network		This is a telnet connection provided to Supervisor for connecting to the remote server.
	CMS network address	The resolvable name of the server or its IP address.
	Network port	The port used to connect to the server. The default value for this is 23.
Serial		Connectivity to the remote server is using a serial interface that transfers data one bit at a time.
	Port	The serial port or serial physical interface through which to transfer data. The system provides choices COM1, COM2, COM3, and COM4 to the user for this field.
	Baud rate	The speed at which data is transmitted. The system provides choices 2400, 4800, 9600, 14400, 19200, and 38400 to the user for this field.
	Flow control	The process of controlling the rate of data transfer in order to prevent data loss. The system provides choices DTR/DSR, None, RTS/CTS, and Xon/Xoff to the user for this field.
	Parity	A technique of checking whether data has been lost or written over when transmitted between computers. The system provides choices Even, Mark, None, Odd, and Space to the user for this field.
	Data bits	The number of bits used to represent one character of data. The system provides choices 5,6,7,and 8 to the user for this field.
	Stop bits	If one or more of the stop bits are missing during serial transmission of data, it constitutes a framing error. The system provides choices 1, 1.5, and 2 to the user for this field.
Modem		The system provides connectivity to the remote server using a phone line.
	Phone number	The phone number to be used for dialing in.
	Modem	The name of the modem.
SSH		The ssh connection to the remote server is secure.
	CMS network address	The resolvable server name or its IP address.
	Network port	The port using which to connect to the server. The default value for this is 22.

# **Options window of CMS Supervisor PC client**

The Options window of CMS Supervisor PC client opens on using **Tools > Options** and contains the **General**, **Scripting**, **Report Colors**, **Threshold Colors**, and **Name Format** tabs.

## **Options General tab**

Use the **General** tab to set your first calendar day, default ACD, and other general options.

## Important:

The **General** tab is accessible when you are connected to a CMS server.

Name	Description
First Day of Week	This option affects only how the calendar displays and does not change the CMS Start of Week day for weekly data collection. The CMS Start of Week day is set through the System Setup: Storage Intervals window. For example, if you browse for a date, the calendar will start the week based on the day that you choose.
	Use the drop-down list to make your selection.
Default ACD	When you select the ACD, this ACD will be the default listed in the functions windows and dropdown list options.
	Use the drop-down list to make your selection.
Synchronize PC and CMS Time at Login	Activate the check box for this selection to set the PC's clock to read the same time as the CMS clock. If you do not activate this selection, your PC clock and the CMS clock may not read the same time. This does not affect the CMS clock. This feature is not available on Windows Vista or later.
Use Sound	Activate the check box for this selection to be alerted, by sound, when the Exceptions Indicator box is updated. The Exceptions Indicator box is on the Controller status bar. The sound you hear is the sound you have chosen for the exclamation event associated with your PC.
Use Tooltips	Activate the check box to make tooltips visible. For example, when you are working on the Controller window, you may place your mouse cursor over a toolbar button and a yellow box will appear with a brief description of that button.
Use Taskbar Icon	Activate the check box for this selection to use the Supervisor system tray icon feature.

Name	Description
Window Menu Sort Order	If you activate the <b>Use Tray</b> icon, you need to determine how the items that display in the <b>system tray icon</b> menu will be sorted.
Window Menu Sort Order: Start Order	Select this radio button and the items in the <b>system tray icon</b> menu will display in the order in which you started them from Supervisor.
Window Menu Sort Order: Alphabetical	Select this radio button and the items in the <b>system tray icon</b> menu will display in alphabetical order, regardless of the order in which you started them.

## **Options Scripting tab**

Use the **Scripting** tab to set the user ID used to run scripts, adjust the logging level, and set the file used for logging.

Name	Description
User ID	The login ID for a CMS user.
Set User Button	Select this button to open the Save as Script - User Information dialog box.
Logging Level	This option group allows the logging levels in configuring the amount of information that is recorded during the use of scripting
Logging Level: Minimum	The only activities that will be logged are errors and messages from Supervisor that would have been displayed to the window as if the user performed the scripted activity manually
Logging Level: Normal	All of the above activities are logged plus the start and stop time of each task of the script. The script name is also included.
Logging Level: Maximum	All of the above activities are logged plus additional information that may be useful for debugging a script. Any message that displays as the script runs is logged.
Log File Path	Enter the path and filename of the logfile in this field. You may also use the <b>Browse</b> button to the right of this field to select an existing file on the PC.
Log File Size	This field determines how large the script log file can get before it is begins replacing the oldest data. The field defaults to a value of 200KB.
View Log Button	Select this button to view the script log file.

## **Options Report Colors tab**

Use the **Report Colors** tab to set up the colors that will be used in your graphical reports.

## Important:

The **Report Colors** tab is accessible when you are connected to a CMS server.

Name	Description
Scheme	Defines the report color scheme that you want to use for reports. You can either use one of the predefined color schemes from the drop-down list or create a new color scheme. See the <u>Creating a new report color scheme</u> on page 71 section in this chapter for instructions on creating report color schemes.
Background	Supervisor allows a choice of report background color.
Background: White	This selection makes the background of all reports white.
Background: Automatic	This selection makes the background of all reports match the color that you have set up for your system in Windows.

## **Using the Options Threshold Colors tab**

### About this task

Use the **Threshold Colors** tab to set up the colors that will be used in reports to tell you when exceptions thresholds have been reached.

## Important:

The **Threshold Colors** tab is accessible when you are connected to a CMS server.

You can select report color schemes by performing one of the following actions:

### **Procedure**

- 1. From a series of predefined color schemes, which are listed in the **Scheme** field, use the drop-down list to select a different scheme from the one that is currently displayed.
- 2. By creating a new color scheme. See the <u>Creating a new threshold color scheme</u> on page 72 for instructions on creating report color schemes.

## **Options Name Format tab**

This section describes the Options **Name Format** tab. Use the **Name Format** tab to choose or create formats for how CMS entities like splits/skills, ACDs, VDNs, vectors, trunks, trunk groups, call work codes, and AUX codes will display in Supervisor. The display can be set to any one or a combination of {name} for Dictionary Name, {entity} for entity type, and {number} for entity number.

## Important:

The Name Format tab is accessible when you are connected to a CMS server.

## **Defining name format for entities**

### About this task

To define the name format for entities, do the following steps:

### **Procedure**

- 1. Select the item for which you want to set formats from the Entity box.
- 2. In the Format text box, do either of the following actions:
  - Type the format that you want ({name}, {entity}, or {number})
  - Use the drop-down list to choose from a set of preformatted options.

For example, if you want to display agent names and extension numbers on reports, enter {name} {number} in the Format box.

The Example box provides an example of what the format will look like based on your current definition of the name format.

3. Select **OK** to save your changes. Select **Cancel** to clear your changes.

### Result

See <u>Creating a new name format</u> on page 73 for information on creating a new report name format.

## Creating a new report color scheme

### About this task

The procedure in this section describes how to create a new report color scheme.

If you do not save the new color scheme using the **Save as** button, the changes that you made will overwrite the default color scheme that you modified.

### **Procedure**

- 1. Choose **Options** from the **Tools** menu, or select the **Options** button from the toolbar.
- 2. Select the **Report Colors** tab.
- 3. Select the color scheme with which you want to begin from the **Scheme** drop-down list. The view of the scheme displays.
- 4. Choose the Background color for reports by selecting **White** or **Automatic**.
- 5. Click on the color bar (1 through 16) you want to modify.
- Select either the Color Selector or the Pattern Selector button.
- 7. To select a new color, choose from the Basic colors palette, or create a custom color using standard Windows procedures.
- 8. To select a new pattern, click on the pattern you want to use.
- 9. Repeat Steps 5 on page 71 through 7 on page 71 until you have updated all of the color bars that you want to modify.

- 10. When you are done modifying color bars, select **Save as**.
- 11. Type the name of the report color scheme that you created in the text box.
- 12. Select **OK** to save the scheme and the scheme name.

## Important:

You can view the changes that you made to a color scheme at any point in the modification by selecting **Apply**. When you do this, the current color scheme is applied to any reports that are running.

## Creating a new threshold color scheme

### About this task

The procedure in this section describes how to create a new threshold color scheme.

### **Procedure**

- 1. Choose **Options** from the **Tools** menu, or select the **Options** button on the toolbar.
- 2. Select the **Threshold Colors** tab.
- 3. Select the color scheme with which you want to begin from the **Scheme** drop-down list. The view of the scheme displays.
- 4. Select the element of threshold highlighting that you want to modify colors for from the list box (Chart Caution, Chart Insufficient Sample Size, Chart Warning, Text Caution, Text Insufficient Sample Size, Text Warning).

The current setting for the element displays to the right of the list box.

- 5. Select the **Color Selector** button next to the Text display box to set the color that will be displayed as text.
- 6. Choose a color from the **Basic colors** palette, or create a custom color using standard Windows procedures.
- 7. Select **OK** when you are done.

The Options window displays.

8. Select the **Color Selector** button next to the Background display box to set the color that will be displayed as the background on the threshold element.

The Color palette displays.

- 9. Choose a color from the **Basic colors** palette or create a custom color using standard Windows procedures.
- 10. Select **OK** when you are done.

The Options window displays.

11. Repeat Steps 4 on page 72 through 6 on page 72 until you have updated all of the threshold element colors that you want to modify.

- 12. When you are done modifying the threshold element colors, select **Save as**.
- 13. Type the name of the threshold color scheme that you created in the text box.
- 14. Select **OK** to save the scheme and the scheme name.

## Important:

You can view the changes that you made to a color scheme at any point in the modification by selecting **Apply**. When you do this, the current color scheme is applied to any threshold highlights that are displayed on running reports.

### **Creating a new name format**

#### About this task

The procedure in this section describes how to create a new report name format.

#### **Procedure**

- 1. Choose **Options** from the **Tools** menu, or select the **Options** button on the toolbar.
- 2. Select the Name Format tab.
- 3. Select the Entity for which you want to change the name format.
- 4. In the Format text box, use the drop-down list to select one of the standard formats, or type in a name combination.
- Select OK.
- 6. If you typed a nonstandard name format in Step 4 on page 73, the format is not saved in the Format list as a standard option.
- 7. To select another name format, go to the **Name Format** tab, select the format, and then select **OK**.

# **Customizing buttons in CMS Supervisor PC client**

#### **Procedure**

- If you need to frequently run a specific report or operation, create your own toolbar buttons for these functions by going to **Tools > Add button** and answering the questions in the wizard.
- 2. Remove any of the custom buttons by right-clicking on the button and selecting **Remove** this Button from the menu.

# **The Add Button window**

Name	Description
Description	You can enter up to 50 alphanumeric characters that provide information regarding the use of this database item, report, or button. If you are working with custom database items or designer reports, enter information for the database item or report. You can add, modify, or delete this description.
Tooltip	Enter the information that you want to have displayed for your custom toolbar button. You are limited to 50 alphanumeric characters.
Button Face	This control displays the currently defined or default icon for the item.
Edit	The <b>Edit</b> button, next to the <b>Button Face</b> field, opens a window used for editing the displayed icon.

# **Chapter 4: Real-time reports**

This section gives a brief description of each available real-time report and definitions of the input fields. It provides the information needed to complete any real-time report input screen.

# About real-time reports

# Introduction to real-time reports

Real-time reports give supervisors snapshots of the call center's performance and status. Abandoned calls, for example, can be monitored to determine the waiting-for-service tolerance of callers and compared to the number of calls in queue. Additionally, agent productivity can be compared at a glance to determine who may need help in speeding after call work.

Standard real-time reports:

- Show the current status of Automatic Call Distribution (ACD) activity. The types of data for reports are status, cumulative, and administrative. For a description of these data types, see the Avaya Call Management System Database Items and Calculations document.
- Display data for the current interval for agent, split/skill, trunk/trunk group, vector, and Vector
  Directory Number (VDN) activities, such as number of ACD calls, abandoned calls, average
  talk time, and so on. All database items and calculations that are used for real-time reports
  are taken from the current interval tables.
- You assign the length of the current interval for real-time ACD data in the System Setup: Storage Intervals window. For more information, see the Avaya Call Management System Administration document.

The Expert Agent Selection (EAS), Vectoring, and Graphics reports are also included in this chapter. If you do not have the EAS feature, Vectoring feature, or Graphics package, those report items do not appear on your menu. The reports you see depend on your communication server type, permissions, and system performance.

# Presentation of real-time reports

This chapter gives a brief description of each available report and definitions of the input fields. It provides you with the information you need to complete any real-time report input screen.

A short summary and example of each real-time report is included in this chapter. When you generate a real-time report, the totals for the report columns are on the top line of the report under the headings.

# Structure of the real-time reporting system

The following table shows how the real-time reporting system is structured. This section follows the report structure outlined in this diagram-agent reports are described first, followed by other reports, etc.

Report subject	Reports
Agent	Agent Group Report
	Agent Report
	Agent Information Report (Non-EAS)
	Graphical Information
Other	Event Count Summary
	Multi-ACD
	Multi-ACD Top Agent
Queue/Agent	Queue/Top Agent Status
	• Status
	Summary

Report subject	Reports
Split/Skill	Actual Relative to Target
	Agent Status by Location
	Call Profile
	Graphical Active Agents
	Graphical Allocated Agents
	Graphical AUX Agents
	Graphical AUX Top Agents
	Graphical Call Profile
	Graphical EWT
	Graphical Queue
	Graphical Skill Overload
	Graphical Staffing Profile
	Graphical Status
	Graphical Top Skill Status
	Reserve1 AUX Agents
	Reserve2 AUX Agents
	Skill AUX Report
	Skill Status
	Skill Top Agent
	Split/Skill
	Split/Skill by Location
	Top Agent Status
Trunk/Trunk Group	Trunk Group Report
VDN	Call Profile
	Graphical Call Profile
	Skill Preference
	VDN Report
Vector	Vector Report
Designer	User-created reports

Report subject	Reports
Drill-Down	Reserve1 AUX Agents
	Reserve2 AUX Agents
	Reserve1 Work State
	Reserve2 Work State
	Top Agent Work State
	Work State

# Agent reports



#### Note:

Tenant users only have access to agents and tenant specific agent groups assigned to the tenant for which the user has permission. The application of these permissions for tenant users can affect the output of selected reports. The following reports are affected due to these permissions:

- Reports->Real-time->Agent Group Report
- Reports->Real-time->Agent Report
- Reports->Real-time->Agent Graphical Information Report

The output of other real-time reports that require an agent or agent group in the input field is also affected by the permissions assigned to the tenant users.

For more information about how tenant permissions are administered, see Avaya Call Management System Administration.

# What an Agent report contains

The Agent reports give you the following specific information about agents:

- The agents according to groups you have created in the Dictionary subsystem
- The current activities of all agents assigned to a split or skill
- · Real-time information and statistics for a specified agent

# **Organization of Agent reports**

The following list shows how the Agent reports are organized in Supervisor:

Agent Group report on page 80

- Agent report on page 81
- Agent Information report on page 83
- Graphical Information report on page 86

# Agent report selector windows and input fields

The reports in this section use the Agent report selector windows and its input fields. Specific input information is included with the reports.

### Agent report input fields

Not all reports use all fields; refer to information for the specific report you are running to determine what you want to view. For example, you may enter an agent group, agent name, or split/skill to run the report.

The following table describes the input fields on real-time agent report input windows:

Name	Description
Agent group	Enter the name of the group that you want to view. Any names that you want to appear on the report must have been previously defined and entered in the Dictionary subsystem.
Agent or Agent Name	Enter the name of the agent. The agent's name must be defined in the Dictionary subsystem; otherwise, you will see the agent Login IDs.
Split/Skill	Enter the split or skill name or number that you want to view in this report. Any names that you want to appear on the report must have been previously defined and entered in the Dictionary subsystem.
Refresh Every <#> Seconds	Enter the number of seconds (3 to 600) to specify how rapidly Avaya Call Management Center (CMS) should update the report data. The default for the Refresh Every <#> Seconds field in this window is your assigned minimum refresh rate plus 15 seconds. To find out what your minimum refresh rate is, or to change it, check with your CMS administrator.
Enable Report Thresholds	Check the <b>Enable Report Thresholds</b> option to start the report with report thresholds running. Clear the option if you do not want to run report thresholds.
Run Minimized	Click the <b>Run Minimized</b> option to run the report in a minimized window. Clear the option to run the report at full size.

### **Agent Group report**

The Agent Group report allows you to view agents according to groups you have created in the Dictionary subsystem. For example, these groups could be new agents, agents with specific extension numbers, or any grouping that fits your call center's needs.

Here are some things you need to know about this report:

- Only one agent group displays on this report. If you want to compare groups, you can bring up two reports separately and toggle between the reports.
- Only the agents logged in and assigned to the group display in the report.
- The database items used for the Agent Group report are stored in the cagent table.
- This report uses the Agent Group input window. Select an agent group to view on the report. See <u>Agent report selector windows and input fields</u> on page 79 for more information.
- This report could fail if there are more than 30 agents in the group and the "Agent groups > 30 members" flag is set to "n". The error message text is "Agent Group size exceeds allowable limit." This flag is administered only through the server ASCII interface in the Report Administration screen under Maintenance selection from the main menu. This restriction also applies to any custom agent group reports. See section Administering Report Properties in Avaya Call Management System Administration for more information on this topic.

### **Agent Group report description**

The following table describes the report fields:

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Agent Group	The name of the group of agents. You can make this selection in the report input window.	No database item or calculation.
Agent Name	The names of the agents assigned to this split/skill and logged in (or their login IDs if names have not been assigned to them in Dictionary).	syn(LOGID)
Login ID	The login identification of the agent.	LOGID
Extn	The extension the agent logged in from.	EXTENSION
AUX Reason	The reason associated with the auxiliary work state of this agent (for example, lunch, break, meeting, or training). This field is blank if the agent is not in the AUX state.	AUXREASON
State	The current work mode (state) that the agent is in (AVAIL, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, UNSTAFF) and the call direction (blank, IN or OUT).	AWORKMODE and DIRECTION

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	When an agent is on a split/skill call, a direct agent call, or in After Call Work associated with the call or the ACW, WORKSKILL is the OLDEST_LOGON:	WORKSKILL
	When an agent is on an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold	
	When an agent is on an AUXIN call with an ACD call on hold	
	When an agent is on an AUXOUT call with an ACD call on hold, this is the split/skill associated with the ACD call.	
	When an agent is available, in AUX, or in OTHER, this is blank.	
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME
VDN Name (Shows data only if you have the Vectoring feature)	The number or name of the VDN for which the report shows data. The VDN is associated with the ACD call in progress. If a name has been assigned to the VDN in the Dictionary, the name displays instead of the number.	syn(VDN)

# **Agent report**

The Agent report displays the current activities of all agents assigned to a split or skill. It shows the extension from which the agent logged in, the agent's work state, how long the agent has been in that work state, and the split or skill in which the agent is currently working. This report also gives you VDN information (if you have the Vectoring feature) and the interrupt status.

Here are some things you need to know about this report:

- Only the agents currently assigned and logged into the split/skill display on this report.
- The database items used for the Agent report are stored in the cagent table.
- This report uses the Agent input window. Select a split/skill that you want to view on the report. See Agent report selector windows and input fields on page 79 for more information.

### Agent report description

The following table describes the report fields:

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the split/skill selected for this report.	syn(SPLIT)
Agent Name	The names of the agents assigned to this split/skill and logged in (or their login IDs if names have not been assigned to them in Dictionary).	syn(LOGID)
Login ID	The login identification of the agent.	LOGID
Extn	The extension that the agent logged in from.	EXTENSION
AUX Reason	The reason associated with the auxiliary work state of this agent (for example, lunch, break, meeting, or training). This field is blank if the agent is not in the AUX state.	AUXREASON
State	The current work mode (state) that the agent is in (AVAIL, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, UNSTAFF) and the call direction (blank, IN or OUT).	AWORKMODE and DIRECTION
Split/Skill	When an agent is on a split/skill call, a direct agent call, or in After Call Work associated with the call or the ACW. WORKSKILL is the OLDEST_LOGON:	WORKSKILL
	When an agent is on an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold	
	When an agent is on an AUXIN call with an ACD call on hold	
	When an agent is on an AUXOUT call with an ACD call on hold, this is the split/skill associated with the ACD call.	
	When an agent is available, in AUX, or in OTHER, this is blank.	
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME
VDN Name (Shows data only if you have the Vectoring feature)	The number or name of the VDN for which the report shows data. The VDN associated with the ACD call in progress. If a name has been assigned to the VDN in the Dictionary, the name displays instead of the number.	VDN

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Interrupt Status	Interrupt status of the agent. Valid values are:	syn(INTRSTATUS)
	NA – not applicable	
	NOTIFYING – the agent is getting notified of an interrupt from AUX.	
	INTRRPTED – interrupted, the agent is interrupted from AUX to take a call.	
	INTRRPTBL – interruptible, the agent is in interruptible AUX for the interruptible skill.	

# **Agent Information report**

The Agent Information report displays real-time information and statistics for the specified agent.

This version of the Agent Information report is for non-EAS users.

Here are some things you need to know about this report:

- Whenever you drill down to the Real-Time Agent Information report, you can also drill down to the Integrated Agent Information report by clicking the right mouse button.
- This report includes a table that shows all the splits that the agent is logged into. If the agent
  is assigned to additional splits, but is not logged into those splits, these will not be reflected in
  this table.
- When this report is accessed from the report selector menu, you need to enter the Agent Name and Login ID input fields.
- When this report is accessed from another report by drilling down, the input fields will be defaulted from the report you are drilling down from.
- The database items used for the Agent Information report are stored in the cagent table.
- This report uses the Agent Information input window. Select an agent that you want to view on the report. See <u>Agent report selector windows and input fields</u> on page 79.

You can access this report as follows:

- From the Real-Time Agent Category selector menu.
- By drilling down from the Agent Name or Login ID fields on other reports (for example, Agent, Agent Group, Graphical AUX Agents report, Graphical AUX Top Agents report, or other realtime and integrated reports).

### Agent Information report description

The following table describes the report fields:

Field	Definition	Database item, calculation, or <alculation name=""></alculation>
Agent Name	The names of the agents assigned to this split/ skill and logged in (or their login IDs if names have not been assigned to them in Dictionary).	syn(LOGID)
Login ID	The login identification of the agent.	LOGID
Extn	The extension that the agent logged in from.	EXTENSION
State	The current work mode (state) that the agent is in (AVAIL, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, UNSTAFF) and the call direction (blank, IN or OUT).	AWORKMODE and DIRECTION
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME
Active Split	The split is active when the agent is:	syn(WORKSKILL)
	<ul> <li>On a split/skill, on a direct agent ACD call, or in ACW, this is the split/skill associated with the call or ACW.</li> </ul>	
	Available, in AUX or in OTHER states, this is null (blank).	
	On an AUXIN/AUXOUT call, this is the OLDEST_LOGON split/skill.	
	On an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold, this is the OLDEST_LOGON split/skill.	
	On an AUXIN call with an ACD call on hold, this is the OLDEST_LOGON split/skill.	
	<ul> <li>On an AUXOUT call with an ACD call on hold, this is the split/skill associated with the ACD call.</li> </ul>	
	WORKSKILL differs from WORKSPLIT only in the case that the agent is available. In this case, WORKSKILL will be blank and WORKSPLIT will contain one of the splits/skills in which the agent is available.	

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
ACD Calls	The ACD calls that were queued to the split/skill and answered by an agent during the current interval. This does not include direct agent calls, but it does include ACD calls placed by an adjunct (also called outbound predictive dialing).	sum(ACDCALLS)
Move Pending?	A move to a new split or skill or a change of skill is pending for this agent. This is available only for communication server releases with the Move Agent While Staffed feature. Values for MOVEPENDING are 0= NO, 1 = YES.	MOVEPENDING
Direct Agent Calls	The total number of direct agent calls that have been answered by the agent during the current interval. This is the number of calls that the agent answered, not the number of calls for which the agent counted an event.	sum(DA_ACDCALLS)
AVAIL	The time during the collection interval that the agent was in the available state for split or direct agent ACD calls in any split.	sum(TI_AVAILTIME)
ACD	The time during the collection interval that the agent was talking on ACD calls for the SPLIT.	sum ( <total_i_acdtime>)</total_i_acdtime>
ACW	The time during the collection interval that the agent was in after call work (ACW). This includes ACW for split ACD calls and ACW not associated with the call.	sum( <total_i_acwtime></total_i_acwtime>
AUX	The time during the collection interval that the agent was in the AUX work state in all splits/skills or on AUXINCALLS or AUXOUTCALLS.	sum(TI_AUXTIME)
RINGING	The time during the collection interval that the agent had split and direct agent ACD calls ringing.	sum(I_RINGTIME)

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
OTHER	The time during the collection interval that the agent was doing other work in all splits. While in Auto-in or Man-In the agent put any call on hold and performed no further action, the agent dialed to place a call or to activate a feature, or an extension call rang with no other activity. For all Avaya communication servers, TI_OTHERTIME is collected for the time period after the communication server comes up or after the agent logs in and before the CMS receives notification of the agent's state from the communication server. The TI_ time is stored only for the split/skill logged into the longest. TI_ time needs to be summed across the splits/skills the agents may log into, in case the logon order changes during the collection interval.	sum(TI_OTHERTIME)
Split	The split number or name that this extension is assigned to or the split number or name that the agent logged into.	syn(SPLIT)

## **Graphical Information report**

The Graphical Information report displays real-time information and statistics for the specified agent.

Here are some things you need to know about this report:

- Supervisors can use this report to access further information on one particular agent without
  having to execute several steps and several different reports to get the pertinent information.
  This report enables the supervisor to quickly make a more educated decision on whether an
  agent should be added to or removed from a skill.
- This report is available for all communication server releases. The contents of this report depend upon the communication server release for which it is being run.
- The database items used for the Graphical Information report are stored in the cagent table.
- This report uses the Agent Information Input window. Select an agent that you want to view on the report. See Agent report selector windows and input fields on page 79.

You can access this report in the following ways:

- From the Real-Time Agent Category selector menu.
- By drilling down to this report from the Agent Name or Login ID fields on other reports (for example, Agent Information, Work State, or Graphic AUX Agent reports).

The following example of this report shows the information it will contain for the communication server:

### • Graphical information:

A three-dimensional vertical bar chart, with time (in minutes) along the y-axis, and agent work states along the x-axis. The chart shows how much time (in minutes) during the current interval the agent spent in each of the work states. By default, no legend accompanies the chart.

#### Table information:

A table shows the skill that is assigned to the agent, and the skill level of 1-16 or R1 or R2.

A scroll bar is displayed only if the number of skills to which the agent is assigned exceeds what can be displayed in the table.

· Real-time report status

### **Graphical Information report description**

The following table describes the report fields:

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Agent	The names of the agents assigned to this split/skill and logged in (or their login IDs if names have not been assigned to them in Dictionary).	syn(LOGID)
Login ID	The login identification of the agent.	LOGID
Extn	The extension that the agent logged in from.	EXTENSION
State	The current work mode (state) that the agent is in (AVAIL, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, UNSTAFF) and the call direction (blank, IN or OUT).	AWORKMODE and DIRECTION
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Active Skill	The skill is active when the agent is:	syn(WORKSKILL)
	On a split/skill, on a direct agent ACD call, or in ACW. This is the split/skill associated with the call or ACW.	
	Available, in AUX or in OTHER states. This is null (blank).	
	On an AUXIN/AUXOUT call. This is the OLDEST_LOGON split/skill.	
	On an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold. This is the OLDEST_LOGON split/skill.	
	On an AUXIN call with an ACD call on hold. This is the OLDEST_LOGON split/skill.	
	On an AUXOUT call with an ACD call on hold. This is the split/skill associated with the ACD call.	
	WORKSKILL differs from WORKSPLIT only in the case that the agent is available. In this case, WORKSKILL will be blank and WORKSPLIT will contain one of the splits/skills in which the agent is available.	
AUX Reason	For the communication server, this is the reason code associated with the auxiliary work state (on a break, in a meeting, and so on) of this agent. This field is blank if the agent is not in the AUX state.	syn(AUXREASON)
Top Skill	The agent's first-administered, highest-level, measured skill, where skill level 1 is the highest, skill level 16 is the lowest. The TOPSKILL of an agent will be 0 except when PREFERENCE is a skill level (LVL). This means that an agent will not have a top skill or be counted in any split table TOPSKILL items if their call handling preference is Greatest Need (NEED) or percent allocation (PCNT). In addition, agents who have skill level preference, but only reserve levels for all their skills, will not have a TOPSKILL.	syn(TOPSKILL)

Field	Definition	Database item, calculation, or <alculation name=""></alculation>
Call Handling Preference	The agent's call handling preference. Values are blank, skill level (LVL) or greatest need (NEED), or percent allocation (PCNT).	syn(PREFERENCE)
ACD Calls	The ACD calls that were queued to the split/ skill and answered by an agent during the current interval. This does not include direct agent calls, but it does include ACD calls placed by an adjunct (also called outbound predictive dialing).	sum(ACDCALLS)
Move Pending?	A move to a new split or skill or a change of skills is pending for this agent. This is available only for communication server releases with the Move Agent While Staffed feature. Values for MOVEPENDING are 0= NO, 1 = YES.	MOVEPENDING
Direct Agent Skill	The skill currently assigned as the agent's direct agent skill. Direct agent calls to the agent are queued to this skill.	syn(DA_SKILL)
Direct Agent Calls	The total number of direct agent calls that have been answered by this agent during the current interval. This is the number of calls that the agent answered, not the number of calls for which the agent counted an event.	sum(DA_ACDCALLS)
Skill	The name or number of the skill that is selected for this report.	syn(SPLIT)
Level	The skill level (1-16, R1 or R2) associated with the SKILL.	syn(LEVEL)
Percent	Agent's percent allocation for this SPLIT. Requires Avaya Business Advocate.	PERCENT
AVAIL	The time during the collection interval that the agent was in the available state for split/skill or direct agent ACD calls in any split/skill.	sum(TI_AVAILTIME)
ACD	The total time during the collection interval that the agent was talking on ACD calls for the split.	sum ( <total_i_acdtime>)</total_i_acdtime>
ACW	The total time during the collection interval that the agent was in after call work (ACW). This includes ACW for split/skill ACD calls and ACW not associated with the call.	sum( <total_i_ acwtime="">)</total_i_>
AUX	The total time during the collection interval that the agent was in the AUX work state in all splits/skills or on AUXINCALLS or AUXOUTCALLS.	sum(TI_AUXTIME)

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
RINGING	The time during the collection interval that the agent had split/skill and direct agent ACD calls ringing.	sum(I_RINGTIME)
OTHER	The time during the collection interval that the agent was doing other work in all splits/skills. While in Auto-in or Man-In the agent put any call on hold and performed no further action, the agent dialed to place a call or to activate a feature, or an extension call rang with no other activity. For all Avaya communication servers, TI_OTHERTIME is collected for the time period after the link to the communication server comes up or after the agent logs in and before the CMS receives notification of the agent's state from the communication server. The TI_ time is stored only for the split/skill logged into the longest. TI_ time needs to be summed across the splits/skills the agents may log into, in case the logon order changes during the collection interval.	sum(TI_OTHERTIME)
Staffed Time	The time during the collection interval that the agent was staffed in any split/skill. TI_ time is recorded only for the split/skill logged into the longest amount of time. TI_ time needs to be summed across the splits/skills the agents may log into, in case the login order changes during the collection interval.	sum(TI_STAFFTIME)

# Other reports

This section discusses other reports.

# What other reports contain

The real-time other reports give you the following specific information about:

- A summary of the number of times during the current interval that an agent in a split/skill pressed any of the nine event count keys while on an ACD call or in call-related after call work.
- · Real-time call-handling information
- Skill information for skills from multiple ACDs

## **Event Count Summary report**

The Event Count Summary report displays the number of times during the current interval that an agent in a split/skill pressed any of the nine event count keys while on an ACD call or in call-related ACW.

Here are some things you need to know about this report:

- You can define event keys to represent any kind of event you want (for example, the number of calls generated from an advertisement, promotion, or geographic area).
- Event counts are only recorded while an agent is on an ACD call or in call-related ACW. If an
  agent is in AUTO-IN mode, the ACD call terminates when the caller hangs up, and an event
  count cannot be recorded after the caller hangs up. To track event counts, it is recommended
  that agents use the MANUAL-IN mode because the agent goes to ACW when the caller
  hangs up, allowing the agent to enter an event count.
- The database items used for the Trunk Group report are stored in the csplit table

### Relationships to other subsystems

Event 0, audio difficulty, is used in the trunk and trunk group exception reports.

### **Event Count Summary input fields**

The following table describes the input fields on real-time Event Count Summary report input windows:

Name	Description
Split/Skill	Fill in the split or skill name or number for which you want to run the report. You can enter a split/skill name only if the name has been defined in Dictionary.
Refresh Every <#> Seconds	Enter the number of seconds (3 to 600) to specify how rapidly CMS should update the report data. The default for the <b>Refresh Every &lt;#&gt; Seconds</b> field in this window is your assigned minimum refresh rate plus 15 seconds. To find out what your minimum refresh rate is, or to change it, check with your CMS administrator.
Enable Report Thresholds	Check the Enable Report Thresholds option to start the report with report thresholds running. Uncheck the option if you do not want to run report thresholds.
Run Minimized	Check the <b>Run Minimized</b> option to run the report in a minimized window. Uncheck the option to run the report at full size.

### **Event Count Summary report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the splits/skills that is selected for this report.	syn(SPLIT)
Agents Staffed	The total number of agents that are logged into each split/skill.	STAFFED
Agent Name	The names of the agents assigned to this split/skill and logged in (or their login IDs if names have not been assigned to them in Dictionary).	syn(LOGID)
ACD Calls	The total number of split/skill and direct agent calls that were answered by this agent. This is the number of calls that the agent answered, not the number of calls for which the agent counted an event.	ACDCALLS + DA_ACDCALLS < TOTAL_ACDCALLS>
Event 19	The number of times during the specified time period that this agent entered each event count (1 - 9) while on ACD calls or in ACW associated with an ACD call for this split/skill recorded during this interval.	EVENT19

## **Multi-ACD report**

This report displays real-time call-handling information. This information can be requested simultaneously for up to eight splits/skills and up to eight ACDs. This report allows you to evaluate and compare similar splits/skill information in different ACDs. With this information you can determine workload and call-handling performance, agent reassignment, or other ACD configuration alternatives to balance workloads and reduce abandoned calls

Here are some things you need to know about this report:

- The Multi-ACD report appears on the real-time reports menu even if you have only one real ACD installed on your CMS.
- The database items used for the Multi-ACD report are stored in the csplit table.
- This report can include information on up to eight ACDs.

### Multi-ACD report input fields

The following table describes the input fields on real-time Multi-ACD report input windows:

Name	Description
First to Eighth ACD  Fill in the names or numbers of the First Eighth ACDs for which you want to run	
	You can enter an ACD name only if the name has been defined in Dictionary.

Name	Description
Splits/Skills	Fill in the names or numbers of the Split/Skills for which you want to run the report. You can enter a split/skill name only if the name has been defined in Dictionary.
Refresh Every <#> Seconds	Enter the number of seconds from 3 to 600, to specify how rapidly CMS should update the report data. The default for the Refresh Every <#>Seconds field in this window is your assigned minimum refresh rate plus 15 seconds. To find out what your minimum refresh rate is, or to change it, check with your CMS administrator.
Enable Report Thresholds	Check the <b>Enable Report Thresholds</b> option to start the report with report thresholds running. Clear the option if you do not want to fun report thresholds.
Run Minimized	Check the <b>Run Minimized</b> option to run the report in a minimized window. Clear the option to run the report at full size.

## **Multi-ACD report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The names or numbers of the splits/skills selected for this report.	syn(SPLIT)
ACD	The name or number of the ACD for which the data was selected.	syn(ACD)
Skill State	The current state of the skill, compared to the administered thresholds. This displays as Normal, Overload 1, Overload 2, Behind, or Autorsv on the report. Requires Avaya Business Advocate.	SKSTATE
Calls Waiting	The number of split or skill ACD calls waiting to be answered. This includes calls that are in queue and calls that are ringing at an agent voice terminal. It does not include direct agent calls.	INQUEUE+INRING
Oldest Call Waiting	The length of time (in seconds) the oldest ACD call has waited in queue or ringing before being answered. This does not include direct agent calls.	OLDESTCALL

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Avg Speed Answer	The average time calls waited in queue and ringing before an agent answered. This does not include direct agent calls, but it does include outbound ACD calls placed by an adjunct (also called outbound predictive dialing).	ANSTIME/ACDCALLS <avg_answer_speed></avg_answer_speed>
EWT Top	This heading contains EWT for the split/skill at top priority. EWT is the wait time for the call when it is queued to the split/skill at the top priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank. Exception thresholds for EWT can be set from the Exceptions command.	EWTTOP
EWT High	This heading contains EWT for the split/skill at high priority. EWT is the wait time for the call when it is queued to the split/skill at high priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank. Exception thresholds for EWT can be set from the Exceptions command.	EWTHIGH
EWT Medium	This heading contains EWT for the split/skill at medium priority. EWT is the wait time for the call when it is queued to the split/skill at medium priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank. Exception thresholds for EWT can be set from the Exceptions command.	EWTMEDIUM

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
EWT Low	This heading contains EWT for the split/skill at low priority. EWT is the wait time for the call when it is queued to the split/skill at low priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank. Exception thresholds for EWT can be set from the Exceptions command.	EWTLOW
ACD Calls	The ACD calls that were queued to the split/skill and answered by an agent. This does not include direct agent calls, but it does include ACD calls placed by an adjunct (also called outbound predictive dialing), for Avaya communication servers with the ASAI feature only.	ACDCALLS
Avg ACD Time	The average talk time for all ACD calls to this split/skill. This does not include hold time or time on direct agent calls, but it does include talk time of all outbound ACD calls placed by an adjunct (also called outbound predictive dialing).	ACDTIME/ACDCALLS <avg_acd_talk_time></avg_acd_talk_time>
Aban Calls	The total number of queued calls for each split/skill that was abandoned before an agent answered. This includes calls that are ringing at a voice terminal but does not include direct agent calls. It also includes the number of outbound calls for each split/skill that abandoned at the far end before the agent answered.	ABNCALLS
Avg Aban Time	The average time a caller waited (in split/skill or VDN) before hanging up.	ABNTIME /ABNCALLS <avg_abandon_time></avg_abandon_time>
Agents Available	The total number of agents who are available to receive ACD calls in each split/skill.	AVAILABLE
Agents Ringing	The current number of agents that are available and have ACD calls (including direct agent calls) ringing at their voice terminal but have not yet answered. If the agent places a call or answers an extension call, the agent is shown in the AUX work state, rather than in the ringing state.	AGINRING

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Agents on ACD Calls	The total number of agents that are connected to inbound and outbound ACD calls in each split/skill. This does not include direct agent calls.	ONACD
Agents in ACW	The number of agents who are in the after call work mode for each split/skill. This includes agents on ACWIN/ACWOUT calls and agents in ACW not associated with an ACD call.	INACW
Agents in Other	The current number of agent positions that are doing other work. Agent positions show up as OTHER directly after the link to the communication server comes up and directly after the agents log in before the CMS is notified of the agent's work state. The agent did one of the following activities while in the Auto-in or Manual-In state The agent put any call on hold and performed no further action. The agent is on a direct agent call or in ACW for a direct agent call. The agent is dialing to place a call or to activate a feature. The agent has a ringing personal call queued through another split or skill, with no other activity. For a communication server without EAS, agents are logged into multiple splits and doing work for a split other than this one.	OTHER
Agents in Aux	The current number of agents who are in the AUX work mode for all splits/skills including agents who are handling AUXIN or AUXOUT calls.	INAUX
Agents Staffed	The number of agents logged into each split/skill.	STAFFED

# **Multi-ACD Top Agent report**

This report displays skill information for skills from multiple ACDs. Agent counts show top and backup agents. This report allows you to enter skills from multiple ACDs connected to the CMS.

The Multi-ACD report appears on the real-time reports menu even if you have only one real ACD installed on your CMS.

Here are some things you need to know about this report:

- This report shows the number of agents with this skill as their top skill.
- This report shows the number of agents with this split as OLDEST\_LOGON for non-EAS communication servers.
- The menu items for this report appear only if EAS is activated. The report can be run for any live ACD on the CMS.

- Top Agents are agents for whom the skill is their highest-level skill. If agents have more than one skill at the highest level, then the first one administered is the top skill.
- The database items used for the Multi-ACD Top Agent report are stored in the csplit table.
- The standard report can only include information on six ACDs. This report must be customized with Report Designer to view information on eight ACDs.

### Multi-ACD Top Agent report input fields

The following table describes the input fields on real-time Multi-ACD Top Agent report input windows:

Name	Description
Skill (for First thr Eigth Skill)	Fill in the names or numbers of the First through Eigth Split/Skills for which you want to run the report. You can enter a split/skill name only if the name has been defined in Dictionary.
Refresh Every <#> Seconds	Enter the number of seconds from 3 to 600, to specify how rapidly CMS should update the report data. The default for the <b>Refresh Every &lt;#&gt; Seconds</b> field in this window is your assigned minimum refresh rate plus 15 seconds. To find out what your minimum refresh rate is, or to change it, check with your CMS administrator.
Enable Report Thresholds	Check the <b>Enable Report Thresholds</b> option to start the report with report thresholds running. Clear the option if you do not want to fun report thresholds.
Run Minimized	Check the <b>Run Minimized</b> option to run the report in a minimized window. Clear the option to run the report at full size.

### **Multi-ACD Top Agent report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Skill	The name or number of the splits/skills selected for this report.	syn(SPLIT)
ACD	The name or number of the ACD for which the data was collected.	syn(ACD)
Skill State	The current state of the skill, compared to the administered thresholds. This displays as Normal, Overload 1, Overload 2, Behind, or Autorsv on the report. Requires Avaya Business Advocate.	SKSTATE

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
Calls Waiting	The number of split or skill ACD calls waiting to be answered. This includes calls that are in queue and calls that are ringing at an agent voice terminal. It does not include direct agent calls.	INQUEUE+INRING
Oldest Call Waiting	The length of time (in seconds) that the oldest ACD call has waited in queue or ringing (at an agent voice terminal for each split/skill in the report) before being answered. This does not include direct agent calls.	OLDESTCALL
Avg Speed Ans	The average time that calls waited in queue and ringing before an agent answered. This does not include direct agent calls, but it does include outbound ACD calls placed by an adjunct (outbound predictive dialing).	ANSTIME/ACDCALLS <avg_answer_speed></avg_answer_speed>
ACD Calls	The ACD calls that were queued to the split/skill and answered by an agent in the split/skill. This does not include direct agent calls. It does include outbound ACD calls placed by an adjunct (outbound predictive dialing).	ACDCALLS
Avg ACD Time	The average talk time for all ACD calls to this split/skill. This does not include hold time or time on direct agent calls. It does include outbound ACD calls placed by an adjunct (outbound predictive dialing).	ACDTIME/ACDCALLS <avg_acd_talk_time></avg_acd_talk_time>
Aban Calls	The number of calls that are abandoned by the caller when calls are in queue or when calls are ringing for this split/skill. This includes calls with talk times less than the phantom abandoned call timer value, if it is set.	ABNCALLS
	Note:	
	When a call is queued to multiple splits/ skills and abandons from the queue, only the primary split/skill increments ABNCALLS. (Calls that are ringing at an agent's voice terminal and then abandoned count as abandons for the split/skill for which they were ringing.)	
Avg Aban Time	The average time a caller waited (in split/skill or VDN) before hanging up.	ABNTIME/ABNCALLS <avg_abandon_time></avg_abandon_time>
Top Agents Avail	The number of top agents that are logged into the skill who are available in the skill.	TAVAILABLE

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
Top Agents Ringing	The number of top agents that are logged into the skill who have ACD calls (including direct agent calls) ringing at their voice terminals.	TAGINRING
Top Agents on ACD Calls	The number of top agents connected to inbound and outbound ACD calls in each split/skill. This does not include direct agent calls.	TONACD
Top Agents in ACW	The number of top agents who are in the after call work state for each skill. This includes agents on ACWIN or ACWOUT calls and agents in ACW not associated with an ACD call.	TINACW
Top Agents in AUX	The number of top agents logged into the skill who are in the AUX work mode for all skills or are on AUXIN/AUXOUT calls. Does not apply to direct agents in ACW.	TINAUX
Top Agents in Other	The agent did one of the following activities while in the Auto-in or Manual-In state:	TOTHER
	The agent put any call on hold and performed no further action	
	The agent was on a direct agent call or in ACW for a direct agent call	
	The agent was dialing to place a call or to activate a feature	
	The agent had a personal call I ringing with no other activity	
	Agents are logged into multiple splits and doing work for a split other than this one (on an ACD call or in ACW). For the Avaya communication servers with EAS, agents are logged into multiple skills and doing work for a skill other than this one (on an ACD call or in call-related ACW). Agent positions show up as OTHER directly after the link to the communication server comes up and directly after the agents log in before the CMS is notified of the agent's work state.	
Top Agents Staffed	Current number of top agents that are staffed in the skill.	TSTAFFED
Flex Agents Staffed	Number of agents who are staffing the skill, but are neither top nor reserve agents. Requires Avaya Business Advocate.	FSTAFFED

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Reserve1 Agents Staffed	Number of agents staffing this skill as reserve1. Requires Avaya Business Advocate.	R1STAFFED
Reserve2 Agents Staffed	Number of agents staffing this skill as reserve2. Requires Avaya Business Advocate.	R2STAFFED

# **Queue/Agent reports**

The Queue/Agent reports give you the following specific information about Queues and Agents:

- The overall skill information along with information about agents for whom the requested skill is the top skill
- The overall split/skill information such as the number of calls waiting, oldest call waiting, and percent answered within service level
- A summary of the split's/skill's queue status

### What Queue/Agent reports contain

The Queue/Agent reports give you the following specific information about Queues and Agents:

- The overall skill information along with information about agents for whom the requested skill is the top skill
- The overall split/skill information such as the number of calls waiting, oldest call waiting, and percent answered within service level
- A summary of the split's/skill's queue status

# Queue/Agent report selector window and input fields

The queue/agent report selector window and its input fields are used to run the queue/agent reports described in this section.

The following table describes the input fields on real-time Queue/Agent report input windows:

Name	Description
Skill or Split/Skill	Enter the skill name or number that you want to view in this report. Any names that you want to appear on the report must have been previously defined and entered in the Dictionary subsystem.

Name	Description
Refresh Every <#> Seconds	Enter the number of seconds (3 to 600) to specify how often you want the report to refresh. The default for the <b>Refresh Every &lt;#&gt; Seconds</b> field in this window is your assigned minimum refresh rate plus 15 seconds. To find out what your minimum refresh rate is, or to change it, check with your CMS administrator.
Enable Report Thresholds	Check the <b>Enable Report Thresholds</b> option to start the report with report thresholds running. Clear the option if you do not want to run report thresholds.
Run Minimized	Check the <b>Run Minimized</b> option to run the report in a minimized window. Clear the option to run the report at full size.

## **Queue/Top Agent Status report**

This report displays overall skill information along with information about agents for whom the requested skill is the top skill. This report resembles the Queue/Agent Status report, but this report also displays the number of top agents staffed, available, ringing, on ACD calls, in ACW, in AUX, and in Other, plus the number of flex agents staffed. The number of calls answered and abandoned also appear on the report.

Here are some things you need to know about this report:

- This report is available only for communication servers with EAS.
- Top Agents are agents for whom the skill is their highest-level skill. If agents have more than one skill at the highest level, then the first one administered is the top skill.
- The database items used for the Queue/Top Status report are stored in csplit and cagent tables.
- This report uses the Queue report input window. Select a skill that you want to view on the report. See <u>Queue/Agent report selector window and input fields</u> on page 100 for more information.

### Queue/Top Agent Status report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Skill	Name or number of the skill selected for this report.	syn(SPLIT)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Skill State	The current state of the skill, compared to the administered thresholds. This displays as Normal, Overload 1, Overload 2, Behind, or Autorsv on the report. Requires Avaya Business Advocate.	SKSTATE
Calls Waiting	The number of split or skill ACD calls waiting to be answered. This includes calls that are in queue and calls that are ringing at an agent voice terminal. It does not include direct agent calls.	INQUEUE+INRING
Oldest Call Waiting	The length of time (in seconds) the oldest ACD call has waited in queue or ringing (at an agent voice terminal for each split/skill in the report) before being answered. This does not include direct agent calls.	OLDESTCALL
Direct Agent Calls Waiting	The current number of direct agent calls that are waiting in this skill's queue or ringing at agent positions.	DA_INQUEUE+DA_INRING
% Within Service Level	The percentage of skill ACD calls that were answered by an agent within the predetermined time.	100*(ACCEPTABLE/ CALLSOFFERED) <percent_serv_lvl_spl></percent_serv_lvl_spl>
Secs	Shows the current setting for the Acceptable Service Level, in seconds, as defined on the Call Center Administration Split/Skill Call Profile Setup window.	SERVICELEVEL
ACD Calls	The number of calls that were queued to the skill and answered by this agent in this skill (includes O_ACDCALLS).	ACDCALLS
Aban Calls	The number of calls that are abandoned by the caller when calls are in queue or when calls are ringing for this split/skill. This includes calls with talk times less than the phantom abandoned call timer value, if it is set.	ABNCALLS
Top Agents Staffed	The current number of top agents that are staffed in this skill.	TSTAFFED
Top Agents Avail	The current number of top agents logged into the skill and available in the skill to take calls.	TAVAILABLE
Top Agents Ringing	The number of top agents logged into the skill who have ACD calls (including direct agent calls) ringing at their voice terminals.	TAGINRING
Top Agents on ACD Calls	The total number of top agents connected to inbound and outbound ACD calls in each skill. This does not include direct agent calls.	TONACD

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Top Agents in ACW	The number of top agents who are in the after call work state for each skill. This includes agents on ACWIN/ACWOUT calls and agents in ACW not associated with an ACD call.	TINACW
Top Agents in AUX	The number of top agents logged into the skill who are in the AUX work mode for all skills or are on AUXIN/AUXOUT calls. Does not apply to direct agents in ACW.	TINAUX
Top Agents in Other	The current number of top agent positions that are doing other work.	TOTHER
	The agent did one of the following activities while in the Auto-in or Manual-In state:	
	The agent put any call on hold and performed no further action.	
	The agent is on a direct agent call or in ACW for a direct agent call.	
	The agent is dialing to place a call or to activate a feature.	
	The agent has a personal call ringing with no other activity.	
	For communication servers with EAS, agents are logged into multiple skills and doing work for a skill other than this one (on an ACD call or in call-related ACW). For communication servers without EAS, agents are logged into multiple splits and doing work for a split other than this one (on an ACD call or in call-related ACW). Agent positions show up as OTHER directly after the link to the communication server comes up and directly after the agents log in before the CMS is notified of the agent's work state.	
Flex Agents Staffed	Number of agents who are staffing the skill, but are neither top nor reserve agents. Requires Avaya Business Advocate.	FSTAFFED
Reserve1 Agents Staffed	Number of agents staffing this skill as reserve1. Requires Avaya Business Advocate.	R1STAFFED
Reserve2 Agents Staffed	Number of agents staffing this skill as reserve2. Requires Avaya Business Advocate.	R2STAFFED
Agent Name	The name (or agent IDs if the names have not been assigned in the Dictionary) of the agents assigned to this split/skill and logged in.	syn(LOGID)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Login ID	The login identification of the agent	LOGID
Extn	The extension that the agent logged in from.	EXTENSION
AUX Reason	The reason associated with the auxiliary work state of this agent (for example, lunch, break, meeting, or training). This field is blank if the agent is not in the AUX state.	AUXREASON
State	The current work mode (state) that the agent is in (AVAIL, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, UNSTAFF) and the call direction (blank, IN or OUT).	AWORKMODE and DIRECTION
Skill/Level	The skill and level associated with the split/skill or direct agent ACD call that the agent is on or the ACW session.	WORKSKILL/syn(WORKSKLEVEL)
	WORKSKILL is the OLDEST_LOGON:	
	When an agent is on an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold	
	When an agent is on an AUXIN call with an ACD call on hold	
	When an agent is on an AUXOUT call with an ACD call on hold, this is the split/skill associated with the ACD call.	
	When an agent is available, in AUX, or in OTHER, this is blank. The level is either a skill level (1-16) for a normal skill or a reserve level (R1 or R2) for a reserve skill. This WORKSKLEVEL applies to WORKSKILL.	
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME
VDN Name (Shows data only if you have purchased the Vectoring feature)	The number or name of the VDN for which the report shows data. The VDN is associated with the ACD call in progress.	VDN

## **Queue/Agent Status report**

This report is a combination of the Agent report and the Queue/Agent Summary report. It displays overall split/skill information such as the number of calls waiting, oldest call waiting, and percent answered within service level. It also shows the number of agents available, on ACD calls, staffed, with calls ringing, and on after call work. It also shows what each agent in the split/skill is currently doing.

Here are some things you need to know about this report:

- Direct agent calls waiting are displayed in this report because direct agent calls occupy split/ skill queue slots.
- The database items used for the Queue/Agent Status report are stored in csplit and cagent tables.
- This report uses the Queue report input window. Select a split/skill that you want to view on the report. See <u>Queue/Agent report selector window and input fields</u> on page 100 for more information.

## **Queue/Agent Status report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the split or skill selected for this report.	syn(SPLIT)
Skill State	Current state of this skill, compared to the administered thresholds. Requires Avaya Business Advocate.	syn(SKSTATE)
Calls Waiting	The total number of split or skill ACD calls waiting to be answered for each split/skill in the report. This includes calls that are in queue and are ringing at an agent's voice terminal. It also includes outbound ACD calls placed by an adjunct (also called outbound predictive dialing). It does not include direct agent calls.	INQUEUE+INRING
Oldest Call Waiting	The length of time (in seconds) the oldest call has waited in queue or ringing (at an agent voice terminal for each split/skill in the report) before being answered. This does not include direct agent calls.	OLDESTCALL
Direct Agent Calls Waiting	The current number of direct agent calls that are waiting in this split's/skill's queue or ringing at agent positions.	DA_INQUEUE+DA_INRING

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
% Within Service Level	The percentage of split/skill ACD calls that were answered by an agent within the predetermined time.	100*(ACCEPTABLE/ CALLSOFFERED) <percent_serv_lvl_spl></percent_serv_lvl_spl>
Secs	Shows the current setting for the Acceptable Service Level, in seconds, as defined on the Call Center Administration Split/Skill Call Profile Setup.	SERVICELEVEL
ACD Calls	The number of calls that were queued to this split/skill and answered by an agent in this split/skill (includes O_ACDCALLS).	ACDCALLS
Aban Calls	The number of calls that are abandoned by the caller when calls are in queue or when calls are ringing for this split/skill. This includes calls with talk times less than the phantom abandoned call timer value, if it is set.	ABNCALLS
	* Note:	
	When a call is queued to multiple splits/ skills and abandons from the queue, only the primary split/skill increments ABNCALLS. (Calls that are ringing at an agent's voice terminal and then abandon count as abandons for the split/skill for which they were ringing.)	
Agents Staffed	The total number of agents logged into each split/skill.	STAFFED
Agents Avail	The current number of agents that are available to receive ACD calls in each split/skill.	AVAILABLE
Agents Ringing	The current number of agents that are available and have ACD calls (including direct agent calls) ringing at their voice terminal, but have not yet answered. If the agent places a call or answers an extension call, the agent is shown in the AUX work state, rather than in the ringing state.	AGINRING
Agents on ACD Calls	The total number of agents that are connected to inbound and outbound ACD calls in each split/skill. This does not include direct agent calls.	ONACD

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
Agents in ACW	The number of agents that are in the after call work mode for each split/skill. This includes agents on ACWIN/ACWOUT calls and agents in ACW not associated with an ACD call.	INACW
Agents in AUX	The current number of agents who are in the AUX work mode for all splits/skills, including agents who are handling AUXIN/AUXOUT calls.	INAUX
Agents in Other	The current number of agent positions that are doing other work. The agent did one of the following activities while in the Auto-in or Manual-In state. The agent put any call on hold and performed no further action. The agent is on a direct agent call or in ACW for a direct agent call. The agent is dialing to place a call or to activate a feature. The agent has a ringing personal call with no other activity. Agents are logged into multiple splits and doing work for a split other than this one.	OTHER
Agent Name	The names of the agents assigned to this split/skill and logged in (or their login IDs if names have not been assigned to them in Dictionary).	syn(LOGID)
Login ID	The login identification of the agent.	LOGID
Extn	The extension that the agent logged in from	EXTENSION
Role	The Agent's service role for this SPLIT, as defined in the Dictionary. Requires Avaya Business Advocate.	syn(ROLE)
Percent	The Agent's percent allocation for this SPLIT. Requires Avaya Business Advocate.	PERCENT
AUX Reason	The reason associated with the auxiliary work state of this agent (for example, lunch, break, meeting, or training). This field is blank if the agent is not in the AUX state.	AUXREASON
State	The current work mode (state) that the agent is in (AVAIL, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, UNSTAFF) and the call direction (blank, IN or OUT).	syn(WORKMODE) and syn(DIRECTION)

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Split/Skill	The skill and level associated with the split/ skill or direct agent ACD call that the agent is on or the ACW session.	syn(WORKSKILL)
	WORKSKILL is the OLDEST_LOGON:	
	When an agent is on an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold	
	When an agent is on an AUXIN call with an ACD call on hold	
	When an agent is on an AUXOUT call with an ACD call on hold, this is the split/skill associated with the ACD call.	
	When an agent is available, in AUX, or in OTHER, this is blank. The level is either a skill level (1-16) for a normal skill or a reserve level (R1 or R2) for a reserve skill. This WORKSKLEVEL applies to WORKSKILL.	
Level	The skill level associated with the agent's current WORKSKILL, when WORKSKILL is not null. Requires a communication server with the EAS feature. For Avaya Business Advocate, in the cagent table, WORKSKLEVEL contains either a skill level (1-16) for a normal skill, or a reserve level (1 or 2) for a reserve skill. This WORKSKLEVEL applies to WORKSKILL.	syn(WORKSKLEVEL)
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME
VDN Name (Shows data only if you have purchased the Vectoring feature)	The number or name of the VDN for which the report shows data. The VDN is associated with the ACD call in progress.	VDN

# **Queue/Agent Summary report**

This report summarizes the split's/skill's queue status (for example, how many calls are waiting in queue). It also summarizes the status of all agents (for example, how many agents are currently staffed or in after call work for the split or skill).

Here are some things you need to know about this report:

- Direct agent calls waiting are displayed in this report because direct agent calls occupy split/ skill queue slots.
- The database items used for the Queue/Agent Summary report are stored in the csplit and cagent tables.
- This report uses the Queue report input window. Select a split/skill that you want to view on the report. See <u>Queue/Agent report selector window and input fields</u> on page 100 for more information.

### **Queue/Agent Summary report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the splits/skills selected for this report.	syn(SPLIT)
Skill State	The current state of the skill, compared to the administered thresholds. This displays as Normal, Overload 1, Overload 2, Behind, or Autorsv on the report. Requires Avaya Business Advocate.	SKSTATE
Calls Waiting	The number of split or skill ACD calls waiting to be answered. This includes calls that are in queue and calls that are ringing at an agent voice terminal. It does not include direct agent calls.	INQUEUE+INRING
Oldest Call Waiting	The length of time (in seconds) the oldest call has waited in queue or ringing (at an agent voice terminal for each split/skill in the report) before being answered. This does not include direct agent calls.	OLDESTCALL
Direct Agent Calls Waiting	The current number of direct agent calls that are waiting in this split's/skill's queue or ringing at agent positions.	DA_INQUEUE+DA_INRING
% Within Service Level	The percentage of split/skill ACD calls that were answered by an agent within the predetermined time.	100*(ACCEPTABLE/ CALLSOFFERED) <percent_serv_lvl_spl></percent_serv_lvl_spl>

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Secs.	The size of each service level increment is measured in seconds. Each increment of seconds represents a progressively longer wait time segment during which calls may be answered or abandoned, and each increment can be a different length. These increments are defined in the Call Center Administration - Split/Skill Call Profile Setup window or VDN Call Profile Setup window.	PERIOD1-9
Agents Staffed	The total number of agents that are logged into each split/skill.	STAFFED
Agents Avail	The current number of agents that are available to receive ACD calls in this split/skill.	AVAILABLE
Agents Ringing	The current number of agents that are available and have ACD calls (including direct agent calls) ringing at their voice terminal but have not yet answered. If the agent places a call or answers an extension call, the agent is shown in the AUX work state, rather than in the ringing state.	AGINRING
Agents on ACD Calls	The total number of agents that are connected to inbound and outbound ACD calls in each split/skill. This does not include direct agent calls.	ONACD
Agents in ACW	The number of agents who are in the after call work mode for each split/skill. This includes agents on ACW-IN/ACW-OUT calls and agents in ACW not associated with an ACD call.	INACW

# Split/Skill reports

From the Real-Time Split/Skill menu you can select Split Status (non- EAS) or Skill Status (EAS), Split/Skill report, or Call Profile. Additionally, if you have the EAS feature, you can select Top Agent Status, Top Agent report, and Skill AUX report.

The Split Status report or Skill Status report shows the status of one split or one skill. If you have the EAS feature, your system displays the Skill Status report. If you do not have the EAS feature, your system displays the Split Status report.

## Split/Skill report selector window and input fields

The split/skill report selector window and the split/skill report input window are used to run the split/skill reports described in this section.

#### Split/skill report input fields

The reports in this section use the Split/Skill reports input window. The following table describes the input fields on real-time Split/Skill report input windows. Not all reports use all fields; refer to information for the specific report you are running to determine what you want to view. For example, you may enter a skill or split/skill to run the report.

All possible fields on this window are described here:

Name	Description
Skill, Split, Split/Skill, or Splits/Skills	Fill in the Skill (or split) input name or number for which you want to run the report. You can enter a split/skill name only if the name has been defined in Dictionary.
Multi-Location ID	Select a location ID for which to run the report. The location ID is an ID number assigned to a communication server port network location and the equipment assigned to that port location.
Refresh Every <#> Seconds	Enter the number of seconds (3 to 600) to specify how rapidly CMS should update the report data. The default for the <b>Refresh Every &lt;#&gt; Seconds</b> field in this window is your assigned minimum refresh rate plus 15 seconds. To find out what your minimum refresh rate is, or to change it, check with your CMS administrator.
Enable Report Thresholds	Check the <b>Enable Report Thresholds</b> option to start the report with report thresholds running. Clear the option if you do not want to run report thresholds.
Run Minimized	Check the <b>Run Minimized</b> option to run the report in a minimized window. Clear the option to run the report at full size.

## Split/Skill Actual Relative to Target report

The Actual Relative to Target real-time report displays how splits or skills are meeting service level targets, both in real-time and within the current interval.

The following items describe specific information about this report:

- The graph on the left side of the report window displays how splits or skills are meeting service level targets within the current interval. Through out this view, you can determine if staffing or the service level target is appropriate for the specified service level.
- The right side of the report displays a bar graph that represents how splits and skills are currently meeting target service levels. This graph refreshes based on a time interval that you specify prior to running the report.
- Positive values indicate that the split or skill is exceeding the target service level while
  negative values indicate that it is not meeting the target service level. A value of zero
  indicates that either the split or skill is meeting the target service level or there is no call traffic
  offered to the split or skill.

### Split/Skill Actual Relative to Target report description

Name	Description
Percent of target	Percentage of service level targets being met by splits or skills within the current interval. Positive values indicate that the split or skill is exceeding the target service level while negative values indicate that it is not meeting the target service level. A value of zero indicates that either the split or skill is meeting the target service level or there is no call traffic offered to the split or skill.

## Split/Skill Agent Status by Location report

This report shows the agent status on a selected skill, by location ID. This report supports the agent site tracking feature, and this feature must be enabled to view meaningful data on the report

Here are some things you need to know about this report:

- This report shows information for agents in this skill by their terminal location ID.
- This report includes information on agent roles, skill state, agent extensions, location IDs, and skill level or percent allocation per agent.
- You must have a communication server with the EAS feature.
- The database items used for the Split/Skill Top Agent Status report are stored in the cagent tables.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report and a location ID to sort by. See <u>Split/skill report input fields</u> on page 111 for more information.

### Split/Skill Agent Status by Location report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the split/skill that is selected for this report. You can make these selections in the report input window.	syn(SPLIT)
Location ID	The location IDs associated with the agent. This ID is not associated with the agent personally, but rather with the terminal the agent is logged into. It is also associated with a port network location ID on a communication server. If the Agent Site Tracking feature is not available on your system, the field will not display meaningful data.	LOC_ID

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Agents in ACW	The total number of agents currently in ACW for this skill.	select count(*) where split = \$input and LOC_ID = \$input and WORKMODE = ACW
Agents on ACD Calls	The total agents currently on ACD calls in this skill.	select count(*) where split = \$input and LOC_ID = \$input and WORKMODE = ACD
Agents in AUX	The total agents currently in AUX work in this skill.	select count(*) where split = \$input and LOC_ID = \$input and WORKMODE = AUX
Agents in Other	The total number of agents doing other work in this skill.  For all communication servers, Other time is accumulated when:  • An agent first logs into the communication server. CMS tracks the agent time as Other time until the communication server notifies CMS of the agent's state.  • The link between CMS and the communication server becomes operational. The communication server notifies CMS of all agents who are logged in. CMS assumes these agents are in the Other state until the communication server sends it notification of each agent's current state.  • Other time is accumulated when agents in Auto-In or Manual-In  • Put any call on hold while not doing any other activity  • Dialed to place a call or to activate a feature  • Had a personal call ringing with no other activity  • Were available for other, multiple call handling skills, but not for this skill	select count(*) where split = \$input and LOC_ID = \$input and WORKMODE = OTHER
	Were logged into multiple splits/skills and were doing work for a split/skill other than this split/skill (on an ACD call or in call- related ACW)	
Agents Staffed	The total number of agents currently staffed for this skill.	select count(*) where split = \$input and LOC_ID = \$input

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
Agents Avail	The total number of agents currently available in this split/skill	select count(*) where split = \$input and LOC_ID = \$input and WORKMODE = AVAIL
Agents Ringing	The total number of agents in this skill with calls currently ringing.	select count(*) where split = \$input and LOC_ID = \$input and WORKMODE = RING
Agent Name	The names or login IDs of the agents that logged into the split/skill selected in the report input window.	syn(LOGID)
Login ID	The login ID of the agent.	LOGID
Extn	The agent's terminal extension number.	EXTENSION
Role	The Agent's service role for this SKILL, based on call handling preference and skill level.	ROLE
Percent	The Agent's percent allocation for this SPLIT.	PERCENT
AUX Reason	The reason the agent is in AUX on this skill.	AUXREASON
State	The agent's state on this skill; for example, in AUX, in ACW, in OTHER.	AWORKMODE, WORKSKILL
Direction	The agent's direction on this skill, IN or OUT.	DIRECTION
Level	The agent's skill level on this skill, 1-16, r1 or r2.	WORKSKLEVEL
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME

# Split/Skill Call Profile report

This report shows the wait times of incoming calls that are answered and abandoned in a split or skill during the current interval.

- Calls are displayed in ten columns, with each column representing a progressively longer wait time (increment).
- The database items used for the Split/Skill Call Profile report are stored in the csplit table.
- You must have administered service level and wait time increments for this report to be meaningful.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 110 for more information.

## Split/Skill Call Profile report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <calculation name=""></calculation>
Split/Skill	The name or number of the split/skill selected for this report.	syn(SPLIT)
% Within Service Level	The percentage of split/skill ACD calls that were answered by an agent within the predefined time. Calls offered to the split/skill include calls that were abandoned and calls that were not answered, but do not include direct agent calls. Calls that were not answered may include forced busy calls, forced disconnect calls, calls redirected to another destination, and calls queued to more than one split/skill and answered in another split/skill.	100*(ACCEPTABLE/ CALLSOFFERED) <percent_serv_lvl_spl></percent_serv_lvl_spl>
Seconds	The size of each increment is measured in seconds. Each increment of seconds represents a progressively longer wait time segment during which calls may be answered or abandoned, and each increment can be a different length. These increments are defined in the Call Center Administration Split/Skill Call Profile Setup window.	PERIOD1-9
ACD Calls	This is the number of calls that were sent to the split/skill that were answered by an agent within each increment. This includes outbound ACD calls placed by an adjunct (also called outbound predictive dialing). It does not include direct agent calls.	ACDCALLS1-10
Aban Calls	The number of calls to the split/skill that were abandoned within each increment. If calls are queued to multiple splits/skills, only the first split/skill queued to records an abandon. This includes outbound ACD calls placed by an adjunct (also called outbound predictive dialing). It does not include direct agent calls.	ABNCALLS
(Total) ACD Calls	The total number of ACD calls that were sent to the split/skill that were answered by an agent in the split/skill. This includes outbound ACD calls placed by an adjunct (also called outbound predictive dialing). It does not include direct agent calls.	ACDCALLS

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Avg Speed Ans	The average time calls waited in queue and ringing before an agent answered. This does not include direct agent calls, but it does include outbound ACD calls placed by an adjunct (also called outbound predictive dialing).	ANSTIME/ ACDCALLS <avg_answer_speed></avg_answer_speed>
% Ans Calls	The percentage of calls queued to the split/skill that were answered by an agent. Calls to the split/skill include abandoned calls and calls not answered. Calls not answered may include forced busy calls, forced disconnect calls, calls redirected to another destination, and calls queued to more than one split/skill and answered in another split/skill. It does not include direct agent calls.	100*(ACDCALLS/ CALLSOFFERED) <percent_call_ans></percent_call_ans>
(Total) Aban Calls	The total number of calls queued for each split/skill that abandoned before an agent answered. This includes calls that abandon from ringing at a voice terminal. Direct agent calls are not included. This includes outbound calls where the far end abandoned as well.	ABNCALLS
Avg Aban Time	The average time calls waited in split/skill before hanging up.	ABNTIME/ABNCALLS <avg_abandon_time></avg_abandon_time>
% Aban Calls	The percentage of queued calls to the split/skill that were abandoned before being answered by an agent. Calls to the split/skill include outbound ACD calls placed by an adjunct (outbound predictive dialing). It does not include direct agent calls.	100*(ABNCALLS/CALLSOFFERED) <percent_call_aban></percent_call_aban>

## **Real-time Graphical Active Agents report**

This report, which is available only for customers who have communication servers with EAS and have purchased Avaya Business Advocate, displays how many agents of different types are active for a selected skill.

If Avaya Business Advocate is not activated, the fields of the report that pertain to Avaya Business Advocate will not be populated.

- You can access this report from the Real-Time Split/Skill Category selector menu.
- Call center supervisors can use this report to see the number of Top, Flex, Reserve1, and Reserve2 agents staffed. The supervisor will also be able to see the number of each of those categories of agents who are active for the skill.
- This report consists of two charts, as well as individual data items and field labels.

- This report has a two-dimensional bar chart.
- The chart contains the following information:
  - The title of the chart is Top Agents Active, and is centered above the bar chart.
  - The x-axis contains the labels, This Skill and Other Skills, while the y-axis shows the number of agents.
- This report has a three-dimensional pie chart,
- The pie chart contains the following information for the number of agents active for the specified skill:
  - The title of the chart is Active Agents for xxx, where xxx is the specified skill, and is centered above the pie chart.
  - The pie chart's legend will be displayed by default, and shows Top, Flex, Reserve1, and Reserve2 agents.
  - The number of agents for each category are displayed.
- The database items used in the Graphical Active Agents report are stored in the csplit table.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 110 for more information.

#### **Graphical Active Agents report description**

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the split/skill selected for this report.	syn(SPLIT)
Top Agents Staffed	The current number of top agents that are staffed in SPLIT. Available with communication servers with the EAS feature. However, top database items are significant only for communication servers with EAS. TSTAFFED = TAVAILABLE + TAGINRING	TSTAFFED
Flex Agents Staffed	The number of agents who are staffing the skill, but are neither top nor reserve agents. This field will contain backup agents if the Avaya Business Advocate feature is not used, because the database item consists of agents whose roll in the skill is backup (regardless of the administration of Avaya Business Advocate), allocation, or roving.	FSTAFFED

Report heading	Description	Database item, calculation, or <calculation name=""></calculation>
Skill State	The current state of the skill, compared to the administered thresholds.	syn(SKSTATE)
Reserve1 Agents Staffed	The number of agents staffing this skill as reserve1.	R1STAFFED
Reserve2 Agents Staffed	The number of agents staffing this skill as reserve2.	R2STAFFED
-Top Agents Active chart-This Skill	The number of top agents logged into the skill, who are on inbound and outbound ACD calls, plus the number of top agents who are in ACW for ACD calls, plus the number of top agents who have ACD calls ringing and are not doing anything else.	TONACD + TINACW + TAGINRING
-Top Agents Active chart- Other Skills	The number of top agents that are doing other work. Agents are logged into multiple splits/ skills other than this one (on an ACD call or in ACW, or ACD calls ringing). While in Auto-in or Manual-in mode, the agent put any call on hold and has performed no further action; the agent is on a direct call or in ACW for a direct agent call; the agent is dialing to place a call or to activate a feature; an extension call or a direct agent ACD call is ringing with no other activity. Agents are available for other, multiple call handling skills. Agent POSITIONS will show up in TOTHER directly after the link to the communication server comes up and directly after the agents log in before the CMS is notified of the agent's work state. Available with communication servers with the EAS feature.TOTHER includes TDA_INACW and TDA_ONACD.	TOTHER
-Agents Active chart-Top Agents	The number of top agents logged into the skill, who are on inbound and outbound ACD, plus the number of top agents who are in ACW for ACD calls, plus the number of top agents who have ACD calls ringing and are not doing anything else.	TONACD + TINACW + TAGINRING
-Agents Active chart-Flex Agents	The number of flex agents on ACD calls, plus the number of flex agents in ACW, plus the number of flex agents with this skill that have an ACD call ringing.	FONACD + FINACW + FAGINRING

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
-Agents Active chart-Reserve1 Agents	The number of reserve1 agents on ACD calls, plus the number of reserve1 agents in ACW, plus the number of reserve1 agents with this skill that have an ACD call ringing.	R10NACD + R1INACW + R1AGINRING
-Agents Active chart-Reserve2 Agents	The number of reserve2 agents on ACD calls, plus the number of reserve2 agents in ACW, plus the number of reserve2 agents with this skill that have an ACD call ringing.	R2ONACD + R2INACW + R2AGINRING

## **Real-time Graphical Allocated Agents report**

This report, which is available only for customers who have communication servers with Expert Agent Selection (EAS) and have purchased Avaya Business Advocate, displays the number of active and staffed percent allocation agents who are staffing a selected skill.

If Avaya Business Advocate is not activated, the fields of the report that pertain to Avaya Business Advocate will not be populated.

Here are some things you need to know about this report:

- You can access this report from the Real-Time Split/Skill Category selector menu.
- The Graphical Allocated Agents report will show the total number of active agents and fulltime equivalent agents, for a selected skill. This report will also show the number of Standard, Reserve1, and Reserve2 agents staffed and the number of each of those categories of agents who are active for the skill.
- The call center manager or supervisor can use this report to determine how many agents are active from each agent pool and compare that to the number of total staffed agents.
- The charts contain the following information:
  - The chart on the left side of the report displays the agents active for the specified skill, and has a bar for the number of standard agents active, a bar for the number of reserve1 agents active and a bar for the number of reserve 2 agents active.
  - The chart on the right side of the report displays staffed agents and has a bar each for the number of standard agents staffed, number of reserve1 agents staffed, and number of reserve2 agents staffed.
- The database items used in the report are stored in the csplit table.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 110 for more information.

#### **Graphical Allocated Agents report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <calculation name=""></calculation>
Skill	The name or number of the split/skill selected for this report.	syn(SPLIT)
Skill State	The current state of the skill, compared to the administered thresholds.	syn(SKSTATE)
Total Agents Active	The current number of POSITIONS that are on inbound and outbound ACD calls; plus the current number of POSITIONS that are in after call work (ACW), including agents on ACWIN/ACWOUT calls as well as agents in ACW not associated with an ACD call; plus the current number of POSITIONS at which skill or direct agent calls are ringing.	ONACD + INACW + AGRING
Full Time Equivalent Agents Staffed	Avaya Business Advocate full-time equivalent number of agents staffed for this skill. Full Time Equivalent Agents Staffed = TOT_PERCENTS / 100.	FTE_AGENTS
Standard Agents (active)	The current number of POSITIONS that are on inbound and outbound ACD calls; plus the current number of POSITIONS that are in ACW, including agents on ACWIN/ACWOUT calls as well as agents in ACW not associated with an ACD call. This also includes the current number of POSITIONS at which skill or direct agent calls are ringing, minus the reserve1 agents (active); or the number of reserve1 agents in ACW, plus the number of reserve1 agents with this skill that have an ACD call ringing. This field is minus the reserve2 agents (active); or the number of reserve2 agents in ACW, plus the number of reserve2 agents in ACW, plus the number of reserve2 agents with this skill that have an ACD call ringing.	(ONACD + INACW + AGINRING) - (R1ONACD + R1INACW + R1AGINRING) - (R2ONACD + R2INACW + R2AGINRING)
Standard Agents (staffed)	The current number of POSITIONS that are staffed (logged in), minus the number of agents staffing this skill as reserve1, minus the number of agents staffing this skill as reserve2.	STAFFED - R1STAFFED - R2STAFFED
Reserve1 Agents (active)	The number of reserve1 agents on ACD calls, plus the number of reserve1 agents in ACW, plus the number of reserve1 agents with this skill that have an ACD call ringing.	(R10NACD + R1INACW + R1AGINRING)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Reserve1 Agents Staffed	The number of agents staffing this skill as reserve1.	R1STAFFED
Reserve2 Agents (active)	The number of reserve2 agents on ACD calls, plus the number of reserve2 agents in ACW, plus the number of reserve2 agents with this skill that have an ACD call ringing.	(R2ONACD + R2INACW + R2AGINRING)
Reserve2 Agents Staffed	The number of agents staffing this skill as reserve2.	R2STAFFED

## Split/Skill Graphical AUX Agents report

This report shows all agents with this skill who are in AUX, the reason, and the time in AUX.

You can access this report in the following ways:

- From the Real-Time Split/Skill Category selector menu.
- By drilling down from the AUX work state fields on other reports to this report. Certain communication server or EAS configurations drill down to the Work State report.

#### **Report formats**

This report shows the following two-dimensional pie chart information for the number of agents in AUX for each reason code for that skill:

- The pie chart's legend shows the synonym for each reason code and its corresponding color of the pie.
- The legend is sorted in ascending order by the reason code number, with the customerdefined synonym for reason code 0 at the bottom.
- The number of agents are shown inside each slice of the pie.

This report includes the following table information:

- A row for each agent currently in the AUX work state for that skill.
- The agent's name, login ID, reason code, and the time in AUX since the agent entered AUX for that reason code.
- You can specify how you want to sort the agent's name, login ID, reason code, and time.
- You can use the scroll bar to see additional agents who are in the AUX state.
- Call center supervisors can use this report to see which staffed agents are unavailable to
  take calls, and for what reason. The supervisor can also see how long each agent has been
  unavailable for each of the reason codes. This will help show the supervisor who can be
  pulled to answer calls if call volumes increase, and will also help to identify agents who are
  taking too long for breaks, lunch, etc.
- From this report, you can drill-down to the Agent Information report from the Agent Name field.

- The chart type can be changed. See <u>Using reports</u> on page 19 for more information.
- The database items used for the Split/Skill Graphical AUX Agents report are stored in the csplit and cagent tables.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See Split/skill report input fields on page 111 for more information.

This report shows the following two-dimensional pie chart information for the number of agents in AUX for each reason code for that skill:

- The pie chart's legend shows the synonym for each reason code and its corresponding color of the pie.
- The legend is sorted in ascending order by the reason code, with the customer-defined synonym for reason code 0 at the bottom.
- The number of agents are shown inside each slice of the pie.

### Split/Skill Graphical AUX Agents report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Skill	The name or number of the skill (up to 20 characters) that is selected for this report.	syn(SPLIT)
Agents in AUX	The current number of agent positions that are in AUX mode for this skill or on AUX-IN/AUX-OUT calls.	INAUX
Reason Code 0	The current number of positions that are in auxiliary work with reason code zero (0) for this skill or on AUXIN/AUXOUT calls. Reason code 0 is for system AUX work when reason codes are active.	INAUX0
Reason Code 1-9	The current number of positions that are in auxiliary work with each of the reason codes 1-9 for this skill or on AUXIN/AUXOUT calls.	INAUX1-9
Reason Code 10-99	The current number of positions that are in auxiliary work with each of the reason codes 10-99 for this skill or on AUXIN/AUXOUT calls	INAUX_REMAINING
Agent Name	The names (or agent IDs if the names have not been assigned in Dictionary) of the agents assigned to this split/skill and logged in.	syn(LOGID)
Login ID	The login identification of the agent.	LOGID

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Location ID	The location IDs associated with the agent. This ID is not associated with the agent personally, but rather with the terminal the agent is logged into. It is also associated with a port network location ID on a communication server. If the Agent Site Tracking feature is not available on your system, the field will not display meaningful data. This field is available only when you drill down from a custom report that has Location ID as	LOC_ID
	an input.	
AUX Reason	For the communication server, this is the reason associated with the auxiliary work state (on a break, in a meeting, and so on) of this agent. This field is blank if the agent is not in the AUX work state.	syn(AUXREASON)
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME

## Split/Skill Graphical AUX Top Agents report

This report shows top agents with this skill who are in AUX, the reason, and the time in AUX.

- Call center supervisors can use this report to see which top agents are unavailable to take
  calls, and for what reason. The supervisor will also be able to see how long each top agent
  has been unavailable for each of the reason codes. This will help the supervisor figure out
  who could be pulled in to answer calls if call volumes increase, and will also help to identify
  top agents who are taking too long for breaks, lunch, etc.
- Top agents are agents for whom this measured skill is their highest priority. The skill level 1 is the highest priority and 16 is the lowest.
- The chart type can be changed. See <u>Using reports</u> on page 19 for more information.
- The database items used for the Split/Skill Graphical AUX Top Agents report are stored in the csplit and cagent tables.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See <u>Split/skill report input fields</u> on page 111 for more information.

You can access this report in the following ways:

- From the Real-Time Split/Skill Category selector menu
- By drilling down from the AUX or Top Agent AUX (csplit.TINAUX) work states on other top agent reports to this top agent report. This occurs only with a communication server with EAS; otherwise, you drill down to the Work State report.

This report includes the following table information:

- A row for each top agent that is currently in the AUX work state for that skill.
- The top agent's name, login ID, reason code, and the time in AUX since the agent entered AUX for that reason code.
- You can specify how you want to sort the agent's name, login ID, reason code, and time.
- You can use the scroll bar to see additional top agents that are in the AUX state.

This report shows the following 2-D pie chart information for the number of agents in AUX for each reason code for that skill:

- The pie chart's legend shows the synonym for each reason code and its corresponding color of the pie.
- The number of agents are shown inside each slice of the pie.
- The legend is sorted in ascending order by reason code number, with the customer-defined synonym for reason code 0 at the bottom.

### Split/Skill Graphical AUX Top Agents report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Skill	The name or number of the skill (up to 20 characters) that is selected for this report.	syn(SPLIT)
Top Agents in AUX	The number of top agents logged into the skill who are in the AUX work mode. This includes agents on AUXIN/AUXOUT calls.	INAUX
Reason Code 0	The current number of positions that are in auxiliary work with reason code zero (0) for this skill or on AUXIN/AUXOUT calls. Reason code 0 is for system AUX work when reason codes are active.	NAUX0
Reason Code 1-9	The current number of positions that are in auxiliary work with each of the reason codes 1-9 for this skill or on AUXIN/AUXOUT calls.	INAUX1-9

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Reason Code 10-99	The current number of positions that are in auxiliary work with each of the reason codes 10-99 for this skill or on AUXIN/AUXOUT calls.	INAUX_REMAINING
Agent Name	The names (or agent IDs if the names have not been assigned in Dictionary) of the agents assigned to this skill and logged in.	syn(LOGID)
Login ID	The login identification of the agent. LOGID	
Location ID	The location IDs associated with the agent. This ID is not associated with the agent personally, but rather with the terminal the agent is logged into. It is also associated with a port network location ID on a communication server. If the Agent Site Tracking feature is not available on your system, the field will not display meaningful data.	LOC_ID
	This field is available only when you drill down from a custom report that has Location ID as an input.	
AUX Reason	For the communication server, this is the reason code associated with the auxiliary work state (on a break, in a meeting, and so on) of this agent. This field is blank if the agent is not in the AUX state.	syn(AUXREASON)
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME

## Split/Skill Graphical Call Profile report

This report shows how well the split or skill you specify is performing compared to your call center's predefined acceptable service level.

- You can access this report from the Real-Time Split/Skill Category selector menu.
- The split/skill selected for the report and the predefined acceptable service level are displayed above the top graph. Legends appear to the right of each chart.
- On the bottom graph, the horizontal axis represents the service interval in seconds, and the vertical axis represents the number of ACD calls answered/abandoned within the acceptable service level.

- The number displayed for each service interval is the upper limit of the interval. For example, if the first two intervals are 3 and 5, the first data point on the graph indicates the number of calls answered/ abandoned within 0-3 seconds, and the second data point indicates the number of calls answered/abandoned within 4-5 seconds.
- The chart type can be changed. See <u>Using reports</u> on page 19 for more information.
- The database items used for this report are stored in the csplit table.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See Split/skill report input fields on page 111 for more information.

#### This report has two charts:

- The top chart, a three-dimensional pie chart, shows the percentage of ACD calls answered within the predefined Acceptable Service Level and the percentage of ACD calls answered outside this level.
- The bottom chart, a stacked area graph, shows the number of ACD calls answered and abandoned within each service interval.

### Split/Skill Graphical Call Profile report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<="">&gt;</calculation></a>
Split/Skill	The name or number of the split/skill selected for this report.	syn(SPLIT)
Secs	The size of each increment is measured in seconds. Each increment of seconds represents a progressively longer wait time segment during which calls may be answered or abandoned, and each increment can be a different length. These increments are defined in the Call Center Administration Split/Skill Call Profile Setup window.	PERIOD1-9

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
% Within Service Level	The percentage of split/skill ACD calls that were answered by an agent within the predefined service level. Calls offered to the split/skill include calls that were abandoned and calls that were not answered, but do not include direct agent calls. Calls that were not answered may include forced busy calls, forced disconnect calls, calls redirected to another destination, and calls queued to more than one split/skill and answered in another split/skill.	100*(ACCEPTABLE/CALLS- OFFERED) <percent_serv_lvl_spl></percent_serv_lvl_spl>
	For the call vectoring feature, calls that were not answered may include:	
	Forced Busy calls	
	Forced disconnect calls	
	Calls redirected to another destination	
	Calls queued to more than one split/skill and answered in another split/skill	
% Outside Service Level	Percentage of split/skill ACD calls that were not answered by an agent within the predefined acceptable service level. Calls to the split/skill include abandoned calls, calls not answered, and outbound ACD calls placed by an adjunct (for example, Outbound predictive dialing). Calls that were not answered may include forced busy calls, forced disconnect calls, calls redirected to another destination, and calls queued to more than one split and answered in another split/skill. Percent Within Service Level does not include direct agent calls.	< <100-PERCENT_SERV_ LVL_SPL>
Aban Calls	The number of calls to the split/skill that were abandoned within each increment. If calls are queued to multiple splits/skills, only the first split/skill queued to records an abandon. This includes outbound ACD calls placed by an adjunct (also called outbound predictive dialing). It does not include direct agent calls.	ABNCALLS1-10
ACD Calls	This is the number of calls that were sent to the split/skill that were answered by an agent within each increment. This includes outbound ACD calls placed by an adjunct (also called outbound predictive dialing). It does not include direct agent calls.	ACDCALLS1

## Split/Skill Graphical EWT report

This report shows the current Expected Wait Time (EWT) for one or more of the splits or skills you specify.

Here are some things you need to know about this report:

- This report is available only if you have a later version communication server with the EWT option.
- You can access this report from the Real-Time Split/Skill Category selector menu.
- The vertical axis of the chart is labeled with the names or numbers of the splits or skills selected for the report.
- A legend appears to the right of the chart.
- The database items used for the report are stored in the csplit table.
- The chart type can be changed. For more information, see <u>Using reports</u> on page 19.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See <a href="Split/skill report input fields">Split/skill report input fields</a> on page 111 for more information.

#### Split/Skill Graphical EWT report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Skill	The name or number of the skill that is selected for this report.	syn(SPLIT)
Тор	This heading contains EWT for the split/skill at top priority. EWT is the wait time for the call when it is queued to the split/skill at the top priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If CMS is connected to an early communication server version or if vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank. Exception thresholds for EWT can be set from the Exceptions command.	EWTTOP

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
High	This heading contains EWT for the split/skill at high priority. EWT is the wait time for the call when it is queued to the split/skill at high priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If CMS is connected to an early communication server version or if vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank. Exception thresholds for EWT can be set from the Exceptions command.	EWTHIGH
Medium	This heading contains EWT for the split/skill at medium priority. EWT is the wait time for the call when it is queued to the split/skill at medium priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If CMS is connected to an early communication server version or if vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank. Exception thresholds for EWT can be set from the Exceptions command.	EWTMEDIUM
Low	This heading contains EWT for the split/skill at low priority. EWT is the wait time for the call when it is queued to the split/skill at low priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If CMS is connected to an early communication server version or if vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank. Exception thresholds for EWT can be set from the Exceptions command.	EWTLOW

## Split/Skill Graphical Queue report

This report shows the number of calls waiting in queue, the amount of time that the oldest call has waited in queue, and trending for one or more splits/skills.

- You can access this report from the Real-Time Split/Skill Category selector menu.
- You can use this report to view trends of calls waiting for several splits/skills.
- The chart type can be changed. See <u>Using reports</u> on page 19 for more information.
- This report has four graphs. The two graphs on the left side of the report show the number of Calls Waiting (upper left quadrant) and the Oldest Call Waiting (lower left quadrant). The two

graphs on the right side of the report show the trends for the last ten refresh intervals for the same data items. The legend shows which line corresponds to which split/skill.

- Each bar graph has a horizontal bar, on the left quadrant of the report, for each split/skill selected for the report. Each graph's x-axis dynamically scales to the largest value of the items being reported. The x-axis of the Calls Waiting bar graph displays the number of calls (No. Calls) waiting in the split/skill queue. The x-axis of the Oldest Call Waiting bar graph displays the number of seconds the oldest call in the split/skill queue has waited.
- The database items used for this report are stored in the csplit table.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See <a href="Split/skill report input fields">Split/skill report input fields</a> on page 111 for more information.

### Split/Skill Graphical Queue report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the splits/skills selected for this report.	syn(SPLIT)
Skill State	The current state of the skill, compared to the administered thresholds.	SKSTATE
Calls Waiting	The number of split or skill ACD calls waiting to be answered. This includes calls that are in queue and calls that are ringing at an agent voice terminal. It does not include direct agent calls.	INQUEUE+INRING
Oldest Call Waiting	The length of time (in seconds) the oldest ACD call has waited in queue or ringing (at an agent voice terminal for each split/skill in the report) before being answered. This does not include direct agent calls.	OLDESTCALL

## Split/Skill Graphical Skill Overload report

This report is only available for customers who have communication servers with EAS and have purchased Avaya Business Advocate. It shows the skill state (normal, unknown, overload1, overload 2) and trends for a selected skill.

If Avaya Business Advocate is not activated, the fields of the report which pertain to Avaya Business Advocate will not be populated.

- You can access this report from the Real-Time Split/Skill Category selector menu.
- The report caption displayed when the report is run reads Skill Overload: xxx where xxx is the skill name string specified by the Name Formats window of Tools/Options.
- This report has two sections: a vertical bar chart and a rolling line chart.

- · The vertical bar chart consists of:
  - A vertical bar for each skill input for the report, showing the current skill state.
  - The y-axis of the report will display, from the bottom up, Normal, Overload1, and Overload2.
  - The title: Skill Overload report
  - By default, a legend displays. The legend will show the synonym for every skill specified in the input, or the skill number if no skill name has been defined.
- · The rolling line chart consists of:
  - When the report is started, only one data point (whether unknown, normal, overload1 or overload2) is displayed for each skill. With each refresh, the new status will be added to the previous refresh. This continues for 20 refreshes, at which time the oldest data will roll off the chart.
  - The x-axis of the chart displays a tick mark for each report refresh.
  - The y-axis of the chart displays, from the bottom up, Normal, Overload1, and Overload2.
- The database items used for this report are stored in the csplit table.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See Split/skill report input fields on page 111 for more information.

### Split/Skill Graphical Skill Overload report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the splits/skills selected for this report.	syn(SPLIT)
Skill State	The current state of the skill, compared to the administered thresholds.	SKSTATE

## Split/Skill Graphical Staffing Profile report

This report is available only for customers who have communication servers with EAS and have purchased Avaya Business Advocate. It shows how many of what type of agents are staffing a specified skill as Active, in Other, or in AUX.

If Avaya Business Advocate is not activated, the fields of the report which pertain to Avaya Business Advocate will not be populated.

- You can access this report from the Real-Time Split/Skill Category selector menu.
- Call center supervisors can use this report to see how many agents are active, in Other or in auxiliary work (AUX). This report will also show the supervisor what type of agents are in those fields.

- This report has four charts.
- The charts contain the following information:
  - The upper left quadrant chart shows Top agents staffed, active, in AUX, and in Other for the specified skill.
  - The upper right quadrant chart shows Flex agents staffed, active, in AUX, and in Other for the specified skill.
  - The lower right quadrant chart shows Reserve2 agents staffed, active, in AUX, and in Other for the specified skill.
  - The lower left quadrant chart shows Reserve1 agents staffed, active, in AUX, and in Other for the specified skill.
- The database items used for this report are stored in the csplit table.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See Split/skill report input fields on page 111 for more information.
- You may change the report in Report Designer to display information on agents who are available (AVAIL).

### Split/Skill Graphical Staffing Profile report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the splits/skills selected for this report.	syn(SPLIT)
Skill State	The current state of the skill, compared to the administered thresholds.	SKSTATE
Top Agents (AUX)	The number of top agents logged into the skill who are in the AUX work mode. This includes agents on AUXIN/AUXOUT calls. Available on communication servers with the EAS feature for top skills. However, top database items are only significant for communication servers with EAS. TINAUX includes TINAUX0, TINAUX1-9, TINAUX_REMAINING, TONACDAUXOUT, TONAUXIN, and TONAUXOUT.	TINAUX

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Top Agents (Other)	The number of top agents that are doing other work. Agents are logged into multiple skills and doing work for a skill other than this one (on an ACD call or in after call work [ACW], or ACD calls ringing). While in Auto-in or Manual-in mode; the agent put any call on hold and has performed no further action; the agent is on a direct agent call or in ACW for a direct agent call; the agent is dialing to place a call or to activate a feature; an extension call or a direct agent ACD call is ringing with no other activity. For EAS with multiple call handling, agents are available for other, multiple call handling skills. Agent POSITIONS will show up in TOTHER directly after the link to the communication server comes up and directly after the agents log in before the CMS is notified of the agent's work state. Available with communication servers with the EAS feature. TOTHER includes TDA_INACW and TDA_ONACD.	TOTHER
Top Agents (Active)	The number of top agents logged into the skill, who are on inbound and outbound ACD calls, plus the number of top agents who are in ACW for ACD calls, plus the number of top agents who have ACD calls ringing and are not doing anything else.	6TONACD + TINACW + TAGINRING
Flex Agents (AUX)	The number of flex agents in AUX.	FINAUX
Flex Agents (Other)	The number of flex agents in the OTHER state.	FOTHER
Flex Agents (Active)	The number of flex agents on ACD calls, plus the number of flex agents in ACW, plus the number of flex agents with this skill that have an ACD call ringing.	FONACD + FINACW + FAGINRING
Reserve1 Agents (AUX)	The number of reserve1 agents in AUX.	R1INAUX
Reserve1 Agents (Other)	The number of reserve 1 agents in the OTHER state.	R10THER
Reserve1 Agents (Active)	The number of reserve1 agents on ACD calls, plus the number of reserve1 agents in ACW, plus the number of reserve1 agents with this skill that have an ACD call ringing.	R1ONACD + R1INACW + R1AGINRING

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Reserve2 Agents (AUX)	The number of reserve2 agents in AUX.	R2INAUX
Reserve2 Agents (Other)	The number of reserve2 agents in the OTHER state.	R2OTHER
Reserve2 Agents (Active)	The number of reserve2 agents on ACD calls, plus the number of reserve2 agents in ACW, plus the number of reserve2 agents with this skill that have an ACD call ringing.	R2ONACD + R2INACW + R2AGINRING

## Split/Skill Graphical Status report

This report shows the status of the agent, the amount of time in an agent state, and the split/skill statistics for individual agents.

Here are some things you need to know about this report:

- You can access this report from the Real-Time Split/Skill Category selector menu.
- From this report, you can drill down to the Real-Time or Integrated Agent Information, Work State, and Graphical AUX Agent (for a communication server with EAS) reports.
- The chart type can be changed. For more information, see <u>Using reports</u> on page 19.
- The database items used for the report are stored in the csplit, hsplit, and cagent tables.
- This report is available in both graphical and tabular formats.
- The table on the left side of the report lists the staffed (logged in) agents in the split/skill you specify, the state (workmode) each agent is currently in, the amount of time the agent has been in the current state, and the split/skill that the agent is in currently. If the Split/Skill column is empty, the agent is not currently on a call. The split/skill selected for the report is displayed above the table.
- By default, agent names are sorted alphabetically. If there are more staffed agents than can be displayed, a scroll bar appears on the right side of the table. To the left of each agent name (or login id, if names are not assigned) is an icon representing the agent's state.
- The three-dimensional pie chart in the upper-right quadrant shows the number of agents in each agent state (Avail, ACD, AUX, ACW, Ring, Other) for the selected split/skill. The number of agents in each agent state is displayed on the corresponding piece of pie. A legend is displayed to the right of the chart.
- The fields in the lower-right quadrant of the report display real-time split/skill information.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See <a href="Split/skill report input fields">Split/skill report input fields</a> on page 111 for more information.

#### Split/Skill Graphical Status report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the splits/skills selected for this report.	syn(SPLIT)
Level	The skill level associated with the agent's current WORKSKILL, when WORKSKILL, is not null. Requires a communication server with the EAS feature. For Avaya Business Advocate, in the cagent table, WORKSKLEVEL contains either a skill level (1-16) for a normal skill, or a reserve level (1 or 2) for a reserve skill. This WORKSKLEVEL applies to WORKSKILL.	syn(WORKSKLEVEL)
Agents Staffed	The total number of agents that are logged into each split/skill.	STAFFED
Skill State	Current state of this skill, compared to the administered thresholds. Requires Avaya Business Advocate.	syn(SKSTATE)
Agent Name	The names of the agents assigned to this split/skill and logged in (or their login IDs if names have not been assigned to them in Dictionary).	syn(LOGID)
State	The current work mode (state) the agent is in (AVAIL, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, UNSTAFF) and the call direction (blank, IN, or OUT).	syn(WORKMODE) and syn(DIRECTION)
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME
Split/Skill	The split associated with the call or the ACW state when an agent is either on a split or direct agent ACD call, or in the ACW state. If an agent puts an ACD call on hold and makes an AUX call, this is the split of the ACD call on hold. For AUXIN calls and AUXOUT calls made without an ACD call on hold, this is the split the agent has been logged into the longest. When the agent is available, all of the splits the agent is available in are listed.	WORKSPLIT, WORKSPLIT24

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
% Within Service Level	The percentage of split/skill ACD calls that were answered by an agent within the predefined time. Calls offered to the split/skill include calls that were abandoned and calls that were not answered, but do not include direct agent calls. Calls that were not answered may include forced busy calls, forced disconnect calls, calls redirected to another destination, and calls queued to more than one split/skill and answered in another split/skill.	100*(ACCEPTABLE/ CALLSOFFERED) <percent_serv_lvl_spl></percent_serv_lvl_spl>
Calls Waiting	The number of split or skill ACD calls waiting to be answered. This includes calls that are in queue and calls that are ringing at an agent voice terminal. It does not include direct agent calls.	INQUEUE+INRING
Oldest Call Waiting	The length of time (in seconds) the oldest ACD call has waited in queue or ringing (at an agent voice terminal for each split/skill in the report) before being answered. This does not include direct agent calls.	OLDESTCALL
Avg Speed Ans	The average time calls waited in queue or ringing before an agent answered. This does not include direct agent calls, but it does include outbound ACD calls placed by an adjunct (also called outbound predictive dialing).	ANSTIME /ACDCALLS < AVG_ANSWER_ SPEED>
ACD Calls	The ACD calls that were queued to the split/skill and answered by an agent. This does not include direct agent calls, but it does include ACD calls placed by an adjunct (also called outbound predictive dialing).	ACDCALLS
Avg ACD Time	The average talk time (does not include hold time) is calculated for all ACD calls to this split/skill. This does not include direct agent calls, but it does include talk time of all outbound ACD calls placed by an adjunct (also called outbound predictive dialing).	ACDTIME /ACDCALLS < AVG_ACD_TALK_TIME>

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Aban Calls	The total number of queued calls for each split/skill that were abandoned before an agent answered. This includes calls that are ringing at a voice terminal but does not include direct agent calls. It also includes the number of outbound calls for each split/skill that abandoned at the far end before an agent answered.	ABNCALLS
Avg Aban Time	The average time calls waited before hanging up.	ABNTIME /ABNCALLS < AVG_ABANDON_TIME>

## Split/Skill Graphical Top Skill Status report

This report, available only with EAS, contains a table of top agents and their work state, a pie chart showing the composite top agent status, and a pie chart showing the composite reason codes for top agents who are in AUX.

Here are some things to know about this report:

- You can access this report from the Real-Time Split/Skill Category selector menu.
- The table on the left bottom half of the report contains a row for each staffed agent for whom this skill is their top skill. The row shows an icon representing agent state, the agent names as defined in the Dictionary, the agent state for this skill, time in current state, and a reason code (as defined in the Dictionary) for the AUX work state. The Reason column is blank except for those agents who are in AUX work. This table also contains the skill in which the agent is active. This field is blank if the agent is in AVAIL, AUX, or OTHER work modes.
- Call center supervisors can use this report for skill level distribution and to keep agents on ACD calls. In addition, this report shows what is happening with agents who are taking calls for this skill. This report is available for communication servers with EAS.
- From this report, you can drill down to the Real-Time and Integrated Agent Information, Top Agents Work State, and Graphical Top AUX Agent reports.
- Even the a skill may be staffed by many agents, it is likely that only those for whom this is their top skill will be available to answer calls to this skill.
- The database items used for the report are stored in the csplit and cagent tables.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See Split/skill report input fields on page 111 for more information.

The two-dimensional pie chart contains data only for communication servers with EAS. The two-dimensional pie chart contains the following information:

- The composite status of top agents for the skill who are in AUX for each reason code.
- A legend displays the synonyms for reason codes that have been defined in the Dictionary. The legend is sorted in ascending order by reason code number, with the customer- defined synonym for reason code 0 at the bottom.

The three-dimensional pie chart contains the following information:

- The composite status of top agents for the skill in each of the work states.
- A legend in which a different color corresponds to each of the work states.
- Above the chart is the Top Agents in AUX heading.

## Split/Skill Graphical Top Skill Status report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Skill	The name or number of the skill (up to 20 characters) that is selected for this report.	syn(SPLIT)
Skill State	The current state of the skill, compared to the administered thresholds.	SKSTATE
Top Agents Staffed	The current number of top agents that are staffed in this skill.	TSTAFFED
Flex Agents Staffed	Number of agents who are staffing the skill, but are neither top nor reserve agents. Requires Avaya Business Advocate. This field will contain backup agents if the Avaya Business Advocate feature is not used, since the database item consists of agents whose role in the skill is backup (applicable regardless of whether Avaya Business Advocate is administered), allocation, or roving.	FSTAFFED
Reserve1 Agents Staffed	Number of agents staffing this skill as reserve1. Requires Avaya Business Advocate.	R1STAFFED
Reserve2 Agents Staffed	Number of agents staffing this skill as reserve2. Requires Avaya Business Advocate.	R2STAFFED
AVAIL	The current number of agents that are available to receive ACD calls in this split/skill.	AVAILABLE
ACD	The total time during the collection interval that the agent was talking on ACD calls for the Split.	sum( <total_i_acdtime>)</total_i_acdtime>
ACW	The total time during the collection interval that the agent was in after call work (ACW). This includes ACW for split/skill ACD Calls and ACW not associated with the call.	sum( <total_i_acwtime>)</total_i_acwtime>

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
AUX	The total time during the collection interval that the agent was in the AUX work state in all splits/skills or in AUXINCALLS or AUXOUTCALLS.	sum(TI_AUXTIME)
RINGING	The time during the collection interval that the agent had split/skill and direct agent ACD calls ringing.	sum(I_RINGTIME)
OTHER	The time during the collection interval that the agent was doing other work in all split/skills. While in Auto-in or Man-in, the agent put any call on hold and performed no further action, the agent dialed to place a call or to activate a feature, or an extension call rang with no other activity. For all communication servers, TI_OTHERTIME is collected for the time period after the line to the communication server comes up or after the agent logs in and before the CMS receives notification of the agent's state from the communication server. The TI_ time is only stored for the split/skill logged into the longest. TI_ time needs to be summed across the split/skills the agents may log into, in case the logon order changes during the collection interval.	sum(TI_OTHERTIME)
Agent Name	The names (or agent IDs if the names have not been assigned in the Dictionary) of the top agents assigned to this skill and logged in.	syn(LOGID)
State	The current work mode (state) the agent is in (AVAIL, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, UNSTAFF) and the call direction (blank, IN, or OUT).	syn(WORKMODE) and syn(DIRECTION)
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME
AUX Reason	For the communication server, this is the reason code associated with the auxiliary work state (on a break, in a meeting, and so on) of this agent. This field is blank if the agent is not in the AUX state.	syn(AUXREASON)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Skill	The name or number of the skill (up to 20 characters) that is selected for this report.	syn(SPLIT)
Level	The skill level associated with the agent's current WORKSKILL, when WORKSKILL, is not null. Requires a communication server with the EAS feature.	syn(WORKSKLEVEL)
Reason Code 0	The current number of positions that are in auxiliary work with reason code zero (0) for this skill or on AUXIN/AUXOUT calls. Reason code 0 is for system AUX work when reason codes are active (only with EAS).	INAUX0
Reason Code 1 9	The current number of positions that are in auxiliary work with each of the reason codes 1-9 for this skill or on AUXIN/AUXOUT calls.	TINAUX1-9
Reason Code 10-99	The current number of positions that are in auxiliary work with each of the reason codes 10-99 for this skill or on AUXIN/AUXOUT calls.	TINAUX_REMAINING

## **Reserve1 AUX Agents report**

This report is available only for customers who have communication servers with EAS and have purchased Avaya Business Advocate. This report displays the Reserve1 agents who are in AUX and the time in AUX, for a specified skill.

Here are some things you need to know about this report:

- You can access this report the following ways:
  - From the Real-Time Split/Skill Category selector menu
  - By drilling down from the AUX work state of Reserve1 agents
  - By drilling down from a report (for example, the Split/Skill Graphical Staff Profile report) that shows the number of R1 agents in AUX using the R1INAUX database item.
- Call center managers can use this report to see the Reserve1 agents in each AUX work state, for a specified skill. For each agent, the manager will also be able to see information such as the length of time in the AUX work state.
- This report consists of a table and two data fields. The report table contains a row for each agent who is in the specified state for the specified skill.
- The report caption will read Reserve1 AUX Work State Report-xxx, where xxx is the skill name string specified by the user.
- The database items used for the report are stored in the csplit and cagent table.

#### Reserve1 AUX Agents report description

The following table describes the report fields:

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Skill	The name or number of the skill (up to 20 characters) that is selected for this report.	syn(SPLIT)
Reserve1 Agents in AUX	The number of reserve1 agents in AUX.	R1INAUX
Agent Name	The name of the agent.	syn(LOGID)
Login ID	The Login ID that was used to staff the EXTENSION. Agents in multiple splits/skills have one LOGID.	LOGID
Location ID	The location IDs associated with the agent. This ID is not associated with the agent personally, but rather with the terminal the agent is logged into. It is also associated with a port network location ID on a communication server. If the Agent Site Tracking feature is not available on your system, the field will not display meaningful data.  This field is available only when you drill down from a custom report that has Location ID as an input.	LOC_ID
Role	Agent's service role for this SPLIT, as defined in the Dictionary.	syn(ROLE)
AUX Reason	For the communication server, this is the reason code associated with the auxiliary work state (on a break, in a meeting, and so on) of this agent. This field is blank if the agent is not in the AUX state.	syn(AUXREASON)

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Active Split/Skill	Use WORKSKILL for the following call conditions:	syn(WORKSKILL)
	When an agent is on a skill or direct agent ACD call or in ACW (this is the skill associated with the call or ACW)	
	When an agent is available, in AUX or in OTHER (this is null [blank])	
	When an agent is on an AUXIN/AUXOUT call (this is OLDEST_LOGON skill)	
	When an agent is on an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold (this is OLDEST_LOGON skill)	
	When an agent is on an AUXOUT call with an ACD call on hold (this is the skill associated with the ACD call)	
	Note that WORKSKILL differs from WORKSPLIT only in the case that the agent is available. In this case, WORKSKILL will be blank and WORKSPLIT will contain one of the skills in which the agent is available. For releases with the EAS feature active, it is recommended to use WORKSKILL instead of WORKSPLIT in reports.	
	Requires a communication server with the EAS feature.	
Level	The skill level associated with the agent's current WORKSKILL, when WORKSKILL is not null. Requires a communication server with the EAS feature. For Avaya Business Advocate, in the cagent table, WORKSKLEVEL contains either a skill level (1-16) for a normal skill, or a reserve level (1 or 2) for a reserve skill. This WORKSKLEVEL applies to WORKSKILL.	syn(WORKSKLEVEL)
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME

## **Reserve2 AUX Agents report**

This report, which is available only for customers who have communication servers with EAS and have purchased Avaya Business Advocate, displays the Reserve2 agents who are in AUX and the time in AUX, for a specified skill.

Here are some things you need to know about this report:

- You can access this report the following ways:
  - From the Real-Time Split/Skill Category selector menu
  - By drilling down to this report from the AUX work state of Reserve2 agents
  - By drilling down from a report (for example, the Split/Skill Graphical Staff Profile report) that shows the number of R2 agents in AUX using the R2INAUX database item.
- Call center managers can use this report to see the Reserve2 agents in each AUX work state, for a specified skill. For each agent, the manager will also be able to see information such as the length of time in the AUX work state.
- This report consists of a table and two data fields. The report table contains a row for each agent who is in the specified state for the specified skill.
- The report caption will read Reserve2 AUX Work State Report-xxx, where xxx is the skill name string specified by the user.
- The database items used for the report are stored in the csplit and cagent table.

### **Reserve2 AUX Agents report description**

The following table describes the report fields:

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Skill	The name or number of the skill (up to 20 characters) that is selected for this report.	syn(SPLIT)
Reserve2 Agents in AUX	The number of reserve2 agents in AUX.	R2INAUX
Agent Name	The name of the agent.	syn(LOGID)
Login ID	The Login ID that was used to staff the EXTENSION. Agents in multiple splits/skills have one LOGID.	LOGID

Field	Definition	Database item, calculation, or <alculation name=""></alculation>
Location ID	The location IDs associated with the agent. This ID is not associated with the agent personally, but rather with the terminal the agent is logged into. It is also associated with a port network location ID on a communication server. If the Agent Site Tracking feature is not available on your system, the field will not display meaningful data.	LOC_ID
	This field is available only when you drill down from a custom report that has Location ID as an input.	
Role	Agent's service role for this SPLIT, as defined in the Dictionary.	syn(ROLE)
Active Split/Skill	Use WORKSKILL for the following call conditions:	syn(WORKSKILL)
	When an agent is on a skill or direct agent ACD call or in ACW (this is the skill associated with the call or ACW)	
	When an agent is available, in AUX or in OTHER (this is null [blank])	
	When an agent is on an AUXIN/AUXOUT call (this is OLDEST_LOGON skill)	
	When an agent is on an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold (this is OLDEST_LOGON skill)	
	When an agent is on an AUXOUT call with an ACD call on hold (this is the skill associated with the ACD call)	
	Note that WORKSKILL differs from WORKSPLIT only in the case that the agent is available. In this case, WORKSKILL will be blank and WORKSPLIT will contain one of the skills in which the agent is available. For releases with the EAS feature active, it is recommended to use WORKSKILL instead of WORKSPLIT in reports.	
	Requires a communication server with the EAS feature.	

Field	Definition	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Level	The skill level associated with the agent's current WORKSKILL, when WORKSKILL is not null. Requires a communication server with the EAS feature. For Avaya Business Advocate, in the cagent table, WORKSKLEVEL contains either a skill level (1-16) for a normal skill, or a reserve level (1 or 2) for a reserve skill. This WORKSKLEVEL applies to WORKSKILL.	syn(WORKSKLEVEL)
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME

# **Skill AUX report**

This report shows, for one or more skills, the number of agents in AUX work with each reason code.

Here are some things you need to know about this report:

- You must have a communication server with EAS.
- You must be using reason codes. You can run the report without using the reason codes, but all agents will be in reason code zero (0) when in AUX.
- The database items used for the Skill AUX report are stored in the csplit table.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See <a href="Split/skill report input fields">Split/skill report input fields</a> on page 111 for more information.

#### **Skill AUX report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Skills	The names or numbers of the skills selected for the report.	syn(SPLIT)
Calls Waiting	The number of split or skill ACD calls waiting to be answered. This includes calls that are in queue and calls that are ringing at an agent voice terminal. It does not include direct agent calls.	INQUEUE+INRING

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Agents Staffed	The total number of agents that are logged into each skill.	STAFFED
Agents in AUX	The current number of agent positions that are either in AUX work mode for this skill or on AUX-IN/AUX- OUT calls.	INAUX
Reason Code 0-9	The number of agents in each AUX reason code (0 to 9).	INAUX09
Reason Code 10-99	The number of agents in each AUX reason code (10 to 99).	INAUX_REMAINING

#### Skill Status report

This report shows how long the oldest call has been waiting in queue, how many calls are currently waiting to be answered, the agent names, the agent states, the agent's skill level, and the number of the skill for which the agent is handling the call or is in after call work.

If you have a communication server with the EAS feature activated, you will see the report displayed in this section. This report:

- Provides agent AUX reason codes
- · Provides the agent login identification and the agent name
- Provides the level for the agent's currently active skill (ACD call or ACW session). This level can be any level from 1 to 16, or R1 or R2
- The Login Skills columns have been removed from this report.

The EWT fields may be blank for one of the following reasons:

- The EWT is unknown at this time.
- The EWT is infinity (for example, no agents are logged in).
- The priority is inactive, such as TOP, HIGH, MEDIUM, or LOW.
- The queue for the priority is full.

Expected Wait Time (EWT) may be different than you anticipate. The following factors can affect EWT:

- A low volume of calls are coming into a skill, or very few are coming in at one or more of the priorities. This causes EWT to show larger fluctuations than when there is heavier call volume.
- A skill has only one or two agents logged in.
- A combination of the low call volume and a small number of agents logged in.
- The number of agents logged into a given skill suddenly increases or decreases substantially. EWT adjusts immediately, and you will see a big jump or fall in the EWT.
- A significant percentage of callers who are queued drop from queue, either from hanging up or from being answered, and no new calls are queued. For example, in a vector with time-of-

day routing, after a specified time, no more calls are routed to a particular skill. Calls in queue to this skill continue to be serviced, but no new calls are coming into the queue. The EWT remains unchanged until the specified time interval from the timer expires and the audit takes place.

- · Calls may be gueued to more than one skill.
- Agents may be logged into multiple skills.
- The communication server may have the Multiple Call Handling feature enabled.
- A new skill is created or the communication server reboots. No history exists, and 30 to 50 queued calls must accrue for an accurate EWT.
- The average handling times for calls changes suddenly.
- The call traffic is varying significantly.
- The queuing times are erratic.
- If calls are HIGH or MEDIUM priority call redirected, via intraflow to a skill that does not queue calls at this priority, the priority does not change.
- Agents are in multiple skills and distribution of calls for those agents changes suddenly.
- EWTs are displayed for the priorities for which calls are queuing. However, if you change the
  routing for a skill so that calls are not being queued at a priority, the EWT for that priority
  continues to be shown until all agents in the skill log out or until a translation pump- up is
  forced.
- The database items used for the Skill Status report are stored in the csplit and cagent tables.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See Split/skill report input fields on page 111 for more information.

#### **Skill Status report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Skill	The name or number of the skill selected for the report.	syn(SPLIT)
Skill State	The current state of the skill, compared to the administered thresholds.	SKSTATE
Calls Waiting	The number of split or skill ACD calls waiting to be answered. This includes calls that are in queue and calls that are ringing at an agent voice terminal. It does not include direct agent calls.	INQUEUE+INRING

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
Oldest Call Waiting	The length of time (in seconds) the oldest ACD skill call has waited in queue or ringing before being answered. This does not include direct agent calls.	OLDESTCALL
Expected Wait Time (Pri): Top	This heading contains EWT for the skill at top priority. EWT is the wait time for the call when it is queued to the skill at top priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If CMS is connected to an early communication server version or if vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank. Exception thresholds for EWT can be set from the Exception command.	EWTTOP
Expected Wait Time (Pri): High	This heading contains EWT for the skill at high priority. EWT is the wait time for the call when it is queued to the skill at high priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time.	EWTHIGH
	If CMS is connected to an early communication server version or if vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank. Exception thresholds for EWT can be set from the Exception command.	
Expected Wait Time (Pri): Medium	Contains EWT for the skill at medium priority. EWT is the wait time for the call when it is queued to the skill at medium priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If CMS is connected to an early communication server version or if vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank. Exception thresholds for EWT can be set from the Exception command.	EWTMEDIUM

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Expected Wait Time (Pri): Low	This heading contains EWT for the skill at low priority. EWT is the wait time for the call when it is queued to the skill at low priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If CMS is connected to an early communication server version or if vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank. Exception thresholds for EWT can be set from the Exception command.	EWTLOW
Agent Name	The names of the agents assigned to this skill and logged in (or their login IDs if names have not been assigned to them in Dictionary).	syn(LOGID)
Login ID	The login identification of the agent.	LOGID
AUX Reason	The reason associated with the auxiliary work state of this agent, (for example, lunch, break, meeting, or training). This field is blank if the agent is not in the AUX state.	syn(AUXREASON)
State	The current work mode (state), that the agent is in (AVAIL, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, UNSTAFF), and the call direction (BLANK IN, or OUT).	syn(WORKMODE) syn(DIRECTION)
Skill/Level	When an agent is on a skill call, a direct agent call, or in ACW mode, this is the skill associated with the call or the ACW, and the level associated with the skill.	WORKSKILL/syn(WORKSKLEVEL)
	WORKSKILL is the OLDEST_LOGON:	
	When an agent is on an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold	
	When an agent is on an AUXIN call with an ACD call on hold	
	When an agent is on an AUXOUT call with an ACD call on hold, this is the skill associated with the ACD call.	
	When an agent is available, in AUX, or in OTHER, this is blank. WORKSKLEVEL is the skill level (ranging from 1 to 16) or the reserve skill level (R1 or R2) associated with WORKSKILL.	

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME
VDN Name (Shows data only if you have purchased the Vectoring feature.)	The number or name of the VDN for which the report shows data. the VDN is associated with the ACD call in progress. If a name has been assigned to the VDN in the Dictionary, the name displays instead of the number.	VDN

### **Skill Top Agent report**

This report is similar to the Split/Skill report, but shows counts of agents for whom the skill is the top skill. It also shows a count of agents for whom the skill is a backup skill.

Here are some things you need to know about this report:

- You must have a communication server with EAS.
- The agent's top skill is the highest priority skill the agent is logged into. If the agent is logged into more than one skill that are listed as highest priority, then the top skill is the first skill listed.
- The database items used for the Skill Top Agent report are stored in the csplit table.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See <a href="Split/skill report input fields">Split/skill report input fields</a> on page 111 for more information.

#### **Skill Top Agent report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Skills	The name or number of the skill selected for this report.	syn(SPLIT)
Skill State	Current state of this skill, compared to the administered thresholds. Requires Avaya Business Advocate.	syn(SKSTATE)
Calls Waiting	The number of split or skill ACD calls waiting to be answered. This includes calls that are in queue and calls that are ringing at an agent voice terminal. It does not include direct agent calls.	INQUEUE+INRING

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Oldest Call Waiting	The length of time (in seconds) the oldest call has waited in queue or ringing (at an agent voice terminal for each skill in the report) before being answered. This does not include direct agent calls.	OLDESTCALL
Avg Speed Ans	The average time calls waited in queue and ringing before an agent answered. This does not include direct agent calls, but it does include outbound ACD calls placed by an adjunct (also called outbound predictive dialing).	ANSTIME/ ACDCALLS <avg_answer_speed></avg_answer_speed>
ACD Calls	The ACD calls that were queued to the skill and answered by an agent. This does not include direct agent calls, but it does include ACD calls placed by an adjunct (also called outbound predictive dialing).	ACDCALLS
Avg ACD Time	The average talk time (does not include hold time) is calculated for all ACD calls to this skill. This does not include direct agent calls, but it does include talk time of all outbound ACD calls placed by an adjunct (also called outbound predictive dialing).	ACDTIME/ ACDCALLS <avg_acd_talk_time></avg_acd_talk_time>
Aban Calls	The total number of queued calls for each skill that were abandoned before an agent answered. This includes calls that are ringing at a voice terminal but does not include direct agent calls. It also includes the number of outbound calls for each skill that abandoned at the far end before an agent answered.	ABNCALLS1-10
Avg Aban Time	The average time calls waited in split before hanging up.	ABNTIME /ABNCALLS <avg_abandon_time></avg_abandon_time>
Top Agents Avail	The number of top agents logged into the skill who are available in the skill to take calls.	TAVAILABLE
Top Agents Ringing	The current number of top agents logged into the skill who have ACD calls (including direct agent calls) ringing at their voice terminals.	TAGINRING
Top Agents on ACD Calls	The total number of top agents connected to inbound and outbound ACD calls in each skill. This does not include direct agent calls.	TONACD
Top Agents in ACW	The number of top agents who are in the after call work state for each skill. This includes agents on ACWIN or ACWOUT calls and agents in ACW not associated with an ACD call.	TINACW

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Top Agents in Other	The current number of top agent positions that are doing other work.	TOTHER
	The agent did one of the following activities while in the Auto-in or Manual-In state:	
	The agent put any call on hold and performed no further action.	
	The agent is on a direct agent call or in ACW for a direct agent call.	
	The agent is dialing to place a call or to activate a feature.	
	The agent has a personal call ringing with no other activity.	
	For communication servers without EAS, agents are logged into multiple splits and doing work for a split other than this one (on an ACD call or in call-related ACW).	
	For communication servers with EAS, agents are logged into multiple skills and doing work for a skill other than this one (on an ACD call or in call-related ACW).	
	Agent positions show up as OTHER directly after the link to the communication server comes up and directly after the agents log in before the CMS is notified of the agent's work state.	
Top Agents in Aux	The total number of top agents logged into the skill who are in the AUX Work mode for all skills or are on AUXIN/AUXOUT calls.	TINAUX
Top Agents Staffed	The current number of top agents that are staffed in the skill.	TSTAFFED
Flex Agents Staffed	Number of agents who are staffing the skill, but are neither top nor reserve agents. Requires Avaya Business Advocate. This field will contain non-top agents if the Avaya Business Advocate feature is not used, since the database item consists of agents whose role in the skill is backup (applicable regardless of whether Avaya Business Advocate is administered), allocation, or roving.	FSTAFFED

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Reserve1 Agents Staffed	Number of agents staffing this skill as reserve1. Requires Avaya Business Advocate.	R1STAFFED
Reserve2 Agents Staffed	Number of agents staffing this skill as reserve2. Requires Avaya Business Advocate.	R2STAFFED

#### Split/Skill by Location report

The Split/Skill by Location report supports the Agent Site Tracking feature. This report tracks agents by their split/skill location ID.

The Split/Skill by Location report displays real-time agent call-handling information on a single split or skill. It allows the supervisor to evaluate the workload and call-handling performance on the split/skill, and to determine agent reassignment.

Here are some things you need to know about this report:

- This report displays information on a single split/skill. Select the split/skill location ID through the input window.
- This report shows the agents logged into a single split/skill.
- The database items used for the report are stored in the cagent table.
- This report is in table format.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See <a href="Split/skill report input fields">Split/skill report input fields</a> on page 111 for more information.

#### Split/Skill by Location report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Location ID	The location IDs associated with the agent. This ID is not associated with the agent personally, but rather with the terminal the agent is logged into. It is also associated with a port network location ID on a communication server. If the Agent Site Tracking feature is not available on your system, the field will not display meaningful data.	LOC_ID
Agent Name	The names or login IDs of the agents that logged into the split/skill selected in the report input window.	syn(LOGID)
Login ID	The login ID of the agent.	LOGID
Agents Staffed	The total number of agents that are logged into each split/skill.	select count(*) where split = \$input and LOC_ID = \$input

## Split/Skill report

The Split/Skill report simultaneously displays real-time call-handling information on a number of splits or skills. It allows the supervisor to evaluate and compare the workload and call-handling performance between splits/skills, and to determine agent reassignment. Additionally, the supervisor can evaluate other ACD configuration alternatives which can be used to balance workloads and reduce abandoned calls.

Here are some things you need to know about this report:

- You can enter a range or a list of splits/skills which the report will cover. If you only want to view one split or skill, you may size the window smaller.
- In this report, the OTHER state displays for agents who are on calls or in after call work state for other splits or skills.
- For agents in split/skills with the many forced option of Multiple Call Handling, a queued call is not delivered to an agent position if there is no available call appearance. If the agent has no available call appearance, then the agent is either on a call or has all calls on hold. In either case, the agent is not available.
- The database items used for the report are stored in the csplit table.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See Split/skill report input fields on page 111 for more information.

#### Split/Skill report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Splits/Skills	The name or number of the splits/(skills selected for the report.	syn(SPLIT)
Skill State	The current state of the skill, compared to the administered thresholds.	SKSTATE
Calls Waiting	The number of split or skill ACD calls waiting to be answered. This includes calls that are in queue and calls that are ringing at an agent voice terminal. It does not include direct agent calls.	INQUEUE+INRING
Oldest Call Waiting	The length of time (in seconds) the oldest ACD call has waited in queue or ringing (at an agent voice terminal for each split/skill in the report) before being answered. This does not include direct agent calls.	OLDESTCALL

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Avg Speed Ans	The average time calls waited in queue and ringing before an agent answered. This does not include direct agent calls, but it does include outbound ACD calls placed by an adjunct (also called outbound predictive dialing).	ANSTIME/ACDCALLS <avg_answer_speed></avg_answer_speed>
ACD Calls	The ACD calls that were queued to the split/ skill and answered by an agent. This does not include direct agent calls, but it does include ACD calls placed by an adjunct (also called outbound predictive dialing).	ACDCALLS
Avg ACD Time	The average talk time (does not include hold time) is calculated for all ACD calls to this split/skill. This does not include talk time on direct agent calls, but it does include talk time of all outbound ACD calls placed by an adjunct (also called outbound predictive dialing).	ACDTIME/ACDCALLS <avg_acd_talk_time></avg_acd_talk_time>
Aban Calls	The total number of queued calls for each split/skill that abandoned before an agent answered. This includes calls that are ringing at a voice terminal but does not include direct agent calls. It also includes the number of outbound calls for each split/skill that abandoned at the far end before an agent answered.	ABNCALLS1-10
Avg Aban Time	The average time a caller waited (in split/skill) before hanging up.	ABNTIME /ABNCALLS <avg_abandon_time></avg_abandon_time>
Agents Avail	The current number of agents that are available to receive ACD calls in each split/skill.	AVAILABLE
Agents Ringing	The current number of agents that are available and have ACD calls (including direct agent calls) ringing at their voice terminal but have not yet answered. If the agent places a call or answers an extension call, the agent is shown in the AUX work state, rather than in the ringing state.	AGINRING
Agents on ACD Calls	The total number of agents that are connected to inbound and outbound ACD calls in each split/skill. This does not include agents on direct agent calls.	ONACD

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Agents in ACW	The number of agents who are in the after call work state for each split/skill. This includes agents on ACWIN or ACWOUT calls and agents in ACW not associated with an ACD call.	INACW
Agents in Other	The current number of agent positions that are doing other work.	OTHER
	For communication servers with EAS, the agent did one of the following activities while in the Auto-in or Manual-In state:	
	The agent put any call on hold and performed no further action.	
	The agent is on a direct agent call or in ACW for a direct agent call.	
	The agent is dialing to place a call or to activate a feature.	
	The agent has a ringing personal call, with no other activity.	
	For communication servers without EAS, agents are logged into multiple splits and doing work for a split other than this one.	
	Agent positions show up as OTHER directly after the link to the communication server comes up and directly after the agents log in before the CMS is notified of the agent's work state.	
Agents in AUX	The current number of agents who are in the AUX work mode for all splits/skills including agents who are handling AUXIN or AUXOUT calls.	INAUX
Agents Staffed	The total number of agents that are logged into each split/skill.	STAFFED

# **Top Agent Status report**

This report shows how long the oldest call in queue has been waiting, how many calls are currently waiting to be answered, the agent names, the agent states, the length of time an agent has been in the state, and the split associated with the call the agent is currently handling.

## Note:

The Top Agent Status report is available on communication servers that do not have the EAS feature. If you have the EAS feature, this report is replaced with the Skill Status report.

Here are some things to know about this report:

- All agents logged into the selected split are displayed. You can scroll to view agents that you cannot see on the report.
- If an agent is on an ACD call or in the ACW state, a single split is displayed that corresponds to the ACD call or ACW.
- If the agent is available, all of the splits are displayed.
- If the agent is in AUX in all splits, all splits are displayed.
- For a communication server without the EAS feature, an agent can be logged into a total of four splits.
- If you have an early communication server, the Expected Wait Time (EWT) fields are blank. EWT is only available on some communication servers.
- The EWT value is updated whenever a call queues to the split. If no call has queued for 2
  minutes, CMS will request the communication server to send the current EWT values for the
  split.

The EWT fields may be blank for one of the following reasons:

- The EWT is unknown at this time.
- The EWT is infinity (for example, no agents are logged in).
- The priority (TOP, HIGH, MEDIUM, LOW) is inactive.
- The queue for this split is full.
- Please refer to the Vectoring/EAS Guide for more information on EWT and causes of the field blanking out.

EWT may not be what you anticipate. These factors can affect EWT:

- A low volume of calls coming into a split, or very few coming in at one or more of the priorities. This causes EWT to show larger fluctuations than when there is heavier call volume.
- A split has only one or two agents logged in.
- A combination of the low call volume and a small number of agents logged in.
- The number of agents logged into a given split suddenly increases or decreases substantially. EWT adjusts immediately, and you will see a big jump or fall in the EWT.
- A significant percentage of callers who are queued drop from queue, either from hanging up
  or from being answered, and no new calls are queued. For example, in a vector with time-ofday routing, after a specified time no more calls are routed to a particular split. Calls in queue
  to this split continue to be serviced, but no new calls are coming into the queue. The EWT
  remains unchanged until the specified time interval from the timer has expired and the audit
  has taken place.
- Calls may be gueued to more than one split.
- Agents may be logged into multiple splits.

- The communication server may have the Multiple Call Handling (MCH) feature enabled.
- A new split is created or the communication server reboots. No history exists, and 30 to 50 gueued calls must accrue for an accurate EWT.
- The average handling time for calls changes suddenly.
- The call traffic is varying significantly.
- The queuing times are erratic.
- EWTs are displayed only for the priorities for which calls are queuing. However, if you change the routing for a split so that calls are not being queued at a priority, the EWT for that priority continues to be shown until all agents in the split log out or a translation pump- up is forced.
- The database items used for the Split Status report are stored in the csplit and cagent tables.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See Split/skill report input fields on page 111 for more information.

#### **Top Agent Status report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split	The name or number of the split selected for the report.	syn(SPLIT)
Calls Waiting	The number of split or skill ACD calls waiting to be answered. This includes calls that are in queue and calls that are ringing at an agent voice terminal. It does not include direct agent calls.	INQUEUE+INRING
Oldest Call Waiting	The length of time (in seconds) the oldest ACD call has waited in queue or ringing (at an agent voice terminal) before being answered. This does not include direct agent calls.	OLDESTCALL
Expected Wait Time (Pri): Top	This heading contains EWT for the split at top priority. EWT is the expected wait time for a new call when it is queued to the split at top priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time.	EWTTOP
	If CMS is connected to an early communication server version or if vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank.	

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Expected Wait Time (Pri): High	This heading contains EWT for the split at high priority. EWT is the expected wait time for a new call when it is queued to the split at high priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If CMS is connected to an early communication server or if vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank.	EWTHIGH
Expected Wait Time (Pri): Medium	This heading contains EWT for the split at medium priority. EWT is the expected wait time for a new call when it is queued to the split at medium priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If CMS is connected to an early communication server or if vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank.	EWTMEDIUM
Expected Wait Time (Pri): Low	This heading contains EWT for the split at low priority. EWT is the wait time for the call when it is queued to the split at low priority. EWT measures only the time it takes to deliver the call to an agent. It does not include ringing time. If CMS is connected to an early communication server or if vectoring is not activated, the EWT headings and columns are displayed, but the fields are blank.	EWTLOW
Agent Name	The names of the agents assigned to the split and logged in (or their login IDs if names have not been assigned to them in Dictionary).	syn(LOGID)
State	The current work mode (state) the agent is in, such as AVAIL, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, or UNSTAFF, and the call direction (BLANK, IN, or OUT).	WORKMODE and DIRECTION

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Splits	The split associated with the call or the ACW state when an agent is either on a split or direct agent ACD call, or in the ACW state. If an agent puts an ACD call on hold and makes an AUX call, this is the split of the ACD call on hold. For AUXIN calls and for AUXOUT calls made without an ACD call on hold, this is the split the agent has been logged into the longest. When the agent is available, all of the splits the agent is available in are listed.	WORKSPLIT WORKSPLIT2 WORKSPLIT3 WORKSPLIT4
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME
VDN (Shows data only if you have purchased the Vectoring feature.)	The vector directory number is associated with the ACD call in progress. If a name has been assigned to the VDN in the Dictionary, the name displays instead of the number.	VDN

# **Trunk Group report**

The Trunk Group report gives you the current status of each trunk in a selected trunk group.

# Trunk Group report selector window and input fields

The trunk/trunk group selector window is where you specify which trunks or trunk groups will appear in the report.

The following table describes the input fields on real-time Trunk Group report input windows. The report input window must be filled in to run the report:

Name	Description
Trunk group	Enter the trunk group name or number that you want to view in this report. Any names that you want to appear on the report must have been previously defined and entered in the Dictionary subsystem.

Name	Description
Refresh Every <#> Seconds	Enter the number of seconds (3 to 600) to specify how rapidly CMS should update the report data. The default for the <b>Refresh Every &lt;#&gt; Seconds</b> field in this window is your assigned minimum refresh rate plus 15 seconds. To find out what your minimum refresh rate is, or to change it, check with your CMS administrator.
Enable Report Thresholds	Check the <b>Enable Report Thresholds</b> option to start the report with report thresholds running. Uncheck the option if you do not want to run report thresholds.
Run Minimized	Check the <b>Run Minimized</b> option to run the report in a minimized window. Uncheck the option to run the report at full size.

## **Trunk Group report**

The Trunk Group report displays the current status of each trunk in a selected trunk group. This information is useful in identifying overused or underused facilities and in general troubleshooting.

Here are some things you need to know about this report:

- The database items used for the Trunk Group report are stored in the ctkgrp table.
- This report uses the Trunk Group input window. See <u>Trunk Group report selector window and input fields</u> on page 160 for more information.

## Trunk Group report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Trunk Group Name	The trunk group name or number for which the report was requested.	syn(TKGRP)
Trunk	The trunk equipment location assigned to this trunk.	EQLOC
State	The current state of the trunk (IDLE, CONN, QUEUED, SEIZED, MBUSY, HOLD, UNKNOWN, DABN, FBUSY, FDISC, RING).	TKSTATE
Direction	The direction in which the trunk is carrying the current call (in or out).	DIRECTION
Time	The time that the trunk has spent in the current state.	DURATION
Agent Name	The name of the agent handling the current call on the trunk.	syn(LOGID)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Extn	The extension number that is associated with the current call on the trunk.	EXTENSION
Split/Skill	The split/skill number that is associated with the current call on the trunk.	SPLIT
VDN Name (Shows data only if you have the Vectoring feature)	The number or name of the VDN for which the report shows data. The VDN is associated with the ACD call in progress. If a name has been assigned to the VDN in the Dictionary, the name displays instead of the number.	VDN

## **VDN** reports

The VDN reports give you the following specific information about VDNs:

- The wait times of incoming calls answered/connected and abandoned for a VDN during the current interval
- How calls to the specified VDN are being handled
- The number of calls handled by each of the VDN skill preferences and information about call handling
- The current overall status of the VDNs you select

## VDN report selector window and input fields

The VDN report selector window and the VDN report input window are used to run the VDN reports described in this section.

The reports in this section use the VDN reports input window. Specific input information is included with the reports. The report input window must be filled in to run the report. The following table describes the input fields on real-time VDN report input windows:

Name	Description
VDN	Fill in the VDNs names or numbers for which you want to run the report. You can enter a VDN name only if the name has been defined in the Dictionary.
Refresh Every <#> Seconds	Enter the number of seconds (3 to 600) to specify how frequently CMS should update the report data. The default for the <b>Refresh Every &lt;#&gt; Seconds</b> field in this window is your assigned minimum refresh rate plus 15 seconds. To find out what your minimum refresh rate is, or to change it, check with your CMS administrator.

Name	Description
Enable Report Thresholds	Check the <b>Enable Report Thresholds</b> option to start the report with report thresholds running. Uncheck the option if you do not want to run report thresholds.
Run Minimized	Check the <b>Run Minimized</b> option to run the report in a minimized window. Uncheck the option to run the report at full size.

## **VDN Call Profile report**

This report, which is available only for customers who have the Vectoring feature, displays the numbers of answered/connected and abandoned calls to the specified VDN within the administered service level increments. It also displays the percentage of calls answered or connected within the acceptable service level.

In order to run this report the Vectoring feature must be enabled.

Here are some things you need to know about this report:

- Calls are displayed in ten separate columns, with each column representing a progressively longer wait time for the call. For example, the first field shows calls that were answered in less than or equal to PERIOD1 seconds, the second field shows calls that were answered in less than or equal to PERIOD2 seconds, but greater than PERIOD1 seconds, and so on.
- You can only run this report if the Vectoring feature has been purchase and authorized for you to use.
- The database items used for the VDN Call Profile report are stored in the cvdn table.
- This report uses the VDN report input window. Select a VDN that you want to view on the report. See VDN report selector window and input fields on page 162 for more information.

#### **Prerequisite System Administration**

You must first define your acceptable service level and service level increments for this VDN in the VDN Call Profile Setup window. If you do not define your service level and increments, zero (0) is used for all increments (therefore, all calls appear in the first increment).

For more information, see the *Avaya Call Management System Administration* document. For more information, see the Administration section of the Help.

#### **VDN Call Profile report description**

This table describes the report field:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
VDN (Shows data only if you have purchased the Vectoring feature)	The number or name of the VDN for which the report shows data (selected in the report input window).	VDN
% Within Service Level	Percentage of calls to the VDN that were answered/connected within the service level (as specified in the VDN Call Profile Setup window). Calls to the VDN may result in ACD calls, direct agent calls, and non-ACD calls.	100 * (ACCEPTABLE/INCALLS) <percent_serv_lvl_vdn></percent_serv_lvl_vdn>
Seconds	The size of each service level increment is measured in seconds. Each increment of seconds represents a progressively longer wait time segment during which calls may be answered or abandoned, and each increment can be a different length. These increments are defined in the Call Center Administration VDN Call Profile Setup window.	PERIOD1-9
ACD + Conn Calls	Number of calls to the VDN that were answered by an agent or connected to a non-ACD destination within each of the service level increments. this includes direct agent calls. Connected means calls that are answered at a non-ACD destination.	ANSCONNCALLS1-10
Aban Calls	Number of calls to the VDN that were abandoned within each of the service level increments. This includes direct agent calls and calls that were abandoned while queued to a split/skill or while ringing a voice terminal. This includes all VDN calls abandoned. For communication servers with the ASAI feature, this also includes the number of outbound calls for each split/skill that abandoned before an agent answered at the far end.	ABNCALLS1-10
ACD + Conn Calls (total)	Total number of calls to the VDN (including direct agent calls) that were answered by an agent or were connected to a non-ACD destination. Connected means calls that are answered at a non-ACD destination.	ACDCALLS + CONNECTCALLS

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Avg Speed of Ans + Conn	The average time, in minutes and seconds, that calls to the VDN completed during this interval waited before being answered by an agent or connected (to a non-ACD destination). This includes direct agent calls, non- ACD calls, and calls answered by AUDIX and Message Center agents, but only includes calls that were processed by the VDN.	(ANSTIME + CONNECTTIME) / (ACDCALLS + CONNECTCALLS)
% Ans + Conn	Percentage of calls (which may includes direct agent calls) to the VDN completed during this interval that were answered or connected within the administered service level increments. This includes direct agent calls. Connected means calls that are answered at a non-ACD destination.	100*((ACDCALLS + CONNECTCALLS) / INCALLS
Aban Calls (total)	Total number of calls to the VDN that were abandoned. This includes direct agent calls and calls that were abandoned while queued to a split/skill or while ringing a voice terminal.	ABNCALLS
Avg Aban Time	The average time calls waited in VDN before hanging up.	ABNTIME/ABNCALLS <avg_abandon_time></avg_abandon_time>
% Aban	Percentage of calls to the VDN that were abandoned.	100*(ABNCALLS/INCALLS)

# **VDN Graphical Call Profile report**

This report shows how calls to the VDN you specify are being handled compared to your call center's predefined acceptable service level. Call center supervisors can use this report to look at VDN calls answered within the acceptable service level and service interval answer and abandons.

This report is available on communication servers with the Call Vectoring feature.

Here are some things to know about this report:

- You can access this report from the Real-Time VDN Category selector menu.
- This report contains two charts, a three-dimensional pie chart and a stacked area graph. A legend is located to the right of each chart.

The three-dimensional pie chart contains the percentage of ACD calls answered within the predefined acceptable service level and the percentage of ACD calls answered outside this level. The VDN selected for the report and the predefined acceptable service level are displayed above this chart.

The stacked area graph contains the following information:

• The number of ACD calls answered and abandoned within each service interval.

- The x-axis represents each of the defined service intervals in seconds, and the y-axis represents the number of ACD calls answered/abandoned within each of the defined service levels.
- The number displayed for each service interval is the upper limit of the interval. For example, if the first two intervals are 5 and 10, the first data point on the graph shows the number of calls answered/abandoned within 0-5 seconds, and the second data point shows the number of calls answered/abandoned within 6-10 seconds.
- The chart type can be changed. For more information, see Using reports on page 19.
- The database items used for the VDN Graphical Call Profile report are stored in the cvdn table.
- This report uses the VDN report input window. Select a VDN that you want to view on the report. For more information, see <u>VDN report selector window and input fields</u> on page 162.

#### VDN Graphical Call Profile report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
VDN (Shows data only if you have purchased the vectoring feature)	The number or name of the VDN for which the report shows data.	VDN or syn(VDN)
% Within Service Level	Percentage of calls to the VDN that were answered/connected within the service level (as specified in the VDN Call Profile Setup window). Calls to the VDN may result in ACD, direct agent calls, and non-ACD calls.	<percent_serv_lvl_vdn< td=""></percent_serv_lvl_vdn<>
% Outside Service Level	Percentage of VDN ACD calls that were not answered by an agent within the predefined acceptable service level. Calls that were not answered may include forced busy calls, forced disconnect calls, calls redirected to another destination, and calls queued to more than one VDN and answered in another VDN.	< <100PERCENT_ SERV_LVL_VDN>
Service Interval - Seconds	The size of each service level increment is measured in seconds. Each increment of seconds represents a progressively longer wait time segments during which calls may be answered or abandoned, and each increment can be a different length. These increments are defined in the call Center Administration VDN Call Profile Setup window.	PERIOD1-9

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
ACD + Conn Calls	The number of calls to the VDN that were answered by an agent or connected to a non-ACD destination within each of the service level increments. Calls in each increment are represented by color-coded area (see legend).	ANSCONNCALLS1-10
Seconds	Shows the current setting for the Acceptable Service Level, in seconds, as defined on the Call Center Administration VDN Call Profile Setup window)	SERVICELEVEL
Aban Calls	The number of calls to the VDN that were abandoned within each of the service level increments. This includes direct agent calls and calls that were abandoned while queued to a split/skill or while ringing a voice terminal. For communication servers with the ASAI feature, this also includes the number of outbound calls for each split/skill that abandoned before an agent answered at the far end.	ABNCALLS1-10

#### **VDN Skill Preference report**

This report, which is only available for customers who have the Vectoring and EAS features, displays information about call handling for the VDN as a whole and lists the number of calls handled by each of the VDN skill preferences.

In order to run this report, the Vectoring and EAS features must be enabled.

Here are some things you need to know about this report:

- This report is only available if the Vectoring and EAS features have been purchased and authorized for you to use.
- This report displays data on the handling of calls to the VDNs by VDN skill preference.
- If a specific skill in the vector is also administered as a VDN skill preference for the associated VDN, data for that skill preference shows in this report.
- The database items used for the VDN Skill Preference report are stored in the cvdn table.
- This report uses the VDN report input window. Select a VDN that you want to view on the report. See VDN report selector window and input fields on page 162 for more information.

#### **VDN Skill Preference report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
VDN Name (Shows data only if you have purchased the Vectoring Feature.)	The number or name of the VDN for which the report shows data.	VDN
Inbound Calls	Number of calls offered to the VDN since the start of the interval and that completed during the interval.	INCALLS
ACD Calls	The number of split/skill and direct agent ACD calls to the VDN completed during the reporting period that were answered by an agent. This includes calls from queue to main, check backup, messaging split/skill, route to split/skill, and adjunct routing to split/skill or direct agent.	ACDCALLS
Avg Speed Ans	The average speed of the answer for split/skill and direct agent ACD calls to the VDN that were completed during the reporting period.	ANSTIME/ACDCALLS <avg_answer_speed></avg_answer_speed>
Avg ACD Time	The average talk time (not including hold time) for all ACD calls (which may included direct agent calls) completed during this interval that were processed by the VDN.	ACDTIME/ACDCALLS <avg_acd_talk_time></avg_acd_talk_time>
Avg ACW Time	Average time agents spent in after call work associated with ACD calls to this VDN that were completed during this interval. (This does not include after call work time not associated with ACD calls.	ACWTIME/ACDCALLS <avg_acw_time></avg_acw_time>
Aban Calls	Number of calls to the VDN during this interval that hung up during this interval.	ABNCALLS
Avg Aban Time	The average time calls waited (in VDN) before hanging up.	ABNTIME/ABNCALLS <avg_abandon_time></avg_abandon_time>
(1st., 2nd., 3rd.) Skill ACD Calls	Number of completed ACD calls to the VDN answered by agents in each of the three VDN skill preferences.	SKILLCALLS1 SKILLCALLS2 SKILLCALLS3

# **VDN** report

This report, which is only available for customers who have the Vectoring feature, displays information about how calls to the specified VDNs are being handled during the current interval.

In order to run this report, the Vectoring feature must be enabled.

Here are some things you need to know about this report:

- You can only run this report if the Vectoring feature has been purchased and authorized for you to use.
- The database items used for the VDN report are stored in the cvdn table.
- This report uses the VDN reports input window. See <u>VDN report selector window and input fields</u> on page 162 for more information.

#### **VDN** report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
VDN	The number or name of the VDN for which the report shows data.	VDN
Calls Waiting	The number of split or skill ACD calls waiting to be answered. This includes calls that are in queue and calls that are ringing at an agent voice terminal. It does not include direct agent calls.	INQUEUE+INRING
Oldest Call Waiting	Length of time the oldest call currently waiting in the VDN has been waiting.	OLDESTCALL
Avg Speed Ans	The average speed of answer for split/skill and direct agent ACD calls to the VDN that were completed during the reporting period.	ANSTIME/ACDCALLS <avg_answer_speed></avg_answer_speed>
Aban Calls	The number of calls to the VDN that hung up during this interval.	ABNCALLS
Avg Aban Time	The average time calls waited (in split/skill or VDN) before hanging up.	ABNTIME/ABNCALLS <avg_abandon_time></avg_abandon_time>
ACD Calls	The number of calls to the VDN completed during the interval that were answered by an agent. This includes calls from queue to main, check backup, messaging split/skill, route to split skill, and adjunct routing to split/skill or direct agent.	ACDCALLS
Avg ACD Time	The average talk time (not including hold time) for all ACD calls (which may include direct agent calls) completed during the interval that were processed by the VDN.	ACDTIME /ACDCALLS <avg_acd_talk_time></avg_acd_talk_time>
Busy + Disc Calls	Number of calls offered to the VDN that received a forced busy signal or forced disconnect.	BUSYCALLS + DISCCALLS <busy_disconnect></busy_disconnect>

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Flow In	Number of calls that were redirected to this VDN via a route to VDN. Calls are counted regardless of whether they remained connected to the VDN, were abandoned, or were routed to some other destination.	INFLOWCALLS
Flow Out	The number of calls to this VDN that were redirected to another VDN or a destination outside the communication server by way of a route to or adjunct routing command. This does not include calls redirected to another vector by way of a go to vector command, because those calls stay in the same VDN.	OUTFLOWCALLS
Active VDN Calls	Number of calls currently active in a VDN. This only includes incoming trunk calls directly to the VDN, but it does not include internal calls, transfers, or calls routed or redirected to the VDN through another VDN. A call is considered active in a VDN from the time that the call routes to the VDN until all parties on the call have been dropped and the call is released. If CMS is connected to an early communication server version or the vectoring feature is not enabled, then the Active VDN Calls column is displayed, but the fields are blank.	ACTIVECALLS

# **Vector report**

The Vector report displays the information about how calls to the specified vectors are being handled during the current interval.

# Vector selector window and input fields

The following table describes the input fields on real-time Vector report input windows. The report input window must be filled in to run the report:

Name	Description
Vector(s)	Enter the names or numbers of the vectors for which you want to run the report. You can enter a vector name only if the name has been defined in the Dictionary.

Name	Description
Refresh Every <#> Seconds	Enter the number of seconds (3 to 600) to specify how frequently CMS should update the report data. The default for the <b>Refresh Every &lt;#&gt; Seconds</b> field in this window is your assigned minimum refresh rate plus 15 seconds. To find out what your minimum refresh rate is, or to change it, check with your CMS administrator.
Enable Report Thresholds	Check the <b>Enable Report Thresholds</b> option to start the report with report thresholds running. Uncheck the option if you do not want to run report thresholds.
Run Minimized	Check the <b>Run Minimized</b> option to run the report in a minimized window. Uncheck the option to run the report at full size.

## **Vector report**

The Vector report displays information about how calls to the specified vectors are being handled during the current interval.

Here are some things you need to know about this report:

- The database items used for the Vector report are stored in the cvector table.
- This report uses the Vector report input window. Select the vectors that you want to view on the report. See <u>Vector selector window and input fields</u> on page 170 for more information.

### **Vector report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Vector or Vector Name	Number or name of the vector for which the report shows data (selected in the report input window).	VECTOR
Calls Wait	Number of calls (which may include ACD and direct agent calls) that are currently being processed by the vector. This includes calls ringing a voice terminal.	INPROGRESS
Avg Speed Ans	The average time, in minutes and seconds, that split/skill and direct agent ACD calls waited before they were answered by an agent. This item includes only calls that were answered as a result of processing by this vector. It does not include hold time.	ANSTIME /ACDCALLS <avg_answer_speed></avg_answer_speed>

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Aban Calls	Number of calls that were abandoned while being processed by this vector. This includes direct agent calls and calls that were abandoned while queued to a split/skill or while ringing a voice terminal.	ABNCALLS
Avg Aban Time	The average time a caller waited before hanging up.	ABNTIME/ABNCALLS <avg_abandon_time></avg_abandon_time>
ACD Calls	The number of calls that were processed by the vector and answered by an agent. This includes direct agent calls, and it does includes ACD calls placed by an adjunct (also called outbound predictive dialing).	ACDCALLS
Busy + Disc Calls	Number of calls offered to the vector that received a forced busy signal or forced disconnect.	BUSYCALLS + DISCCALLS <busy_disconnect></busy_disconnect>
Flow In	Number of calls that were redirected from within the communication server to this vector. Calls are counted regardless of whether they were answered while being processed by the vector, were abandoned, or were routed to some other destination.	INFLOWCALLS
Flow Out	The number of calls to this vector that were redirected to another vector or a destination by way of a route to, go to vector or adjunct routing command. This includes calls routed to destinations within and outside the communication server. Calls that route to a split/skill are not considered vector flow out calls, but are still tracked in the vector.	OUTFLOWCALLS

# **Drill-down reports**

Supervisor reports allow you to drill-down to very detailed information from a variety of places. A drill-down report is a report that gives you very specific information on an agent or a work state in a split/skill.

# Accessing drill-down reports

#### About this task

You can access drill-down reports in the following ways:

#### **Procedure**

1. Double click on an element in a report that allows you to access a drill-down report.

- 2. Single click on an element in a report that allows you to access a drill-down report and then using the right mouse button menu to select a specific drill-down report.
- Single click on an element in a report that allows you to access a drill-down report and use the Tools menu to select any of the drill-down reports that are accessible from the currently-running report.

#### Location ID as a report field

If you use a customer-created report to view information related to Avaya Business Advocate and that report uses **Location ID** as an input field, a completely new drill-down report will display. This report will differ from the current set of drill-down reports and will include agent **Location ID** as a report field.

This field is available only when you drill down from a custom report that has **Location ID** as an input.

#### Finding drill-down information

You can tell if the report you are currently running accesses a drill-down reports (and which drill-down reports are available) by moving the mouse cursor over information on the report and reading the status bar at the bottom left-hand side of the report window.

#### **Drill-down report types**

There are two basic elements on reports from which you can access drill-down reports:

- · Agent names or Login IDs drill-down to agent-specific information reports
- Agent work states (AWORKMODE, AUX, Avail, ACD, ACW, Ring, Other) drill-down to work state reports or AUX Agents reports (ECS only)
- Database items (for example, TOTHER, TAVAILABLE, TINACW, TINAUX, TONACD, R10THER, R1AGINRING, R1AVAILABLE, RINACW, R10NACD) which specify the number of agents in the given state.

# Modifying drill-down reports

Drill-down reports can only be modified if they can be run from the reports selector window. They cannot be modified if they are accessed from another report or agent work state.

# **Drill-Down Top Agent Work State report**

This report shows top agents who are in the specified work state and the time in the state. In addition, this report shows all of the agents that are staffed even if they are not in a particular state for the specified split/skill.

This report is available on all communication server releases with EAS.

#### Report contents

This report contains:

A table with a row for each top agent currently in the selected work state.

- Top agent name, login ID, time in state, split/skill, and the skill level and role in the skill in which the agent is active in each row of the table.
- The user will be able to specify sort by agent name, login ID, time in state, split/skill, skill level and role.
- The user will be able to specify a primary and a secondary sort key.

#### Report use

From this report, you can drill down to Real-Time or Integrated Agent Information reports.

Call center supervisors can use this report to look at all the top agents in a particular work state, and to see how long an agent has been in this work state, the skill for which they are occupied, the skill level assigned to the agent for this skill, and the role the agent has in this skill.

You cannot customize this report.

#### **Database items**

The database items used for this report are stored in the csplit and cagent tables.

#### **Drill-down Top Agent Work State report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Skill	The name or number of the skill (up to 20 characters) that is selected for this report.	syn(SPLIT)
Agent state	The current work mode for this agent. Values include Avail, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, AND UNSTAFF.	AWORKMODE + DIRECTION
Agent Name	The name (or agent IDs if the names have not been assigned in the Dictionary) of the agents assigned to this split/skill and logged in.	syn(LOGID)
Login ID	The login identification of the agents.	LOGID
Location ID	The location IDs associated with the agent. This ID is not associated with the agent personally, but rather with the terminal the agent is logged into. It is also associated with a port network location ID on a communication server. If the Agent Site Tracking feature is not available on your system, the field will not display meaningful data.	LOC_ID
	This field is available only when you drill down from a custom report that has Location ID as an input.	

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Active Skill	This skill is active when the agent is:	syn(WORKSKILL)
	On a split/skill, on a direct agent ACD call, or in ACW. This is the split/skill associated with the call or ACW.	
	Available, in AUX or in OTHER state. This is null (blank).	
	On an AUXIN/AUXOUT call. This is the OLDEST_LOGIN split/skill.	
	On an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold. This is the OLDEST_LOGON split/skill.	
	On an AUXIN call with an ACD call on hold. This is the OLDEST_LOGON split/skill.	
	On an AUXOUT call with an ACD call on hold. This is the split/skill associated with the ACD call.	
	WORKSKILL differs from WORKSPLIT only in the case that the agent is available. In this case, WORKSKILL will be blank AND WORKSPLIT will contain one of the split/skills in which the agent is available.	
Level	The skill level (1-16, R1or R2) associated with the SKILL.	syn(LEVEL)
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME

# **Drill-Down Work State report**

This report shows all of the agents who are in the specified work state and the time in state.

This report is available on all communication servers.

## **Report contents**

This report contains:

• A table with a row for each top agent currently in the selected work state.

- Agent name, login ID, time in state, split/skill, and the skill level and role for the skill in which the agent is active in each row of the table.
- The user will be able to specify sort by agent name, login ID, time in state, split/skill, and skill level.
- The user will be able to specify a primary and a secondary sort key.

#### Report use

When you drill down to this report from another report, this report shows all of the agents in that work state for that split or skill only.

Call center supervisors can use this report to look at all agents in a particular work state, and to see how long an agent has been in this work state, the split/skill for which they are occupied, the skill level assigned to the agent for this skill, and the role the agent has in this skill.

You cannot customize this report.

#### **Database Items**

The database items used for this report are stored in the csplit and cagent tables.

#### **Drill-Down Work State report description**

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the skill that is selected for this report.	syn(SPLIT)
Skill State	The current state of the skill, compared to the administered thresholds. Requires Avaya Business Advocate.	SKSTATE
Agent state	The current work mode for this agent. Values include AVAIL, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, AND UNSTAFF.	AWORKMODE + DIRECTION
Agent Name	The name (or agent IDs if the names have not been assigned in the Dictionary) of the agents assigned to this split/skill and logged in.	syn(LOGID)
Login ID	The login identification of the agents.	LOGID

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Location ID	The location IDs associated with the agent. This ID is not associated with the agent personally, but rather with the terminal the agent is logged into. It is also associated with a port network location ID on a communication server. If the Agent Site Tracking feature is not available on your system, the field will not display meaningful data.	LOC_ID
Role	Agent's service role for this SPLIT, as defined in the Dictionary. Requires Avaya Business Advocate.	syn(ROLE)
Active Split/Skill	This skill is active when the agent is:	syn(WORKSKILL)
	On a split/skill, on a direct agent ACD call, or in ACW. This is the split/skill associated with the call or ACW.	
	Available, in AUX or in OTHER state. This is null (blank).	
	On an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold. This is the OLDEST_LOGIN split/skill.	
	On an AUXIN call with an ACD call on hold. This is the split/skill associated with the ACD call.	
	WORKSKILL differs from WORKSPLIT only in the case that the agent is available. In this case, WORKSKILL will be blank AND WORKSPLIT will contain one of the split/skills in which the agent is available.	
Level	The skill level (1-16, R1or R2) associated with the SKILL.	syn(LEVEL)
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes fro AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME

# **Chapter 5: Historical reports**

This chapter gives a brief description of each available historical report and definitions of the input fields. It provides the information needed to complete any historical report input screen.

# About historical reports

# Introduction to historical reports

Historical reports display, report, and summarize the past performance of any measured subset of the Automatic Call Distribution (ACD). Historical reports display past data for various agent, split/skill, trunk/trunk groups, Vector Directory Number (VDN), and vector activities, such as number of ACD calls, abandoned calls, average talk time, and average speed of answer.

The information in historical reports will give you a sound basis for decisions concerning the following:

- · Mix of trunk facilities
- Split or skill size
- · Agent assignments
- Consistent and objective performance standards
- · Performance evaluations

## Note:

CMS R18 supports additional time zones for archiving and reporting of daily, weekly, and monthly data of historical reports. In addition to the time zone of the default ACD, another time zone from the list of 600+ possible time zones can be administered to archive and aggregate the data for historical reports. If customers select a time zone that has not been administered to archive the data, the customers will not see any data in the daily, weekly, and monthly reports.

Tables supporting additional time zones are:

- hagent, hcwc, hsplit, htkgrp, htrunk, hvector, hvdn, haglog
- dagent, dcwc, dsplit, dtkgrp, dtrunk, dvdn, dvector,

- · wagent, wcwc, wsplit, wtkgrp, wtrunk, wvdn, wvector
- · magent, mcwc, msplit, mtkgrp, mtrunk, mvdn, mvector
- agex, tgex, vdnex, vecex, spex, mctex, fullex, linkex
- · ag actv, call rec

You can enter the required time zone using the report selector.

#### Note:

In the CMS R18 historical report output description, the requested time zone is listed in the report output header if the time zone is not the default time zone.

The Expert Agent Selection (EAS), Vectoring, and Graphics reports are also included in this chapter. If you do not have the EAS feature, Vectoring feature, or Graphics package, those report items do not appear on your menu. The reports you see depend on your communication server type, permissions, and system performance.

# Presentation of historical reports

This chapter gives a brief description of each available report, examples of the report input windows, and definitions of the input fields. It provides you with the information you need to complete any historical report input window.

A short summary and example of each historical report is included in this chapter.

# Structure of the historical reporting system

The following diagram shows how the historical reporting system is structured. This section follows the report structure outlined in this diagram-agent reports are described first, followed by other reports, such as call records and call work code reports.

Report subject	Reports
Agent	Attendance
	• AUX
	Event Count
	Graphical Time Spent
	Group Attendance
	Group Summary
	Group AUX
	• In/Outbound
	Login/Logout
	Split/Skill
	• Summary
	• Trace
	Trace by Location
Other	Call Records
	Call Work Code
Split/Skill	Actual Relative to Target Daily
	Actual Relative to Target Interval
	Call Profile
	Graphical ASA
	Graphical Average Positions Staffed Interval
	Graphical Call Profile
	Graphical Multi-ACD Service Level Daily
	Graphical Service Level
	Graphical Skill Time Spent
	Graphical Skill Overload
	Outbound
	Preferred Skill Level Summary
	Report
	Service Level
	Split/Skill by Location
	Summary

Report subject	Reports
System	Graphical Maximum Delay
	Multi-ACD by Split/Skill
	Multi-ACD
	System
Trunk/Trunk Group	Busy Hour
	• Trunk
	Trunk Group
	Trunk Group Summary
VDN	Busy Hour
	Call Profile
	Graphical Busy/Abandon/Disconnect Comparison
	Graphical Call Profile
	Graphical Service Level
	Multi-ACD Flow
	Multi-ACD Inflow
	Report
	Skill Preference
Vector	Vector

### Presentation of historical report information

When you generate a historical report, the totals for the report columns are on the top line of the report under the headings.

There are four types of historical reports:

• Interval reports contain breakdowns of data by the interval and the time zone you have defined. The report intervals can be 15, 30, or 60 minutes. Interval reports can help you identify your high and low call volumes, and thereby manage your call center more easily.

### Important:

Time-zone reporting feature can only be used for single-day interval reports when a time zone other than the default time zone is specified.

- Daily reports display summarized interval data, one line for each day.
- Weekly reports display summarized daily data for the weeks specified, one line for each week.
- Monthly reports display summarized daily data for the months specified, one line for each month.

All four types are not available for each report. The Select a Report window lists reports based on which types are available (for example: Call Profile Daily, Call Profile Weekly, Call Profile Monthly).

# How long does CMS store data?

The Avaya Call Management System (CMS) can store intrahour data for up to 62 days, daily summary data for 5 years, and weekly/monthly summary data for 10 years. Disk storage space can quickly become an issue, as the volume of data you wish to store increases.

#### Administrable timeout value

CMS can administer a system-wide time limit that will cause the CMS server to reject a historical report if it takes longer than the time limit to run. If the report is rejected, the error message "Report timed out" will appear. The timeout value is administered only through the server ASCII interface in the Report Administration screen under the Maintenance selection from the main menu. A timeout value of "never" means there is no timeout value. The timeout value also applies to all custom historical reports. See section Administering Report Properties in Avaya Call Management System Administration for more information on this topic.

# Agent reports

This section describes Avaya Call Management System (CMS) Supervisor agent reports.



#### Note:

Tenant users can only gain access to agents and tenant specific agent groups pertaining to tenants for which the user has permissions. The application of these permissions for tenant users can affect the output of selected reports. The following reports are affected due to these permissions:

- · Reports> Historical> Agent> Summary> Interval
- · Reports> Historical> Agent> Summary> Daily
- · Reports> Historical> Agent> Summary> Weekly
- Reports> Historical> Agent> Summary> Monthly
- Reports> Historical> Agent> AUX> Interval
- Reports> Historical> Agent> AUX> Daily
- Reports> Historical> Agent> AUX> Weekly
- Reports> Historical> Agent> AUX> Monthly
- Reports> Historical> Agent> Split/skill> Interval
- Reports> Historical> Agent> Split/skill> Daily

- Reports> Historical> Agent> Split/skill> Weekly
- Reports> Historical> Agent> Split/skill> Monthly
- Reports> Historical> Agent> Attendance> Daily
- Reports> Historical> Agent> Attendance> Weekly
- Reports> Historical> Agent> Attendance> Monthly
- Reports> Historical> Agent> Group Attendance> Daily
- · Reports> Historical> Agent> Group Attendance> Weekly
- Reports> Historical> Agent> Group Attendance> Monthly
- Reports> Historical> Agent> Trace
- Reports> Historical> Agent> Event Count> Interval
- Reports> Historical> Agent> Event Count> Daily
- Reports> Historical> Agent> Event Count> Weekly
- Reports> Historical> Agent> Event Count> Monthly
- Reports> Historical> Agent> Group Summary> Daily
- Reports> Historical> Agent> Group Summary> Weekly
- Reports> Historical> Agent> Group Summary> Monthly
- Reports> Historical> Agent> Group AUX> Daily
- Reports> Historical> Agent> Group AUX> Weekly
- Reports> Historical> Agent> Group AUX> Monthly
- Reports> Historical> Agent> In/Outbound Call> Interval
- Reports> Historical> Agent> In/Outbound Call> Daily
- Reports> Historical> Agent> In/Outbound Call> Weekly
- Reports> Historical> Agent> In/Outbound Call> Monthly

### What an Agent report contains

The Agent reports give you the following specific information about agents:

- Every agent activity and the time it occurred for a particular agent in the Agent Trace by Location report
- An individual agent's performance by split or skill in the Agent Split/Skill report
- How a group of agents is performing in the Group Summary report

### Agent report input fields

The reports in this section use the Agent report selector window and input fields. Specific input information is included with the reports.

The following table describes the input fields on historical Agent report input windows. Not all reports use all fields; refer to information for the specific report you are running to determine what you want to view. For example, you may enter an agent group, agent name or split/skill to run the report.

All possible fields on this window are described here:

Name	Description
Agent	Enter the name of the agent. The agent's name must be defined in the Dictionary subsystem; otherwise, you will see the agent's ID number.
Agent group	Enter the appropriate group name. It is important to enter the agent group name correctly, because CMS does not check to see if the group name you entered exists in the Dictionary subsystem. Therefore, if you enter a name that is misspelled, the report runs but does not contain data because the group does not exist. You should enter the correct group name and run the report again.
Date (Interval)	Enter the date you would like the report to cover:
	• You can use the month/day/year (for example, 3/21/02).
	You can use a minus offset based on today's date (for example, -1 for yesterday).
Login Date	Enter the date that you would like the report to cover. This is the date on which agents in the skill logged in.
	You can use the month/day/year (for example, 3/21/02).
	You can use a minus offset based on today's date (for example, -1 for yesterday).

Name	Description
Date (daily, weekly, and monthly)	Enter the dates for the days or the start dates for the weeks or the months that you would like the report to cover.
	You can use the month/day/year (for example, 3/21/02).
	You can use a minus offset based on today's date (for example, -1 for yesterday). You can also specify a range of dates (for example, 0-7).
	You can separate individual data entry items using a semicolon (for example, 3/21/02;3/23/02;3/25/02), and you can enter ranges by placing a hyphen between entries (for example, 3/21/02-3/25/02). For weekly and monthly reports, specifying a range produces all weeks and/or months that begin in the range.
	When you specify a date for a weekly report, that date or range of dates must correspond to the week start day selected in the System Setup-Storage Intervals window. If the date and day do not match, the message No records found displays in the status line. The month start date must be the first day of the month.
Times (Interval)	Enter the times you would like the report to cover:
	You can use AM/PM format (for example, 7:30AM-5:00PM).
	You can use military time format (for example, 7:30-17:00).
	You can separate individual data entry items using a semicolon (for example, 3/21/02;3/23/02;3/25/02), and you can enter ranges by placing a hyphen between entries (for example, 3/21/02-3/25/02). For weekly and monthly reports, specifying a range produces all weeks and/or months that begin in the range.
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows® printer. The default printer is shown.

### **Agent AUX report**

The Agent AUX (Auxiliary Work) report shows the time an agent spent in each AUX reason code for one or more days, one or more weeks, one or more months or during a specific interval. The Agent AUX report is based on the Agent Summary and Agent Attendance reports. This report

displays data according to the time zone selected by the user. This report shows the total staffed time, total AUX time, and AUX time for each reason code for an agent.

Here are some things you need to know about this report:

- The Agent AUX report is available in interval, daily, weekly, and monthly versions.
- The database items for the Agent AUX report are stored in the hagent (interval), dagent (daily), wagent (weekly), and magent (monthly) tables.
- This report is only available when the ACD and Expert Agent Selection (EAS) features have been enabled on a communication server.
- This report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.
- You must be using AUX Reason Codes on the communication server for this report to be meaningful.
- This report uses the Agent report input window. Select an agent who you want to view on the report. See <u>Agent report input fields</u> on page 183 for more information.

#### Agent AUX report description

The following table describes the report fields:

Field	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Date, Week Starting, or Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
Agent Name	The name or login ID of the agent. You can make this selection in the report input window.	syn(LOGID)
Time (for interval reports only)	The intrahour intervals for which the report shows data. You can make these selections in the report input window.	STARTTIME, STARTTIME + INTRVL
Staffed Time	The total time that the agent was logged in (staffed) for the specified time period in any split/skill. (This does not include time that the link was down.)	sum(TI_STAFFTIME)
AUX Time	The total time that the agent spent in AUX work in all splits/skills and on AUXIN/ AUXOUT calls for the specified time period.	sum(TI_AUXTIME)
Time in 0	The time that the agent spent in AUX with the reason code of 0 (zero). This is the time in the system AUX for the communication servers using AUX reason codes. It is the same as TI_AUXTIME for communication servers not using AUX reason codes.	sum(TI_AUXTIME0)

Field	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Time in 19	The time that the agent spent in AUX with each of the reason codes 1-9.	sum(TI_AUXTIME1) sum(TI_AUXTIME9)
Time in 10-99	The time that the agent spent in AUX with each of the reason codes 10-99.	TIAUXTIME_REMAINING
Interrupt Notifications	The total number of interrupt notifications received by the agent while in an interruptible AUX state.	sum(INTRNOTIFIES)
Accepted interrupts	The total number of interrupts accepted by the agent while in an interruptible AUX state.	sum(ACCEPTEDINTRS)
Rejected interrupts	The total number of interrupt notifications rejected by the agent while in an interruptible AUX state.	sum(REJECTEDINTRS)

#### **Agent Attendance report**

The Agent Attendance report gives the total staffed time, ACD time, ACW time, AUX time, time in the ringing state, extension time, available time, and the number of calls handled by an agent for the specified time period for all splits or skills the agent was logged into.

Here are some things you need to know about this report:

- The Agent Attendance report is available in daily, weekly, and monthly versions.
- The database items for the Agent Attendance report are stored in the hagent (interval), dagent (daily), wagent, and magent (monthly) tables.
- The report item Total Staff Time contains other time (TI\_OTHERTIME) which is not shown in the report but can cause the numbers to not add up.
- This reports uses the Agent report input window. Select an agent who you want to view on the report. See <u>Agent report input fields</u> on page 183 for more information.

#### Agent Attendance report description

The following table describes the report fields:

Field	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Agent Name	The name or login ID of the agent. You can make this selection in the report input window.	syn(LOGID)
ACD	The ACD name or number for which the data was collected.	syn(ACD)
Date, Week, or Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE

Field	Description	Database item, calculation, or <alculation name<="" th=""></alculation>
Staffed Time	The total time that the agent was logged in (staffed) for the specified time period in any split/skill. (This does not include time that the link was down.)	sum(TI_STAFFTIME)
ACD Time	The total time that the agent spent on all split/ skill and direct agent ACD calls for the specified time period in any split/skill.	sum( <total_i_acdtime>)</total_i_acdtime>
ACW Time	The total time that the agent spent in ACW for the specified time period in any split/skill for ACD calls and direct agent calls as well as time in ACW not associated with a call. Time on extension calls is also included.	sum( <total_i_acwtime>)</total_i_acwtime>
Agent Ring Time	The total time during the collection interval that the agent had split/skill and direct agent ACD calls ringing. If the agent answers or makes another call instead of answering the ringing call, I_RINGTIME stops accumulating. RINGTIME is the time that the caller spends ringing and is independent of agent activity.	sum(I_RINGTIME)
Extn In Time	The total time that the agent spent talking on inbound extension calls for the specified time period.	sum(I_ACWINTIME + I_AUXINTIME), sum( <ext_in_time></ext_in_time>
Extn Out Time	The total time that the agent spent talking on outbound extension calls for the specified time period.	sum(I_ACWOUTTIME + I_AUXOUTTIME), sum< EXT_OUT_TIME>
Avail Time	The total time for the specified time period that the agent was available to take ACD calls in any split/skill.	sum(TI_AVAILTIME)
AUX Time	The total time that the agent spent in AUX work in all splits/skills and on AUXIN/ AUXOUT calls for the specified time period.	sum(TI_AUXTIME)
ACD Calls	The total number of split/skill and direct agent ACD calls answered by the agent.	sum(ACDCALLS + DA_ACDCALLS), sum( <total_acdcalls>)</total_acdcalls>
Extn In Calls	The number of inbound extension calls completed by the agent during the period covered. This includes calls received while the agent was in the following work modes:	sum(ACWINCALLS + AUXINCALLS) and sum( <ext_call_in>)</ext_call_in>
	Auto-In or Manual-In	
	ACW mode for ACD calls	
	ACW mode that was not associated with a call	
	AUX work mode	

Field	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Extn Out Calls	The number of outbound extension calls that were completed by the agent during the period covered. This includes calls originated by the agent while the agent was in the following work modes:	sum(ACWOUTCALLS) + sum(AUXOUTCALLS), sum <ext_call_out></ext_call_out>
	Auto-In or Manual-In	
	ACW mode for ACD calls	
	ACW mode that was not associated with a call	
	AUX work mode	

# **Agent Event Count report**

The Agent Event Count report shows the total number of times that an individual agent pressed an Event Count (sometimes referred to as Stroke Count) key for all splits/skills. An Event Count key can represent any call event, including a successful sale, a call from a demographic category, or a response to a promotion. This report displays data according to the time zone selected by the user. CMS records an event occurrence each time that an agent presses an Event Count key on his or her voice terminal while the agent is on an ACD call or in call-related ACW. This feature's operations is dependent on Stroke Count administration on the communication server.

Here are some things you need to know about this report:

- The Event Count report is available in interval, daily, weekly, and monthly versions.
- The database items for the Agent Event Count report are stored in the hagent (interval), dagent (daily), wagent, and magent (monthly) tables.
- This report uses the Agent report input window. select an agent who you want to view on the report. See Agent report input fields on page 183 for more information.

#### **Agent Event Count report description**

The following table describes the report fields:

Field	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week Starting, or Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
Agent Name	The name or login ID of the agent. You can make this selection in the report input window.	syn(LOGID)
Time Zone (interval reports only)	This report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.	Input only

Field	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
ACD	The ACD name or number for which the data was collected.	syn(ACD)
Time (interval reports only)	The intrahour intervals for which the report shows data. You can make these selections in the report input window.	STARTTIME, STARTTIME + INTRVL
	Note:	
	This is the interval for which counts were summed.	
ACD Calls	The number of split/skill and direct agent ACD calls that were answered by this agent during the specified time period.	ACDCALLS + DA_ACDCALLS), sum( <total_acdcalls>)</total_acdcalls>
Event Count 19	The number of key presses of the various Event Count keys by this agent during the specified time period.	sum(EVENT1)sum(EVENT9)

### **Agent Time Spent Daily report**

This report shows historical information and statistics for the specified agent.

Here are some things you need to know about this report:

- This report is available in daily version only.
- This report is available for all communication server releases. The contents of this report depend upon the communication server release for which it is being run.
- The database items for the Agent Graphical Time Spent Daily report are stored in the cagent (daily) table.
- Call center supervisors can use this report to get an idea of how much time an agent spent
  on ACD calls, in available state, in ACW, in AUX, and so on, for a particular day. This report
  enables the supervisor to tell how much time the agent spent in AUX work state for each of
  the reason codes defined for this call center.
- The following example of this report shows the information it will contain for a communication server with EAS.
- This report is available only through the Supervisor interface.
- This report uses the Agent report input window. Select an agent who you want to view on the report. See <u>Agent report input fields</u> on page 183 for more information.

#### **Agent Time Spent Daily report description**

The following table describes the report fields:

Field	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Agent	The name (or agent login ID if the names have not been assigned in Dictionary) of the agent.	syn(LOGID)
Date	The day for which the report was run (selected in the report input window).	ROW_DATE
AVAIL	The time during the collection interval that the agent was in the available state for split/skill or direct agent ACD calls in any split/skill.	sum(TI_AVAILTIME)
ACD	The time during the collection interval that the agent was talking on ACD calls for the SPLIT.	sum ( <total_i_acdtime>)</total_i_acdtime>
ACW	The time during the collection interval that the agent was in after call work (ACW). This includes ACW for split/skill ACD calls and ACW not associated with the call.	sum( <total_i_acwtime>)</total_i_acwtime>
AUX	The time during the collection interval that the agent was in the AUX work state in all splits/skills or on AUXINCALLS or AUXOUTCALLS.	sum(TI_AUXTIME)
RING	The time during the collection interval that the agent had split/skill and direct agent ACD calls ringing.	sum(I_RINGTIME)
Reason Code 0	The time that the agent spent in AUX with reason code 0. This is the time in system AUX for the communication servers using AUX reason codes. It is the same as TI_AUXTIME for communication servers not using AUX reason codes. The TI_ stands for the time that is stored only for the split or skill that the agent is logged into for the longest amount of time. TI_ time needs to be summed across the skills the agents may log into, in case the login order changes during the collection interval.	sum(TI_AUXTIME0)
Reason Codes 1-9	The time that the agent spent in AUX with each of the reason codes 1-9. The TI_stands for the time that is stored only for the split or skill that the agent is logged into for the longest amount of time. TI_time needs to be summed across the skills the agents may log into, in case the login order changes during the collection interval.	sum(TI_AUXTIME1-9)

Field	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Reason Codes 10-99	The time that the agent spent in AUX reason codes 10-99. The TI_ stands for the time that is stored only for the split or skill that the agent is logged into for the longest amount of time. TI_ time needs to be summed across the skills the agents may log into, in case the login order changes during the collection interval.	sum(TIAUXTIME_REMAINING)
OTHER	The time during the collection interval that the agent was doing other work in all splits/skills. TI_OTHERTIME accumulates while in Auto-in or Man-In the agent put any call on hold and performed no further action, the agent dialed to place a call or to activate a feature, or an extension call rang with no other activity. TI_OTHERTIME is collected for the time period after the line to the communication server comes up or after the agent logs in and before the CMS receives notification of the agent's state from the communication server. The TI_ stands for the time that is stored only for the split/skill that the agent is logged into for the longest amount of time. TI_ time needs to be summed across the splits/skills the agents may log into, in case the logon order changes during the collection interval.	sum(TI_OTHERTIME)

### **Agent Group Attendance report**

The Agent Group Attendance report summarizes staffed time, ACD time, ACW time, AUX time, time in the ringing state, extension time, available time, and number of calls handled for each agent in an agent group for the specified time period.

Here are some things you need to know about this report:

- The Agent Group Attendance report is available in daily, weekly, and monthly versions.
- The database items for the Agent Group Attendance report are stored in the dagent (daily), wagent (weekly), and magent (monthly) tables.
- The Totals column in the reports displays the totals for all agents in the group you have selected. Individual agent entries in this report show the totals for a particular agent.
- This report uses the Agent report input window. Select an agent who you want to view on the report. See <u>Agent report input fields</u> on page 183 for more information.
- This report could fail if there are more than 30 agents in the group and the "Agent groups > 30 members" flag is set to "n". The error message text is "Agent Group size exceeds allowable limit." This flag is administered only through the server ASCII interface in the Report Administration screen under the Maintenance selection from the main menu. This

restriction also applies to any custom agent group reports. See section *Administering Report Properties* in *Avaya Call Management System Administration* for more information on this topic.

### **Agent Group Attendance report description**

The following table describes the report fields:

Field	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week Starting, or Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
Agent Group	The name of the group of agents. You can make this selection in the report input window.	No database item or calculation.
ACD	The ACD name or number for which the data was collected.	syn(ACD)
Agent Name	The name or login ID of the agent.	syn(LOGID)
Login ID	The login ID assigned to each agent.	LOGID
Agent	The name or login ID of the agent.	LOGID
Staffed Time	The total time that the agents were logged in (staffed) for the specified time period in any split/skill. This does not include time the link was down.	sum(TI_STAFFTIME)
ACD Time	The total time that the agents in the group talked on all split/skill and direct agent ACD calls for the specified time period.	I_ACDTIME + I_DA_ACDTIME), sum( <total_i_acdtime>)</total_i_acdtime>
Agent Ring Time	The total time during the collection interval that agents had split/skill and direct agent ACD calls ringing. If the agent answers or makes another call instead of answering the ringing call, I_RINGTIME stops accumulating. RINGTIME is the time that the caller spends ringing and is independent of agent activity.	sum(I_RINGTIME)
Extn In Time	The total time that the agents in the group spent talking on inbound extension calls for the specified time period.	I_ACWINTIME + I_AUXINTIME), sum( <ext_in_time>)</ext_in_time>
Extn Out Time	The total time that the agents spent talking on outbound extension calls for the specified time period.	I_ACWOUTTIME + I_AUXOUTTIME), sum( <ext_out_time>)</ext_out_time>
Avail Time	The total time that the agents were available to take ACD calls for any split/skill during the specified time period.	sum(TI_AVAILTIME)

Field	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
AUX Time	The total time that the agents spent in AUX work in all splits/skills or on AUXIN/AUXOUT calls for the specified time period.	sum(TI_AUXTIME)
ACD Calls	The total number of split/skill and direct agent ACD calls answered by the agents in this group that completed during the specified time period.	sum(ACDCALLS + DA_ACDCALLS), sum( <total_acdcalls>)</total_acdcalls>
Extn In Calls	The number of inbound extension calls that were completed by the agent during the period covered. This includes calls received while the agent was in the following work modes:	sum(ACWINCALLS + <ext_call_in>)</ext_call_in>
	Auto-In or Manual-In	
	ACW mode for ACD calls	
	ACW mode that was not associated with a call	
	AUX work mode	
Extn Out Calls	The number of outbound extension calls that were placed by the agent during the period covered. This includes calls originated by the agent while the agent was in the following work modes:	sum(ACWOUTCALLS + AUXOUTCALLS) sum( <ext_call_out>)</ext_call_out>
	Auto-In or Manual-In	
	ACW mode for ACD calls	
	ACW mode that was not associated with a call	
	AUX work mode	

### **Agent Group AUX report**

The Agent Group AUX report shows the total staffed time, total AUX time, and AUX time for each reason code for all agents in an agent group.

Here are some things you need to know about this report:

- The Agent Group AUX report is available in daily, weekly, and monthly versions.
- This report is available for all communication server releases. The contents of this report depend upon the communication server release for which it is being run.
- The database items for the Agent Group AUX report are stored in the dagent (daily), wagent (weekly), and magent (monthly) tables.
- You must have AUX Reason Codes enabled on the communication server for this report to be meaningful.

- This report uses the Agent Administration Agent Reportwindow. Select an agent who you want to view on the report. See Agent report input fields on page 183 for more information.
- This report could fail if there are more than 30 agents in the group and the "Agent groups > 30 members" flag is set to "n". The error message text is "Agent Group size exceeds allowable limit." This flag is administered only through the server ASCII interface in the Report Administration screen under the Maintenance selection from the main menu. This restriction also applies to any custom agent group reports. See section Administering Report Properties in Avaya Call Management System Administration for more information on this topic.

#### **Agent Group AUX report description**

The following table describes the report fields:

Field	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week Starting, or Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
Date	The day for which the report was run (selected in the report input window).	ROW_DATE
Agent Group	The name of the group of agents. You can make this selection in the report input window.	No database item or calculation.
ACD	The ACD name or number for which the data was collected.	syn(ACD)
Agent	The name or login ID of the agent.	syn(LOGID)
Login ID	The name or login ID of the agent.	LOGID
Staffed Time	The total time that the agents were logged in (staffed) for the specified time period in any split/skill. This does not include time the link was down.	sum(TI_STAFFTIME)
AUX Time	The total time that the agents spent in AUX work in all splits/skills for the specified time period.	sum(TI_AUXTIME)
Time in 0	The time that the agent spent in AUX with the reason code of 0 (zero). This is the time in the system AUX for the communication servers using AUX reason codes. It is the same as TI_AUXTIME for communication servers not using AUX reason codes.	sum(TI_AUXTIME0)
Time in 1-9	The time that the agent spent in AUX with each of the reason codes 1-9.	sum(TI_AUXTIME1) sum(TI_AUXTIME9)
Time in 10-99	The time that the agent spent in AUX reason codes 10-99.	TIAUXTIME_REMAINING

### **Agent Group Summary report**

The Agent Group Summary report summarizes the daily activities of every agent within a specific group. Agents in a group may share common characteristics, such as being newly hired or top performers, or they may simply be part of a more manageable subdivision of a skill. You can use this report to compare individuals within a group. This report lists the totals for each agent in the group summed over all splits/skills that the agent was logged into during the time period covered in the report. This report also contains information on the overall occupancy of the selected agent group, expressed as a percentage, both with and without ACW included.

Here are some things you need to know about this report:

- The Agent Group Summary report is available in daily, weekly, and monthly versions.
- The database items for the Agent Group Summary report are stored in the dagent (daily), wagent (weekly), and magent (monthly) tables.
- This report uses the Agent report input window. Select an agent group that you want to view on the report. See Agent report input fields on page 183 for more information.
- This report could fail if there are more than 30 agents in the group and the "Agent groups > 30 members" flag is set to "n". The error message text is "Agent Group size exceeds allowable limit." This flag is administered only through the server ASCII interface in the Report Administration screen under the Maintenance selection from the main menu. This restriction also applies to any custom agent group reports. See section Administering Report Properties in Avaya Call Management System Administration for more information on this topic.

#### **Agent Group Summary report description**

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week Starting, or Month Starting	The day, week, or month that the report was run (selected in the report input window).	ROW_DATE
Agent Group	The name of the group of agents. You can make this selection in the report input window.	No database item or calculation.
ACD	The ACD name or number for which the data was collected.	syn(ACD)
Agent Name	The name or login ID of the agent.	syn(LOGID)

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
ACD Calls	The number of split/skill and direct agent ACD calls that were answered by the agent that completed during the interval. This total also includes O_ACDCALLS if you have the Outgoing Call Management application of ASAI. (O_ACDCALLS is the number of ACDCALLS that were placed by an adjunct [predictive dialing].)	sum(ACDCALLS + DA_ACDCALLS), sum <total_acdcalls></total_acdcalls>
Avg ACD Time	The average time that the agent spent talking on ACD calls (including direct agent calls) that completed during the period covered.	sum(TOTAL_ACDTIME)/ sum(TOTAL_ACDCALLS), <avg_agent_talk_sum></avg_agent_talk_sum>
Avg ACW Time	The average time that the agent spent in ACW for ACD calls during the period covered. This includes direct agent call activities.	sum(TOTAL_ACWTIME)/ sum(TOTAL_ACDCALLS), <avg_agent_acw_sum></avg_agent_acw_sum>
% Agent Occup w/ACW	The overall occupancy of the selected agent group, expressed as a percent, and including the group's time in after call work.	- 100 * (sum[I_RINGTIME + I_ACDTIME + I_ACDOTHERTIME + I_ACDAUX_OUTTIME + I_ACDAUXINTIME + I_ACWTIME]) / (sum[TI_STAFFTIME - TI_AUXTIME + I_ACDAUX_OUTTIME + I_ACDAUXINTIME])
% Agent Occup w/o ACW	The overall occupancy of the selected agent group, expressed as a percent, not including the group's time in after call work.	- 100 * (sum[I_RINGTIME + I_ACDTIME + I_ACDOTHERTIME + I_ACDAUX_OUTTIME + I_ACDAUXINTIME]) / (sum[TI_STAFFTIME - TI_AUXTIME + I_ACDAUX_OUTTIME + I_ACDAUXINTIME])
Extn In Calls	The number of inbound extension calls that were completed by the agent during the period covered.	sumACWINCALLS + AUXINCALLS), sum <ext_call_in></ext_call_in>
	This includes calls received while the agent was in the following work modes:	
	Auto-In or Manual-In	
	ACW mode for ACD calls	
	ACW mode that was not associated with a call	
	AUX work mode	

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Avg Extn In Time	The average time of the agent's inbound extension calls.	sumACWINTIME + AUXINTIME)/ sumACWINCALLS + AUXINCALLS), <avg_talk_time_in_sum></avg_talk_time_in_sum>
Extn Out Calls	The number of outbound extension calls that were completed by the agent during the period covered.	sum(ACWOUTCALLS + AUXOUTCALLS), sum <ext_call_out></ext_call_out>
	This includes calls originated by the agent while the agent was in the following work modes:	
	Auto-In or Manual-In	
	ACW mode for ACD calls	
	ACW mode that was not associated with a call	
	AUX work mode	
Avg Extn Out Time	The average length of the agent's outbound extension calls.	sum(ACWOUTTIME+ AUXOUTTIME) / sum(ACWOUTCALLS + AUXOUTCALLS), <avg_talk_tim_out_sum></avg_talk_tim_out_sum>
ACD Time	The total time that the agent spent talking on all ACD calls during the time period.	sum(I_ACDTIME + I_DA_ACDTIME), sum( <total_i_acdtime>)</total_i_acdtime>
ACW Time	The total time that the agent spent in ACW for split/skill and direct agent ACD calls, as well as time in ACW not associated with a call. Includes time on extension calls.	sum(I_ACWTIME + I_DA_ACWTIME) sum( <total_i_acwtime>)</total_i_acwtime>
Agent Ring Time	The total time that the agent spent with split/skill and direct agent ACD calls ringing.	sum(_RINGTIME)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Other Time	The time that the agent spent doing other work in all splits/skills.	sum(TI_OTHERTIME)
	Agents are doing other work while in Auto-in or Manual-In if they:	
	Put any call on hold while not doing any other activity	
	Dial to place a call or to activate a feature	
	Have a personal call ringing with no other activity	
	Agent positions show up as OTHER directly after the link to the communication server comes up and directly after the agents log in before the CMS is notified of the agent's work state.	
AUX Time	The total time that the agents spent in AUX work in all splits/skills or on AUXIN/AUXOUT calls for the specified time period.	sum(TI_AUXTIME)
Avail Time	The total time that the agent spent waiting for an ACD call in any split/skill.	sum(TI_AVAILTIME)
Staffed Time	The total time that the agents were logged in (staffed) for the specified time period in any split/skill. This does not include time the link was down.	sum(TI_STAFFTIME)

## **Agent Inbound/Outbound report**

The Agent Inbound/Outbound Call report is a detailed breakdown of the inbound and outbound calls handled by an agent. The report sums the total over all the splits or skills the agent was logged into for the specific period covered. This report displays data according to the time zone selected by the user.

Here are some things you need to know about this report:

- This report is available in interval, daily, weekly, and monthly versions.
- The interval version of this report displays data according to the time zone selected by the user.
- The database items for the Agent Inbound/Outbound report are stored in the hagent (interval), dagent (daily), wagent (weekly), and magent (monthly) tables.
- You must have the Outgoing Call Management application of ASAI for data to appear in the Outbound ACD columns.
- This report uses the Agent report input window. Select an agent who you want to view on the report. See Agent report input fields on page 183 for more information.

### Agent Inbound/Outbound report description

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Agent	The name or login ID of the agent. You can make this selection in the report input window.	syn(LOGID)
ACD	The ACD name or number for which the data was collected.	sum(ACD)
Time Zone (interval reports only	This report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.	Input only
Time (interval reports only)	The intrahour intervals for which the report shows data. You can make these selections in the report input window.	STARTTIME, STARTTIME + INTRVL
Date, Week Starting, or Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
Inbound ACD Calls	The total number of all inbound ACD calls answered by this agent that completed during the specified time period.	(sum(ACDCALLS + DA_ACDCALLS - O_ACDCALLS)), <inbound_acdcalls></inbound_acdcalls>
Avg Inbound ACD Time	The average length of all inbound ACD calls answered by this agent that completed during the specified time period.	sum(ACDTIME+ DA_ACDTIME- O_ACDTIME)/sum(ACDCALLS+ DA_ACDCALLS- O_ACDCALLS)
Avg ACW Time (Inbound ACD)	The average length of all ACW sessions by this agent for inbound ACD calls completed during the specified time period. This includes direct agent call activities.	sum(ACWTIME + DA_ACWTIME - O_ACWTIME)/ sum(ACDCALLS+ DA_ACDCALLS- OACDCALLS)
Outbound ACD Calls	The total number of all outbound ACD calls for this agent that completed during the specified time period.	sum(O_ACDCALLS)
Avg Outbound ACD Time	The average length of all outbound ACD calls for this agent that completed during the specified time period.	sum(O_ACDTIME) / sum(O_ACDCALLS)
Avg ACW Time (Outbound ACD)	The average length of all ACW sessions by this agent for outbound ACD calls that completed during the specified time period. This includes direct agent call activities.	sum(O_ACWTIME) / sum(O_ACDCALLS)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Extn In Calls	The number of inbound extension calls that were completed by the agent during the period covered.	sum(ACWINCALLS + AUXINCALLS), sum <ext_call_in></ext_call_in>
	This includes calls received while the agent was in the following work modes:	
	Auto-In or Manual-In	
	ACW mode for ACD calls	
	ACW mode that was not associated with a call	
	AUX work mode	
Avg Extn In Time	The average length of this agent's inbound extension calls.	sum((ACWINTIME + AUXINTIME) / sum(ACWINCALLS + AUXINCALLS))
Extn Out Calls	The number of outbound extension calls that were completed by the agent during the period covered.	sum(ACWOUTCALLS + AUXOUTCALLS), sum <ext_call_out></ext_call_out>
	This includes calls originated by the agent while the agent was in the following work modes:	
	Auto-In or Manual-In	
	ACW mode for ACD calls	
	ACW mode that was not associated with a call	
	AUX work mode	
Avg Extn Out Time	The average length of this agent's outbound extension calls.	sum(ACWOUTTIME + AUXOUTTIME)/ sum(ACWOUTCALLS + AUXOUTCALLS)
External Calls Extn Out	The number of outbound extension calls that were made by this agent to a location outside the communication server during ACW sessions and AUX work. (Does not include DA_ACWOFFCALLS.)	sum(ACWOUTOFFCALLS + AUXOUTOFFCALLS)
Avg External Extn Out Time	The average length of this agent's calls to a location outside the communication server during ACW sessions or AUX work.	sum(ACWOUTOFFTIME + AUXOUTOFFTIME)/ sum(ACWOUTOFFCALLS + AUXOUTOFFCALLS)
Assists	The number of calls that were referred to the supervisor by this agent during the specified time period.	sum(ASSISTS)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Trans Out	The number of calls that were transferred by this agent to another destination during the specified time period.	sum(TRANSFERRED)

### Agent Login/Logout (Skill) report

The Agent Login/Logout (Skill) report shows, according to the selected time zone, the times that agents in a given skill logged in and logged out, the reason codes associated with the logout (if there is one), and the skills with which the agents logged in and out.

If you have a communication server with the EAS feature activated, you will see the report displayed in this section. Here are some things to know about this report:

- This new report provides logout reason codes.
- This new report shows up to 15 skills.



#### Note:

The report shows only the first 15 skills for an agent. If you want to see more skills, you must create a custom report to see more than 15 skills. Also, you can guery only the first fifteen skills.

- The interval version of this report displays data according to the time zone selected by the user.
- This new report can be customized to show more or fewer skills and to add the skill levels directly on the CMS server.
- The Login/Logout (Skill) report is available in daily version only.
- The database items for the Agent Group Summary report are stored in the haglog table.
- This report uses the Agent report input window. Select an agent who you want to view on the report. See Agent report input fields on page 183 for more information.

#### Agent Login/Logout (Skill) report description

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date	The date for which the report was run. The report shows data for agents who logged in on this date.	ROW_DATE
Skill	The name or number of the skill (selected in the report input window).	syn(SPLIT)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Time Zone	The time zone relevant to the Login/Logout time of the agents. The time zone of the ACD from which data is collected is the default time zone.	Input only
Extn	The extension where the agent logged in.	EXTN
Login Time	The time that the agent logged in with the given set of skills.	LOGIN
Logout Time	The time that the agent logged out or was logged out from the given set of skills.	LOGOUT
Logout Date	The date that the agent logged out from the given set of skills.	LOGOUT_DATE
Logout Reason	The reason for logging out.	LOGOUTREASON
Skills 1-15	The first 15 skills with which the agent logged in.	SPLIT, LOGONSKILL2-15

### Agent Login/Logout (Split) report

The Agent Split Login/Logout report shows the agent login and logout times for agents in a split on a specified day.

Here are some things to know about this report:

- This report is available in the daily version only.
- The database items for the Agent Login/Logout (Split) report are stored in the haglog table.
- This report appears for communication servers without EAS.
- This report accepts split numbers from 1-2000 when the communication server is a more recent version.
- This report uses the Agent report input window. Select an agent who you want to view on the report. See Agent report input fields on page 183 for more information.

#### Agent Login/Logout (Split) report description

The following table describes the report fields:

Field	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date	The day for which the report shows data. You can make these selections in the report input window.	ROW_DATE
Split	The name or number of the split (selected in the report input window).	syn(SPLIT)
ACD	The ACD name or number for which the data was collected.	syn(ACD)

Field	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Agent Name	The name or login ID of the agent.	syn(LOGID)
Extn	The measured extension where the agent logged in.	EXTN
Login Time	The time that the agent logged into this split.	LOGIN
Logout Time	The time that the agent logged out of this split.	LOGOUT
Logout Date	The date that the agent logged out of this split.	LOGOUT_DATE

### Agent Split/Skill report

The Agent Split/Skill report shows an individual agent's performance by split or skill.

Here are some things to know about this report:

- The Agent Split/Skill report is available in interval, daily, weekly, and monthly versions.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.
- The database items for the Agent Split/Skill report are stored in the hagent (interval), dagent (daily), wagent (weekly), and magent (monthly) tables.
- Each row in the report shows the total for the specified time for a particular split/skill the
  agent was logged into. However, the Totals row shows the totals over the day for all splits or
  skills for this agent.
- Talk times are shown as totals, not as averages.
- This report uses the Agent report input window. Select an agent who you want to view on the report. See <u>Agent report input fields</u> on page 183 for more information.

#### Agent Split/Skill report description

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week Starting, or Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
Agent	The name or login ID of the agent. You can make this selection in the report input window.	syn(LOGID)
Time Zone	The time zone relevant to report. The time zone of the communication manager is the default time zone.	Input only

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
ACD	The ACD name or number for which the data was collected.	syn(ACD)
Time (for interval reports only)	The intrahour intervals for which the report shows data. You can make these selections in the report input window.	STARTTIME, STARTTIME + INTRVL
Split/Skill	The name or number of the splits/skills that the agent logged into during the specified time period and for which data are shown.	syn(SPLIT)
ACD Calls	The number of split/skill and direct agent ACD calls that were answered by the agent. This total also includes outbound ACD calls (O_ACDCALLS) if you have the Outgoing Call Management application on ASAI. (O_ACDCALLS is the number of ACDCALLS that were placed by an adjunct [predictive dialing].)	(ACDCALLS+ DA_ACDCALLS), <total acdcalls=""></total>
ACD Time	The total time an agent talked on split/skill and direct agent ACD calls for the split/skill.	(I_ACDTIME+ I_DA_ACDTIME), <total i_acdtime=""></total>
ACW Time	The total time that the agent spent in ACW associated with split/skill and direct agent ACD calls and ACW not associated with a call during the report interval.	(I_ACWTIME + I_DA_ACWTIME), <total_acwtime></total_acwtime>
Extn In Calls	The number of inbound extension calls that were completed by the agent during the period covered.	ACWINCALLS+ AUXINCALLS, <ext_call_in></ext_call_in>
	This includes calls received while the agent was in the following work modes:	
	Auto-In or Manual-In	
	ACW mode for ACD calls	
	ACW mode that was not associated with a call	
	AUX work mode	
Extn In Time	The total time that the agent spent talking on inbound extension calls during the report period.	I_ACWINTIME+ I_AUXINTIME, <ext_in_time></ext_in_time>

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Extn Out Calls	The number of outbound extension calls that were completed by the agent during the period covered.	ACWOUTCALLS + AUXOUTCALLS, <ext_call_out></ext_call_out>
	This includes calls originated by the agent while the agent was in the following work modes:	
	Auto-In or Manual-In	
	ACW mode for ACD calls	
	ACW mode that was not associated with a call	
	AUX work mode	
Extn Out Time	The total time that the agent spent on outbound extension calls during the report period.	I_ACWOUTTIME + I_AUXOUTTIME, <ext_out_time></ext_out_time>
Assists	The number of times that the split/skill supervisor was called by the agent who was on a split/skill or a direct agent ACD call or in call-related ACW.	ASSISTS
Held Calls	The number of calls that the agent placed on hold. This is all calls the agent put on hold.	HOLDCALLS
Total Hold Time	The total time that calls were on hold for this agent. This includes all callers.	HOLDTIME
Trans Out	The number of times that an agent completed a transfer (any call transferred).	TRANSFERRED

### **Agent Summary report**

The Agent Summary report shows the activities and performance of an individual agent for all splits or skills of which the agent is a member. It represents the totals over the specified time period for all splits or skills the agent was logged into. This report also includes information on agent occupancy, expressed as a percentage of total work time, both with and without ACW. This report displays data according to the time zone selected by the user.

Here are some things to know about this report:

- The Agent Summary report is available in interval, daily, weekly, and monthly versions.
- The database items for the Agent Summary report are stored in the hagent (interval), dagent (daily), wagent (weekly), and magent (monthly) tables.
- The interval version of this report displays data according to the time zone selected by the user.
- This report uses the Agent report input window. Select an agent who you want to view on the report. See <u>Agent report input fields</u> on page 183 for more information.

### **Agent Summary report description**

The following table describes the report fields:

Field	Description	Database item, calculation, or <alculation name=""></alculation>
Date, Week Starting, or Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
Agent	The name or login ID of the agent. You can make this selection in the report input window.	syn(LOGID)
Time Zone (for interval reports only)	This report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.	Input only
Time (for interval reports only)	The intrahour intervals for which the report shows data. You can make these selections in the report input window. The time displays in hh:mm:ss (hour/minute/second) format.	STARTTIME, STARTTIME + INTRVL
ACD Calls	The number of ACD calls and direct agent calls that were answered by the agent. This total also includes O_ACDCALLS if you have the Outgoing Call Management application of ASAI. (O_ACDCALLS is the number of ACDCALLS that were placed by an adjunct [predictive dialing].)	sum(ACDCALLS + DA_ACDCALLS), sum( <total_acdcalls>)</total_acdcalls>
Avg ACD Time	The average length of this agent's ACD calls (including direct agent calls) during the period covered.	sum(TOTAL_ACDTIME)/ sum(TOTAL_ACDCALLS), <avg_agent_talk_sum></avg_agent_talk_sum>
Avg ACW Time	The average length of After Call Work (ACW) sessions for this agent. This includes direct agent call activities.	sum(TOTAL_ACWTIME)/ sum(TOTAL_ACDCALLS), <avg_agent_acw_sum></avg_agent_acw_sum>

Field	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
% Agent Occup w/ACW	The percentage of agent occupancy in which the agent's time in after call work is considered as work time.	100 * (sum[I_RINGTIME + I_ACDTIME + I_ACDOTHERTIME + I_ACDAUX_OUTTIME + I_ACDAUXINTIME + I_ACWTIME]) / (sum[TI_STAFFTIME - TI_AUXTIME + I_ACDAUX_OUTTIME + I_ACDAUX_NTIME])
% Agent Occup w/o ACW	The percentage of agent occupancy in which the agent's time in after call work time is considered idle.	100 * (sum[I_RINGTIME + I_ACDTIME + I_ACDOTHERTIME + I_ACDAUX_OUTTIME + I_ACDAUXINTIME]) / (sum[TI_STAFFTIME - TI_AUXTIME + I_ACDAUX_OUTTIME + I_ACDAUXINTIME])
Extn In Calls	The number of inbound extension calls that were completed by the agent during the period covered. This includes calls received while the agent was in the following work modes:	sum(ACWINCALLS + <ext_call_in>)</ext_call_in>
	Auto-In or Manual-In	
	ACW mode for ACD calls	
	ACW mode that was not associated with a call	
	AUX work mode	
Avg Extn In Time	The average length of this agent's inbound extension calls.	sum(ACWINTIME + AUXINTIME)/sum(ACWINCALLS + AUXINCALLS), <avg_talk_time_in_sum></avg_talk_time_in_sum>

Field	Description	Database item, calculation, or <alculation name=""></alculation>
Extn Out Calls	The number of outbound extension calls that were placed by the agent during the period covered. This includes calls originated by the agent while the agent was in the following work modes:	sum(ACWOUTCALLS + AUXOUTCALLS) sum( <ext_call_out>)</ext_call_out>
	Auto-In or Manual-In	
	ACW mode for ACD calls	
	ACW mode that was not associated with a call	
	AUX work mode	
Avg Extn Out Time	The average length of this agent's outbound extension calls.	sum(ACWOUTTIME + AUXOUTTIME)/ sum(ACWOUTCALLS + AUXOUTCALLS), <avg_talk_time_out_sum></avg_talk_time_out_sum>
ACD Time	Time this agent spent on ACD calls (including direct agent calls) during the report interval.	sum(I_ACDTIME + I_DA_ACDTIME), sum( <total_i_acdtime>)</total_i_acdtime>
ACW Time	The amount of time the agent spent working on call-related activities (that is, ACW activities). This includes direct agent ACW activities during the report interval.	sum(I_ACWTIME + I_DA_ACWTIME), sum( <total_i_acwtime>)</total_i_acwtime>
Agent Ring Time	The time the agent had split/skill and direct agent ACD calls ringing. If the agent answers or makes another call instead of answering the ringing call, the I_RINGTIME is stopped. This applies only to communication servers with ring state.	sum(I_RINGTIME)

Field	Description	Database item, calculation, or <alculation name=""></alculation>
Other Time	The time the agent spent doing other work in all splits/skills. For communication servers, agents are doing other work while in Auto-In or Manual-In if they:	sum(TI_OTHERTIME)
	Put any call on hold while not doing any other activity	
	Dial to place a call or to activate a feature	
	Have a personal call ringing with no other activity	
AUX Time	The total time that the agents spent in AUX work in all splits/ skills or on AUXIN/AUXOUT calls for the specified time period.	sum(TI_AUXTIME)
Avail Time	The total time that the agents were available to take ACD calls for any split/skill during the specified time period.	sum(TI_AVAILTIME)
% Skills Avail	The availability of an agent in all assigned skills. This value is mainly used to determine if the agent is being auto-reserved through the Service Level Maximizer feature.	PERCENT_SK_AVAIL
Staffed Time	The total time the agents were logged in (staffed) for the specified time period in any split/skill. This does not include time the link was down.	sum(TI_STAFFTIME)
Trans Out	The number of calls transferred by this agent to another destination. For communication servers, this records all calls that were transferred.	sum(TRANSFERRED)
Held Calls	The number of calls the agent put on hold. For communication servers, this is all calls the agent put on hold.	sum(HOLDCALLS)
Avg Hold Time	The average length of time calls were on hold.	sum(HOLDTIME) / sum(HOLDCALLS), <avg_hold_time_sum></avg_hold_time_sum>

### **Agent Trace by Location report**

The Agent Trace by Location report lists each agent activity and the time it occurred, by agent location ID. This information could be useful when evaluating how well agents are using their time.

Here are some things to know about this report:

- Refer to Agent, skill, and trunk states on page 15 for a list of the agent states.
- The database items for the Agent Trace by Location report are stored in the ag\_actv table.
- This report uses the Agent report input window. Select an agent who you want to view on the report. See Agent report input fields on page 183 for more information.

#### Agent Trace by Location report description

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Agent	The name or login ID of the agent. You can make this selection in the report input window.	syn(LOGID)
ACD	The ACD name or number for which the data was collected.	syn(ACD)
Date	The day that the event (state change) was recorded.	ROW_DATE
Time	The time of day that the event started.	EVENT_TIME
Seq	The sequence number of the event. Agent events which occur in the same second are assigned increasing sequence numbers, so the order in which they occurred can be determined.	WMODE_SEQ
Location ID	The location IDs associated with the agent. This ID is not associated with the agent personally, but rather with the terminal the agent is logged into. It is also associated with a port network location ID on the communication server. If the Agent Site Tracking feature is not available on your system, the field will not display meaningful data.	LOC_ID
Logout Reason	The reason code that the agent entered when logging out. Reason code 0 (zero) indicates that the agent forced a logout without entering a reason code, or the system logged the agent out.	syn(LOGOUTREASON)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
AUX Reason	The reason code that the agent entered when changing to AUX work mode. Reason code 0 (zero) indicates that the agent did not enter a reason code, or the system put the agent into AUX work mode.	syn(AUXREASON)
State	The current work state of the agent. An agent can be in any one of the following states: LOGON, LOGOFF, ACD, ACDIN, ACDOUT, ACW, ACWIN, ACWOUT, AUX, AUXIN, AUXOUT, AVAILABLE, DACD, DACDIN, DACDOUT, DACW, DACWIN, DACWOUT, RINGING, UNKNOWN, UNSTAF, or OTHER.	WORKMODE and DIRECTION
Split/Skill	The name or number of the split/skill which the agent logged into or for which the agent handled a call.	syn(SPLIT)
Time	The length of time spent in the state. Shown in minutes and seconds (mm:ss).	DURATION
Hold	The agent put the current call on hold. This is all calls the agent put on hold.	CALLER_HOLD
Rec	This indicates whether the agent reconnected to the call (for example, the agent put a call on hold and then retrieved the call from hold).	RECONNECT
Malicious Call	The agent activated malicious call trace.	MCT
RIs	The agent released the ACD call. This is always true for ACD calls the agent transferred or conferenced.	AGT_RELEASED
Calling Party	The identification of the caller. This is the ANI/SID for communication servers with ISDN ANI delivery. Otherwise, it is the extension or trunk equipment location identifying the originator of the call.	CALLING_PTY
Call Work Code	The call work code that the agent entered for the call.	WORKCODE
Dialed Digits	The digits that the agent dialed to originate a call. Trunk access codes, feature access codes, account and authorization codes are not included.	DIGITS_DIALED
Asst	The agent requested supervisor assistance. This is activated by pressing the ASSIST button.	ASSIST_ACTV
Conf	The agent activated a conference.	CONFERENCE
Trans Out	The agent transferred the call (all calls transferred).	TRANSFERRED

# Other reports

Supervisor other reports give you access to specific information on call records and call work codes.

#### **Call Records report**

The Call Records report allows you to view selected information about each call. For example, you might have a caller that complained about being put on hold three times and then transferred. This report gives you this type of information about a call.

#### Note:

The call record data is not filtered for tenant access and can include information about entities like agents, skills, trunk groups, vdns, and vectors which are not assigned to the tenant. Therefore, to prevent the tenant user from viewing these CMS entities, the tenant user is denied access to the following report:

Reports> Historical> Call Records

Here are some things to know about this report:

- Call Records allow you to view information about particular calls. Each call is represented by
  one or more records, because a new record is created whenever the call is conferenced or
  transferred. However, all records for a particular call will have the same call ID, so that you
  know the records represent the same call.
- With call records, the call is tracked up until it is transferred or conferenced. At the point of a conference or transfer, a new call record is generated for the call.
- The standard Call Records report is provided as a model for customized call record reports. Most call record reporting will need to be done from Designer reports tailored to your needs.
- If you are customizing the Historical Call Record report with Report Designer, the Disposition report field will display the numerical values for DISPOSITION, and not the state names. For more information, see the Avaya Call Management System Database Items and Calculations document.
- For a complete listing of the call record historical database items, see the Avaya Call Management System Database Items and Calculations.
- The call rec table includes many items that are not displayed in the standard report.
- This report gives you information on specific calls. It is based only on the start and stop dates and times that you enter.
- The database items for the Call Records report are stored in the call rec table.

#### Call Records report input fields

The following table describes the fields on the input window. You must fill in the window to run the report.

Name	Description
Start date	Enter the date from which you want the reporting period to start. The report runs for all calls answered by the ACD from the Start date and Start time through the Stop date and Stop time.
Start time	Enter the time from which you want the reporting period to start. Use any of the following formats:
	AM/PM (for example, 7:30AM or 5:00PM)
	• 24-hour notation (for example, 7:30 or 17:00)
Stop date	Enter the date you want the report to run through. The report will be run for all calls answered by the ACD from the Start date and Start time through the Stop date and Stop time.
Stop time	Enter the time that you want the report to stop. Use any of the following formats:
	AM/PM (for example, 7:30AM or 5:00PM)
	• 24-hour notation (for example, 7:30 or 17:00)
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows printer. The default printer is shown.

### **Call Records report description**

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
ACD	The number of the ACD that handled this call.	syn(ACD)
Call ID	A unique number assigned to this call and all its segments. Note that in the case of a conference or transfer, when the data for the conference/transfer is recorded, the same call ID will be recorded for all call segments of the conference/transfer. In the case of meet-me conferences, this may result in higher-numbered segments of the call starting before the first segment on the call. Call IDs are not necessarily strictly sequential, but will be unique for calls over a day.	CALLID

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Segment	The number of the call segment. Segment numbers are from 1 up to the number of segments in the call.	SEGMENT
Date	The starting date for the segment.	ROW_DATE
Start Time	The starting time for the segment.	ROW_TIME
Calling Party	The Automatic Number Identification (ANI)/ Station Identification (SID), extension or trunk equipment location identifying the originator of the call This field is blank if the trunk is not measured or, for internal calls, if the originating extension is not measured.	CALLING_PTY
Dialed Number	The number the caller dialed. This will be the VDN for inbound vectoring calls and dialed digits for outbound calls. This will be blank for inbound calls without vectoring.	DIALED_NUM

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Disposition	Indicates what happened to the call in the call segment. The possibilities are: 1=connected (CONN), 2=answered (ANS), 3=abandoned (ABAN), 4=interflowed (IFLOW), 5=forced busy (FBUSY), 6=forced disconnect (FDISC), and 7=other (OTHER).	DISPOSITION
	A connected call is a non-ACD call to a measured agent for which CMS receives an indication that the call was connected.	
	An answered call is any split/skill or direct agent ACD call for which CMS receives an indication that the call was answered by an agent.	
	An abandoned call is any call for which CMS receives notification that the caller abandoned. This includes calls with talk times shorter than the phantom abandoned call timer.	
	An interflowed call is a call that was redirected to an off-site destination.	
	Forced busy calls are calls that CMS records as BUSYCALLS for the trunk group that carried them. For communication servers with vectoring, these are VDN calls that received a forced busy from the busy vector command. For the ECS, calls that receive a busy indication because the split queue was full (or there was no queue) are recorded here.	
	Forced disconnect calls are VDN calls that are disconnected by the communication server due to the execution of a disconnect vector command. Forced disconnect calls also include calls disconnected because of the disconnect vector timer or because they reached the end of vector processing without being queued.	
Disposition Time	The amount of time the call waited until its disposition (in the vector, in queue, and ringing). For extension calls made directly to agents (not through a VDN), this will always be zero.	DISPTIME

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The number of the split or skill associated with the call at its disposition in this call segment. Calls that were not queued to a split or skill at the time of disposition will have this item set to blank. Calls that were queued to an unmeasured split or skill at the time of disposition will have this item set to zero.	DISPSPLIT
Ans Logid	The login ID of the agent who answered the call in this segment. This field is blank for unmeasured extensions when EAS is not active.	ANSLOGIN
Talk Time	The time an agent spends talking on a call. This does not include the time the caller is on hold.	TALKTIME
Hold Time	The total time the call was put on hold by the answering agent, in seconds, in this call segment. Note that in agent-to-agent calls, Hold Time is accrued for the answering agent if the agent puts the call on hold, but not for the other agent (who continues to accrue talk time).  For communication servers, Hold Time	ANSHOLDTIME
	includes all calls held.	
ACW Time	The time spent, in seconds, in After Call Work (ACW) related to this call by the answering agent in this segment.	ACWTIME
Trans Out	This indicates whether the answering agent initiated a transfer on this call segment. Valid values for Trans Out are 0=NO, 1=YES.	TRANSFERRED
	Trans Out is set for any call transferred.	
Conf	This indicates whether this call segment represents part of a conference (0= NO, 1=YES).	CONFERENCE
Assist	This indicates if the answering agent in this segment requested supervisor assistance on this call (0= NO, 1=YES).	ASSIST
Last Call Work Code	The last call work code entered by the answering agent in this segment.	LASTCWC

# **Call Work Code report**

Use the Call Work Code report to track certain call activities of your call center, such as special sale items, complaints, or how many times a customer made a purchase based on a special sales campaign. Agents enter a specific call work code that is associated with a particular call activity

when the activity occurs. Those entries are tracked on this report. To produce data in this report, you must have the Call Work Codes feature.

#### Note:

Tenant users can only gain access to CWCs pertaining to tenants for which the user has permissions. The application of these permissions for tenant users can affect the output of selected reports. The following reports are affected due to these permissions:

- Reports> Historical > Call Work Code> Daily
- Reports> Historical > Call Work Code> Weekly
- Reports> Historical > Call Work Code> Monthly

Here are some things to know about this report:

- The Call Work Code report is available in daily, weekly, and monthly versions.
- The database items for the Call Work Code reports are stored in the dcwc (daily), wcwc (weekly), and mcwc (monthly) tables.
- The range of call work codes that may be reported on cannot exceed 1000.
- Because call work codes directly affect the amount of storage space required for each file system and the disk space, you must allocate the number of call work codes to be saved by the CMS in the System Setup-Data Storage Allocation window.
- You must assign the call work codes for which the CMS collects data in the Call Center Administration-Call Work Codes window.
- Call work codes can only be sixteen or fewer digits in each code if you want to assign names to the codes in the Dictionary.
- The dictionary names assigned to call work codes can have a maximum length of twenty characters.

#### Prerequisite system administration

#### About this task

If you wish to run this report, you must do the following:

#### **Procedure**

- 1. Allocate the number of call work codes to be saved by CMS in the System Setup-Data Storage Allocation window.
- Assign the call work codes for which CMS collects data in the Call Center Administration-Call Work Codes window.

#### Result

For more information, see the Avaya Call Management System Administration document.

#### Call Work Code report input fields

The following table describes the fields on the input window. You must fill in the window to run the report.

Name	Description
Call work code(s)	Enter the call work code names or numbers that you want to view in this report. The combined input of call work codes including the semi-colon separator is limited to 255 characters.
Date	Enter the date for the day or the start date for the week or the month you would like the report to cover.
	You can use the month/day/year (for example, 3/21/02).
	You can use a minus offset based on today's date (for example, -1 for yesterday).
	When you specify a date for a weekly report, that date must correspond to the week start day selected in the System Setup- Storage Intervals window. If the date and day do not match, the message No records found displays in the status line. The month start date must be the first day of the month.
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows printer. The default printer is shown.

# **Call Work Code report description**

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Date, Week Starting, Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
ACD	ACD name or number associated with the call work codes.	syn(ACD)
Call Work Code	Call work code numbers.	cwc
Call Work Code Name	Names associated with the call work code numbers.	syn(CWC)
ACD Calls	Number of times the call work code was entered while agents were on ACD calls or in ACW associated with an ACD call.	ACDCALLS
ACD Time	Total talk time associated with ACDCALLS that have this call work code.	ACDTIME
ACW Time	Total after call work time associated with ACDCALLS with this call work code.	ACWTIME

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Avg ACD Time	Average talk time associated with the call work code.	ACDTIME/ ACDCALLS, <avg_acd_talk_time></avg_acd_talk_time>
Avg ACW Time	Average after call work time associated with the call work code.	ACWTIME/ ACDCALLS, <avg_acw_time></avg_acw_time>

# Split/Skill reports

Supervisor Split/Skill reports give you access to information on your splits or skills. This information includes looking at the percentage of calls answered within set service levels by split/skill, how many calls were handled by each agent in a split/skill, and summarizing the activity for an entire split/skill.

# Split/Skill report selector window and input fields

The reports in this section use the Split/Skill report selector window. Specific input information is included with the reports. You must fill in the report selector window to run the report.

### Split/Skill report input fields

The following table describes the input fields on historical Split/Skill report input windows. Not all reports use all fields; refer to information for the specific report you are running to determine what you want to view. For example, you may enter an agent group, agent name, location ID, or split/skill to run the report.

All possible fields on this window are described here:

Name	Description
Split/Skill	Enter the appropriate split/skill name or number that you want to view in this report. Any names you want to appear on the report must have been previously defined and entered in the Dictionary subsystem.
Date (Interval)	Enter the date you would like the report to cover. Use any of the following formats:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)

Name	Description
Dates (daily, weekly, monthly)	Enter the dates you would like the report to cover:
	Daily - enter the days
	Weekly - enter the start date for the weeks. When you specify a date for a weekly report, that date must correspond to the week start day selected in the System Setup-Storage Intervals window. If the date and day do not match, the message No records found displays in the status line.
	Monthly - enter the first day of the months
	Use any of the following formats:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)
	A semicolon (;) to separate individual data entry items (for example, 3/21/02;3/23/02;3/25/02)
	A hyphen to designate a range of dates (for example, 3/21/02-3/25/02). For the weekly and monthly versions, the report includes any weeks or months that begin in the range.
Times (Interval)	Enter the time you would like the report to cover. Use any of the following formats:
	AM/PM (for example, 7:30AM-5:00PM)
	Military time (for example, 7:30-17:00)
	You can use a minus offset based on today's date (for example, -1 for yesterday).
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows printer. The default printer is shown.
Location	Select a location ID for which to run the report. The location ID is an ID number assigned to a port network location on the communication server and the equipment assigned to that port location.

# **Actual Relative to Target reports**

The Actual Relative to Target historical reports display the performance of splits or skills as compared to specified target service levels over a period of days or between intervals.

## **Daily report**

The daily report is used to display target service level performance for a period of two or more days.



#### Note:

If you specify only one day for this report, no information is displayed as this report is used to compare daily target service levels. If you want to display information in the report for one day, reformat the report to display as a bar graph.

#### Interval report

The interval report is used to display target service level performance for a period of time on a specific date. These reports displays data according to the time zone selected by the user.



#### Note:

If the time span entered in the Times field is not a full interval, this report will not display accurate data.

# Split/Skill Call Profile report

The Split/Skill Call Profile report shows the number of calls answered and abandoned in time increments that you administer. This report also displays your acceptable service level. For more information about the time increments and the acceptable service levels, see Avaya Call Management System Administration document.. Since this report shows you how long it takes for calls to be answered or abandoned, you can determine how long a caller is willing to wait for an agent before hanging up. With this information, you can determine the appropriate answering speed required to reduce abandoned calls.

Here are some things to know about this report:

- Calls are displayed in ten columns, with each column representing a progressively longer wait time.
- The Split/Skill Call Profile report is available in daily, weekly, and monthly versions.
- The database items for the Split/Skill Call Profile report are stored in the dsplit (daily), wsplit (weekly), and msplit (monthly) tables.
- This report uses the Split/Skill report input window. Select a split/skill that you want to view on the report. See Split/Skill report selector window and input fields on page 220 for more information.

### Split/Skill Call Profile report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Date, Week Starting, Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
Split/Skill	The name or number of the split/skill that is selected for this report. You can make these selections in the report input window.	syn(SPLIT)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
% Within Service Level	The percentage of split/skill ACD calls that were queued to this split/skill and answered within your administered service level.	100*(ACCEPTABLE/ CALLSOFFERED), <percent_serv_lvl_spl></percent_serv_lvl_spl>
ACD	The ACD name or number for which the data was collected.	syn(ACD)
Service Intervals Changed	A YES appears if you changed your service interval increments during the time period covered by the report. A NO appears if you have not changed your service interval increments. The words displayed for YES or NO represent the values defined in the Dictionary subsystem.	syn(YES_NO)
Acceptable Service Changed	A YES appears if you changed your acceptable service level during the period covered by the report. A NO appears if you have not changed your acceptable service level. The words displayed for YES or NO represent the values defined in the Dictionary subsystem.	syn(YES_NO)
Seconds	The values administered for the service level increments. Each Secs (seconds) interval represents a progressively longer wait time for a call, and each interval can be a different length.	PERIOD1-9
ACD Calls	The number of split/skill ACD calls answered within each service level increment.	ACDCALLS1-10
Aban Calls	The number of split/skill ACD calls that abandoned within each service level increment.	ABNCALLS1-10
ACD Calls	The number of split/skill ACD calls that were queued to this split/skill and answered by an agent for this split/skill. This total also includes O_ACDCALLS if you have the Outgoing Call Management (OCM) application of ASAI. The O_ACDCALLS is the number of ACDCALLS that were placed by an adjunct; this is also referred to as predictive dialing.	ACDCALLS
Avg Speed Ans	The average time the split/skill ACD calls were waiting in queue and ringing before being answered by an agent.	ANSTIME/ ACDCALLS, <avg_answer_speed></avg_answer_speed>
% Ans Calls	The percentage of calls queued to the split/ skill that were answered by agents for this split/skill.	100*(ACDCALLS/ CALLSOFFERED), <percent_call_ans></percent_call_ans>

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Aban Calls	The number of ACD calls to the split/skill that disconnected while either waiting in queue (if this was the first split/skill the call was queued to), or while ringing. This total includes calls with talk time less than the phantom abandoned call timer value, if it is set. This total also includes O_ABNCALLS if you have OCM. The O_ABNCALLS is the number of outbound ACD calls that were abandoned by the far end.	ABNCALLS
Avg Aban Time	The average time the split/skill ACD calls were waiting in queue or ringing before abandoning.	ABNTIME/ ABNCALLS, <avg_abandon_time></avg_abandon_time>
% Aban Calls	The percentage of calls queued to the split/ skill that abandoned before being answered by an agent.	100*(ABNCALLS/ (CALLSOFFERED)), <percent_call_aban></percent_call_aban>

### Split/Skill Graphical ASA report

The Split/Skill Graphical ASA (Average Speed of Answer) report shows the average speed of answer for ACD calls answered in each selected split/skill for each selected interval.

Here are some things to know about this report:

- The database items for the Split/Skill Graphical ASA report are stored in the dsplit (daily) and hsplit (intrahour interval) tables.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.
- The chart type can be changed. See Using reports on page 19 for more information.
- This report is only available through the Supervisor interface.
- This report uses the Split/Skill report input window. Select a split/skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 220 for more information.

### Split/Skill Graphical ASA report input fields

All possible fields on this window are described below:

Name	Description
Split/Skill	Enter the appropriate split/skill name or number that you want to view in this report. Any names you want to appear on the report must have been previously defined and entered in the Dictionary subsystem.

Name	Description
Date (Interval)	Enter the date you would like the report to cover. Use any of the following formats:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)
Time Zone (interval report only)	Select the time zone relevant to report. The time zone of the ACD from which data is collected is the default time zone.
Dates (daily)	Enter the dates you would like the report to cover:
	Daily - enter the days
	Use any of the following formats:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)
	A semicolon (;) to separate individual data entry items (for example, 3/21/02;3/23/02;3/25/02)
	A hyphen to designate a range of dates (for example, 3/21/02-3/25/02).
Times (Interval)	Enter the time you would like the report to cover. Use any of the following formats:
	AM/PM (for example, 7:30AM-5:00PM)
	Military time (for example, 7:30-17:00)
	You can use a minus offset based on today's date (for example, -1 for yesterday).
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows printer. The default printer is shown.
Location	Select a location ID for which to run the report. The location ID is an ID number assigned to a port network location on the communication server and the equipment assigned to that port location.

# Split/Skill Graphical ASA report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date	The day for which the report was run (selected in the report input window).	ROWDATE

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Start Time (Interval)	The start time of the interval for which the data was collected. (This field displays only for the Interval report.)	STARTTIME
Time Zone (Interval report only)	The time zone relevant to report. The time zone of the ACD from which data is collected is the default time zone.	Input only
Split/Skill	The name or number of the split/skill you are currently viewing.	syn(SPLIT)
Average Speed of Ans - Seconds	The value in seconds of the average speed of answer for the split/skill during the time period covered in the report.	<avg_answer_speed></avg_answer_speed>

### Split/Skill Graphical Average Positions Staffed Interval report

This report is available for customers who have purchased Avaya Business Advocate and the Avaya communication server. This report shows, for a specified skill, the maximum agent positions allocated for the skill, as well as the average positions staffed. This allows call center supervisors to see historically how many agents were counted on for a skill in comparison to how many agents were actually available on the skill.

Here are some things to know about this report:

- This report is available only on a communication server with EAS. If Avaya Business
  Advocate is not activated, then the fields on the report that pertain to Avaya Business
  Advocate will not populate.
- This report is accessed from the historical folder of the report selector window, via the Split/ Skill category, under Graphical Average Positions Staffed Interval.
- The report input window allows the user to specify a skill name or number, the time intervals, and the report destination.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.
- The caption displayed on the report is Average Positions Staffed xxx where xxx is the skill string name specified by the user in the Name Format window.
- The date for which the report is run displays at the top right of the report.
- The primary component of this report is a 2-D vertical bar chart.
- The chart contains the following components:
  - The y-axis of the chart has gradients for the number of agents.
  - The x-axis of the chart displays the specified time intervals.
  - The legend displays Max Post Allocated and Avg Pos Staffed.
- The database items for the Split/Skill Graphical ASA report are stored in the dsplit (current interval) and hsplit (intrahour interval) tables.

 This report uses the Split/Skill report input window. Select a split/skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 220 for more information.

#### Split/Skill Graphical Average Positions Staffed Interval report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date	The day for which the report was run (selected in the report input window).	ROWDATE
Split/Skill	The name or number of the split/skill you are currently viewing.	syn(SPLIT)
Time Zone (Interval version only)	The time zone relevant to report. The time zone of the ACD from which data is collected is the default time zone.	Input only
Max Pos Allocated	The maximum agent positions allocated for this skill.	MAX_DEDICATED_AGT
Avg Pos Staffed	The average positions staffed for this skill.	AVG_EQV_AG_STFD

# Split/Skill Graphical ASA Daily report

The Split/Skill Graphical ASA (Average Speed of Answer) Daily report shows the average speed of answer for ACD calls answered in selected splits/skills for selected days.

Here are some things to know about this report:

- The database items for the Split/Skill Graphical ASA Daily report are stored in the dsplit (current interval) tables.
- The chart type can be changed. See Using reports on page 19, for more information.
- The bottom right of the report contains a status bar that displays the name of the ACD chosen through the report selector dialog box. A legend on the right side of the report shows the names of the selected splits/skills.
- This report is only available through the Supervisor interface.
- This report uses the Split/Skill report input window. Select the splits/skills that you want to view on the report and the days for which you want to view ASA. See <u>Split/Skill report</u> <u>selector window and input fields</u> on page 220 for more information.

### Split/Skill Graphical ASA report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Dates	The days for which the report was run (selected in the report input window).	ROWDATE
Split/Skill	The name of the split/skill you are currently viewing.	syn(SPLIT)
Average Speed of Ans - Seconds	The value in seconds of the average speed of answer for the split/skill during the time period covered in the report.	<avg_answer_speed></avg_answer_speed>

### Split/Skill Graphical Call Profile report

This report shows how well the split or skill you specify performed compared to your call center's predefined service levels for the date you specify.

Here are some things to know about this report:

- This report has four charts and displays a collection of split/skill call profile related data items at the top of the report. A legend appears to the right of each chart.
- The three-dimensional pie chart in the upper-left quadrant shows the percentage of ACD calls answered within the Acceptable Service Level and the percentage of ACD calls answered outside this level. The numerical value represented by each pie piece is shown inside the pie chart, and the boxes to the right of each graph are a legend.
- The three-dimensional pie charts on the right side of the report show the Percentage Answered Distribution (upper right quadrant) and the Percentage Abandoned Distribution (lower right quadrant) for each service level increment. The numerical value represented by each pie piece is shown inside the pie chart.
- The horizontal bar chart in the lower-left quadrant shows the actual number of ACD calls answered within each service interval. The horizontal axis represents the number of calls answered or abandoned. The vertical axis represents the customer's service intervals. For each of these intervals, two horizontal bars are displayed. One bar shows the number of answered ACD calls, and the other bar shows the number of abandoned calls.
- The number displayed for each service interval is the upper limit of the interval. For example, if the first two intervals are 5 and 10, the first data point on the graph indicates the number of calls answered/abandoned within 0-5 seconds, the second data point indicates the number of calls answered/abandoned within 6-10 seconds.
- Other chart styles are available and can be changed.
- The database items for the Split/Skill Call Profile report are stored in the dsplit table.
- This report is only available through the Supervisor interface.
- This report uses the Split/Skill report input window. Select a split/skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 220 for more information.

#### Split/Skill Graphical Call Profile report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <calculation name=""></calculation>
Date	The day for which the report was run (selected in the report input window).	ROW_DATE
ACD Calls	The number of calls answered within the split/skill for that day.	ACDCALLS
Service Level	The number of seconds defined by the customer as acceptable for answering calls.	SERVICELEVEL
Split/Skill	The name or number of the split/skill.	syn(SPLIT)
Aban Calls	The number of split/skill calls abandoned for that day.	ABNCALLS
Acceptable Service Changed	Shows whether the acceptable service level was changed. A YES appears if the acceptable service level changed during the period covered by the report. Otherwise, a NO appears.	syn(SVCLEVELCHG)
Service Intervals Changed	A YES appears if service intervals were changed during the period covered by the report.	syn(PERIODCHG)
Service Interval Calls Answered	Percentage of split/skill ACD calls that were answered by an agent within the predefined acceptable service level. Calls to the split/skill include abandoned calls, calls not answered, and outbound ACD calls placed by an adjunct (for example, outbound predictive dialing). Calls that were not answered may include forced busy calls, forced disconnect calls, calls redirected to another destination, and calls queued to more than one split and answered in another split/skill. Percent Within Service Level does not include direct agent calls.	< < PERCENT_ SERV_LVL_SPL>
Service Interval Answers and Abandons	Percentage of split/skill ACD calls that were answered by an agent within the predefined acceptable service level. Calls to the split/skill include abandoned calls, calls not answered, and outbound ACD calls placed by an adjunct. Calls that were not answered may include forced busy calls, forced disconnect calls, calls redirected to another destination, and calls queued to more than one split and answered in another split/skill. Percent Within Service Level does not include direct agent calls.	< <100- PERCENT_SERV_LVL_SPL>

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
% Answered Distribution	Graphically displays the distribution of all of the incoming calls that were answered within each of the defined service levels.	ACDCALLS1-10
% Abandoned Distribution	Graphically displays the distribution of all of the incoming calls that were abandoned within each of the defined service levels.	ABNCALLS1-10

## Split/Skill Graphical Multi-ACD Service Level report

The Split/Skill Graphical Multi-ACD Service Level report shows the Percent in Service Level achieved for a skill selected from one or more ACDs for each day. You can compare a split/skill in different ACDs and use the information to:

- Determine workload
- · Review Percent in Service Level for each ACD
- · Evaluate call-handling performance
- · Reassign agents
- Perform other ACD configuration alternatives for balancing workloads and/or reducing abandoned calls

Here are some things to know about this report:

- You can specify a single split/skill across ACDs.
- The Split/Skill Graphical Multi-ACD Service Level report is only available in a daily version.
- The database items used for the Split/Skill Graphical Multi-ACD Service Level report are stored in the dsplit (daily) tables.
- The Split/Skill Graphical Multi-ACD Service Level report can include information on up to eight ACDs.
- See <u>Split/Skill Graphical Multi-ACD Service Level report input fields</u> on page 230 for report inputs.

#### Split/Skill Graphical Multi-ACD Service Level report input fields

The following table describes the fields on the input window.

Name	Description
Dates (daily)	Enter the dates you would like the report to cover.
	Use any of the following formats:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)
	A semicolon (;) to separate individual data entry items (for example, 3/21/02;3/23/02;3/25/02)
	A hyphen to designate a range of dates (for example, 3/21/02-3/25/02)
First thr Eighth ACD	Enter the ACD name or number that corresponds to the following Splits/Skills field.
Split(s)/Skill(s)	Enter the appropriate split/skill names or numbers that you want to view in this report. Any names you want to appear on the report must have been previously defined and entered in the Dictionary subsystem.
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows printer. The default printer is shown.

### Split/Skill Graphical Multi-ACD Service Level report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
ACD	The ACD name or number for which the data was collected.	syn(ACD)
Split/Skill	The name or number of the split/skill that is selected for this report. You can make these selections in the report input window.	syn(SPLIT)
Date, Week Starting, Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
Percentage	The Percent in Service Level for the ACD.	<100 * ACCEPTABLE/ CALLSOFFERED>

# Split/Skill Graphical Service Level report

This report shows the percentage of ACD calls answered within the predefined acceptable service level and the percentage of ACD calls abandoned for the date and split or skill you specify.

Here are some things to know about this report:

• The chart type can be changed. See <u>Using reports</u> on page 19 for more information.

- Each set of vertical bars is labeled with the start time for the service interval. The box below the chart is a legend.
- The database items for the Split/Skill Service Level report are stored in the hsplit (intrahour interval) table.
- This report is only available through the Supervisor interface.
- This report displays data according to the time zone selected by the user.
- This report uses the Split/Skill report input window. Select a split/skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 220 for more information.

#### Split/Skill Graphical Service Level report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date	The day for which the report was run (selected in the report input window).	ROW_DATE
Secs.	Shows actual administered service level.	SERVICELEVEL
Time Zone	The time zone relevant to report. The time zone of the communication manager is the default time zone.	Input only
Split/Skill	The name or number of the split/skill that you are currently viewing.	syn(SPLIT)
Acceptable Service Changed	Shows whether the service level was changed. A YES appears if the acceptable service level changed during the period covered by the report. Otherwise, a NO appears.	syn(SVCLEVELCHG)
% Within Service Level	Percentage of ACD calls that were answered by an agent within the predefined acceptable service level for the time period shown in the report.	<percent_serv_lvl_spl></percent_serv_lvl_spl>
% Aban Calls	Percentage of ACD calls that were abandoned for the time period shown in the report.	<percent_ call_aban=""></percent_>

# Split/Skill Graphical Skill Overload report

The Graphical Skill Overload report shows how much time each skill has spent in normal versus overload condition for the intervals specified for a particular day.

If Avaya Business Advocate is not activated, the fields of the report which pertain to Avaya Business Advocate will not be populated.

Here are some things you need to know about this report:

- You can access this report from the Historical Split/Skill Category selector menu.
- The Graphical Skill Overload report is available in a daily version.
- This report displays a horizontal bar chart with a horizontal bar for each skill.
- If you notice a trend toward increased time in overload state, you may need to train or hire additional agents for that skill.
- The database items used for this report are stored in the dsplit table.
- This report uses the Split/Skill report input window. Select a skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 220 for more information.

#### Split/Skill Graphical Skill Overload report description

The following table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date	The day for which the report was run (selected in the report input window).	ROW_DATE
Split/Skill	The name or number of the splits/skills selected for this report.	syn(SPLIT)
Normal	The time the skill spent under all of the thresholds.	I_NORMTIME
Overload1	The time the skill spent over threshold 1 and under threshold 2.	I_OL1TIME
Overload2	The time the skill spent over threshold 2.	I_OL21TIME

# Split/Skill Graphical Time Spent report

This report shows how much time the agents staffed in the specified split or skill spent in each work state. It also shows the composite time spent in the AUX work state for each of the reason codes defined for this call center.

Here are some things to know about this report:

- Call center supervisors can use this report to estimate how much time agents in this split/skill spent on ACD calls, in available state, in ACW, in AUX, etc. for a particular day. This report enables supervisors to tell how much time the agents in this split/skill spent in AUX work state for each of the reason codes defined for this call center.
- This report can display a three-dimensional pie chart that shows the amount of time (in hours and minutes) that the agent spent in each work state.
- By default, the percentage is shown inside of each section of the pie chart.
- A legend displays a different color for each of the agent work states (dictionary-defined synonym for each work state).

- This report displays a three-dimensional pie chart that shows the reason codes for the time that the agents spent in AUX work mode.
- The percentage of AUX time (in hours and minutes) agents spent in AUX for each reason code is displayed inside the slice of the pie chart.
- A legend to the right of the pie chart shows a different color for each of the reason codes. This legend contains the dictionary-defined reason codes or numbers (if the reason codes have not been defined in Dictionary).
- The database items used for the Split/Skill Graphical Skill Time Spent report are stored in the hsplit (intrahour) and dsplit (daily) tables.
- This report is only available through the Supervisor interface.
- This report uses the Split/Skill report input window. Select a split/skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 220 for more information.

#### Split/Skill Graphical Skill Time Spent report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the split/skill you are currently viewing.	syn(SPLIT)
Date	The day for which the report was run (selected in the report input window).	ROW_DATE
AVAIL	The time during the collection interval that POSITIONS were available for calls from this split/skill.	I_AVAILTIME
ACW	The time during the collection interval that POSITIONS were in AUX in this split/skill. This includes I_AUXINTIME and I_AUXOUTTIME.	<i_acwtime></i_acwtime>
RINGING	The time during the collection interval that agents were in the ringing state for calls to this split/skill. If the agent changes work modes or answers/makes another call instead of answering the ringing call, I_RINGTIME will stop accumulating. RINGTIME is the time that the caller spends ringing and is independent of agent activity.	I_RINGTIME
ACD	The time during the collection interval that POSITIONS were on split/skill ACD calls for this split/skill.	<i_acdtime></i_acdtime>
AUX	The time during the collection interval that POSITIONS are in AUX in this split/skill.	I_AUXTIME

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
OTHER	The time during the collection interval that POSITIONS were doing other work.	I_OTHERTIME
Reason Code 0	The time during the collection interval that POSITIONS were in AUX for reason code 0 in this split/skill. This includes time on extension calls from this AUX state.	I_AUXTIME0
	For communication servers using AUX reason codes, this represents the time agents spent in system AUX.	
	For communication servers not using AUX reason codes, I_AUXTIME0 is the same as I_AUXTIME.	
Reason Code 1-9	The time during the collection interval that POSITIONS were in AUX for each reason code 1-9 in this skill. This includes the time on extension calls from each AUX state.	I_AUXTIME1-9
Reason Code 10-99	The time during the collection interval that POSITIONS were in AUX for each reason code 10-99 in this skill. This includes the time on extension calls from each AUX state.	IAUXTIME_REMAINING

# Split/Skill Preferred Skill Level Summary report

The Split/Skill preferred skill level summary report summarizes all activity on a skill based on the preferred skill level routing algorithm.

Here are some things to know about this report:

- This report is available only on a communication server version 6.0 and up with EAS.
- This report is available in interval, daily, weekly, and monthly versions.
- The database items for the report are stored in hsplit (interval), dsplit (daily), wsplit (weekly), and msplit (monthly) tables.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication server is the default time zone.
- This report is only available through the Supervisor interface.
- This report uses the Split/Skill report input window. Select a split/skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 220 for more information.

### Split/Skill Preferred Skill Level Summary report description

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
ACD calls	The number of split/skill ACD calls that were queued to this split/skill and answered by an agent for this split/skill.	ACDCALLS, sum(ACDCALLS)
% Calls Delivered in Call Surplus	The percentage of calls arrived at the split/ skill when no agents were available and the call had to be queued and wait for an agent.	<pcnt_callsurp>, <pcnt_agsurp_sum></pcnt_agsurp_sum></pcnt_callsurp>
% Calls Delivered in Agent Surplus	The percentage of the calls that arrived at the queue when one or more agents were available and delivered immediately.	AGSURPPREFCALLS, sum(AGSURPPREFCALLS)
Agent Surplus Preferred Skill Level Calls	The count of calls that arrived at the split/ skill using the Preferred Skill Level routing feature and one or more agents with the desired skill level were available and the call was delivered to one of these agents.	AGSURPPREFCALLS, sum(AGSURPPREFCALLS)
Agent Surplus No Preferred Skill level Calls	The count of calls that arrived at the split/ skill using the Preferred Skill Level routing feature with one or more agents available, but none of the available agents have the preferred skill level. Therefore, the call was delivered to an agent without the preferred skill level.	AGSURPNPREFCALLS, sum(AGSURPNPREFCALLS)
% Agent Surplus Preferred Skill level Calls	The percentage of calls that arrived at the split/skill using the Preferred Skill Level routing feature and one or more agents with the desired skill level were available and the call was delivered to one of these agents.	<pcnt_agsurp_pref>, <pcnt_agsurp_pref_sum></pcnt_agsurp_pref_sum></pcnt_agsurp_pref>

# Split/Skill Outbound report

The Split/Skill Outbound report displays the numbers and average talk times for each type of outbound call for a given split/skill. It is useful primarily for splits/skills that use an adjunct to deliver outbound ACD calls or to dial outbound extension calls.

Here are some things to know about this report:

- This report requires the Outgoing Call Management application of ASAI.
- The Split/Skill Outbound report is available in interval, daily, weekly, and monthly versions.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.
- The database items for the Split/Skill Outbound report are stored in the hsplit (interval), dsplit (daily), wsplit (weekly), and msplit (monthly) tables.
- This report uses the Split/Skill report input window. Select a split/skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 220 for more information.

# Split/Skill Outbound report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the split/skill that is selected for this report. You can make these selections in the report input window.	syn(SPLIT)
Time (for interval reports only)	The intrahour intervals for which the report shows data, as selected in the report input window.	STARTTIME, STARTTIME+INTRVL
Time Zone (for interval reports only)	The time zone relevant to report. The time zone of the ACD from which data is collected is the default time zone.	Input only
Date, Week Starting, Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
Outbound ACD Calls	The number of outbound ACD calls placed by an adjunct processor and queued to this split/skill and answered by agents for this split/skill.	O_ACDCALLS
Avg Outbound ACD Time	The average time the agents spent talking on outbound ACD calls placed by an adjunct for this split/skill.	O_ACDTIME/O_ACDCALLS
Avg ACW Time (Outbound ACD)	The average time the agents spent in after call work associated with outbound ACD calls placed by an adjunct for this split/skill.	O_ACWTIME/O_ACDCALLS
Extn Out Calls	The number of outbound extension calls made by agents logged into this split/skill during the period covered. Direct agent ACW out calls are not included.	ACWOUTCALLS+AUXOUTCALLS <ext_call_out></ext_call_out>
	For agents in multiple splits/skills, outbound AUX extension calls are included here if this split/skill is the first one that the agent logged into, unless the agent has an ACD call on hold. In this case, the outbound call is recorded for the split/skill associated with the ACD call.	

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Avg Extn Out Time	The average time agents in this split/skill spent talking on outbound extension calls.	(ACWOUTTIME+AUXOUTTIME)/ (ACWOUTCALLS+AUXOUTCALLS)
	For agents in multiple splits/skills, time spent on outbound AUX extension calls are included here if this split/skill is the first one that the agent logged into, unless the agent has an ACD call on hold. In this case, the outbound call is recorded for the split/skill associated with the ACD call.	
Adjunct Dialed Extn Calls	The number of outbound extension calls for this split/skill that were placed by an adjunct for an agent; these are also referred to as keyboard-dialed calls.	ACWOUTADJCALLS + AUXOUTADJCALLS

# Split/Skill report

The Split/Skill report shows the calls handled, agent time and assists, and transfers and holds for each agent in a split/skill. This report shows only the time each agent worked in this particular split/skill. An agent could have worked in other splits/skills during the day.

Here are some things to know about this report:

- The Split/Skill report is available in daily, weekly, and monthly versions.
- The database items for the Split/Skill report are stored in the dagent (daily), wagent (weekly), and magent (monthly) tables.
- This report uses the Split/Skill report input window. Select a split/skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 220 for more information.

### Split/Skill report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week Starting, Month Starting	The day, week, or month for which the report ran. You make these selections in the report input window.	ROW_DATE
Split/Skill	The name or number of the split/skill that is selected for this report. You can make these selections in the report input window.	syn(SPLIT)
ACD	The ACD name or number for which the data was collected.	syn(ACD)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Agent Name	The names or login IDs of the agents that logged into the split/skill selected in the report input window.	syn(LOGID)
ACD Calls	The number of split/skill and direct agent ACD calls answered by the agent that connected during interval. Direct agent calls are included if this is the direct agent skill, or the direct agent skill is not measured by CMS and this is the first skill the agent logged into. This total also includes O_ACDCALLS if you have the Outgoing Call Management application on ASAI. The O_ACDCALLS is the number of ACDCALLS that were placed by an adjunct on behalf of a split/skill; this is also referred to as predictive dialing.	ACDCALLS + DA_ACDCALLS, <total_acdcalls></total_acdcalls>
Avg ACD Time	The average time the agent spent talking on ACD calls for this split/skill that completed during the period covered.	(ACDTIME+ DA_ACDTIME)/ (ACDCALLS+ DA_ACDCALLS), <avg_agent_talk_time></avg_agent_talk_time>
	Direct agent time is included:	
	If this is the direct agent skill	
	If the direct agent skill is not measured by CMS and this is the first skill the agent logged into	
	If the Direct Agent skill is not assigned, but the agent receives Direct Agent calls	
	This average includes O_ACDTIME if you have Outgoing Call Management (OCM).	
Avg ACW Time	The average time the agent spent in ACW for ACD and direct agent calls for this split/skill during the time period covered by the report.	(ACWTIME+ DA_ACWTIME)/ (ACDCALLS+ DA_ACDCALLS), <avg_agent_acw_time></avg_agent_acw_time>
	Direct agent calls are included:	
	If this is the direct agent skill	
	If the direct agent skill is not measured by CMS and this is the first skill the agent logged into	
	If the Direct Agent skill is not assigned, but the agent receives Direct Agent calls	
	This average includes O_ACWTIME if you have Outgoing Call Management (OCM).	

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
ACD Time	The total time the agent spent on split/skill ACD calls for this split/skill during the period.	I_ACDTIME+ I_DA_ACDTIME, <total_i_acdtime></total_i_acdtime>
	Direct agent time is included:	
	If this is the direct agent skill	
	If the direct agent skill is not measured by CMS and this is the first skill the agent logged into	
	If the Direct Agent skill is not assigned, but the agent receives Direct Agent calls	
ACW Time	The total time the agent spent working in after call work activities for this split/skill and direct agent ACD calls attributed to this split/skill.	I_ACWTIME+ I_DA_ACWTIME, <total_i_acwtime></total_i_acwtime>
Agent Ring Time	The total time split/skill and direct agent calls rang before the agent answered.	I_RINGTIME

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Other Time	The time agents spent doing other work.	I_OTHERTIME
	For all communication servers other time is accumulated when:	
	An agent first logs into the communication server. CMS tracks the agent time as other time until the communication server notifies CMS of the agent's state	
	The link between CMS and the communication server becomes operational. The communication server notifies CMS of all agents who are logged in. CMS assumes these agents are in the other state until the communication server sends it notification of each agent's current state.	
	Other time is accumulated when agents in Auto-In or Manual-In	
	Put any call on hold while not doing any other activity	
	Dialed to place a call or to activate a feature	
	Had a personal call ringing with no other activity	
	Were available for other, multiple call handling skills, but not for this skill	
	Were logged into multiple splits/skills and were doing work for a split/skill other than this split/skill (on an ACD call or in call- related ACW)	
AUX Time	The total time the agent spent in auxiliary work for the split/skill.	I_AUXTIME
Avail Time	The total time the agent spent waiting for an ACD call in the split/skill.	I_AVAILTIME
Staffed Time	The total time the agent was logged into the split/skill for the period covered.	I_STAFFTIME
Assists	The number of calls for which an agent requested supervisor assistance for the split/skill. Assists for direct agent calls are included here.	ASSISTS
Trans Out	The number of calls transferred by this agent to another destination during the specified time period. This is any call transferred.	TRANSFERRED

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Held Calls	The number of calls the agent put on hold. This is any type of call.	HOLDCALLS
Avg Hold Time	The average time callers spent on hold at the agent. This is any type of call.	HOLDTIME/ HOLDCALLS, <avg_hold_time></avg_hold_time>

# Split/Skill by Location report

The Split/Skill by Location report shows the calls handled, agent time, location ID for the agent terminal, and work, AUX, and other time for each agent in a split/skill. This report shows only the time each agent worked in this particular split/skill. An agent could have worked in other splits/skills during the day. This report supports the Agent Site Tracking feature, which must be enabled to see meaningful data on the report.

Here are some things to know about this report:

- The Split/Skill by Location report is available in a daily version only.
- The database items for the Split/Skill by Location report are stored in the dagent (daily) tables.
- This report uses the Split/Skill report input window. Select a split/skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 220 for more information.

### Split/Skill by Location report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date Starting	The day for which the report ran. You make these selections in the report input window.	ROW_DATE
Split/Skill	The name or number of the split/skill that is selected for this report. You can make these selections in the report input window.	syn(SPLIT)
Location IDs	The location IDs associated with the agent. This ID is not associated with the agent personally, but rather with the terminal the agent is logged into. It is also associated with a port network location ID on the communication server. If the Agent Site Tracking feature is not available on your system, the field will not display meaningful data.	LOC_ID
Agent Name	The names or login IDs of the agents that logged into the split/skill selected in the report input window.	syn(LOGID)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
ACD Calls	The number of split/skill and direct agent ACD calls answered by the agent that connected during interval. Direct agent calls are included if this is the direct agent skill, or the direct agent skill is not measured by CMS and this is the first skill the agent logged into. This total also includes O_ACDCALLS if you have the Outgoing Call Management application on ASAI. The O_ACDCALLS is the number of ACDCALLS that were placed by an adjunct on behalf of a split/skill; this is also referred to as predictive dialing.	ACDCALLS + DA_ACDCALLS, <total_acdcalls></total_acdcalls>
Avg ACD Time	The average time the agent spent talking on ACD calls for this split/skill that completed during the period covered.	(ACDTIME+ DA_ACDTIME)/ (ACDCALLS+ DA_ACDCALLS), <avg_agent_talk_time></avg_agent_talk_time>
	Direct agent time is included:	
	If this is the direct agent skill	
	If the direct agent skill is not measured by CMS and this is the first skill the agent logged into	
	If the Direct Agent skill is not assigned, but the agent receives Direct Agent calls	
	This average includes O_ACDTIME if you have Outgoing Call Management (OCM).	
Avg ACW Time	The average time the agent spent in ACW for ACD and direct agent calls for this split/skill during the time period covered by the report.	(ACWTIME+ DA_ACWTIME)/ (ACDCALLS+ DA_ACDCALLS), <avg_agent_acw_time></avg_agent_acw_time>
	Direct agent calls are included:	
	If this is the direct agent skill	
	If the direct agent skill is not measured by CMS and this is the first skill the agent logged into	
	If the Direct Agent skill is not assigned, but the agent receives Direct Agent calls	
	This average includes O_ACWTIME if you have Outgoing Call Management (OCM).	

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
ACD Time	The total time the agent spent on split/skill ACD calls for this split/skill during the period.	I_ACDTIME+ I_DA_ACDTIME, <total_i_acdtime></total_i_acdtime>
	Direct agent time is included:	
	If this is the direct agent skill	
	If the direct agent skill is not measured by CMS and this is the first skill the agent logged into	
	If the Direct Agent skill is not assigned, but the agent receives Direct Agent calls	
ACW Time	The total time the agent spent working in after call work activities for this split/skill and direct agent ACD calls attributed to this split/skill.	I_ACWTIME+ I_DA_ACWTIME, <total_i_acwtime></total_i_acwtime>
Agent Ring Time	The total time split/skill and direct agent calls rang before the agent answered.	I_RINGTIME

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Other Time	The time agents spent doing other work.	I_OTHERTIME
	For all communication servers other time is accumulated when:	
	An agent first logs into the communication server. CMS tracks the agent time as other time until the communication server notifies CMS of the agent's state	
	The link between CMS and the communication server becomes operational. The communication server notifies CMS of all agents who are logged in. CMS assumes these agents are in the other state until the communication server sends it notification of each agent's current state.	
	Other time is accumulated when agents in Auto-In or Manual-In	
	Put any call on hold while not doing any other activity	
	Dialed to place a call or to activate a feature	
	Had a personal call ringing with no other activity	
	Were available for other, multiple call handling skills, but not for this skill	
	Were logged into multiple splits/skills and were doing work for a split/skill other than this split/skill (on an ACD call or in call- related ACW)	
AUX Time	The total time the agent spent in auxiliary work for the split/skill.	I_AUXTIME
Avail Time	The total time the agent spent waiting for an ACD call in the split/skill.	I_AVAILTIME
Staffed Time	The total time the agent was logged into the split/skill for the period covered.	I_STAFFTIME
Total ACD Calls	The total number of ACD calls received on the skill for the selected date.	sum (TOTAL_ACDCALLS)
Total Avg ACD Time	The total average ACD time on the skill for the selected date.	AVG_AGENT_TALK_SUM
Total Avg ACW Time	The total average ACW time on the skill for the selected date.	AVG_AGENT_ACW_TIME

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Total ACD Time	The total ACD time for the skill for the selected date.	sum(TOTAL_I_ACD_TIME)
Total ACW Time	The total ACW time for the skill for the selected date.	sum(TOTAL_I_ACW_TIME)
Total Agent Ring Time	The total agent ring time for the skill for the selected date.	sum(I_RINGTIME)
Total Agent Other Time	The total agent other time for the skill for the selected date.	sum(I_OTHERTIME)
Total Agent AUX Time	The total agent AUX time for the skill for the selected date.	sum(I_AUXTIME)
Total Agent Avail Time	The total agent avail time for the skill for the selected date.	sum(I_AVAILTIME)
Total Agent Staffed Time	The total agent staffed time for the skill for the selected date.	sum(I_STAFFTIME)

# Split/Skill Service Level report

This report shows the percentage of ACD calls answered within the predefined acceptable service level and the percentage of ACD calls abandoned for the date and split or skill you specify.

- This report is available only on a communication server version 6.0 and up with EAS.
- This report is available in interval, daily, weekly, and monthly versions.
- The database items for the report are stored in hsplit (interval), dsplit (daily), wsplit (weekly), and msplit (monthly) tables.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication server is the default time zone.
- This report is only available through the Supervisor interface.
- This report uses the Split/Skill report input window. Select a split/skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 220 for more information.

### Split/Skill Service Level Report description

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Target %	The service target for the percentage of	TARGETPERCENT,
	calls that arrive at the split/skill and receive service within the amount of time specified by Target Seconds.	max(TARGETPERCENT)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Target Seconds	The service level target for the maximum amount of time that a call waits for service after arrival at the split/skill.	TARGETSECONDS,
		max(TARGETSECONDS)
% within Service	The percentage of calls whose wait duration at the split/skill was less than or equal to Target Seconds.	<percent_serv_lvl_spl>,</percent_serv_lvl_spl>
Level		<percent_slvl_spl_sum></percent_slvl_spl_sum>
Arrivals	A count of calls that arrived at the split/skill.	I_ARRIVED,
		sum(I_ARRIVED)
Aban Calls	A count of calls that arrived at the split/skill	ABNCALLS,
	and were abandoned.	sum(ABNCALLS
Flow Out	The number of calls offered to this split/	OUTFLOWCALLS,
	skill that were redirected to another destination.	sum(OUTFLOWCALLS)
	For communication servers without vectoring, calls that intraflow or interflow to another destination are counted as outflows.	
	For communication servers with vectoring, an outflow is counted:	
	If the call routes to another VDN	
	If the call routes to a number of digits	
	For communication servers with vectoring, an outflow is also counted:	
	If the call queues to this split/skill as the primary split/skill and is redirected by the Redirection on No Answer feature	
	If the call queues to a messaging split/skill	
	If the call rang at an agent in this split/skill and was answered using call pickup	
	If the call queued to this split/skill as primary and was either answered by an agent in a non-primary split/skill or abandons from ringing at an agent in a non-primary split/skill	
Avg Aban time	The average time the split/skill ACD calls	<avg_abandon_time>,</avg_abandon_time>
	were waiting in queue or ringing before abandoning.	<avg_abandon_time_sum></avg_abandon_time_sum>

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Avg Speed Ans	The average time the split/skill Calls were waiting in queue and ringing before being answered by an agent.	<avg_answer_speed>,</avg_answer_speed>
		<avg_answer_speed_sum></avg_answer_speed_sum>
Max Delay	The maximum time that a caller	MAXOCWTIME,
	waited in queue and ringing before:	max(MAXOCWTIME)
	Being answered	
	Abandoning	
	Being redirected	
	Receiving a busy signal	
	Being disconnected	
Avg Hold Time	The average amount of time that the agent held calls.	<avg_hold_time>,</avg_hold_time>
		<avg_hold_time_sum></avg_hold_time_sum>
Interrupt Deliveries	The count of calls delivered by the split/skill to an agent when the agent was in an interruptible AUX state.	INTRDELIVERIES,
		sum(INTRDELIVERIES)

# Split/Skill Summary report

The Split/Skill Summary report summarizes the activity for an entire split or skill by time. You could use this report to analyze the overall performance of a split/skill or to compare two or more comparable splits/skills.

Here are some things to know about this report:

- For communication servers with vectoring, calls that queued to this split or skill as the second
  or third split/skill in the VDN, but the disposition of the call (answered, abandoned, outflowed)
  was recorded for another split/skill.
- Direct agent call data are not included in any of the Split/Skill Summary reports. Direct agent calls are considered calls to the agent instead of calls to the split/skill. If you wish to include direct agent calls as split/skill calls, you can create a Designer report using the agent table data.
- The Split/Skill Summary report is available in interval, daily, weekly, and monthly versions.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.
- The database items for the Split/Skill Summary report are stored in the hsplit (interval), dsplit (daily), wsplit (weekly), and msplit (monthly) tables.
- This report uses the Split/Skill report input window. Select a split/skill that you want to view on the report. See <u>Split/Skill report selector window and input fields</u> on page 220 for more information.

# Split/Skill Summary report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Split/Skill	The name or number of the split/skill that is selected for this report. You can make these selections in the report input window.	syn(SPLIT)
Time Zone (for interval reports only)	The time zone relevant to report. The time zone of the ACD from which data is collected is the default time zone.	Input only
Time (for interval reports only)	The intrahour intervals for which the report shows data, selected in the report input window.	STARTTIME, STARTTIME + INTRVL
Date, Week Starting, Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
Avg Speed Ans	The average time the completed split/skill ACD calls were waiting in queue and ringing before being answered by an agent.	ANSTIME/ACDCALLS <avg_answer_speed></avg_answer_speed>
Avg Aban Time	The average time the split/skill ACD calls were waiting in queue or ringing before abandoning.	ABNTIME/ABNCALLS <avg_abandon_time></avg_abandon_time>
ACD Calls	The number of split/skill ACD calls that were queued to this split/skill and answered by an agent for this split/skill. This total also includes O_ACDCALLS if you have the Outgoing Call Management application of ASAI (OCM). The O_ACDCALLS is the number of ACDCALLS that were placed by an adjunct; this is also referred to as predictive dialing.	ACDCALLS
Avg ACD Time	The average time the agents spent talking on ACD calls for this split/skill that completed during the interval. This average includes O_ACDTIME if you have OCM.	ACDTIME/ACDCALLS <avg_acd_talk_time></avg_acd_talk_time>
Avg ACW Time	The average time the agents spent in after call work associated with ACD calls for this split/skill. This average includes O_ACWTIME if you have OCM.	ACWTIME/ACDCALLS <avg_acw_time></avg_acw_time>

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Aban Calls	The number of ACD calls to the split/skill that abandoned while either waiting in queue (if this was the first split/skill the call was queued to), or while ringing. This total includes calls with talk time less than the phantom abandoned call timer value, if it is set. This total also includes O_ABNCALLS if you have OCM. The O_ABNCALLS is the number of outbound ACD calls that were abandoned by the far end.	ABNCALLS
Max Delay	The maximum time that a caller waited in queue and ringing before:	MAXOCWTIME
	Being answered	
	Abandoning	
	Being redirected	
	Receiving a busy signal	
	Being disconnected	
	The value shown in the Totals line for this column is the maximum of the Max Delay values shown in the individual intervals.	
Flow In	The number of calls that were redirected to this split/skill queue from another queue. The following calls are considered inflows:	INFLOWCALLS
	For communication servers without vectoring, calls that intraflow from another split's queue to this split's queue.	
	With multiple split/skill queuing (communication servers with vectoring), calls that queue to this split/skill as a nonprimary split/skill and are either answered by an agent in this split/skill or abandoned from ringing in this split/skill.	
	Calls that ring at an agent in this split/skill and then requeue to the same split/skill by the Redirection on No Answer to a Split/Skill feature.	
	When a call leaves a VDN (for example by routing to a VDN) or leaves vector processing (for example by routing to a split/skill), the next split/skill to which the call queues is not credited with an inflow.	

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Flow Out	The number of calls offered to this split/skill that were redirected to another destination.	OUTFLOWCALLS
	For communication servers without vectoring, calls that intraflow or interflow to another destination are counted as outflows.	
	For communication servers with vectoring, an outflow is counted:	
	If the call routes to another VDN	
	If the call routes to a number or digits	
	For communication servers with vectoring, an outflow is also counted:	
	If the call queues to this split/skill as the primary split/skill and is redirected by the Redirection on No Answer feature	
	If the call queues to a messaging split/skill	
	If the call rang at an agent in this split/skill and was answered using call pickup	
	If the call queued to this split/skill as primary and was either answered by an agent in a nonprimary split/skill or abandons from ringing at an agent in a nonprimary split/skill	
Extn Out Calls	The number of outbound extension calls made by agents logged into this split/skill.  Direct agent ACW out calls are not included.	ACWOUTCALLS+AUXOUTCALLS <ext_call_out></ext_call_out>
	For agents in multiple splits/skills, outbound AUX extension calls are included here if this split/skill is the first one that the agent logged into, unless the agent has an ACD call on hold. In this case, the outbound call is recorded for the split/skill associated with the ACD call.	
Avg Extn Out Time	The average time agents in this split/skill spent talking on outbound extension calls.	(ACWOUTTIME+AUXOUTTIME)/ (ACWOUTCALLS+ AUXOUTCALLS) <avg_talk_time_out></avg_talk_time_out>
	For agents in multiple splits/skills, time spent on outbound AUX extension calls is included here if this split/skill is the first one that the agent logged into, unless the agent has an ACD call on hold. In this case, the outbound call is recorded for the split/skill associated with the ACD call.	

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Dequeued Calls	For communication servers with multiple split/ skill queuing, the number of calls queued to this split/skill as a nonprimary split/skill (that is, this was not the first split/skill to which the call queued) for which the disposition (answered, outflowed, abandoned, busy, forced disconnect) was recorded in another split/skill.	DEQUECALLS
Avg Time to Dequeue	For communication servers with multiple split/ skill queuing, average time the dequeued calls spent queued to this split/skill before leaving the queue.	DEQUETIME/DEQUECALLS
% ACD Time	The percentage of staffed time that agents in this split/skill spent on ACD calls and in after call work for this split/skill.	100*(I_ACDTIME+ I_ACWTIME)/   I_STAFFTIME)   <percent_acd_time></percent_acd_time>
% Ans Calls	The percentage of calls queued to this split/ skill that were answered by agents for this split/skill.	100*(ACDCALLS/ CALLSOFFERED) <percent_call_ans></percent_call_ans>
Avg Pos Staff (Interval report only)	The average number of positions staffed in this split/skill during the interval.	I_STAFFTIME/ (INTRVL*60) <avg_pos_staff></avg_pos_staff>
Calls Per Pos (Interval report only)	The average number of calls answered by each position staffed during the interval. (If an agent is staffed for part of an interval, the calculation reports what the agent would have handled had the agent been staffed during the entire interval.)	(60 * INTRVL * ACDCALLS)/ I_STAFFTIME <calls_per_pos></calls_per_pos>

# **System reports**

System reports allow you to access summary data on a set of measured splits/skills for a particular ACD, the summary data over all splits/skills for a particular ACD, and the call data on similar splits/skills for different ACDs.

# **System Graphical Maximum Delay report**

The System Graphical Maximum Delay report shows the maximum delay for one split/skill in one or more ACDs for each day selected. You can compare the split/skill across ACDs and use the information to determine which ACD has the longest delay in answering calls.

Here are some things to know about this report:

- · You can specify one split/skill available across ACDs.
- The System Graphical Maximum Delay report is available in a daily version.

- The database items used for the System Graphical Maximum Delay report are stored in the dsplit (daily) tables.
- Standard multi-ACD reports can include information on up to eight ACDs.
- See System report input fields on page 253 for inputs for this report.

### System report input fields

The following table describes the fields on the input window.

Name	Description
Dates (daily, weekly, monthly)	Enter the days you would like the report to cover.
	Use any of the following formats:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)
	A semicolon (;) to separate individual data entry items (for example, 3/21/02;3/23/02;3/25/02)
	A hyphen to designate a range of dates (for example, 3/21/02-3/25/02). For the weekly and monthly versions, the report includes any weeks or months that begin in the range.
First thr Eighth ACD	Enter the ACD names or numbers that corresponds to the following Split/Skill field.
Split/Skill	Enter the appropriate split/skill name or number that you want to view in this report. Any name you want to appear on the report must have been previously defined and entered in the Dictionary subsystem.
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows printer. The default printer is shown.

### System Graphical Maximum Delay report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
ACD	The ACD name or number for which the data was collected.	syn(ACD)
Split/Skill	The name or number of the split/skill that is selected for this report. You can make these selections in the report input window.	syn(SPLIT)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Dates	The dates for which the report ran. You can make these selections in the report input window.	ROW_DATE
-Max Delay - Seconds	The maximum time that a caller waited in queue and ringing before:	MAXOCWTIME
	Being serviced	
	Abandoning	
	Being redirected	
	Receiving a busy signal	
	Being disconnected	
	The value shown in the Totals line is the maximum of the Max Delay values shown for the individual splits/skills.	

# System Multi-ACD by Split/Skill report

The System Multi-ACD by Split/Skill report displays call-handling information on different splits/skills for different ACDs. You can compare similar splits/skills in different ACDs and use the information to:

- Determine workload
- Evaluate call-handling performance
- · Reassign agents
- Perform other ACD configuration alternatives for balancing workloads and/or reducing abandoned calls

Here are some things to know about this report:

- You can specify a list of splits/skills available for each ACD desired.
- The System Multi-ACD report by Split/Skill report is available in daily, weekly, and monthly versions.
- The database items used for the System Multi-ACD by Split/Skill report are stored in the dsplit (daily), wsplit (weekly), and msplit (monthly) tables.
- Standard Multi-ACD reports can include information on up to eight ACDs.

#### Multi-ACD by Split/Skill report input fields

The following table describes the fields on the input window.

Name	Description
Dates (daily, weekly, monthly)	Enter the dates you would like the report to cover:
	Daily - enter the days
	Weekly - enter the start date for the weeks. When you specify a date for a weekly report, that date must correspond to the week start day selected in the System Setup-Storage Intervals window. If the date and day do not match, the message No records found displays in the status line.
	Monthly - enter the first day of the months
	Use any of the following formats:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)
	A semicolon (;) to separate individual data entry items (for example, 3/21/02;3/23/02;3/25/02)
	A hyphen to designate a range of dates (for example, 3/21/02-3/25/02). For the weekly and monthly versions, the report includes any weeks or months that begin in the range
First thr Eighth ACD	Enter the ACD name or number that corresponds to the following Splits/Skills field.
First thr Eighth Split(s)/Skill(s)	Enter the appropriate split/skill names or numbers that you want to view in this report. Any names you want to appear on the report must have been previously defined and entered in the Dictionary subsystem. You can enter more than one split/skill by using a semicolon (;) to separate individual entries or using a hyphen for a range of values.
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows printer. The default printer is shown.

# System Multi-ACD by Split/Skill report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week Starting, Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
Split/Skill	The name or number of the split/skill that is selected for this report. You can make these selections in the report input window.	syn(SPLIT)
ACD	The ACD name or number for which the data was collected.	syn(ACD)
Avg Speed Ans	The average time the split/skill ACD calls were waiting in queue and ringing before being answered by an agent.	ANSTIME/ ACDCALLS <avg_answer_speed></avg_answer_speed>
Avg Aban Time	The average time the split/skill ACD calls were waiting in queue or ringing before abandoning.	ABNTIME/ ABNCALLS <avg_abandon_time></avg_abandon_time>
ACD Calls	The number of split/skill ACD calls that were queued to this split/skill and answered by an agent for this split/skill. This total also includes O_ACDCALLS if you have the Outgoing Call Management application (OCM) of ASAI. The O_ACDCALLS is the number of ACDCALLS that were placed by an adjunct; this is also referred to as predictive dialing.	ACDCALLS
Avg ACD Time	The average time the agents spent talking on ACD calls for this split/skill. This average time includes O_ACDTIME if you have OCM.	ACDTIME/ACDCALLS, <avg_acd_talk_time></avg_acd_talk_time>
Avg ACW Time	The average time the agents spent in after call work associated with ACD calls for this split/skill. This average time includes O_ACWTIME if you have the OCM.	ACWTIME/ ACDCALLS, <avg_acw_time></avg_acw_time>
Aban Calls	The number of ACD calls to the split/skill that abandoned while either waiting in queue (if this was the first split/skill the call was queued to), or while ringing. This total includes calls with talk time less than the phantom abandoned call timer value, if it is set. This total also includes O_ABNCALLS if you have OCM. The O_ABNCALLS is the number of outbound ACD calls that were abandoned by the far end.	ABNCALLS

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Max Delay	The maximum time that a caller waited in queue and ringing before:	MAXOCWTIME
	Being serviced	
	Abandoning	
	Being redirected	
	Receiving a busy signal	
	Being disconnected	
	The value shown in the Totals line is the maximum of the Max Delay values shown for the individual splits/skills.	
Extn Out Calls	The number of outbound extension calls made by agents logged into this split/skill. Direct agent ACW out calls are not included. For agents in multiple splits/skills, outbound AUX extension calls are included here if this split/skill is the first one that the agent logged into, unless the agent has an ACD call on hold. In this case, the outbound call is recorded for the split/skill associated with the ACD call.	(ACWOUTCALLS + AUXOUTCALLS), <ext_call_out></ext_call_out>
Avg Extn Out Time	The average time agents in this split/skill spent talking on outbound extension calls. For agents in multiple splits/skills, time spent on outbound AUX extension calls is included here if this split/skill is the first one that the agent logged into, unless the agent has an ACD call on hold. In this case, the outbound call is recorded for the split/skill associated with the ACD call.	(ACWOUTTIME+ AUXOUTTIME)/ (ACWOUTCALLS + AUXOUTCALLS), <avg_talk_time_out></avg_talk_time_out>
% ACD Time	The percentage of staffed time that agents for this split/skill spent on ACD calls and in after call work for this split/skill.	100*((I_ACDTIME+ I_ACWTIME)/ I_STAFFTIME), <percent_acd_time></percent_acd_time>
% Ans Calls	The percentage of calls queued to this split/ skill that were answered by agents for this split/skill.	100*(ACDCALLS/ CALLSOFFERED), <percent_call_ans></percent_call_ans>

# **System Multi-ACD report**

The System Multi-ACD report summarizes data over all splits/skills in the ACD for each ACD requested. This allows you to evaluate and compare different ACD configurations to determine workload and call-handling performance. After reviewing this report, you could choose different ACD configurations to balance workloads and/or reduce abandoned calls.

If you have vectoring, you may want to create a Designer report that summarizes data over all VDNs instead of over all splits/skills.

Here are some things to know about this report:

- The System Multi-ACD reports, Multi-ACD Daily, Multi-ACD Weekly, Multi-ACD Monthly, are not available to tenant users.
- The System Multi-ACD report is available in daily, weekly, and monthly versions.
- The database items used for the System Multi-ACD report are stored in the dsplit (daily), wsplit (weekly), and msplit (monthly) tables.
- Standard Multi-ACD reports can include information on up to eight ACDs.

#### Multi-ACD report input fields

The following table describes the fields on the input window.

Name	Description
Date	Enter the date you would like the report to cover.
	Daily - enter the day
	Weekly - enter the start date for the week. When you specify a date for a weekly report, that date must correspond to the week start day selected in the System Setup-Storage Intervals window. If the date and day do not match, the message No records found displays in the status line.
	Monthly - enter the first day of the month

Name	Description
Dates (daily, weekly, monthly)	Enter the dates you would like the report to cover:
	Daily - enter the days
	Weekly - enter the start date for the weeks. When you specify a date for a weekly report, that date must correspond to the week start day selected in the System Setup-Storage Intervals window. If the date and day do not match, the message No records found displays in the status line.
	Monthly - enter the first day of the months
	Use any of the following formats:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)
	A semicolon (;) to separate individual data entry items (for example, 3/21/02;3/23/02;3/25/02)
	A hyphen to designate a range of dates (for example, 3/21/02-3/25/02). For the weekly and monthly versions, the report includes any weeks or months that begin in the range.
ACDs (1 - 8)	Enter the appropriate ACD names or numbers. You can enter more than one ACD by using a semicolon (;) to separate individual entries or using a hyphen for a range of values.
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows printer. The default printer is shown.

## **System Multi-ACD report description**

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week Starting, Month Starting	The day, week, or month for which the report ran. You make these selections in the report input window.	ROW_DATE
Split/Skill	The name or number of the split/skill that is selected for this report. You can make these selections in the report input window.	syn(SPLIT)
ACD	The ACD name or number for which the data was collected.	syn(ACD)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Avg Speed Ans	The average time the split/skill ACD calls were waiting in queue and ringing before being answered by an agent.	sum(ANSTIME)/ sum(ACDCALLS) <avg_answer_speed_sum></avg_answer_speed_sum>
Avg Aban Time	The average time the split/skill ACD calls were waiting in queue or ringing before abandoning.	sum(ABNTIME)/ sum(ABNCALLS) <avg_abandon_time_sum></avg_abandon_time_sum>
ACD Calls	The number of split/skill ACD calls that were queued to splits/skills in the ACD and answered by an agent for those splits/skills. This total also includes O_ACDCALLS if you have the Outgoing Call Management application (OCM) of ASAI. The O_ACDCALLS is the number of ACDCALLS that were placed by an adjunct; this is also referred to as predictive dialing.	sum(ACDCALLS)
Avg ACD Time	The average time the agents spent talking on ACD calls for this ACD. The average time includes O_ACDTIME if you have OCM.	sum(ACDTIME)/ sum(ACDCALLS) <avg_acd_talk_tim_sum></avg_acd_talk_tim_sum>
Avg ACW Time	The average time the agents spent in after call work for ACD calls to this ACD. This average time includes O_ACWTIME if you have OCM.	sum(ACWTIME)/sum(ACDCALL S) <avg_acw_time_sum></avg_acw_time_sum>
Aban Calls	The number of ACD calls queued to split/skills in the ACD that abandoned while waiting in queue or ringing. This total includes calls with talk time less than the phantom abandoned call timer value, if it is set. This total also includes O_ABNCALLS if you have OCM. The O_ABNCALLS is the number of outbound ACD calls that were abandoned by the far end.	sum(ABNCALLS)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Max Delay	The maximum time that a caller waited in queue and ringing before:	max(MAXOCWTIME)
	Being serviced	
	Abandoning	
	Being redirected	
	Receiving a busy signal	
	Being disconnected	
	The value shown in the Totals line is the maximum of the Max Delay values shown for the individual ACDs.	
Extn Out Calls	The number of outbound extension calls made by agents logged into this ACD. Direct agent ACW out calls are not included.	sum(ACWOUTCALLS+ AUXOUTCALLS) <ext_call_out></ext_call_out>
Avg Extn Out Time	The average time agents in this ACD spent talking on outbound extension calls.	sum(ACWOUTTIME+ AUXOUTTIME)/ sum(ACWOUTCALLS+ AUXOUTCALLS) <avg_talk_time_out_sum></avg_talk_time_out_sum>
% ACD Time	The percentage of staffed time that agents for the splits/skills in this ACD spent on ACD calls and in after call work.	100*(sum(I_ACDTIME+ I_ACWTIME)/ sum(I_STAFFTIME)) <percent_acd_time_sum></percent_acd_time_sum>
% Ans Calls	The percentage of calls queued to the splits/skills in this ACD that were answered by agents for the splits/skills.	100*(sum(ACDCALLS)/ sum(CALLSOFFERED)) <percent_call_ans_sum></percent_call_ans_sum>

## **System report**

The System report summarizes the activity for a set of splits/skills for the same ACD. You can use this report to compare split/skill performance for splits/skills performing similar functions for the same ACD.

Here are some things to know about this report:

- If you have a communication server without vectoring, Flow Out represents the number of
  calls redirected (by call forwarding or call coverage) from this split to another destination. In
  many cases, the summary numbers for Flow Out of one split may not match Flow In numbers
  for another split. These numbers may not match because calls were intraflowed into
  unmeasured splits, extensions within the ACD, or elsewhere. Also, the Flow In and Flow Out
  for a given split are typically not equal.
- Statistics in the report such as% AUX (percent auxiliary work) and Number of Extension-Out Calls are indicators of activities not directly related to ACD traffic.
- The System report is available in daily, weekly, and monthly versions.
- The database items used for the System report are stored in the dsplit (daily), wsplit (weekly), and msplit (monthly) tables.

## System report input fields

The following table describes the fields on the input window

Name	Description
Date	Enter the date you would like the report to cover:
	Daily - enter the day
	Weekly - enter the start date for the week. When you specify a date for a weekly report, that date must correspond to the week start day selected in the System Setup-Storage Intervals window. If the date and day do not match, the message No records found displays in the status line.
	Monthly - enter the first day of the month
	Use any of the following formats:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)
	A semicolon (;) to separate individual data entry items (for example, 3/21/02;3/23/02;3/25/02)
Split/Skill	Enter the appropriate split/skill name or number that you want to view in this report. Any name you want to appear on the report must have been previously defined and entered in the Dictionary subsystem.
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows printer. The default printer is shown.

# System report description

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week Starting, Month Starting	The day, week, or month for which the report ran. You can make these selections in the report input window.	ROW_DATE
ACD	The ACD name or number for which the data was collected.	syn(ACD)
Split/Skill	The name or number of the split/skill that is selected for this report. You can make these selections in the report input window.	syn(SPLIT)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Avg Speed Ans	The average time the split/skill ACD calls were waiting in queue and ringing before being answered by an agent.	ANSTIME/ ACDCALLS, <avg_answer_speed></avg_answer_speed>
Avg Aban Time	The average time the split/skill ACD calls were waiting in queue or ringing before abandoning.	ABNTIME/ ABNCALLS <avg_abandon_time></avg_abandon_time>
ACD Calls	The number of split/skill ACD calls that were queued to this split/skill and answered by an agent for this split/skill. This total also includes O_ACDCALLS if you have the Outgoing Call Management (OCM) application of ASAI. The O_ACDCALLS is the number of ACDCALLS that were placed by an adjunct; this is also referred to as predictive dialing.	ACDCALLS
Avg ACD Time	The average time the agents spent talking on ACD calls for the split/skill. This average time includes O_ACDTIME if you have OCM.	ACDTIME/ ACDCALLS, <avg_acd_talk_time></avg_acd_talk_time>
Avg ACW Time	The average time the agent spent in after call work associated with ACD calls for the split/skill. This average time includes O_ACWTIME if you have OCM.	ACWTIME/ ACDCALLS, <avg_acw_time></avg_acw_time>
Aban Calls	The number of ACD calls to the split/skill that abandoned while either waiting in queue (if this was the first split/skill the call was queued to), or while ringing. This total includes calls with talk time less than the phantom abandoned call timer value, if it is set. This total also includes O_ABNCALLS if you have OCM. The O_ABNCALLS is the number of outbound ACD calls that were abandoned by the far end.	ABNCALLS
Max Delay	The maximum time that a caller waited in queue and ringing before:	MAXOCWTIME
	Being answered	
	Abandoning	
	Being redirected	
	Receiving a busy signal	
	Being disconnected	
	The value shown in the Totals line is the maximum of the Max Delay values shown in the individual intervals.	

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Flow In	The number of calls that were redirected to the split/skill queue from another queue. The following calls are considered inflows:	INFLOWCALLS
	For communication servers without vectoring, calls that intraflow from another split's queue to this split's queue	
	With multiple split/skill queuing, calls that queue to this split/skill as a nonprimary split/ skill and are either answered by an agent in this split/skill or abandoned from ringing in this split/skill	
	Calls that ring at an agent in this split/skill and then requeue to the same split/skill by the Redirection on No Answer to a split/skill feature	
	When a call leaves a VDN (for example by routing to a VDN) or leaves vector processing (for example by routing to a split/skill), the next split/skill to which the call queues is not credited with an inflow	
Flow Out	The number of calls offered to this split/skill that were redirected to another destination. For communication servers without vectoring, calls that intraflow or interflow to another destination are counted as outflows.	OUTFLOWCALLS
	For communication servers with vectoring, an outflow is counted:	
	If the call routes to another VDN	
	If the call routes to a number or digits	
	An outflow is also counted:	
	If the call queues to this split/skill as the primary split/skill and is redirected by the Redirection on No Answer feature	
	If the call queues to a messaging split/skill	
	If the call rang at an agent in this split/skill and was answered using call pickup	
	If the call queued to this split/skill as primary and was either answered by an agent in a nonprimary split/skill or abandoned from ringing at an agent in a nonprimary split/skill	

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Extn Out Calls	The number of outbound extension calls made by agents logged into this split/skill. The direct agent ACW out calls are not included. For agents in multiple splits/skills, outbound AUX extension calls are included here if this split/skill is the first one that the agent logged into, unless the agent has an ACD call on hold. In this case, the outbound call is recorded for the split/skill associated with the ACD call.	(ACWOUTCALLS+ AUXOUTCALLS) <ext_call_out></ext_call_out>
Avg Extn Out Time	The average time agents in this split/skill spent talking on outbound extension calls. For agents in multiple splits/skills, time spent on outbound AUX extension calls is included here if this split/skill is the first one that the agent logged into, unless the agent has an ACD call on hold. In this case, the outbound call is recorded for the split/skill associated with the ACD call.	(ACWOUTTIME+ AUXOUTTIME)/ (ACWOUTCALLS+ AUXOUTCALLS) <avg_talk_time_out></avg_talk_time_out>
% ACD Time	The percentage of staffed time that agents for this split/skill spent on ACD calls and in after call work for this split/skill.	100*((I_ACDTIME+ I_ACWTIME)/ I_STAFFTIME), <percent_acd_time></percent_acd_time>
% Ans Calls	The percentage of calls queued to this split/ skill that were answered by agents for this split/skill.	100*(ACDCALLS / CALLSOFFERED), <percent_call_ans></percent_call_ans>

# **Trunk/Trunk Group reports**

Trunk and Trunk Group reports display traffic data for a single trunk, summarize the incoming and outgoing traffic of every trunk in a trunk group for a specific time period, display the level of incoming and outgoing call traffic for an individual trunk group, or display the busiest hour of the day for each trunk group you select.

## Trunk/Trunk Group report input fields

The reports in this section use the Trunk/Trunk Group/Busy Hour report input windows. Specific input information is included with the reports. The following figure shows an example of the Trunk/Trunk Group/Busy Hour report input window. You must fill in the report input window to run the report.

### Trunk Group report input fields

The following table describes the input fields on historical Trunk/Trunk Group/Busy Hour report input windows. Not all reports use all fields; refer to information for the specific report you are running to determine what you want to view. For example, you may enter an a trunk or trunk group to run the report.

All possible fields on this window are described here:

Name	Description
Trunk group (daily, weekly, and monthly)	Enter the appropriate trunk group name or number. See on-line help for the valid numerical entries for your particular communication server.
Date	Enter the date you would like the report to cover:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)
Dates (daily, weekly, monthly)	Enter the dates for the days or the start dates for the weeks or the months you would like the report to cover.
	Daily - enter the days
	Weekly - enter the start date for the weeks. When you specify a date for a weekly report, that date must correspond to the week start day selected in the System Setup-Storage Intervals window. If the date and day do not match, the message No records found displays in the status line.
	Monthly - enter the first day of the months
	Use any of the following formats:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)
	A semicolon (;) to separate individual data entry items (for example, 3/21/02;3/23/02;3/25/02)
	A hyphen to designate a range of dates (for example, 3/21/02-3/25/02). For the weekly and monthly versions, the report includes any weeks or months that begin in the range.
	When you specify a date for a weekly report, that date must correspond to the week start day selected in the System Setup-Storage Intervals window. If the date and day do not match, the message No records found displays in the status line. The month start date must be the first day of the month.

Name	Description
Times (Interval)	Enter the time you would like the report to cover. Use any of the following formats:
	• AM/PM (for example, 7:30AM-5:00PM)
	Military time (for example, 7:30-17:00)
	You can use a minus offset based on today's date (for example, -1 for yesterday).
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows printer. The default printer is shown.

### **Trunk/Trunk Group Busy Hour report**

The Trunk/Trunk Group Busy Hour report displays the busiest hour of the day for each trunk group you select. The busiest hour is calculated as a set of contiguous intervals that make up an hour (one 60-minute interval, two 30-minute intervals, or four 15-minute intervals) in which the total holding time for the trunks in the trunk group was the maximum for the day.

Here are some things to know about this report:

- The Trunk/Trunk Group Busy Hour is available in daily version only.
- The busiest hour is calculated as a set of contiguous intervals that make up an hour (one 60-minute interval, two 30-minute intervals, or four 15-minute intervals) in which the total holding time for the trunks in the trunk group was the maximum for the day.
- The database items for the Trunk/Trunk Group Busy Hour report are stored in the dtkgrp (daily) table.
- You cannot customize this report.
- This report uses the Trunk/Trunk Group/Busy Hour report input window. Select a trunk group that you want to view on the report. See <u>Trunk/Trunk Group report input fields</u> on page 265 for more information.

### **Trunk/Trunk Group Busy Hour report description**

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Date	Day for which the report was run (selected in the report input window).	ROW_DATE
Trunk Group Name	Trunk group name or number for which the report was requested.	syn(TKGRP)
Busy Hour	Start time of the hour in which the trunk group was the busiest.	BH_STARTTIME

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Avg Trunk Holding Time	Average holding time for all incoming and outgoing calls in the trunk group that completed during the busy hour.	(BH_INTIME+BH_OUTTIME)/ (BH_INCALLS+BH_OUTCALLS)
Calls Carried	Total number of all incoming and outgoing calls carried by this trunk group that completed during the busy hour.	BH_INCALLS+BH_OUTCALLS
Inbound Calls	Total number of all incoming calls carried by this trunk group that completed during the busy hour.	BH_INCALLS
Outbound Calls	Total number of all outgoing calls carried by this trunk group that completed during the busy hour.	BH_OUTCALLS
ACD Calls	Total number of all ACD calls carried by this trunk group and answered by an agent that completed during the busy hour.	BH_ACDCALLS + BH_OACDCALLS
Aban Calls	Total number of all calls abandoned by callers on this trunk group during the busy hour. With vectoring, this includes calls that were abandoned from vector processing. With communication servers, this includes all calls carried by the trunk group that were abandoned, except for calls directly to unmeasured stations that did not go through a measured VDN or split/skill.	BH_ABNCALLS + BH_OABNCALLS
Other Calls	Number of calls that received a busy signal, calls disconnected, extension calls, short calls, and calls of unknown disposition.	BH_OTHERCALLS + BH_OOTHERCALLS
% All Trunks Busy	Percentage of time during the hour that all trunks were busy.	BH_ALLINUSETIME/36
% Occupancy	Percentage of time during the hour that trunks were occupied by incoming and outgoing calls.	(BH_INTIME + BH_OUTTIME)/100

# **Trunk report**

The Trunk report displays call traffic data for a single trunk. With this report, you can review trunks in any measured trunk group.

You can use this report to verify that call traffic levels for a trunk are appropriate through out the time period specified. You can also monitor outgoing calls made throughout the day.

Here are some things to know about this report:

- The Trunk report is not available to tenant users.
- The Trunk report is available in interval, daily, weekly, and monthly versions.

- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.
- The database items for the Trunk report are stored in the htrunk (interval), dtrunk (daily), wtrunk (weekly), and mtrunk (monthly) tables.
- The report item Centum Call Seconds (CCS) is the number of 100-second increments in which the trunk was busy during the intrahour interval. A trunk is seized while the call is both in queue and connected to an agent. Therefore, wait time for abandoned calls is figured into the CCS figures. For example, since a half-hour has 1800 seconds, the maximum CCS for each trunk in a trunk group is 18 CCS. Multiplying 18 CCS by the number of trunks in a trunk group gives you the maximum occupancy for the trunk group, which you can then compare with your actual CCS. If your intrahour interval is 15- or 60-minutes, your number will be different.
- This report uses the Trunk/Trunk Group/Busy Hour report input window. Select a trunk group
  that you want to view on the report. See <u>Trunk/Trunk Group report input fields</u> on page 265
  for more information.

### Trunk report description

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week Starting, Month Starting	Day, week, or month for which the report was run (selected in the report input window).	ROW_DATE
Time Zone (interval report only)	The time zone relevant to report. The time zone of the ACD from which data is collected is the default time zone.	Input only
Trunk Group Name	Trunk group name or number for which the report was requested.	syn(TKGRP)
Trunk	Trunk number (physical equipment location) of the trunk.	EQLOC
ACD	ACD name or number associated with the trunk group.	syn(ACD)
Time (Interval only)	Intrahour intervals for which the report shows data (selected in the report input window).	STARTTIME, STARTTIME + INTRVL
Inbound Calls	Total number of all incoming calls carried by this trunk that completed during the specified time period.	INCALLS
Aban Calls	Total number of inbound calls abandoned by the caller during the specified time period.	ABNCALLS

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Avg Inbound Trunk Hold Time	Average holding time for all incoming calls that completed during the specified time period. Average holding time includes time in vector processing, in queue, ringing, talking, and holding.	INTIME / INCALLS; <avg_trk_hold_time_in></avg_trk_hold_time_in>
Inbound CCS	Total trunk occupancy by incoming calls during the specified time period.	I_INOCC / 100
Outbound Calls	Total number of all outgoing calls carried by this trunk that completed during the specified time period.	OUTCALLS
Outbound Aban Calls	Number of outbound ACD calls (if you have the outgoing call management application on ASAI) abandoned at the far end. (communication servers with ASAI).	O_ABNCALLS
Avg Outbound Trunk Hold Time	Average holding time of all outgoing calls that completed during the specified time period.	OUTTIME / OUTCALLS; <avg_trk_hold_tim_out></avg_trk_hold_tim_out>
Outbound CCS	Total trunk occupancy of outgoing calls during the specified time period.	I_OUTOCC/100
Maint Busy Time	Total time of all maintenance-busy periods for this trunk for the time period.	MBUSYTIME

### **Trunk Group report**

The Trunk Group report summarizes the incoming and outgoing traffic of every trunk in a trunk group for the specified time period. You could use this report to verify that the number of trunks available to your splits/skills is appropriate and to monitor the number of outgoing calls.

Also, because it lists trunks by physical location on the communication server and totals trunk failures, the Trunk Group report can be useful for troubleshooting problems with trunks.

Here are some things to know about this report:

- The Trunk Group report is available in daily, weekly, and monthly versions.
- The database items for the Trunk Group report are stored in the dtrunk (daily), wtrunk (weekly), and mtrunk (monthly) tables.
- The report item Centum Call Seconds (CCS) is the number of 100-second increments in which the trunk was busy during the intrahour interval. A trunk is seized while the call is both in queue and connected to an agent. Therefore, wait time for abandoned calls is figured into the CCS figures. For example, since a half-hour has 1800 seconds, the maximum CCS for each trunk in a trunk group is 18 CCS. Multiplying 18 CCS by the number of trunks in a trunk group gives you the maximum occupancy for the trunk group, which you can then compare with your actual CCS. If your intrahour interval is 15 or 60 minutes, your number will be different.
- Trunks that fail are immediately put in the Maintenance Busy State.

• This report uses the Trunk/Trunk Group/Busy Hour report input window. Select a trunk group that you want to view on the report. See <a href="Trunk/Trunk Group report input fields">Trunk/Trunk Group report input fields</a> on page 265 for more information.

### **Trunk Group report description**

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week starting, Month starting	Day, week, or month for which the report was run (selected in the report input window).	ROW_DATE
Trunk Group Name	Trunk group name or number for which the report was requested.	syn(TKGRP)
ACD	ACD name or number associated with the trunk group.	syn(ACD)
Trunk	Trunk number (physical equipment location) of the trunk.	EQLOC
Inbound Calls	Total number of inbound calls carried by this trunk that completed during the specified time period.	sum(INCALLS)
Aban Calls	Total number of inbound calls abandoned by the caller during the specified time period.	sum(ABNCALLS)
Avg Inbound Trunk Hold Time	Average holding time for all incoming calls that completed during the time period. Average holding time includes time in vector processing, in queue, ringing, talking, and on hold.	sum(INTIME)/sum(INCALLS) <avg_trk_hold_in_sum></avg_trk_hold_in_sum>
Inbound CCS	Total trunk occupancy by incoming calls during the specified time period.	sum(I_INOCC)/100
Outbound Calls	Number of outbound calls that were carried by this trunk that completed during the specified time period.	sum(OUTCALLS)
Outbound Aban Calls	Number of outbound ACD calls (if you have the Outgoing Call Management application on ASAI) that abandoned at the far end.	sum(O_ABNCALLS)
Avg Outbound Trunk Hold Time	Average holding time of all outgoing calls on this trunk that completed during the specified time period.	sum(OUTTIME)/ sum(OUTCALLS) <avg_trk_hold_out_sum></avg_trk_hold_out_sum>
Outbound CCS	Total trunk occupancy of outgoing calls during the specified time period.	sum(I_OUTOCC) / 100
Trunk Failures	Number of trunk failures for this trunk or total for the trunk group. These can be hardware failures or failures due to internal communication server errors.	sum(FAILURES)

### **Trunk Group Summary report**

The Trunk Group Summary report shows the level of incoming and outgoing call traffic for an individual trunk group. You could use this report to verify that the number of trunks available to your splits is appropriate and to monitor the number of outgoing calls.

Here are some things to know about this report:

- The Trunk Group Summary report is available in interval, daily, weekly, and monthly versions.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.
- The database items for the Trunk Group Summary report are stored in the htkgrp (interval), dtkgrp (daily), wtkgrp (weekly), and mtkgrp (monthly) tables.
- For both inbound and outbound calls, Call Carried = Calls Answered + Calls Abandoned +
  Other Calls. Also, Other Calls = Calls Given a Busy Signal + Calls Disconnected by the
  communication server + Calls Answered by an Unmeasured Agent.
- The report item Centum Call Seconds (CCS) is the number of 100-second increments in which the trunk was busy during the intrahour interval. A trunk is seized while the call is both in queue and connected to an agent. Therefore, wait time for abandoned calls is figured into the CCS figures. For example, since a half-hour has 1800 seconds, the maximum CCS for each trunk in a trunk group is 18 CCS. Multiplying 18 CCS by the number of trunks in a trunk group gives you the maximum occupancy for the trunk group, which you can then compare with your actual CCS. If your intrahour interval is 15 or 60 minutes, your number will be different.
- A Trunk Group Summary can have two entries for one interval if the trunk group termination changed during that interval. For example, at the start of the interval, trunk group 2 terminates at VDN58803. During the interval the termination is changed to VDN58804. The system shows two trunk group records for reports (interval, daily, weekly, and monthly) containing the interval in which the termination was changed.
- This report uses the Trunk/Trunk Group/Busy Hour report input window. Select a trunk group
  that you want to view on the report. See <u>Trunk/Trunk Group report input fields</u> on page 265
  for more information.

### **Trunk Group Summary report description**

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Trunk Group Name	Name or number of the trunk group for which the report was requested.	syn(TKGRP)
Number of trunks	Number of trunks in the trunk group.	TRUNKS
Time Zone (for interval reports only)	The time zone relevant to report. The time zone of the ACD from which data is collected is the default time zone.	Input only

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Time (for interval reports only)	Intrahour intervals for which the report shows data (selected in the report input window).	STARTTIME, STARTTIME + INTRVL
Date, Week starting, Month starting	Day, week, or month for which the report was run (selected in the report input window).	ROW_DATE
Inbound Calls	Total number of inbound calls carried by this trunk group that completed during the specified time period.	sum(INCALLS)
ACD Calls	Total number of inbound split/skill or direct agent calls answered by agents that completed during the specified time period.	sum(ACDCALLS)
Inbound Aban Calls	Total number of inbound calls abandoned by the caller during the specified time period.	sum(ABNCALLS)
Other Calls	Number of inbound calls that were not answered as ACD calls or abandoned. This includes calls that were forced busy, disconnected, answered extension-in calls, calls outflowed off the communication server, short inbound calls, and calls with unknown dispositions.	sum(OTHERCALLS)
Avg Inbound Trunk Hold Time	Average trunk holding time for all incoming calls that completed during the period. This is the average length of time a typical incoming call made use of a trunk (the trunk could not be used for another call during that time).	sum(INTIME)/sum(INCALLS) <avg_trk_hold_in_sum></avg_trk_hold_in_sum>
Inbound CCS	Total trunk occupancy by incoming calls during the specified time period.	sum(I_INOCC) (in seconds)/100
Outbound Calls	Number of outbound calls that were carried by this trunk group that completed during the specified time period.	sum(OUTCALLS)
Outbound ACD Calls	Total number of outbound calls (if you have the Outgoing Call Management application on ASAI) that were offered to one or more splits/skills and handled by an agent in one of those splits/skills.	sum(O_ACDCALLS)
Outbound Aban Calls	Number of outbound ACD calls (if you have the Outgoing Call Management application on ASAI) that abandoned at the far end.	sum(O_ABNCALLS)

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
Outbound Other Calls	Number of outbound calls that were not answered or abandoned as ACD calls. This includes calls that were given a busy or disconnect by the communication server, extension-out calls, short outgoing calls, and calls of unknown disposition.	sum(O_OTHERCALLS)
Avg Outbound Trunk Hold Time	Average trunk holding time for outgoing calls carried by this trunk group that completed during the specified time period.	sum(OUTTIME)/ sum(OUTCALLS) <avg_trk_hold_out_sum></avg_trk_hold_out_sum>
Outbound CCS	Total trunk occupancy of outgoing calls during the specified time period.	sum(I_OUTOCC) / 100
Outbound Far End Comp	Number of outbound calls that were answered at the far end.	sum(COMPLETED)
Outbound Blocked Calls	The number of outbound call attempts that were blocked because all the trunks were busy.	sum(BLOCKAGE)
% All Trunks	Percentage of time that all trunks were busy	For interval
Busy	during the specified time period.	100*sum(ALLINUSETIME) / sum(INTRVL*60)
		For daily: <percent_al_bsy_sum_d> For weekly: <percent_al_bsy_sum_w></percent_al_bsy_sum_w></percent_al_bsy_sum_d>
		For monthly: <percent_al_bsy_sum_m></percent_al_bsy_sum_m>
% Maint Busy	Percentage of time that trunks were out of service for maintenance during the specified time period.	for interval: 100*sum(MBUSYTIME) / (avg(INTRVL*60)*sum(TRUNKS)) For daily: <percent_mbusy_sum_d> For weekly: <percent_mbusy_sum_w> For monthly: <percent_mbusy_sum_m></percent_mbusy_sum_m></percent_mbusy_sum_w></percent_mbusy_sum_d>

# **VDN** reports

The VDN reports give you the following specific information about VDNs and vectors:

- A summary of incoming ACD call-handling performance for a specified VDN
- · Specific call data for a single VDN
- The number of calls answered by a measured agent or calls connected to a non-ACD destination (like an attendant) and the abandoned calls that were processed by a VDN in a selected time period

- For the busiest hour in a selected day, call-handling data for selected VDNs
- Call-handling data for several VDNs and ACDs

### **VDN** report input fields

The following table describes the input fields on historical VDN report input windows. Not all reports use all fields; refer to information for the specific report you are running to determine what you want to view. You will generally select a VDN to run the report.

All possible fields on this window are described here:

Name	Description
VDN	Enter the name or number of the VDN you want to include in the report.
Date	Enter the date you would like the report to cover:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)
Times (Interval)	Enter the time you would like the report to cover. Use any of the following formats:
	AM/PM (for example, 7:30AM-5:00PM)
	Military time (for example, 7:30-17:00)
	You can use a minus offset based on today's date (for example, -1 for yesterday).
	Select the information from the pull-down list of previously used items. During each CMS session, Supervisor recalls the items you have selected for each input field. You can use the pull-down list to select an item for the input field.
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows printer. The default printer is shown.

# **VDN Busy Hour report**

The VDN Busy Hour report shows call handling data for the busiest hour in the selected day for each selected VDN.

The busiest hour is the set of contiguous intervals, totaling an hour, that had the highest number of incoming calls for the VDN. For example, if your system stores data in 15-minute intervals, the busiest hour might be the four intervals from 10:15 a.m. to 11:15 a.m. or the four intervals from 4:30 p.m. to 5:30 p.m.

Here are some things to know about this report:

The Calls Offered report item includes all calls that entered the VDN.

- The VDN Busy Hour report is available in interval version only.
- The database items used in the VDN Busy Hour are stored in the hvdn (interval) table.
- This report uses the VDN report input window. Select a VDN that you want to view on the report. See VDN report input fields on page 275 for more information.

### **VDN** Busy Hour report description

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date	Day for which the report was run (selected in the report input window).	ROW_DATE
ACD	ACD associated with the VDNs in the report. This ACD is always the current ACD.	syn(ACD)
VDN Name	Number or name of each VDN for which the report shows data (selected in the report input window).	syn(VDN)
Busy Hour	Busiest hour is the set of contiguous intervals totaling an hour that had the highest number of completed incoming calls to the associated VDN.	BH_STARTTIME
Inbound Calls	Number of calls to the VDN that were completed in the busy hour.	BH_VDNCALLS
ACD Calls	Number of calls to the VDN completed during the busy hour that were answered by an agent as split/skill or direct agent calls.	BH_ACDCALLS
Avg ACD Time	Average time that agents spent talking to callers on split/skill and direct agent ACD calls that completed during the busy hour to the VDN. This does not include HOLDTIME.	BH_ACDTIME/ BH_ACDCALLS
Aban Calls	Number of calls to the VDN that were abandoned during the busy hour.	BH_ABNCALLS
Forced Busy Calls	Number of calls that received a forced busy signal while being processed by the VDN (in the busy hour).	BH_BUSYCALLS
Forced Disc Calls	Number of calls that received a forced disconnect while being processed by the VDN (in the busy hour).	BH_DISCCALLS
Other Calls	Number of calls that connected to a non-ACD destination while being processed by the VDN (in the busy hour).	BH_OTHERCALLS - BH_BUSYCALLS - BH_DISCCALLS

## **VDN Call Profile report**

The VDN Call Profile report displays the numbers of answered/connected and abandoned calls within each of the administered service level increments for the VDN during the selected time

period. The VDN Call Profile report also displays the acceptable service level administered for the VDN and the percentage of calls completed during the reporting period that were answered/connected within that service level.

Because this report shows you how long it takes for calls to be answered or abandoned, you can determine how long callers are willing to wait for agents before hanging up. With this information, you can determine the answering speed required to reduce the number of abandoned calls.

Here are some things to know about this report:

- The VDN Call Profile report is available only if the Vectoring feature has been purchased and authorized for you to use.
- Each of the ten columns represents a progressively longer wait time. For example, the first column shows calls answered/connected in less than or equal to PERIOD1 seconds, the second column shows calls answered/connected in less than or equal to PERIOD2 seconds, but greater than PERIOD1 seconds, and so on.
- Calls receiving a forced busy or disconnect and calls that outflow (for example, routed to another VDN) are not considered in the VDN Call Profile report.
- The VDN Call Profile report is available in daily, weekly, and monthly versions.
- The database items used in the VDN Call Profile report are stored in the dvdn (daily), wvdn (weekly), and mvdn (monthly) tables.
- This report uses the VDN report input window. Select a VDN that you want to view on the report. See VDN report input fields on page 275 for more information.

### Prerequisite system administration

You must define your acceptable service level and service level increments for this VDN in the VDN Call Profile Setup window. If you do not define your service level and increments, zero (0) is used for all increments, and all calls appear in the first increment. For more information, see the *Avaya Call Management System Administration* document.

### **VDN Call Profile report description**

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<="">&gt;</calculation></a>
Date, Week Starting, Month Starting	Day, week, or month for which the report was run (selected in the report input window).	ROW_DATE
VDN	Number or name of the VDN for which the report shows data (selected in the report input window).	syn(VDN)
ACD	ACD name or number for which the report was run.	syn(ACD)

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
% Within Service Level	Percentage of incoming calls to the VDN that were answered by a measured agent or connected to a non-ACD destination within the service level (as specified in the VDN Call Profile Setup window).	100*(sum(ACCEPTABLE)/ sum(INCALLS)), <percent_serv_lvl_vdn></percent_serv_lvl_vdn>
Service Intervals Changed	Indication (YES/NO) as to whether the call profile increments (in the VDN Call Profile window) were changed within the time frame of the report.	syn(YES_NO)
Acceptable Service Changed	Indication (YES/NO) as to whether the acceptable service level (in the VDN Call Profile Setup window) was changed within the time frame of the report.	syn(YES_NO)
Seconds	Lower and upper limits in seconds of each service level increment (as defined in the VDN Call Profile Setup window). These increments represent progressively longer wait time segments in which calls may be answered by a measured agent, connected to a non-ACD destination, or abandoned.	PERIOD1-9
ACD+Conn Calls	Number of calls that, while carried by this VDN, were answered by a measured agent or were connected to a non-ACD destination within each of the service level increments. Connected means calls answered at a non-ACD destination.	sum(ANSCONNCALLS1), sum(ANSCONNCALLS2), through sum(ANSCONNCALLS10)
Aban Calls	Number of incoming calls to the VDN that hung up before they could be answered within each of the service level increments.	sum(ABNCALLS1), sum(ABNCALLS2), through sum(ABNCALLS10)
ACD+Conn Calls (total)	Number of calls that, while being carried by this VDN, were answered by an agent or were connected (to a non-ACD destination).  Connected means calls answered at a non-ACD destination.	sum(ACDCALLS + CONNECTCALLS)
Avg Speed of Ans +Conn	Average time, in minutes and seconds, that calls completed in this interval waited before they were answered by an agent or were connected (to a non-ACD destination). This average includes direct agent calls. Connected means calls answered at a non-ACD destination.	sum(ANSTIME + CONNECTTIME) / sum(ACDCALLS + CONNECTCALLS)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
% Ans+Conn	Percentage of calls to the VDN answered by a measured agent or connected to a non-ACD destination within the service level. Connected means calls answered at a non-ACD destination.	100*(sum(ACDCALLS + CONNECTCALLS) / sum(INCALLS)), <percent_vdn_ansconn></percent_vdn_ansconn>
Aban Calls	Number of calls that were abandoned while being carried by the VDN.	sum(ABNCALLS)
Avg Aban Time	Average time that calls waited before the callers abandoned them.	sum(ABNTIME)/ sum(ABNCALLS), <avg_abandon_time_sum></avg_abandon_time_sum>
% Aban	Percentage of calls that abandoned while carried by this VDN.	100*(sum(ABNCALLS) / sum(INCALLS)), <percent_vdn_aban></percent_vdn_aban>

## VDN Graphical Busy/Abandon/Disconnect Comparison report

This report shows the percent of busy, abandon, and disconnect for summarized VDNs in one ACD for the date you specify.

Here are some things to know about this report:

- The selected ACD is displayed at the bottom right of the report.
- A legend on the right side of the report shows the color scheme for % Busy, % Abandon, and % Disconnect.
- % Busy refers to the percentage of the total calls that are busy for all VDNs on the ACD.
- % Abandon refers to the percentage of the total calls that abandoned for all VDNs on the ACD.
- % Disconnect refers to the percentage of the total calls that are disconnected for all VDNs on the ACD.
- The chart type can be changed. See <u>Using reports</u> on page 19 for more information.
- The database items are stored in the dvdn (daily) table.
- This report is only available through the Supervisor interface.
- This report uses the VDN report input window. Select a VDN that you want to view on the report. See VDN report input fields on page 275 for more information.

#### VDN Graphical Busy/Abandon/Disconnect Comparison report description

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date	The day for which the report was run (selected in the report input window).	ROW_DATE

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
VDN	The number or name of the VDN for which the report shows data (selected in the report input window).	VDN or syn(VDN)
ACD	ACD name or number that is sending calls to the VDN.	syn(ACD)
Abandon	The percentage of the total number of calls in all VDNs in the selected ACD that abandoned on the selected date.	100 * (sum(ABNCALLS/ sum(INCALLS)). Note that this calculation is not a standard CMS calculation - it is only available through reports.
Busy	The percentage of the total number of calls in all VDNs in the selected ACD that were busy for the selected date.	100 * (sum(BUSYCALLS)/ sum(INCALLS)). Note that this calculation is not a standard CMS calculation - it is only available through reports.
Disconnect	The percentage of the total number of calls in all VDNs in the selected ACD that disconnected on the selected date.	100 * (sum(DISCCALLS)/ sum(INCALLS)). Note that this calculation is not a standard CMS calculation - it is only available through reports.

### VDN Graphical Call Profile report

This report shows how calls to the VDN you specify are being handled compared to your call center's predefined Acceptable Service Level for the date you specify.

Here are some things to know about this report:

- This report has four charts and displays a collection of VDN call profile related data items at the top of the report. The box to the right of each chart is a legend.
- The three-dimensional pie chart in the upper-left quadrant shows the percentage of ACD calls answered within the predefined Acceptable Service Level and the percentage of ACD calls answered outside this level. The numerical value represented by each pie piece is shown inside the pie chart.
- The stacked area graph in the lower-left quadrant shows the number of ACD calls answered and abandoned within each service level. Note that the number displayed for each service interval is the upper limit of the interval. (For example, if the first two intervals are 5 and 10, the first data point shows answers/abandons within 0-5 seconds, and the second data point shows answers/abandons within 6-10 seconds.)
- The three-dimensional pie charts on the right side of the report show the Percentage
   Answered Distribution and the Percentage Abandoned Distribution. The numerical value
   represented by each pie piece is shown inside the pie chart.
- The chart type can be changed. See Using reports on page 19 for more information.
- The database items are stored in the dvdn (daily) table.

- This report is only available through the Supervisor interface.
- This report uses the VDN report input window. Select a VDN that you want to view on the report. See <u>VDN report input fields</u> on page 275 for more information.

## **VDN Graphical Call Profile report description**

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date	The day for which the report was run (selected in the report input window).	ROW_DATE
VDN	The number or name of the VDN for which the report shows data (selected in the report input window).	VDN or syn(VDN)
ACD Calls	The total number of calls answered within the VDN for that day.	ACDCALLS
Aban Calls	The total number of VDN calls abandoned for that day.	ABNCALLS
Service Level	Shows administered acceptable service level.	SERVICELEVEL
Service Intervals Changed	Shows whether the service level was changed. A YES appears if the acceptable service level changed during the period covered by the report. Otherwise, a NO appears.	syn(SVCLEVELCHG)
Service Interval Calls Answered	The number of calls that, while connected to this VDN, were answered by an agent or were connected to a non-ACD destination within each of the service level increments.  Connected means calls that were answered at a non-ACD destination.	sum (ANSCONNCALLS1), sum (ANSCONNCALLS2 through 10)
Service Interval Calls Answered	Percentage of split/skill ACD calls that were answered by an agent within the predefined acceptable service level. Calls to the split/skill include abandoned calls, calls not answered, and outbound ACD calls placed by an adjunct (for example, outbound predictive dialing). Calls that were not answered may include forced busy calls, forced disconnect calls, calls redirected to another destination, and calls queued to more than one split and answered in another split/skill. Percent Within Service Level does not include direct agent calls.	<percent_ serv_lvl_spl=""></percent_>

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Service Interval Answers and Abandons	Percentage of split/skill ACD calls that were answered by an agent within the predefined acceptable service level. Calls to the split/skill include abandoned calls, calls not answered, and outbound ACD calls placed by an adjunct. Calls that were not answered may include forced busy calls, forced disconnect calls, calls redirected to another destination, and calls queued to more than one split and answered in another split/skill. Percent Within Service Level does not include direct agent calls.	< <100- PERCENT_SERV_LVL_SPL>
Service Interval - seconds	The lower and upper limit in seconds of each service level increment (as defined in the VDN Call Profile Setup window). These increments represent progressively longer wait time segments in which calls may be answered or abandoned.	PERIOD1-9
% Answered Distribution	A chart displaying the distribution of the percent of calls answered for the day across all intervals.	None.
% Abandoned Distribution	A chart displaying the distribution of the percent of calls abandoned for the day across all intervals.	None.

## **VDN Graphical Service Level report**

This report shows the percentage of ACD calls answered within the predefined Acceptable Service Level and the percentage of ACD calls abandoned for the date and VDN that you specify.

Here are some things to know about this report:

- Each set of vertical bars is labeled with the start time for the service interval. The box below the graph is a legend.
- This report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.
- The chart type can be changed. See Using reports on page 19 for more information.
- The database items used for the report are stored in the hvdn (intrahour interval) table.
- This report is only available through the Supervisor interface.
- This report is only available through the Supervisor interface.
- This report uses the VDN report input window. Select a VDN that you want to view on the report. See <u>VDN report input fields</u> on page 275 for more information.

#### **VDN Graphical Service Level report description**

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
Date	The day for which the report was run (selected in the report input window).	ROW_DATE
Time Zone	The time zone relevant to report. The time zone of the communication manager is the default time zone.	Input only
VDN	The number or name of the VDN for which the report shows data (selected in the report input window).	VDN
Seconds	Shows actual administered service level.	SERVICELEVEL
Acceptable Service Changed	Shows whether the service level was changed. A YES appears if the acceptable service level changed during the period covered by the report. Otherwise, a NO appears.	syn(SVCLEVELCHG)
% Within Service Level	The percentage of incoming calls to the VDN that were answered by a measured agent or connected to a non-ACD destination within the service level (as specified in the VDN Call Profile Setup window). Data are for each specified intrahour interval or day (selected in the report input window).	<percent_serv_lvl_vdn></percent_serv_lvl_vdn>
% Aban Calls	The percentage of incoming calls that were abandoned in the VDN.	<percent_ vdn_aban=""></percent_>
Times	Intrahour intervals for which the report shows data (as selected in the report input window).	STARTTIME or STARTTIME + INTRVL

# **VDN Multi-ACD Flow report**

The VDN Multi-ACD Call Flow report shows call-handling data for the VDNs and the ACDs you select. This report can display information on up to eight ACDs.

Here are some things to know about this report:

- This report is only available if the Vectoring feature has been purchased and authorized for you to use.
- You must have the Lookahead Interflow feature active on your ACD to get Lookahead Attempts and Completions data.
- The VDN Flow Out report item includes only calls that route to another VDN and route to an external (off-site) destination.
- The VDN Flow Interflow report item includes both Lookahead Interflow and non-Lookahead Interflow call completions.
- The VDN Multi-ACD Call Flow is available in daily, weekly, and monthly versions.
- The database items used in the VDN Multi-ACD Call Flow are stored in the dvdn (daily), wvdn (weekly), and mvdn (monthly) tables.

- You cannot customize this report.
- This report uses the VDN report input window. Select a VDN that you want to view on the report. This report can display information on up to eight ACDs. See <u>VDN report input</u> <u>fields</u> on page 275 for more information.

### **VDN Multi-ACD Flow report description**

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week Starting, Month Starting	Day, week, or month for which the report was run (selected in the report input window).	ROW_DATE
VDN Name	Number or name of each VDN for which the report shows data (selected in the report input window). If the same VDN name or number is used on two or more ACDs, that name or number will be repeated for each ACD.	syn(VDN)
ACD	ACD that contains the associated VDN in the report.	syn(ACD)
Inbound Calls	Number of calls to the VDN that were completed in the specified time period.	INCALLS sum(INCALLS) (for the Totals line)
ACD Calls	Number of split/skill and direct agent ACD calls to the VDN completed during the specified time period that were answered by an agent.	ACDCALLS sum(ACDCALLS) (for the Totals line)
Aban Calls	Number of ACD calls to the VDN that hung up before being answered during the specified time period.	ABNCALLS sum(ABNCALLS) (for the Totals line)
Busy+Disc Calls	Number of calls to the VDN that, during the specified time period, received a forced busy signal or disconnect.	BUSYCALLS+ DISCCALLS, <busy_disconnect> sum(BUSY +DISCCALLS) (for the Totals line)</busy_disconnect>
ACD Calls	Number of calls that, in the specified time period, were answered by an agent in a backup split/skill (split/skill other than the main split/skill) while carried by the VDN. This report item includes messaging split/skill calls, check backup calls, route to split/skill calls, and direct agent calls.	BACKUPCALLS sum(BACKUPCALLS) (for the Totals line)
Flow In	Number of calls that, in the specified time period, were redirected to this VDN via a route to VDN. Calls are counted regardless of whether they remained connected to the VDN, were abandoned, or were subsequently routed to some other destination.	INFLOWCALLS sum(INFLOWCALLS) (for the Totals line)

Table continues...

284

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
Flow Out	Number of calls that, in the specified time period, were routed to another destination via a route to VDN or external destination. It does not include calls routed to another vector via a go to vector step.	OUTFLOWCALLS sum(OUTFLOWCALLS) (for the Totals line)
VDN Interflow	Number of calls that, in the specified time period, were routed from this VDN to a destination outside the communication server. This report item includes Look ahead Interflow calls.	INTERFLOWCALLS sum(INTERFLOWCALLS) (for the Totals line)
Lookahead Interflow Attempts	Number of times that, in the specified time period, the communication server attempted to route from this VDN using the Lookahead Interflow feature.	LOOKATTEMPTS sum(LOOKATTEMPTS) (for the Totals line)
Lookahead Interflow Completions	Number of calls that, in the specified time period, the communication server successfully routed from this VDN using the Lookahead Interflow feature.	LOOKFLOWCALLS sum(LOOKFLOWCALLS) (for the Totals line)
Adjunct Routing Attempts	Number of times that, in the specified time period, a VDN attempted to request routing from an adjunct. This report item includes unsuccessful adjunct routing attempts, which means the adjunct was not able, within the given amount of time established in the vector, to route the call.	ADJATTEMPTS sum(ADJATTEMPTS) (for the Totals line)
Adjunct Routing Completions	Number of calls that, in the specified time period, were successfully routed by an adjunct via an adjunct routing command in a vector. This report item includes direct agent calls completed via the adjunct.	ADJROUTED sum(ADJROUTED) (for the Totals line)

# **VDN Multi-ACD Inflow report**

VDN Multi-ACD Inflow report shows call inflow data for one or more VDNs and ACDs for one or more days, one or more weeks, one or more months or during a specified interval.

- This report is available only on a communication server version 6.0 and up with EAS.
- This report is available in interval, daily, weekly, and monthly versions.
- The database items for the report are stored in hvdn (interval), dvdn (daily), wvdn (weekly), and mvdn (monthly) tables.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication server is the default time zone.
- This report is only available through the Supervisor interface.
- This report uses the VDN report input window. Select a VDN that you want to view on the report. See VDN report input fields on page 275 for more information.

#### **VDN Multi-ACD Inflow report description**

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
VDN name	Number or name of each VDN for which the report shows data (selected in the report input window). If the same VDN name or number is used on two or more ACDs, that name or number will be repeated for each ACD.	syn(VDN)
ACD	ACD that contains the associated VDN in the report.	syn(ACD)
Arrivals	A count of calls that have arrived at the VDN.	I_ARRIVED,
		sum(I_ARRIVED)
Flow in	Number of calls that, in the specified time period, were redirected to this VDN via a route to VDN. Calls are counted regardless of whether they remained connected to the VDN, were abandoned, or were subsequently routed to some other destination.	INFLOWCALLS, sum(INFLOWCALLS)
Avg. Net in Time	Average time a call was in a VDN somewhere else in the network	NETINTIME/NETINCALLS,
		sum(NETINTIME)/
		sum(NETINCALLS)
Avg. Speed	The average amount of time ACD calls waited before they were answered by an agent.	<avg_answer_speed>,</avg_answer_speed>
Answer		<avg_answer_speed_sum></avg_answer_speed_sum>
Avg. Handle Time	The average time ACD calls were being handled by agents.	(ACDTIME+ACWTIME)/ACDCALLS,
		sum(ACDTIME+ACWTIME)/
		sum(ACDCALLS)

# **VDN** report

The VDN report gives you historical information for a specified VDN and period of time. The interval, daily, weekly, and monthly VDN reports display, for a particular VDN, various types of data that show how well calls to that VDN were handled. This report displays data according to the time zone selected by the user.

Here are some things to know about this report:

- This report is only available if the Vectoring feature has been purchased and authorized for you to use.
- If you have Expert Agent Selection (EAS), the VDN report includes three VDN Skill Preference columns on the right-hand side of the report.
- The go to vector command allows the ACD to process calls using more than one vector, even those calls remain connected to the original VDN. Thus, for a report item like Calls Ans in Main, the main splits in which calls are answered may be referenced in a vector other than the first vector to which the VDN is assigned.

- The VDN report is available in interval, daily, weekly, and monthly versions.
- The database items used in the VDN report are stored in the hvdn (interval), dvdn (daily), wvdn (weekly), and mvdn (monthly) tables.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.
- This report uses the VDN report input window. Select a VDN that you want to view on the report. See <u>VDN report input fields</u> on page 275 for more information.

#### **VDN** report description

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Date, Week Starting, Month Starting	Days, weeks, or months for which the report was run (selected in the report input window).	ROW_DATE
Time Zone (for Interval reports only)	The time zone relevant to report. The time zone of the communication manager is the default time zone.	Input only
VDN Name	Number or name of the VDN for which the report shows data (selected in the report input window).	syn(VDN)
ACD	ACD name or number that is sending calls to the VDN.	syn(ACD)
Time (for Interval reports only)	Intrahour intervals for which the report shows data (selected in the report input window).	STARTTIME, STARTTIME + INTRVL
Vector	Number of the vector to which the VDN is assigned. If the VDN-vector association changed during the reporting period, two rows appear in the report for that period, one for each vector associated with the VDN.	VECTOR
Inbound Calls	Number of calls to the VDN within the specified time period. Calls are counted regardless of whether they were answered in the VDN, were abandoned, or were routed to some other destination.	INCALLS sum(INCALLS)
Flow In	Number of calls that, in the specified time period, were redirected to this VDN via the route to VDN vector command. Calls are counted regardless of whether they were answered in the VDN, were abandoned, or were routed to some other destination.	INFLOWCALLS sum(INFLOWCALLS)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
ACD Calls	Number of split/skill and direct agent ACD calls completed during the reporting period that were answered while carried by the VDN. This includes calls from queue to, check, route to split/skill, and adjunct routing to a split/skill or direct agent.	ACDCALLS sum(ACDCALLS)
Avg Speed Ans	Average time, in minutes and seconds, split/ skill and direct agent ACD calls waited before they were answered by an agent.	ANSTIME/ ACDCALLS, <avg_answer_speed> <avg_answer_speed_sum></avg_answer_speed_sum></avg_answer_speed>
Avg ACD Time	Average talk time, in minutes and seconds, for split/skill and direct agent ACD calls for this VDN. This does not include HOLDTIME.	ACDTIME/ ACDCALLS, <avg_acd_talk_time> <avg_acd_talk_tim_sum></avg_acd_talk_tim_sum></avg_acd_talk_time>
Avg ACW Time	Average amount of time, in the specified time period, that agents spent in after-call work for split/skill and direct agent ACD calls to this VDN.	ACWTIME/ ACDCALLS <avg_acw_time> <avg_acw_time_sum></avg_acw_time_sum></avg_acw_time>
Main ACD Calls	Number of calls to the VDN completed during the specified time period that were answered by an agent in a main split/skill. The calls are directed to the main split/skill by the queue to vector command. This item does not include direct agent calls.	ACDCALLS- BACKUPCALLS sum(ACDCALLS) - sum(BACKUPCALLS)
Backup ACD Calls	Number of calls to the VDN completed during the specified time period that were answered by an agent in a backup split/skill (split/skill other than the main split/skill). The calls can be directed to a backup split/skill by a check backup, messaging split/skill, or route to split/skill or direct agent vector command. This item does include direct agent calls.	BACKUPCALLS sum(BACKUPCALLS)
Connect Calls	Number of calls to the VDN that were connected to a non-ACD destination.  Connected means calls answered at a non-ACD destination.	CONNECTCALLS
Avg Connect Time	Average time, in minutes and seconds, that calls to the VDN waited before connecting to a non-ACD destination. CMS tracks time starting from the moment a call connects to the VDN and ending the moment the call connects to the destination. Connected means calls answered at a non-ACD destination.	CONNECTTIME / CONNECTCALLS, <avg_connect_time> <avg_connect_time_sum></avg_connect_time_sum></avg_connect_time>

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Aban Calls	Number of calls to the ACD that hung up while being carried by this VDN. The number of calls applies to the specified time period.	ABNCALLS sum(ABNCALLS) (for the Totals line)
Avg Aban Time	Average time, in minutes and seconds, that abandoned calls waited in this VDN before they were abandoned. This average, which applies to the specified time period, includes direct agent calls.	ABN TIME/ ABNCALLS, <avg_abandon_time> <avg_abandon_time_sum> (for the Totals line)</avg_abandon_time_sum></avg_abandon_time>
% Aban	The percentage of calls offered to the VDN that abandoned.	100 * ABNCALLS/INCALLS
Forced Busy Calls	Number of calls that, for the specified time period, received a forced busy signal while being carried by the VDN.	BUSYCALLS sum(BUSYCALLS) (for the Totals line)
Forced Disc Calls	Number of calls that, in the specified time period, received a forced disconnect while being carried by the VDN.	DISCCALLS sum(DISCCALLS) (for the Totals line)
% Busy	The percentage of total calls offered to the VDN that were forced busy by a vector step.	100 * BUSYCALLS/INCALLS
Flow Out	Number of calls that, for the specified time period, were routed to another VDN or external destination via a route to step or adjunct routing command. It does not include calls routed to a new vector via a go to vector command.	OUTFLOWCALLS sum(OUTFLOWCALLS) (for the Totals line)
% Flow Out	The percentage of total calls offered to the VDN that were directed to another VDN.	100 * OUTFLOWCALLS/INCALLS
Avg VDN Time	Average time, in minutes and seconds, that calls were carried by the VDN, including talk time. This average, which applies to the specified time period, is for all calls, including direct agent calls, abandoned calls, disconnected calls, interflowed calls, and so on.	INTIME/INCALLS, <avg_vdn_time> <avg_vdn_time_sum> (for the Totals line)</avg_vdn_time_sum></avg_vdn_time>
1st Skill Pref	For communication servers with EAS only, the first skill assigned to this VDN.	SKILL1
2nd Skill Pref	For communication servers with EAS only, the second skill assigned to this VDN.	SKILL2
3rd Skill Pref	For communication servers with EAS only, the third skill assigned to this VDN.	SKILL3

### **VDN Skill Preference report**

The VDN Skill Preference report shows the number of calls answered, average talk time, and average after call work time for calls to the VDN by skill preference for which they were answered. The report lists information for the first, second, and third VDN skill preferences.

Here are some things to know about this report:

- If the VDN skill preferences are referred to explicitly in the vector (for example, queue to skill xx instead of queue to skill 1st), the calls answered for that skill are included in this report.
- The VDN Skill Preference report is available in interval, daily, weekly, and monthly versions.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.
- The database items used in the VDN Skill Preference report are stored in the hvdn (interval), dvdn (daily), wvdn (weekly), and mvdn (monthly) tables.
- This report uses the VDN report input window. Select a VDN that you want to view on the report. See <u>VDN report input fields</u> on page 275 for more information.

#### **VDN Skill Preference report description**

The following table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
VDN	Name or number of the VDN for which the report was run.	syn(VDN)
ACD	Name or number of the ACD for which the report was run.	syn(ACD)
Time Zone (for interval reports only)	The time zone relevant to report. The time zone of the communication manager is the default time zone.	Input only
Date, Week Starting, Month Starting	Dates for which the report was run. For weekly and monthly reports, these dates are the starting dates of the weeks or months.	ROW_DATE
Time (for interval reports only)	Intervals which the report covers.	STARTTIME, STARTTIME + INTRVL
Vector	Number of the vector to which the VDN is assigned. If the VDN-vector association changes during the reporting period, two rows will appear in the report for that period, one for each vector associated with the VDN.	VECTOR
Inbound Calls	Number of inbound calls that were directed to the VDN.	INCALLS sum(INCALLS)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Avg Speed Ans	Average speed of answer for split/skill and direct agent ACD calls to the VDN that were completed during the reporting period.	ANSTIME / ACDCALLS <avg_answer_speed> <avg_answer_speed_sum></avg_answer_speed_sum></avg_answer_speed>
Aban Calls	Number of calls to the VDN during the reporting period that hung up before they could be answered.	ABNCALLS sum(ABNCALLS)
Avg Aban Time	Average time callers to the VDN waited before abandoning.	ABNTIME / ABNCALLS <avg_abandon_time> <avg_abandon_time_sum></avg_abandon_time_sum></avg_abandon_time>
ACD Calls	Number of skill and direct agent ACD calls to the VDN completed during the reporting period that were answered by an agent. This includes calls from queue to, check, messaging skill, route to skill, and adjunct routing to a skill or direct agent.	ACDCALLS sum(ACDCALLS)
Avg ACD Time	Average time agents spent talking on skill and direct agent ACD calls to this VDN that were completed during the reporting period. This does not include HOLDTIME.	ACDTIME / ACDCALLS <avg_acd_talk_time> <avg_acd_talk_tim_sum></avg_acd_talk_tim_sum></avg_acd_talk_time>
Avg ACW	Average time agents spent in after call work associated with skill and direct agent calls to this VDN that were completed during the reporting period.	ACWTIME / ACDCALLS <avg_acw_time> <avg_acw_time_sum></avg_acw_time_sum></avg_acw_time>
1st Skill Pref.	First VDN skill assigned to this VDN.	SKILL1
1st Skill ACD Calls	Number of ACD calls to the VDN completed during the reporting period that were answered by an agent in the first VDN skill.	SKILLCALLS1 sum(SKILLCALLS1)
1st Skill Avg ACD Time	Average talk time for calls to this VDN answered by agents in the first VDN skill preference. This does not include HOLDTIME.	SKILLTIME1 / SKILLCALLS1 sum(SKILLTIME1) / sum(SKILLCALLS1)
1st Skill Avg ACW	Average after call work time for calls to this VDN answered by agents in the first VDN skill preference.	SKILLACWTIME1/SKILLCALLS1 sum(SKILLACWTIME1) / sum(SKILLCALLS1)
2nd Skill Pref.	Second VDN skill assigned to this VDN.	SKILL2
2nd Skill ACD Calls	Number of ACD calls to the VDN completed during the reporting period that were answered by an agent in the second VDN skill preference.	SKILLCALLS2 sum(SKILLCALLS2)
2nd Skill Avg ACD Time	Average talk time for calls to this VDN answered by agents in the second VDN skill. This does not include HOLDTIME.	SKILLTIME2 / SKILLCALLS2 sum(SKILLTIME2) / sum(SKILLCALLS2)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
2nd Skill Avg ACW	Average after call work time for calls to this VDN answered by agents in the second VDN skill.	SKILLACWTIME2/SKILLCALLS2 sum(SKILLACWTIME2) / sum(SKILLCALLS2)
3rd Skill Pref.	Third VDN skill assigned to this VDN.	SKILL3
3rd Skill ACD Calls	Number of ACD calls to the VDN completed during the reporting period that were answered by an agent in the third VDN skill.	SKILLCALLS3 sum(SKILLCALLS3)
3rd Skill Avg ACD	Average talk time for calls to this VDN answered by agents in the third VDN skill. This does not include HOLDTIME.	SKILLTIME3 / SKILLCALLS3 sum(SKILLTIME3) / sum(SKILLCALLS3) (for the Totals line)
3rd Skill Avg ACW	Average after call work time for calls to this VDN answered by agents in the third VDN skill.	SKILLACWTIME3/SKILLCALLS3 sum(SKILLACWTIME3)/ sum(SKILLCALLS3) (for the Totals line)

# **Vector report**

This section describes the vector report.

- The Vector report is available in Interval, Daily, Weekly, and Monthly versions.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.

# **Vector report input fields**

The following table describes the fields on the input window.

Name	Description
Vector	Enter the name or number of the vector you want to include in the report.
Date (for interval report only)	Enter the dates you would like the report to cover:
	You can use the month/day/year (for example, 3/21/02).
	You can use a minus offset based on today's date (for example, -1 for yesterday).
Time Zone (interval report only)	Select the time zone relevant to report. The time zone of the ACD from which data is collected is the default time zone.

Name	Description
Date (for daily, weekly, and monthly reports)	Enter the dates you would like the report to cover:
	Daily - enter the days
	Weekly - enter the start date for the weeks. When you specify a date for a weekly report, that date must correspond to the week start day selected in the System Setup-Storage Intervals window. If the date and day do not match, the message No records found displays in the status line.
	Monthly - enter the first day of the months
	Use any of the following formats:
	A month/day/year (for example, 3/21/02)
	A minus offset based on today's date (for example, -1 for yesterday)
	A semicolon (;) to separate individual data entry items (for example, 3/21/02;3/23/02;3/25/02)
	A hyphen to designate a range of dates (for example, 3/21/02-3/25/02). For the weekly and monthly versions, the report includes any weeks or months that begin in the range.
Times	Enter the time you would like the report to cover.
	You can use AM/PM format (for example, 7:30AM- 5:00PM).
	You can use military time format (for example, 7:30- 17:00).
Destination	Choose a report destination. You can select View Report on Screen or Print Report on and then use the Select Printer button to print the report on any Windows printer. The default printer is shown.

# **Vector report**

The Vector report displays, for a single vector, various types of data that show how calls were handled by the vector.

This menu item is available only if you have purchased the CMS Vectoring feature and that feature has been authorized for you to use.

Here are some things to know about this report:

- The Vector report is available in interval, daily, weekly, and monthly versions.
- The interval version of this report displays data according to the time zone selected by the user. The time zone of the communication manager is the default time zone.
- The database items for the Vector reports are stored in the hvector (interval), dvector (daily), wvector (weekly), and mvector (monthly) tables.

### **Vector report description**

The following table describes the report fields for the time period covered by the report.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Vector	Number or name of the vector for which the report shows data (selected in the report input window).	syn(VECTOR)
Time Zone (for Interval reports only	The time zone relevant to report. The time zone of the communication manager is the default time zone.	Input only
Date, Week Starting, Month Starting	Day (for interval report) or dates (for daily, weekly, and monthly reports) for which the report was run (selected in the report input window).	ROW_DATE
Time (for Interval reports only)	Intrahour intervals for which the report shows data (selected in the report input window).	STARTTIME, STARTTIME+INTRVL
Inbound Calls	Number of calls processed by the vector that completed in the specified time period.	INCALLS sum(INCALLS) (for the Totals line)
Avg Speed Ans	Average time, in minutes and seconds, that split/skill and direct agent ACD calls waited before they were answered by an agent. This item includes only calls that were answered as a result of processing by this vector.	ANSTIME/ACDCALLS <avg_answer_speed> <avg_answer_speed_sum> (for the Totals line)</avg_answer_speed_sum></avg_answer_speed>
Main ACD Calls	Number of calls completed during the specified time period that were answered by an agent in a main split/skill because of processing by this vector. The calls are directed to the main split/skill by the queue to vector command. This item does not include direct agent calls.	ACDCALLS-BACKUPCALLS sum(ACDCALLS) - sum(BACKUPCALLS) (for the Totals line)
Backup ACD Calls	Number of calls completed during the specified time period that were answered by an agent in a backup split/skill using a vector command other than queue to. This report item includes messaging split/skill calls, check backup calls, route to split/skill calls, and direct agent calls.	BACKUPCALLS sum(BACKUPCALLS) (for the Totals line)

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Aban Calls	The number of calls that were abandoned by the caller while in vector processing. This item includes calls that abandoned either while in a split/skill or direct agent queue or while ringing at agent voice terminals or while in vector processing (call need not have queued yet). The number of calls applies for the specified time period.	ABNCALLS sum(ABNCALLS) (for the Totals line)
Avg Aban Time	The average time, in minutes and seconds, that calls waited in the vector before they were abandoned.	ABNTIME/ABNCALLS <avg_abandon_time> <avg_abandon_time_sum> (for the Totals line)</avg_abandon_time_sum></avg_abandon_time>
Forced Busy Calls	The number of calls that, in the specified time period, received a forced busy signal as a result of processing by this vector.	BUSYCALLS sum(BUSYCALLS) (for the Totals line)
Forced Disc Calls	The number of calls that, in the specified time period, received a forced disconnect as a result of processing by the vector.	DISCCALLS sum(DISCCALLS) (for the Totals line)
Flow In	The number of calls that, in the specified time period, were redirected to this vector from within the communication server via route to VDN and go to vector commands.	INFLOWCALLS sum(INFLOWCALLS) (for the Totals line)
Flow Out	Number of calls that, in the specified time period, were redirected to another destination by way of a go to vector, route to, or adjunct routing command to a destination other than a split/skill or direct agent. (Calls that route to a split/skill or direct agent by way of a route to, adjunct routing, or messaging split/skill command are still tracked in the vector.)	OUTFLOWCALLS sum(OUTFLOWCALLS) (for the Totals line)
Other Calls	This includes forced busy calls, forced disconnect calls and outflow calls.	OTHERCALLS
	OTHERCALLS = INCALLS - ACDCALLS - ABNCALLS.	

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Avg Vector Time	The average time, in minutes and seconds, that calls were being processed by the vector. This average, which applies to the specified time period of the report, is for all calls to the vector. The item includes calls that were abandoned, disconnected calls, interflowed calls, and so on. Talk time is not included because calls are removed from the vector when the calls connect to agent voice terminals. Vector processing stops when the stop step or the go to vector step is processed or the route to completes successfully; or at the completion of the last step in the vector, when busy or disconnect is sent, when the call abandons, or when a messaging split/skill or adjunct routing command succeeds.	INTIME/INCALLS <avg_vec_time> <avg_vec_time_sum> (for the Totals line)</avg_vec_time_sum></avg_vec_time>

# **Chapter 6: Integrated reports**

This chapter gives a brief description of each available integrated report and definitions of the input fields. It provides the information needed to complete any integrated report input screen.

# About integrated reports

# **Definition of integrated reports**

At the Integrated Reports tab, reports that refresh in real-time can be selected to display information accumulated from any interval beginning in the past 24 hours until the time the report is generated. Standard integrated reports show data for Automatic Call Distribution (ACD), agent, split/skill, trunks/trunk group, vector, and Vector Directory Number (VDN) activities. The reports you see depend on your communication server type, permissions, and system performance.

# Integrated report data

Once the historical database has been queried for an integrated report, that data will not update automatically. The real-time data contained in the report continues to update at the end of each interval, but the report must be requested again to get updated historical data. The data for the time period requested is still available.

# Structure of the integrated reporting system

The following diagram shows how the integrated reporting system is structured. This section follows the report structure outlined in the diagram- agent reports are described first, followed by split/skill reports, then VDN reports. Designer reports are described in the *Avaya CMS Supervisor Report Designer* user guide.

Report subject	Reports
Agent	Graphical Information
	Information Report (non-EAS)
Split/Skill	Actual Relative to Target
	Comparison Report
	Graphical Skill Overload
	Graphical Split/Skill View
VDN	Graphical Call Handling
Designer	User-defined reports

# Presentation of the integrated report information

The integrated reports are available only when you are using the Supervisor application. They are not available through the Terminal or the standard Avaya Call Management System (CMS).

Only reports that are available exclusively through Supervisor are described in this chapter. An integrated report combines real-time and historical data for a current view of the day. For general information about integrated reports, see <u>Using reports</u> on page 19.

# **Agent reports**

Agent reports allow for access to information and statistics for each agent from specified start times.

# Agent report input fields

The following describes the input fields on Integrated Agent report input windows. The report input window must be filled in to run the report. These fields are the same for all Agent report input windows.

Name	Description
Agent	Enter the name of the agent. The agent's name must be defined in the Dictionary subsystem; otherwise, you will see the agent login IDs.

Name	Description
Report Data Start Time	Enter the day and time (either in military time or with AM/PM specified) you want the report to start collecting data. The time entered (or the time adjusted to the nearest previous interval start time relative to the entered time) is used to populate the Report Data Start Time field on the report.
	Note:
	If no report start time is available, the start time will be midnight of the current day. The report start time must be less than 24 hours before the current time.
Refresh Every <#> Seconds	Enter the number of seconds (3 to 600) to specify how rapidly CMS should update the report data. The default value for the Refresh rate in seconds field in this window is your assigned minimum refresh rate plus 15 seconds. To find out what your minimum refresh rate is, or to change it, check with your CMS administrator.
Enable Report Thresholds	Check this box to turn on the thresholds for the report.
Run Minimized	Check this box to minimize the report.

### **Agent Graphical Information report**

The Agent Graphical Information report shows information and statistics for an agent from a specified interval start time, within the past 24 hours.

### Ways to access this report

This report can be accessed in the following ways:

- From the Integrated Agent Category selector menu
- By drilling down to this report from the Agent Name or Login ID fields on other reports (for example, Work State, Graphic AUX Agent reports or Call Center Administration windows)

Here are some things to know about this report:

- If the system is a communication server that does not have the Expert Agent Selection (EAS) feature, see Agent Information report on page 303 in this chapter for details.
- This report is available for all communication server releases. Contents of this report will vary depending upon the communication server release for which it is being run.
- Supervisors can use this report to access further information on one particular agent without
  having to execute several steps and several different reports to get the pertinent information.
  This report enables supervisors to quickly evaluate agent performance and decide whether
  an agent should be added to or removed from a skill.
- The database items for the Agent Graphical Information report are stored in the cagent (current interval), hagent (intrahour interval), and pagent tables.

• This report uses the Agent Graphical Information report input window. See <u>Agent report input fields</u> on page 298 for input field definitions.

#### **Communication server information**

The following list describes the information this report will contain for the communication server:

- A two-dimensional bar chart shows the time the agent has spent in each of the work states since the report data start time. Above the bar chart is the text Agent Time Spent.
- A table show the skills assigned to the agent and the corresponding skill level. A scroll bar is
  provided if the number of skills to which the agent is assigned exceeds the default size of this
  table.

#### **Agent Graphical Information report description**

This table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Report Data Start Time	The day and time that the report started collecting data.	No database item.
Agent	The names (or agent IDs if the names have not been assigned in Dictionary) of the agents assigned and logged into this split/skill.	syn(LOGID)
Login ID	The login identification of the agent.	LOGID
Extn	The extension that the agent logged in from.	EXTENSION
State	The current work mode (state) that the agent is in (AVAIL, ACD, ACW, AUX, DACD, DACW, RINGING, UNKNOWN, OTHER, UNSTAFF) and the call direction (blank, IN or OUT).	syn(AWORKMODE) and syn(DIRECTION)
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Active Split/Skill	When an agent is on a split/skill or direct agent ACD call or in ACW, this is the split/skill associated with the call or ACW. When an agent is available, in AUX or in OTHER, this is null (blank). When an agent is on an AUXIN/AUXOUT call, this is the OLDEST_LOGON split/skill. When an agent is on an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold, this is the OLDEST_LOGON split/skill. When an agent is on an AUXIN call with an ACD call on hold, this is the OLDEST_LOGON split/skill. When an agent is on an AUXOUT call with an ACD call on hold, this is the split/skill associated with the ACD call.	syn(WORKSKILL)
AUX Reason	The reason code associated with the agent's current state. This is blank if the agent is not in the AUX state. For agents in AUX on communication server releases that are earlier than the ECS or that do not have EAS and reason codes active, this will only be 0 (zero).	syn(AUXREASON)
Top Skill	The agent's first-administered, highest-level, measured skill, where skill level 1 is the highest, and skill level 16 is the lowest.	syn(TOPSKILL)
Call Handling Preference	The agent's call handling preference. Values are blank, skill level (LVL), percent (PCNT) or greatest need (NEED).	syn(PREFERENCE)
ACD Calls	The queued ACD calls to the split/skill that were answered by an agent in the split/skill. This does not include direct agent calls, but it does include ACD calls placed by an adjunct (outbound predictive dialing - communication servers with ASAI only).	sum(ACDCALLS)
Login Time	The time of the day that the agent logged into this SPLIT. This field is not set unless the agent is logged in. Values include NULL and time-of- day.	LOGONSTART
Move Pending?	A move to a new split or skill or a change of skills is pending for this agent. This is available only for communication server releases with the Move Agent While Staffed feature.	MOVEPENDING

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Direct Agent Skill	The skill that is currently assigned as the agent's direct agent skill. Direct agent calls to the agent are queued to this skill.	syn(DA_SKILL)
Direct Agent Calls	The number of direct agent ACD calls that the agent answered.	DA_ACDCALLS
Split/Skill	The split/skill number for which the data was collected.	syn(SPLIT)
Level	The skill level (1-16) or reserve skill level (1 or 2) that is associated with the SPLIT.	syn(LEVEL)
Percent	Agent's percent allocation for this SPLIT. Requires Avaya Business Advocate.	PERCENT
AVAIL	The time since the report start time that the agent was in the available state for split/skill or direct agent ACD calls in any split/skill. TI_AVAILTIME is recorded for the split/skill that was the OLDEST_LOGON. For non-EAS operation, if an agent logged into multiple splits in AUX mode in one split and is available for ACD calls in another split. The agent accrues I_AVAILTIME for the split in which the agent is available and TI_AVAILABLE in the split logged into the longest.	sum(TI_AVAILTIME)
ACD	The time during the collection interval that the agent was talking on ACD calls for the SPLIT.	sum(I_ACDTIME + I_DA_ACDTIME)
ACW	The total time during the collection interval that the agent was in after call work (ACW). This includes ACW for split/skill ACD calls and ACW not associated with the call.	sum (I_ACWTIME + I_DA_ACWTIME)
AUX	The time during the collection interval that the agent was in AUX in all splits/skills or on AUXINCALLS or AUXOUTCALLS. TI stands for the time that is stored for the split/skill logged into the longest.	sum(TI_AUXTIME)
RINGING	The time during the collection interval that the agent had split/skill and direct agent ACD calls ringing. If the agent changes work modes or answers/makes another call instead of answering the ringing call, I_RINGTIME will stop accumulating. RINGTIME is the time the caller spends ringing and is independent of agent activity.	sum(I_RINGTIME)

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
OTHER	The time during the collection interval that the agent was doing other work in all splits/skills. For all communication servers, while in Autoin or Man-In, the agent put any call on hold and performed no further action, the agent dialed to place a call or to activate a feature, or an extension call rang with no other activity. For all communication servers, TI_OTHERTIME is collected for the time period after the link to the communication server comes up or after the agent logs in and before the CMS receives notification of the agent's state from the communication server.	sum(TI_OTHERTIME)
Staffed Time	The time during the collection interval that the agent was staffed in any split/skill. The TI_stands for the time that is stored only for the split or skill that the agent is logged into for the longest amount of time.	sum(TI_STAFFTIME)
AUX Time	The time during the collection interval that the agent was in AUX in all splits/skills or on AUXINCALLS or AUXOUTCALLS. The TI_stands for the time that is stored only for the split or skill that the agent is logged into for the longest amount of time.	sum(TI_AUXTIME)
Reason Code	The time that the agent spent in active AUX reason codes. It is the same as TI_AUXTIME for communication servers without AUX reason codes active. The TI_ stands for the time that is stored only for the skill that the agent is logged into for the longest amount of time.	sum(TI_AUXTIME0)

# **Agent Information report**

The Agent Information report shows information and statistics for an agent from a specified start time.

Here are some things to know about this report:

- This report is not available with the EAS feature.
- This report uses the Agent Graphical Information report input window. See <u>Agent report input fields</u> on page 298 for input field definitions.
- In CMS Supervisor PC client, when a user drills down from an agent name to an Agent Information report and selects an integrated report, the report data start time defaults to the start time specified in the last integrated report input window. If no integrated report has ever been entered, the default is set to midnight. Users have the ability to restart this report just as

any other report can be restarted, and a different report start time can be specified when the report is restarted.

• The database items for the Agent Information report are stored in the cagent (current interval), hagent (intrahour interval), and pagent tables.

This report can be accessed in the following ways:

- From the Integrated Agent Category selector menu
- By drilling down to this report from the Agent Name or Login ID fields on other reports (for example, Agent Information, Work State, Graphic AUX Agent reports or from Call Center Administration windows)

### Agent Information report description

This table describes the report fields.

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Report Data Start Time	The day and time that the report started collecting data.	No database item.
Agent	The names (or agent IDs if the names have not been assigned in Dictionary) of the agents assigned and logged into this split/skill.	syn(LOGID)
Login ID	The login identification of the agent.	LOGID
Extn	The extension that the agent logged in from.	EXTENSION
State	The current work mode (state) that the agent is in (AVAIL, ACD, ACW, AUX, DACD, DACW, RING, UNKNOWN, OTHER, UNSTAFF) and the call direction (blank, IN or OUT).	syn(AWORKMODE) and syn(DIRECTION)
Time	The elapsed time since the last agent WORKMODE change for any split/skill. This item is not reset if the DIRECTION changes, but WORKMODE remains the same. For example, if the agent goes from AUX to AUXOUT to AUX, AGTIME continues without resetting.	AGTIME

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Active Split	When an agent is on a split or direct agent ACD call or in ACW, this is the split associated with the call or ACW. When an agent is available, in AUX or in OTHER, this is null (blank). When an agent is on an AUXIN/AUXOUT call, this is the OLDEST_LOGON split. When an agent is on an AUXIN/AUXOUT call from the available state, while in AUX or with an AUXIN/AUXOUT call on hold, this is the OLDEST_LOGON split/skill. When an agent is on an AUXIN call with an ACD call on hold, this is the OLDEST_LOGON split. When an agent is on an AUXOUT call with an ACD call on hold, this is the split associated with the ACD call.	syn(WORKSKILL)
ACD Calls	The queued ACD calls to the split/skill that were answered by an agent in the split/skill. This does not include direct agent calls, but it does include ACD calls placed by an adjunct (outbound predictive dialing - communication servers with ASAI only).	sum(ACDCALLS)
Move Pending?	A move to a new split or skill or a change of skills is pending for this agent. This is available only for communication server releases with the Move Agent While Staffed feature.	MOVEPENDING
Direct Agent Calls	The number of direct agent ACD calls that the agent answered.	sum(DA_ACDCALLS)
Staffed Time	Current number of top agents that are staffed in the skill.	sum(TI_STAFFTIME)
AVAIL	The time since the report start time that the agent was in the available state for split/skill or direct agent ACD calls in any split/skill. For non-EAS operation, if an agent logged into multiple splits in AUX mode in one split and is available for ACD calls in another split. The agent will accrue I_AVAILTIME for the split in which the agent is available and TI_AVAILABLE in the split logged into the longest.	sum(TI_AVAILTIME)
ACD	The time during the collection interval that the agent was talking on ACD calls for the SPLIT.	sum(I_ACDTIME + I_DA_ACDTIME)

Report heading	Description	Database item, calculation, or <alculation name=""></alculation>
ACW	The time during the collection interval that the agent was in after call work (ACW). This includes ACW for split/skill ACD calls and ACW not associated with the call.	sum(I_ACWTIME + I_DA_ACWTIME)
AUX	The time during the collection interval that the agent was in AUX in all splits/skills or on AUXINCALLS or AUXOUTCALLS. The TI_stands for the time that is stored only for the split or skill that the agent is logged into for the longest amount of time.	sum(TI_AUXTIME)
RINGING	The time during the collection interval that the agent had split/skill and direct agent ACD calls ringing. If the agent changes work modes or answers/makes another call instead of answering the ringing call, I_RINGTIME will stop accumulating. RINGTIME is the time the caller spends ringing and is independent of agent activity.	sum(I_RINGTIME)
OTHER	The time during the collection interval that the agent was doing other work in all splits/skills. While in Auto-in or Man-In, the agent put any call on hold and performed no further action, the agent dialed to place a call or to activate a feature, or an extension call rang with no other activity. For all communication servers, TI_OTHERTIME is collected for the time period after the link to the communication server comes up or after the agent logs in and before the CMS receives notification of the agent's state from the communication server.	sum(TI_OTHERTIME)
Staffed Split(s)	Split/Skill number for which data was collected.	syn(SPLIT)

# Split/Skill reports

Split/Skill reports allow access to the following specific information about splits and skills:

- The current status and cumulative data for one or more splits or skills
- The status of agents in the split/skill and cumulative split/skill statistics
- The time each specified skill has spent in normal versus overload conditions

### Split/Skill report input fields

The following describes the input fields on integrated Split/Skill report input windows. The report input window must be filled in to run the report. These fields are the same for all integrated split/skill reports:

Name	Description
Splits/Skills	Enter the appropriate split/skill names. Any name you want to appear on the report must have been previously defined and entered in the Dictionary subsystem.
Report Data Start Time	Enter the day and time (either in military time or with AM/PM specified) you want the report to start collecting data. The time entered (or the time adjusted to the nearest previous interval start time relative to the entered time) is used to populate the Report Data Start Time field on the report.
	Note:
	If no report start time is available, the start time will be midnight of the current day. The report start time must be less than 24 hours before the current time.
Refresh Every <#> Seconds	Enter the number of seconds (3 to 600) to specify how rapidly CMS should update the report data. The default value for the Refresh rate in seconds field in this window is your assigned minimum refresh rate plus 15 seconds. To find out what your minimum refresh rate is, or to change it, check with your CMS administrator.
Enable Report Thresholds	Check this box to turn on the thresholds for the report.
Run Minimized	Check this box to minimize the report.

# **Actual Relative to Target**

The Actual Relative to Target integrated report displays the same information as the Actual Relative to Target real-time report except that you are able to specify the starting time for the left side of the report that shows the progress over time. The left side of the real-time report displays information for the current interval only.

### Split/Skill Comparison report

This report shows the current status and cumulative data for one or more splits or skills.

Here are some things to know about this report:

• Call center supervisors or administrators who are responsible for several splits/skill can use this report to see if splits/skills have comparable talk times, abandon rates, and average speed of answer figures that are comparable up until a certain point in the day.

- The database items for the Split/Skill Comparison report are stored in the csplit (current interval), hsplit (intrahour interval), and psplit tables.
- This report uses the Split/Skill Comparison report input window. See <u>Split/Skill report input fields</u> on page 307 for input field definitions.

### Split/Skill Comparison report description

This table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Report Data Start Time	The day and time that the report started collecting data.	No database item.
Split/Skill	The name or number of the splits/skills selected for the report.	syn(SPLIT)
Skill State	Current state of this skill, compared to the administered thresholds. Requires Avaya Business Advocate.	SKSTATE
Agents Staffed	The login identification of the agent.	STAFFED
Calls Waiting	The total number of ACD calls waiting to be answered for each split/skill in the report. This includes calls that are in queue and ringing at an agent voice terminal. It also includes outbound ACD calls placed by an adjunct (also called outbound predictive dialing). It does not include direct agent calls.	INQUEUE + INRING
Oldest Call Waiting	The number of seconds that the oldest call has waited in queue or ringing at an agent voice terminal for each split/skill in the report. This does not include direct agent calls.	OLDESTCALL
ACD Calls	The ACD calls that were queued to the split/skill and answered by an agent. This does not include direct agent calls, but it does include ACD calls placed by an adjunct (also called outbound predictive dialing).	ACDCALLS
Avg ACD Time	The average talk time for all ACD calls to the split. This does not include hold time on direct agent calls, but it does include talk time of all outbound ACD calls placed by an adjunct (also called outbound predictive dialing).	ACDTIME / ACDCALLS, <avg_acd_talk_time></avg_acd_talk_time>

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Aban Calls	The total number of queued calls for each split/skill that abandoned before an agent answered. This includes calls that are ringing at a voice terminal but does not include direct agent calls. It also includes the number of outbound calls for each split/skill that abandoned at the far end before an agent answered.	ABNCALLS
Avg Aban Time	The average time a caller waited before hanging up.	ABNTIME / ABNCALLS
Avg Speed Ans	The average time calls waited in queue and ringing before an agent answered. This does not include direct agent calls, but it does include outbound ACD calls placed by an adjunct (also called outbound predictive dialing).	ANSTIME / ACDCALLS, <avg_answer_speed></avg_answer_speed>

## **Graphical Skill Overload report**

This report shows the amount of time each specified skill has spent in normal versus overload conditions from the report start time until the report generation time since a specified start time in the last 24 hours.

This report is available only if you have purchased the Expert Agent Select (EAS) feature.

Here are some things to know about this report:

- The Graphical Skill Overload report is a vertical bar graph.
- The database items for the report are stored in the csplit (current interval) and hsplit (intrahour interval) table.
- This report uses the Split/skill Comparison report input window. See <u>Split/Skill report input fields</u> on page 307 for input field definitions.

#### **Graphical Skill Overload report description**

This table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Split/Skill	The name or number of the splits/skills selected for the report.	syn(SPLIT)
Normal	The time the skill spent under all of the thresholds.	I_NORMTIME
Overload1	The time the skill spent over threshold 1 and under threshold 2.	I_OL1TIME
Overload2	The time the skill spent over threshold 2.	I_OL2TIME

### **Graphical Split/Skill View report**

This report shows the status of agents in the split/skill and cumulative split/skill statistics.

Here are some things to know about this report:

- Call center managers can use this report for large numbers of agents in one split or skill, and need split/skill status but do not want to consume the PC resources required to display individual agent status of many agents. Call center managers can use this report to see the totals and averages for a specific split or skill up to a certain point in the day.
- The database items for the Graphical Split/Skill view report are stored in the csplit (current interval), hsplit (intrahour interval), and psplit tables.
- This report uses the Split/Skill View input window. See <u>Split/Skill report input fields</u> on page 307 for input field definitions.

### **Graphical Split/Skill View report description**

This table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation a="" name<=""></calculation></a>
Report Data Start Time	The day and time that the report started collecting data.	No database item.
Skill State	Current state of this skill, compared to the administered thresholds. Requires Avaya Business Advocate.	syn(SKSTATE)
AVAIL	The current number of agents that are available to receive ACD calls in this split/skill.	AVAILABLE
ACD	The total number of agents connected to inbound and outbound ACD calls in each split/skill. This does not include direct agent calls.	ONACD
ACW	The current number of POSITIONS that are in after call work for this split/skill. This includes agents on ACWIN/ACWOUT calls as well as agents in ACW not associated with an ACD call. It does not include agents in ACW for direct agent ACD calls.	INACW
AUX	The current number of POSITIONS that are in auxiliary work for all splits/skills or on AUXIN/AUXOUT calls.	INAUX

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
RINGING	The current number of POSITIONS that are in the ring state, for this split/skill. For example, the positions that have a split/skill or direct agent ACD call ring for this split/skill and are not doing anything else.	AGINRING
	Note:	
	When an agent makes or answers an extension call while an ACD call is ringing, that position is no longer counted in AGINRING (because the agent is then on an AUXIN/OUT call). Agents talking on ACD calls who receive a forced MCH call (for later version communication servers) are not counted in AGINRING (they are counted in ONACD).	
OTHER	The current number of POSITIONS that are doing other work.	OTHER
Agents Staffed	The number of agents logged into the split/skill.	STAFFED
% Within Service Level	The percentage of split/skill ACD calls that were answered by an agent within the predefined acceptable service level. Calls to the split/skill include abandoned calls, calls not answered, and outbound ACD calls placed by an adjunct (for example, outbound predictive dialing). Calls that were not answered may include forced busy calls, forced disconnect calls, calls redirected to another destination, and calls queued to more than one split and answered in another split/skill. Percent Within Service Level does not include direct agent calls.	100*(ACCEPTABLE/ CALLSOFFERED); sum(PERCENT_SERV_LVL_SPL); <percent_serv_lvl></percent_serv_lvl>
Calls Waiting	The total number of split/skill ACD calls waiting to be answered. This includes calls that are in queue and ringing at an agent voice terminal and outbound ACD calls placed by an adjunct (for example, outbound predictive dialing). It does not include direct agent calls.	INQUEUE + INRING
Oldest Call Waiting	The number of seconds that the oldest ACD call has waited in queue or ringing before being answered. This does not include direct agent calls.	OLDESTCALL

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Avg Speed Ans	The average time that calls waited in queue or ringing before an agent answered. This does not include direct agent calls, but it does include outbound ACD calls placed by an adjunct (outbound predictive dialing).	ANSTIME / ACDCALLS; <avg_answer_speed></avg_answer_speed>
ACD Calls	The queued ACD calls to the split/skill that were answered by an agent. This does not include direct agent calls, but it does include ACD calls placed by an adjunct (outbound predictive dialing).	ACDCALLS
Avg ACD Time	The average talk time (does not include hold time) for all ACD calls to this split/skill. This does not include direct agent calls, but it does include talk time of all ACD calls placed by an adjunct (outbound predictive dialing).	<avg_acd_talk_time></avg_acd_talk_time>
Aban Calls	The total number of queued calls for each split/skill that abandoned before an agent answered. This includes calls that are ringing at a voice terminal but does not include direct agent calls. It also includes the number of outbound calls for each split/skill that abandoned at the far end before an agent answered.	ABNCALLS
Avg Aban Time	The average time a caller waited before hanging up.	ABNTIME / ABNCALLS; <avg_abandon_time></avg_abandon_time>

# **VDN** report

A VDN Graphical Call Handling report allows access to specific information on answered, abandoned, and outflow calls.

### **VDN** report input fields

This table describes the input fields on integrated VDN report input windows. You must fill in the report input window to run the report:

Name	Description
VDNs	Enter the numbers or names (if they have been defined in the Dictionary) of the VDNs that you want to include in the report. You can enter a name only if it has been previously defined in the Dictionary subsystem.
	To complete the input field, do the following:
	1. Type in the information requested.
	2. Select the information from the pull-down list of previously used items. During each CMS session, Supervisor recalls the items you have selected for each input field. You can use the pull-down list to select an item for the input field.
	3. Use the Browse button to view all available items for the input field, and then select items for the input field. When you click on the Browse button, a window opens that lets you select items for the input field.
Report Data Start Time	Enter the day and time (either in military time or with AM/PM specified) you want the report to start collecting data. The time entered (or the time adjusted to the nearest previous interval start time relative to the entered time) is used to populate the Report Data Start Time field on the report.
	Note:
	If no report start time is available, the start time will be midnight of the current day. The report start time must be less than 24 hours before the current time.
Refresh Every <#> Seconds	Enter the number of seconds (3 to 600) to specify how rapidly CMS should update the report data. The default value for the Refresh rate in seconds field in this window is your assigned minimum refresh rate plus 15 seconds. To find out what your minimum refresh rate is, or to change it, check with your CMS administrator.
Enable Report Thresholds	Check this box to turn on the thresholds for the report.
Run Minimized	Check this box to minimize the report.

# **VDN Graphical Call Handling report**

This report shows, for each VDN, the cumulative number of calls that are answered, abandoned, and considered outflow calls. The report also includes the average speed of answer.

This report shows in chart format how many ACD calls for each specified VDN were answered, abandoned, or outflowed.

This report consists of two charts, with a legend to the right of each.

- The top chart is a three-dimensional, horizontal, color-coded bar chart showing the numbers of ACD calls answered, abandoned, and outflowed.
- The bottom chart is a line graph, where the Rolling ASA for each specified VDN is represented by each color-coded line.
- If the system is a communication server that does not have the EAS feature, see <u>Agent Information report</u> on page 303 for details.
- The chart type can be changed. See Using reports on page 19 for more information.
- The database items used for the VDN Graphical Call Handling report are stored in the cvdn (current interval), hvdn (intrahour interval), and pvdn tables.
- This report uses the VDN Graphical Call Handling report input window. See <u>VDN report input fields</u> on page 312 for input field definitions.

### **VDN Graphical Call Handling report description**

This table describes the report fields:

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
Report Data Start Time	The day and time that the report started collecting data.	No database item.
VDN	The number or name of the VDN for which the report shows data (selected in the report input window).	syn(VDN)
Rolling ASA	The communication server-provided rolling average speed of answer for this VDN. This value is sent to CMS whenever it changes (for example, when a call is answered) on a later communication server with the call vectoring enhancements.	ASA
Flow Out	The number of calls that were redirected to another VDN or off-communication server destination via a route to step or adjunct routing command, or were redirected to a VDN by redirection on no answer. Calls in the VDN that are routed to other communication server destinations, such as splits/skills or extensions, are not counted as outflows from the VDN.	OUTFLOWCALLS
Aban Calls	The number of calls to the ACD during the reporting period that hung up while being carried by this VDN.	ABNCALLS

Report heading	Description	Database item, calculation, or <a href="#"><calculation name=""></calculation></a>
ACD Calls	The number of split/skill and direct agent ACD calls completed during the reporting period that were answered while carried by the VDN. This includes calls from queue to main, check backup, route to split/skill, and adjunct routing to a split/skill or direct agent.	ACDCALLS

# **Chapter 7: Resources**

# **Documentation**

# **CMS and CMS Supervisor Documents**

Title	Description	Audience
Overview		
Avaya Call Management System Overview and Specification	Describes tested product characteristics and product capabilities including feature descriptions, interoperability, performance specifications, security, and licensing requirements.	Sales engineers, Administrators
Avaya Call Management System Data Privacy Controls Addendum	Describes how personal data is stored and processed by CMS.	Administrators
Design		
Avaya Customer Experience Virtualized Environment Solution Description	Describes the AvayaCustomer Experience Virtualized Environment market solution from a holistic perspective that focuses on the functional view of the solution architecture.	Sales engineers
Installation, upgrades, maintenan	ce, and troubleshooting	
Deploying Avaya Call Management System	Describes how to plan, deploy, and configure CMS on new VMware-based installations.	Avaya support personnel
Deploying Avaya Call Management System on Amazon Web Services	Describes how to plan, deploy, and configure CMS on new Amazon Web Services installations.	Avaya support personnel
Avaya Call Management System Dell® PowerEdge™ R630 and R730 Hardware Installation, Maintenance and Troubleshooting	Describes how to install, maintain, and troubleshoot Dell <sup>®</sup> servers used with CMS.	Avaya support personnel
Avaya Call Management System Dell <sup>®</sup> PowerEdge <sup>™</sup> R720 Computer Hardware Installation, Maintenance, and Troubleshooting	Describes how to install, maintain, and troubleshoot Dell <sup>®</sup> servers used with CMS.	Avaya support personnel

Title	Description	Audience
Avaya Call Management System HPE DL20 G9 and DL380 G9 Hardware Installation, Maintenance, and Troubleshooting	Describes how to install, maintain, and troubleshoot HPE servers used with CMS.	Avaya support personnel
Planning for Avaya Call Management System Upgrades	Describes the procedures customers must plan for before and after upgrading to a new CMS release.	Administrators
Upgrading Avaya Call Management System	Describes the procedures required to upgrade to a new CMS release.	Avaya support personnel
Maintaining and Troubleshooting Avaya Call Management System	Describes how to configure, maintain, and troubleshoot CMS.	Avaya support personnel, Administrators
Avaya Call Management System Switch Connections, Administration and Troubleshooting	Describes how to connect and administer the Communication Manager systems used by CMS.	Avaya support personnel, Administrators
Avaya Call Management System High Availability User Guide	Describes how to install and maintain a CMS HA system.	Avaya support personnel, Administrators
Avaya Call Management System LAN Backup User Guide	Describes how to back up your CMS data using a LAN connection to a remote server.	Administrators
Avaya Call Management System High Availability Connectivity, Upgrade and Administration	Describes how to connect to HA servers and upgrade to HA.	Avaya support personnel, Administrators
Avaya Call Management System High Availability User Guide	Describes how to install and maintain your CMS High Availability (HA) system.	Avaya support personnel, Administrators
Administration		
Avaya Call Management System Administration	Provides instructions on administering a contact center using CMS Supervisor.	Avaya support personnel, Administrators
Avaya Call Management System Call History Interface	Describes the format of the Call History data files and how to transfer these files to another computer.	Administrators
Avaya Call Management System ODBC and JDBC	Describes how to use Open Database Connectivity (ODBC) and Java Database Connectivity (JDBC) with CMS.	Administrators

Title	Description	Audience
Avaya Call Management System Database Items and Calculations	Describes each database item and calculation that CMS tracks and how CMS calculates the values displayed on CMS reports and CMS Supervisor reports.	Administrators, Report designers
Avaya Call Management System Custom Reports	Describes how to design and create custom reports in CMS.	Administrators, Operations personnel, Report designers
Avaya Call Management System Security for Linux®	Describes how to implement security features in CMS running on the Red Hat Enterprise Linux® (RHEL) operating system.	Avaya support personnel, Administrators
CMS Supervisor		
Avaya CMS Supervisor Clients Installation and Getting Started	Describes how to install and configure CMS Supervisor.	Avaya support personnel, Administrators
Avaya CMS Supervisor Reports	Describes how to use CMS Supervisor reports.	Administrators, Operations personnel
Avaya CMS Supervisor Report Designer	Describes how to create new reports and to edit existing reports through Report Designer and Report Wizard.	Administrators, Operations personnel, Report designers

# **Avaya Converged Platform Documents**

Title	Description	Audience
Avaya Converged Platform Overview and Specification	Describes the key features of Avaya Converged Platform server	IT Management, sales and deployment engineers, solution architects, support personnel
Installing the Avaya Converged Platform 130 Appliance	Describes how to install Avaya Converged Platform 130 Series servers.	Sales and deployment engineers, solution architects, support personnel
Maintaining and Troubleshooting Avaya Converged Platform 130 Appliance	Describes procedures to maintain and troubleshoot Avaya Converged Platform 130 Series servers.	Sales and deployment engineers, solution architects, support personnel

Title	Description	Audience
Avaya Converged Platform 130 Series iDRAC9 Best Practices	Describes procedures to use the iDRAC9 tools on the Avaya Converged Platform 130 Series servers.	Sales and deployment engineers, solution architects, support personnel

### **WebLM Documents**

Title	Description	Audience
Deploying standalone Avaya WebLM in Virtual Appliance	Deploy the application in virtual appliance environment by using Solution Deployment Manager	Implementation personnel
Deploying standalone Avaya WebLM in Virtualized Environment	Deploy the application in virtualized environment.	Implementation personnel
Deploying standalone Avaya WebLM in Infrastructure as a Service Environment	Deploy the application on cloud services.	Implementation personnel
Deploying standalone Avaya WebLM in Software-Only Environment	Deploy the application in software-only environment.	Implementation personnel
Upgrading standalone Avaya WebLM	Upgrade the application.	Implementation personnel
Administering standalone Avaya WebLM	Perform administration tasks	System administrators

### **VMware Documents**

ovides information on anaging virtual machines in the Mware vSphere Web Client for	https://docs.vmware.com/en/
phere 6.0 or later. This cument also provides ormation of the following: Deploying OVF templates Configuring virtual machine hardware and options	VMware-vSphere/6.5/ com.vmware.vsphere.vm_admin. doc/GUID-55238059-912E-411F- A0E9-A7A536972A91.html
Managing Virtual Machines ovides information on how ough a browser vSphere Web ent connects to a vCenter over or directly to an ESXi host ovCenter Server is not used.	https://docs.vmware.com/en/ VMware-vSphere/6.5/ com.vmware.vsphere.vcenterhost .doc/GUID- A618EF76-638A-49DA-991D-
/I o e ``	anaging Virtual Machines vides information on how ugh a browser vSphere Web nt connects to a vCenter ver or directly to an ESXi host



#### Note:

If the document description (link) are no longer active, consult VMware for documents associated with the component or operation.

#### Related links

Finding documents on the Avaya Support website on page 320 Avaya Documentation Portal navigation on page 320

# Finding documents on the Avaya Support website

#### **Procedure**

- 1. Go to <a href="https://support.avaya.com">https://support.avaya.com</a>.
- 2. At the top of the screen, type your username and password and click **Login**.
- 3. Click Support by Product > Documents.
- 4. In Enter your Product Here, type the product name and then select the product from the list.
- 5. In **Choose Release**, select an appropriate release number.
- 6. In the Content Type filter, click a document type, or click Select All to see a list of all available documents.

For example, for user guides, click **User Guides** in the **Content Type** filter. The list displays the documents only from the selected category.

7. Click Enter.

# **Avaya Documentation Portal navigation**

Customer documentation for some programs is now available on the Avaya Documentation Portal at https://documentation.avaya.com.



#### **Important:**

For documents that are not available on the Avaya Documentation Portal, click **Support** on the top menu to open <a href="https://support.avaya.com">https://support.avaya.com</a>.

Using the Avaya Documentation Portal, you can:

- Search for content in one of the following ways:
  - Type a keyword in the **Search** field.
  - Type a keyword in **Search**, and click **Filters** to search for content by product, release, and document type.
  - Select a product or solution and then select the appropriate document from the list.

- Find a document from the **Publications** menu.
- Publish a PDF of the current section in a document, the section and its subsections, or the entire document.
- Add content to your collection by using My Docs (☆).

Navigate to the **My Content > My Docs** menu, and do any of the following:

- Create, rename, and delete a collection.
- Add content from various documents to a collection.
- Save a PDF of selected content in a collection and download it to your computer.
- Share content in a collection with others through email.
- Receive content that others have shared with you.
- Add yourself as a watcher by using the **Watch** icon (<a>)</a>.

Navigate to the My Content > Watch list menu, and do the following:

- Set how frequently you want to be notified, starting from every day to every 60 days.
- Unwatch selected content, all content in a document, or all content on the Watch list page.

As a watcher, you are notified when content is updated or deleted from a document, or the document is removed from the portal.

- Share a section on social media platforms, such as Facebook, LinkedIn, Twitter, and Google
   +.
- Send feedback on a section and rate the content.

### Note:

Some functionality is only available when you log in to the portal. The available functionality depends on the role with which you are logged in.

# Viewing Avaya Mentor videos

Avaya Mentor videos provide technical content on how to install, configure, and troubleshoot Avaya products.

#### About this task

Videos are available on the Avaya Support website, listed under the video document type, and on the Avaya-run channel on YouTube.

#### **Procedure**

- To find videos on the Avaya Support website, go to <a href="https://support.avaya.com/">https://support.avaya.com/</a> and do one of the following:
  - In Search, type Avaya Mentor Videos to see a list of the available videos.
  - In **Search**, type the product name. On the Search Results page, select **Video** in the **Content Type** column on the left.
- To find the Avaya Mentor videos on YouTube, go to <a href="www.youtube.com/AvayaMentor">www.youtube.com/AvayaMentor</a> and do one of the following:
  - Enter a key word or key words in the Search Channel to search for a specific product or topic.
  - Scroll down Playlists, and click the name of a topic to see the available list of videos posted on the website.



Videos are not available for all products.

# **Support**

Go to the Avaya Support website at <a href="https://support.avaya.com">https://support.avaya.com</a> for the most up-to-date documentation, product notices, and knowledge articles. You can also search for release notes, downloads, and resolutions to issues. Use the online service request system to create a service request. Chat with live agents to get answers to questions, or request an agent to connect you to a support team if an issue requires additional expertise.

#### **Related links**

Using the Avaya InSite Knowledge Base on page 322

# Using the Avaya InSite Knowledge Base

The Avaya InSite Knowledge Base is a web-based search engine that provides:

- Up-to-date troubleshooting procedures and technical tips
- Information about service packs
- · Access to customer and technical documentation
- · Information about training and certification programs
- Links to other pertinent information

If you are an authorized Avaya Partner or a current Avaya customer with a support contract, you can access the Knowledge Base without extra cost. You must have a login account and a valid Sold-To number.

Use the Avaya InSite Knowledge Base for any potential solutions to problems.

- 1. Go to <a href="http://www.avaya.com/support">http://www.avaya.com/support</a>.
- 2. Log on to the Avaya website with a valid Avaya user ID and password. The system displays the Avaya Support page.
- 3. Click Support by Product > Product Specific Support.
- 4. In Enter Product Name, enter the product, and press Enter.
- 5. Select the product from the list, and select a release.
- 6. Click the **Technical Solutions** tab to see articles.
- 7. Select relevant articles.

# **Glossary**

% Agent Group Occupancy with ACW	Agent group occupancy, displayed as a percentage, including agent ACW time as work time.
% Agent Group Occupancy without ACW	Agent group occupancy, displayed as a percentage, not including agent ACW time as work time.
% Agent Occupancy with ACW	Agent occupancy, displayed as a percentage, including agent after call work (ACW) time as work time.
% Agent Occupancy without ACW	Agent occupancy, displayed as a percentage, not including agent ACW time as work time.
% Flow out	The percentage of inbound calls on the Vector Directory Number (VDN) that are directed (flowed out) to other VDNs.
Abandoned call	A call in which a caller hangs up before receiving an answer from an agent. The call could be queued to a split or in a vector or Vector Directory Number (VDN) before it is abandoned.
Abandoned call search	An ACD capability that enables the system to make sure that the caller is on the line before passing the call to an agent.
Acceptable service level	A target value set to define the acceptable amount of time for an agent to answer a call. Target values are normally set as objectives by management.
	A percentage of calls answered within a set amount of time (for example, 80% of calls answered within 20 seconds).
Access permissions	Permissions assigned to an Avaya CMS user so that the user can access different subsystems in Avaya CMS or administer specific elements (splits/skills, trunks, vectors, etc.) of the ACD. Access permissions are specified as read or write permission. Read permission means the Avaya CMS user can access and view data (for example, run reports or view the Dictionary subsystem). Write permission means that the Avaya CMS user can add, modify, or delete data and execute processes.

See Automatic Call Distribution.

ACD

ACD call A call that gueued to a split/skill and was answered by an agent in that

split/skill, or a call that queued as a direct agent call and was answered

by the agent for whom it was queued.

**Acknowledgment** A window that requires you to confirm an action or to acknowledge a

system message (for example, system going down, warning, or fatal error for the user window). This window cannot be moved, sized, or scrolled

and disappears only when you confirm the message.

**Activate agent trace** From this window you can start Avaya CMS tracing of agent activities.

These activities include all agent state changes until the trace is turned off. You must activate an agent trace to obtain an Agent Trace report.

**Active VDN calls** The number of calls currently active in a Vector Directory Number (VDN).

The vector enhancement VDN Calls Routing refers to the ability to program a vector step according to the number of active VDN calls. The number of active calls is referred to as counted-calls in the vector step.

**Actual Relative to** 

Target

A feature that compares the performance of skill to that of its administered thresholds. If the skill performance falls behind the administered threshold, agents can ge automatically reserved to take calls in this skill until the skill performance returns to the expected results.

**ACW** See After Call Work.

Adjunct/Switch Applications Interface (ASAI) An Avaya recommendation for interfacing adjuncts and communications systems, based on the CCITT Q.932 specification for layer 3. ASAI supports activities such as event notification and call control.

After Call Work

(ACW)

An agent state generally representing work related to the preceding ACD call. Going on-hook after an ACD call during MANUAL-IN operation places the call in ACW. ACW is accessible by a key on the agent's set and may not be related to an ACD call.

Agent A person who answers calls to an extension in an ACD split/skill. The

agent is known to Avaya CMS by a login identification keyed into a voice

terminal.

Agent login ID A 1- to 16-digit number entered by an ACD agent from a voice terminal to

activate the agent position. Agent logins are required for all Avaya CMS-

measured ACD agents.

**Agent occupancy** The average percentage of time that you are expecting or targeting for

each split/skill agent to spend, while logged in, on ACD calls and in ACW.

Agent position (EAS) The combination of agent login ID and the skills the agent is assigned.

Data are collected for the agent by skill, so the total work for the agent

must be summed over all skills in which the agent worked.

Agent position (Non-EAS)

The combination of agent login ID and split the agent logged into. Agents logged into multiple splits have multiple positions associated with them. Call data are collected separately for each agent/split combination.

Agent role

A description of the kind of service an agent in multiple skills gives to one of their skills. This is a combination of call handling preference and skill/ reserve levels.

Agent skill

An attribute that is associated with an ACD agent. Agent Skills can be thought of as the ability for an agent with a particular set of skills to handle a call that requires one of a set of skills. An agent can be assigned up to 20 skills. The meaning of each Agent Skill is defined by the customer. Examples are the ability to speak a particular language or the expertise to handle a certain product.

See also Primary Skill on page 335 and Secondary Skill on page 336.

Agent state

A feature of agent call handling. Agent states are the different call work modes an agent can be in (ACD, ACW, AVAIL, AUX, UNSTAFF, DACD, DACW, OTHER, UNKNOWN, RINGING). Data about these states is displayed in real-time and historical reports.

See the definition of each state for additional information.

Agent terminal

The voice terminal used by a call-center agent.

Agent trace

You must start an agent trace before you can obtain an Agent Trace report. You can activate traces for a maximum of 400 agents at any one time. You can select the dates in which the trace will receive information. This report lists each agent activity and the time it occurred. The Agent Trace report can be helpful when evaluating how well individual agents are using their time.

ΑI

See Auto-In.

Algorithm

A prescribed set of well-defined rules or instructions for the solution of a problem; for example, the performance of a calculation, in a finite number of steps. Expressing an algorithm in a formal notation is one of the main parts of a software program.

ANI

See Automatic Number Identification.

Announcement

A recorded message that normally tells the caller what destination the call has reached. The announcement also often tries to persuade the caller to stay on the line. With Call Vectoring, announcements can be part of a vector's call processing. An announcement is assigned to a vector by entering an announcement number.

**ASA** 

See Average Speed of Answer.

**ASAI** See Adjunct/Switch Applications Interface.

Auto-available split An ACD capability that ensures that after a power failure or a system

restart, Voice Response Units (for example, the CONVERSANT<sup>™</sup> Voice Information System) are brt on line again immediately, without time-

consuming reprogramming.

Auto-In (AI) An ACD work mode that makes the agent available to receive calls and

allows the agent to receive a new ACD call immediately after

disconnecting from the previous call.

Automatic Call Distribution (ACD)

A communication server feature. Automatic Call Distribution (ACD) is software that channels high-volume incoming call traffic to agent groups

(splits or skills).

Also an agent state where the extension is engaged in an ACD call (with

the agent either talking to the caller or the call waiting on hold).

See also Redirect on no Answer on page 335 and Auto-Available Split on

page 327.

Automatic Number Identification (ANI)

A general industry term referring to knowledge of the calling party number (CPN). When the calling party is behind a communication server, the number provided can be either a billing number for the communication

server or the station identification number.

**AUX** See Auxiliary Work.

**Auxiliary Work (AUX)** An agent state. For example, the agent is engaged in non-ACD work, is

on break, in a meeting, or at lunch. An agent can reach this state by pressing the AUX WORK button or dialing the proper access code from the voice terminal. The agent can also reach the state by going off-hook to make or answer an extension call while in AVAIL or with a call on hold.

**AVAIL** See Available.

**Available (AVAIL)** An agent state. The extension is able to accept an ACD call.

Avaya Business

Advocate

A set of features designed to enhance call and agent selection within a call center. Avaya Business Advocate requires Avaya CMS Supervisor, an Avaya communication server, and Expert Agent Selection (EAS). See the

Avaya Business Advocate User Guide for more information.

**Avaya CMS** See Avaya Call Management System.

Avaya CMS Supervisor The Avaya Call Management System (CMS) application for the Microsoft®

Windows<sup>®</sup> operating environment.

Average agent service time

The average time you are expecting or targeting for each agent to spend

on an ACD call, including talk time and after-call-work time.

Average Speed of Answer (ASA)

The average amount of time a caller waits in queue before connecting to

an agent. ASA is usually an objective set by your call center's

management.

Calculation A menu selection in the Avaya CMS Dictionary subsystem which gives

the abbreviated name (calculation name) for the calculation that

generates the data for a field in a report.

Call handling preference

A parameter of agent administration in the EAS environment that

specifies how calls are selected for the agent.

**Call Management** System (CMS)

A software product used by business customers that have Avaya communication servers and receive a large volume of telephone calls that are processed through the Automatic Call Distribution (ACD) feature of the communication server. The Avaya CMS collects call-traffic data, formats management reports, and provides an administrative interface to

the ACD feature in the communication server.

Call prompting A communication server feature that routes incoming calls based on

information entered by the calling party, such as an account number. The caller receives an announcement and is prompted to select an option

from those listed in the announcement.

Call vectoring A communication server feature that provides a highly flexible method for

processing ACD calls using Vector Directory Numbers (VDNs) and vectors as processing points between trunk groups and splits. Call vectoring permits treatment of calls that is independent of splits.

Similar to a computer program, a call vector is a set of instructions that control the routing of incoming calls based on conditions that occur in a call center environment. Examples of call vector conditions include time of

day and the number of calls in queue.

**Call Work Code** (CWC)

An ACD capability that makes sure that during or after the call, the agent can enter a string of digits and send these digits to the Avaya Call

Management System (CMS) for management reporting.

Call-based items The category of database items in Avaya CMS that are committed to the

> database after the call completes. If a call starts and ends in different intrahour intervals, all of the call-based data is recorded in the interval in

which the call completed. Most database items are call-based.

Call-handling profile A set of objectives describing how you want a split/skill to handle calls.

Calls carried Trunk data. The number of inbound or outbound calls carried.

Change agent skills An agent's skills may be changed from Avaya CMS by using the Change

> Agent Skills window. The Change Agent Skills window allows the user to change the skill assignments for one agent. through this window a user can quickly see what skills are currently assigned to an agent and the

user can easily change the agent's skill assignment or apply an agent

template to up to 50 agents.

**CONN** See Connected.

**Connected (CONN)** A trunk state. A caller and an agent are connected on an ACD call.

Connected call A non-ACD call is considered to be connected to an extension (not a VDN

or direct agent) when the call rings at the station and the caller does not

abandon.

**Current** An Avaya CMS action that displays data from the current interval.

**Current interval** Represents the current intrahour interval, which can be 15, 30, or 60

minutes. The current interval is part of the real-time database.

**Current wait time** The time a call has waited for service in a call queue adjusted for queue

priority.

**Custom reports**Real-time or historical reports that have been customized from standard

reports or created from scratch.

**CWC** See Call Work Code.

**DABN** See Direct Abandon.

**DACD** See Direct Agent ACD.

**DACW** See Direct Agent ACW.

**Daily data** Interval data that has been converted to a 1-day summary.

**Data collection off**Avaya CMS is not collecting ACD data. If you turn off data collection,

Avaya CMS will not void data on current call activity.

**Data collection on** Avaya CMS is collecting ACD data.

**Data points** Points of historical data. A data point should include data for each interval

of the working day.

**Database** A group of tables that store ACD data according to a specific time frame:

current and previous intrahour real-time data and intrahour, daily, weekly,

and monthly historical data.

**Database item**A name for a specific type of data stored in one of the Avaya CMS

databases. A database item may store ACD identifiers (split numbers or

names, login IDs, VDNs, and so forth.) or statistical data on ACD

performance (number of ACD calls, wait time for calls in queue, current

states of individual agents, and so forth).

**Database tables** CMS uses these tables to collect, store, and retrieve ACD data. Standard

CMS database items are names of columns in the CMS database tables.

**Date format** The standard format for entering dates on Supervisor reports.

**Delete** A CMS action that removes the entry on the window from the database.

**Designer reports**Customized reports that can be created using Supervisor's Report

Designer feature, and which are run from Supervisor.

**Dictionary** A CMS subsystem that can be used to assign names to various call

center elements such as login IDs, splits/skills, trunk groups, Vector Directory Numbers (VDNs) and vectors. These names appear on reports,

making them easier to interpret.

**Dictionary location** The location ID is a number associated with one or more port networks on

a communication server. Any hardware residing on a port network is assigned the port network's location ID and identified by that ID number. The hardware tracked with this number includes the voice terminals

agents use and trunks.

Direct Abandon

(DABN)

A trunk state. The caller abandoned the call, and the trunk quickly goes to

idle.

**Direct Agent ACD** 

(DACD)

An agent state. The agent is on a direct agent ACD call.

Direct Agent ACW

(DACW)

An agent state. The agent is in the after call work state for a direct agent

ACD call.

**Direct agent calling**An EAS capability that makes it possible for a caller to reach the same

agent every time and still include the call in the management tracking of the call center. This is ideal for claims processing, where a client needs to speak with the agent handling the claim. This flexibility ensures a high

level of customer service without reducing management control.

**EAD** See Expert Agent Distribution.

**EAS** See Expert Agent Selection.

**Entity** A generic term that refers to one of the following: Agent, Agent Group,

Split/Skill, Trunk, Trunk Group, Vector Directory Number (VDN), Vector, or

Call Work Code.

**Error message** A response from a program indicating that a problem has arisen or

something unexpected has happened, requiring your attention.

**EWT** See Expected Wait Time.

### **Exception**

A type of activity on the ACD which falls outside of the limits you have defined. An exceptional condition is defined in the Avaya CMS Exceptions subsystem, and usually indicates abnormal or unacceptable performance on the ACD (by agents, splits/skills, Vector Directory Numbers (VDNs), vectors, trunks, or trunk groups).

### **Exception reports**

Display occurrences of unusual call-handling events.

# Expected Wait Time (EWT)

An estimate of how long a caller will have to wait to be served by a call center while in queue considering the current and past traffic, handling time, and staffing conditions. Time spent in vector processing before being queued and the time spent ringing an agent with manual answering operation is not included in the EWT prediction. With an Avaya communication server and CMS, the EWT is a communication server-based calculation.

# Expert Agent Distribution (EAD)

A call queued for a skill will go to the most idle agent (primary skill agent). Agents who are idle and have secondary agent skills will receive the call queued for a skill if there are no primary agents available.

# Expert Agent Selection (EAS)

Expert Agent Selection (EAS) is an optional communication server feature that builds on the power of the Call Vectoring and ACD features of the communication server to match the skills required to handle a particular call to an agent who has at least one of the skills that a caller requires.

### extension call

Extension calls are any calls originated by agents and non-ACD calls received by agents.

### **FBUSY**

See Forced Busy.

**FDISC** 

See Forced Disconnect.

Find one

An Avaya CMS action that searches the database for entries that match the input value.

### Flex agents

Agents who have a role of Roving, Backup, or Allocated. Top and Reserve agents are not Flex agents. See the Avaya Business Advocate User Guide.

### flexible routing

An ACD capability that allows customers to choose how incoming calls should be routed to agents within a split. Customers can route calls to the first available agent or to the most idle agent.

#### Flow out

Number of calls that, in the specified time period, were routed to another destination through a route to Vector Directory Number (VDN) or external destination. This does not include calls routed to another vector through a go to vector step.

**FMCH** See Forced Multiple Call Handling.

Forced Busy (FBUSY)

A trunk state. The caller receives a forced busy signal.

Forced Disconnect (FDISC)

A trunk state. The caller receives a forced disconnect.

Forced Multiple Call Handling (FMCH)

A feature that, when activated for a split/skill, allows calls to be automatically delivered to an idle line appearance, if the agent is in the Auto-In/Manual-In work mode and an unrestricted line appearance is available on the voice terminal.

Historical database

Contains intrahour records for up to 62 days, daily records for up to 5 years, and weekly/monthly records for up to 10 years for each Avaya CMS-measured agent, split/skill, trunk, trunk group, vector, and Vector Directory Number (VDN).

**Historical reports** 

Display past ACD data for various agent, split/skill, trunk, trunk group, vector, or Vector Directory Number (VDN) activities. A report summary of call data into daily, weekly or monthly totals.

**HOLD** 

A trunk state. The agent has put the call on this trunk on hold.

**IDLE** 

A trunk state. The trunk is not is use and waiting for a call.

Ш

See Information Indicator.

Information Indicator (II)

A two-digit code that identifies the type of originating line (for example: hotel or pay phone) for incoming ISDN PRI calls.

**INFORMIX SQL** 

The interactive interface typically used to view the INFORMIX database. For Avaya CMS purposes, Avaya CMS QL is used instead of INFORMIX SQL.

**INFORMIX®** 

A relational database management system used to organize Avaya CMS data.

Integrated Services
Digital Network
(ISDN)

A digital standard for telephony that provides a wide range of services on the same lines. Example: telephone, television, and computer signals.

Interval-based items

A category of database items. These items represent the amount of time during a collection interval spent doing a particular activity. Interval-based items are updated through out the collection interval and timing is restarted at the end of the interval. Interval-based items should only be used to show amount of time in an interval for an activity or to calculate percentages of time spent in an interval. Interval-based items should not be used to calculate averages (such as average hold time).

### Intrahour interval

A 15, 30, or 60 minute segment of time starting on the hour. An intrahour interval is the basic unit of Avaya CMS report time.

#### Location

A location, or site, refers to a physical location. This can be a building, a section of a building, or it can be what was once a separate ACD before the ATM WAN capability was used to merge separate ACDs with other ACDs into one large call center. A location will typically be assigned one (or more) location IDs. A location, despite being part of a larger call center, may continue to have sole responsibility for handling certain 800 numbers. A location may also share responsibility for handling an 800 number by having some of its agents be part of a larger split/skill that includes agents from other locations.

# Location ID for agents

An agent location ID is the ID of the agent terminal the agent is logged into. It is associated with the communication server port network ID to which the agent terminal is attached. An agent cannot be assigned a location ID for reporting purposes until he or she logs into the ACD.

# Location ID for trunks

The communication server network location ID associated with a trunk. A Location ID is not directly assigned to an trunk, instead, it is assigned to a port network (from the chcabinetx form). Therefore, each trunk whose equipment location belongs to that port network will be associated with that port network's location ID.

### Logical agent

An EAS feature that associates the agent's login ID with the physical extension when the agent logs in. Properties such as the assigned skills, class of restriction, and coverage path are associated with the login ID rather than the physical extension. This allows agents to log in at any available set.

### **LOGOFF**

An agent trace work mode. An agent is logged out and not available to take ACD calls.

### **LOGON**

An agent trace work mode. An agent is logged in and available to take ACD calls.

# Maintenance Busy (MBUSY)

A trunk state. The trunk is maintenance busy or out of service for maintenance purposes.

## Manual In (MI)

An ACD work mode. MI makes the agent available to receive an ACD call and automatically places the agent into the ACW state upon release from the call.

### **MBUSY**

See Maintenance Busy.

MCH

See Multiple Call Handling.

**Measured** A term that means an ACD element (agent, split/skill, trunk, trunk group,

vector, VDN) has been identified to Avaya CMS for collection of data. If

the ACD element is not measured, no data is collected.

MI See Manual In.

MIA See Most Idle Agent.

**Modify** An Avaya CMS action that changes the database entry to reflect the new

values entered in the current primary window.

**Monthly data** Daily data that has been converted to a Monthly summary.

**Most Idle Agent (MIA)** An ACD distribution method that maintains a queue of idle agents. An

agent is put at the end of the list for a particular split when the agent completes an ACD call for that split. The agent continues to advance in the list as long as the agent remains staffed and in ACW, available, or on AUXIN/OUT extension calls from the available state. If the agent is in ACW or is on an AUXIN/OUT extension call from the available state, then the agent is marked as unavailable to take an ACD call but remains in the list, moving up. An agent in the AUX mode (either by pressing the AUX

button or by logging in) is not in the list of eligible agents.

Multiple Call Handling (MCH)

Allows an agent to receive an ACD call while other calls are active on the agent's station. The agent must put the current call on hold and press

AI/MI in order to receive another ACD call.

Multiple split queuing

With Call Vectoring, a call can be directed to up to four splits at the same

time, with the first agent who is free getting the call.

Multiuser mode Any administered Avaya CMS user can log into Avaya CMS. Data

continues to be collected if data collection is turned on.

Name (synonym)

fields

Fields in which you may enter a name, or synonym, that has been entered in the Dictionary subsystem. Examples: names of agents, splits/

skills, agent groups, trunk groups, vectors, Vector Directory Numbers

(VDNs).

Nonprimary split/skill When a call is queued to multiple splits/skills, the second and third splits/

skills to which the call queues in a Vector Directory Number (VDN) are called nonprimary splits/skills. They are also referred to as secondary and

tertiary splits/skills, respectively.

Only Me report A custom report that only the creator and the Avaya CMS administrators

can access.

OTHER An agent state. The agent is working on a direct agent call, working on a

call for another split or skill, or has put a call on hold and has not chosen

another work mode.

Percent (%) within service level

The percentage of calls that you are expecting or targeting to be answered by an agent within a specific number of seconds.

Phantom abandon call timer

An Avaya CMS capability that tracks information about abandoned calls. When the capability is enabled, calls with a duration shorter than the administered value (zero to ten seconds) are counted as phantom abandon calls. Setting the timer to zero disables it.

**Previous interval** 

Represents one intrahour interval and is part of the real-time database. At the end of each intrahour interval, the contents of the current intrahour interval are copied to the previous intrahour interval portion of the real-time database.

**Primary skill** 

Skills assigned to an agent. Primary skills are the areas in which the agent has the most expertise.

See also Agent Skill on page 326.

Queue

A holding area for calls waiting to be answered in the order in which they were received. Calls in a queue may have different priority levels, in which case, calls with a higher priority are answered first.

**QUEUED** 

A trunk state. An ACD call has seized the trunk and is queued to a split/skill waiting for an agent to answer.

Read permission

The Avaya CMS user can access and view data. Example: run reports or view the Dictionary subsystem. Read permission is granted from the User Permissions subsystem.

Real-time database

Consists of the current and previous intrahour data on each Avaya CMS-measured agent, split, trunk, trunk group, vector, and Vector Directory Number (VDN).

Real-time reports

Display current ACD call activity on agents, splits/skills, trunks, trunk groups, vectors, and Vector Directory Numbers (VDNs) for the current or previous intrahour interval. Current intrahour interval real-time reports are constantly updated as data changes during the interval. Previous intrahour interval real-time reports show data totals for activity that occurred in the previous intrahour interval.

Redirect on no answer

An ACD capability that assists the user if a call is not answered in a specified number of rings (preset by the call center Manager). The terminal extension, including ports with VRUs, is busied out and the call goes back into the queue at top priority.

Refresh rate

The number of seconds Avaya CMS should wait for each update of the real-time report data. A user's fastest allowable refresh rate is defined in the User Permissions - User Data window as a minimum refresh rate. The default refresh rate when a user brings up the report input window is the administered minimum refresh rate plus 15 seconds.

R3V6 can refer to a software version of Avaya CMS.

RINGING An agent state. The time a call rings at an agent's voice terminal after

leaving the queue and before the agent answers the call.

A trunk state. A call is ringing at the agent's voice terminal.

**Rolling ASA** See Average Speed of Answer (ASA).

**Scripting** The Scripting feature lets you create a script to run a specified report or

run a report and export the data on schedule. The scripts require a

customer- provided scheduler to be run later.

Secondary skill Skills assigned to an agent. Secondary skills are the areas in which the

agent does not have extensive expertise. (Used through G3V4 with EAS.)

See also Agent Skill on page 326, Skill Level on page 336.

**SEIZED** A trunk state. A call is using the trunk either incoming or outgoing.

**Service level** A time specified in seconds within which all calls should be answered.

Normally set as an objective by management. Usually referred to as

Acceptable Service Level (ASA).

Service Observing-

**VDNs** 

A feature that gives a voice terminal user the ability to monitor the

treatment a call receives as it is processed by a Vector Directory Number

(VDN).

Single-user mode Only one person can log into Avaya CMS. Data continues to be collected

if data collection is turned on. This mode is required to change some

Avaya CMS administration.

**Skill** An attribute that is assigned to an ACD Agent. Agent Skills can be tht of

as the ability for an Agent with a particular set of skills to handle a call which requires one of those skills. In relationship to your call center, think of skill as a specific customer need/requirement or perhaps a business need of your call center. You will be defining your skills based on the

needs of your customers and your call center.

Skill level A priority level from 1 (highest) to 16 (lowest) indicating an agent's level of

expertise or ability to handle calls to the given skill.

**Split** A group of extensions that receives special-purpose calls in an efficient,

cost- effective manner. Normally, calls to a split arrive primarily over one

or a few trunk groups.

**Staffed agent** An Agent who is currently logged in to the communication server.

**Standard reports** The set of reports that are delivered with the Avaya CMS or Avaya CMS

Supervisor software.

**Station** 

An unmeasured extension. A 16–digit extension that is not currently staffed by an agent or that is a member of an unmeasured split/skill or hunt group.

Subsystem

Each Avaya CMS Controller selection (for example, Reports, Dictionary, System Setup, Exceptions, and so forth) along with Timetable and Shortcut is referred to as a subsystem of the Call Management System throughout this document.

System AUX

Communication servers use the reason code 0 as the default code for situations in which the communication server places the agent in the AUX mode automatically (for example, on login, when agents make or receive extension calls from Al/Ml mode, when the agent is taken out of service due to failure to answer a ringing call) or logs the agent out (for example, during a Move Agent while Staffed operation). ASAI applications that change the agent's work mode to AUX or log the agent out without specifying a reason code will result in change to AUX or logout with the default reason code.

**Tenant** 

The tenancy feature provides an extension to the current CMS user data access management feature to enable customers to restrict user access to CMS reporting data and functionality within their contact center. The new tenant level access for users introduces restricted data access permissions for the following contact center resources: agents, call work codes, split/skills, trunk groups, VDNs, and vectors.

Tertiary split/skill

Generic 3 and ECS with vectoring. When a call is queued to multiple splits/skills, the third split/skill the call queued to in a Vector Directory Number (VDN) is called the tertiary split/skill.

**Thresholds** 

Avaya CMS Supervisor thresholds are defined as Caution or Warning. Threshold highlight settings apply only to some real-time data items in real-time and integrated reports. For information on setting threshold highlights, see the Avaya Call Management System Administration document.

Time format

The standard format for entering times on Avaya CMS reports.

**Time Zone** 

The time zone relevant to a report, such as IST and PST. Time Zone is available for the interval version of the reports. Time zone of the Communication Manager is the default time zone.

**Timetable** 

An activity task or group of activities tasks (like reports) scheduled for completion at a time that is convenient and nondisruptive for your call center's operation.

**Trunk** A telephone circuit that carries calls between two communication servers,

between a Central Office (CO) and a communication server, or between a

CO and a phone.

**Trunk group** A group of trunks that are assigned the same dialing digits - either a

phone number or a Direct Inward Dialed (DID) prefix.

Uniform Call Distribution (UCD)

The most idle agent for the skill will receive the call (if the agent is

available).

Universal Call Identifier (UCID)

A number that uniquely identifies a call in a network of nodes that support UCID. This number will be a part of the records in the Call History feature

of Avava CMS.

**UNKNOWN** An agent state. Avaya CMS does not recognize the current state. A trunk

state. Avaya CMS does not recognize the state of the trunk.

**UNSTAF (non-EAS)**Unstaffed, an agent state. The agent is not logged in and, therefore is not

being tracked by Avaya CMS.

**User ID** The login ID for an Avaya CMS user.

**User permissions** An Avaya CMS subsystem that allows the Avaya CMS administrator to

define user access permissions.

**VDN** See Vector Directory Number.

**VDN calls-counted**Also known as counted-calls to Vector Directory Number (VDN) and

active VDN calls. This is a Call Vectoring capability. Counted-calls to VDN is a parameter of the go to step and go to vector commands that provides conditional branching (to a different step in the same vector or to a different vector) based on the number of incoming trunk calls a VDN is

currently processing.

VDN of Origin Announcement

(VOA)

A short announcement that is assigned to a Vector Directory Number (VDN) through communication server administration. The VOA identifies the origin or purpose of a call for the call center agent who answers the

call.

**VDN skill preference** A prioritized list of agent skills administered for a Vector Directory Number

(VDN) that are required or preferred for the answering agent. VDN Skill Preferences represent the requirement that a call be routed to an ACD

agent with a particular ability or set of abilities.

**Vector** A list of steps that process calls in a user-defined manner. The steps in a

vector can send calls to splits, play announcements and music, disconnect calls, give calls a busy signal, or route calls to other

destinations. Calls enter vector processing via Vector Directory Numbers

(VDNs), which may have received calls from assigned trunk groups, from other vectors, or from extensions connected to the communication server.

Vector Directory Number (VDN) A 16–digit extension number that enables calls to connect to a vector for processing. A VDN is not assigned an equipment location. It is assigned to a vector. A VDN can connect calls to a vector when the calls arrive over an assigned automatic-in trunk group or when calls arrive over a dial-repeating (DID) trunk group and the final digits match the VDN. The VDN by itself may be dialed to access the vector from any extension connected to the communication server.

**Voice terminal** A telephone set, usually with buttons, that gives an agent some control

over the way calls are handled.

**Weekly data** Daily data that have been converted to a weekly summary.

Write permission The Avaya CMS user can add, modify, or delete data and execute

processes. Write permission is granted from the User Permissions

subsystem.

# Index

June 2019

Special Characters	3D Chart	F.0
0/ Abon 277 207	Rotating 3rd Skill ACD Calls	
% Aban		
% Abandoned Distribution	3rd Skill Avg ACD 3rd Skill Avg ACW	
% ADD Time	3rd Skill Pref	
% ACD Time	3rd Skill Preference	
	JIU SKIII FTEIEIEIICE	<u>201</u>
% Agent Occup w/o ACW		
% Ans+Conn	A	
% Answered Distribution		
	Aban	<u>166</u>
% Busy	Aban Calls	
% Outside Service Level	Graphical Split/Skill View report	
Split/Skill Graphical Call Profile report	Multi-ACD Top Agent report	
VDN Graphical Call Profile report	Queue/Agent Status report	
% Within Service Level	Queue/Top Agent Status report	
	Split/Skill Call Profile report	
Split/Skill Crapping Call Profile report	Split/Skill Comparison report	
Split/Skill Graphical Call Profile report	Split/Skill Graphical Call Profile report1	
Split/Skill Graphical Service Level report	Split/Skill Summary report	
Split/Skill Graphical Status report	System Multi-ACD by Split/Skill report	
VDN Craphical Call Profile report	System Multi-ACD report	
VDN Graphical Call Profile report	System report	
VDN Graphical Service Level report282	Trunk/Trunk Group Busy Hour report	
	Trunk Group report	
Numerics	Trunk report	
400 ± /	VDN Busy Hour report	
100 * (sum(ABNCALLS/sum(INCALLS))	VDN Call Profile report1	
100 * (sum(BUSYCALLS)/sum(INCALLS))	VDN Graphical Call Handling report	
100 * (sum(DISCCALLS)/sum(INCALLS))	VDN Graphical Call Profile report	
100 * (sum[I_RINGTIME + I_ACDTIME + I_ACDOTHERTIME	VDN Multi-ACD Flow report	
+ I_ACDAUX_OUTTIME + I_ACDAUXINTIME]) /	VDN report1	
(sum[TI_STAFFTIME TI_AUXTIME + I_ACDAUX_OUTTIME	VDN Skill Preference report 1	
+ I_ACDAUXINTIME])	Vector report	
100 * (sum[I_RINGTIME + I_ACDTIME + I_ACDOTHERTIME	Abandon 2	
+ I_ACDAUX_OUTTIME + I_ACDAUXINTIME +	Abandoned	
I_ACWTIME]) / (sum[TI_STAFFTIME TI_AUXTIME +	Abandoned Calls	<u>50, 154</u>
I_ACDAUX_OUTTIME + I_ACDAUXINTIME])	ABNCALLS	
100 * ABNCALLS/INCALLS	93, 115, 134, 150, 154, 163, 167, 169, 171, 222, 22	<u>.8, 255,</u>
100 * BUSYCALLS/INCALLS	262, 271, 277, 284, 287, 290, 308, 310	
100 * OUTFLOWCALLS/INCALLS	ABNCALLS1	
100-PERCENT_SERV_LVL_SPL	ABNCALLS 1-10	
100- PERCENT_ SERV_LVL_VDN	ABNITIME	<u>211</u>
1st Skill ACD Calls	ABNTIME	E 262
1st Skill Avg ACW	93, 115, 134, 150, 154, 163, 167, 169, 171, 222, 25	
1st Skill Avg ACW	277, 287, 290, 308,	310 200
1st Skill Pref         290           1st Skill Preference         287	ACCEPTABLE 115 134 163 222 231 2	
	ACCEPTABLE	
2nd Skill AVD Calls	Acceptable Service Changed 222, 228, 232, 2	
2nd Skill Avg ACW	Accessing Reports	19, 20
2nd Skill Avg ACW       290         2nd Skill Pref       290	ACD 83 87 03 07 138 186 187 180 100 103 105 10	ae 200
2nd Skill Preference	83, 87, 93, 97, 138, 186, 187, 189, 190, 193, 195, 19	<u> 200,</u> <u>200</u> ,
210 ONIII I TEIETETICE		

<u>203, 204, 211, 219, 222, 231, 234, 238, 253, 255, 262, 271, </u>	Agent reports <u>78</u>
<u>276, 277, 279, 284, 286, 287, 290</u>	Agent Reports
ACD+Conn Calls <u>277</u>	Agent Group Report80
ACD+Conn Calls (total)	Agent Information Report83
ACDCALLS	Agent Report81
<u>93, 115, 134, 150, 154, 163, 167, 169, 171, 187,</u>	Attendance
<u>189, 193, 196, 200, 204, 219, 222, 228, 238, 242,</u>	AUX
<u>255, 262, 277, 284, 287, 290, 300, 304, 308, 310,</u>	Event Count <u>189</u>
<u>314</u>	Graphical Information Report86
Multi-ACD reports93	Group Attendance
ACD Calls	Group AUX <u>19</u> 4
<u>83, 87, 93, 97, 126, 134, 150, 154, 169, 171, 187,</u>	Group Summary
<u>189, 193, 196, 204, 207, 219, 222, 228, 238, 242,</u>	Inbound/Outbound <u>199</u>
<u>255,</u> <u>262,</u> <u>276,</u> <u>281,</u> <u>284,</u> <u>287,</u> <u>290</u>	Information299
Multi-ACD reports93	Login/Logout (Skill) <u>202</u>
ACDCALLS + DA_ACDCALLS <u>238</u> , <u>242</u>	Login/Logout (Split)
ACDCALLS1 <u>126</u>	overview
ACDCALLS1-10 <u>115</u> , <u>222</u> , <u>228</u> , <u>281</u>	Split/Skill Report204
ACD Calls Ans <u>167</u>	Summary Report
ACDs <u>93</u>	Time Spent
ACDTIME	Trace by Location Report211
<u>93, 134, 150, 154, 167, 169, 200, 219, 238, 242, 255, 262,</u>	Agent Report Selector Window and Input Fields 183
<u>287,</u> <u>290,</u> <u>308</u>	Agent Ring Time
ACD Time	Agents Active chartFlex Agents
ACTIVECALLS	Agents Active chartReserve1 Agents117
Active Skill87	Agents Active chartReserve2 Agents117
Active Split83	Agents Active chartTop Agents
Active Split/Skill	Agents Avail
Active VDN Calls	Agents in ACW <u>112</u>
ACW	Agents in AUX
ACWINCALLS	Agents in Other
ACWINTIME	Agents on ACD Calls
ACWOUTCALLS 193, 196, 200, 204, 255, 262	Agents Ringing112
ACWOUTOFFCALLS	Agents Staffed91, <u>112</u> , <u>134</u> , <u>145</u>
ACWOUTOFFTIME	Agent state
ACWOUTTIME	Agent Summary Report
ACWTIME <u>167</u> , <u>200</u> , <u>219</u> , <u>238</u> , <u>242</u> , <u>255</u> , <u>262</u> , <u>287</u> , <u>290</u>	Agent Time Spent Report
ACW Time <u>187</u> , <u>193</u> , <u>196</u> , <u>204</u> , <u>207</u> , <u>219</u> , <u>238</u> , <u>242</u>	Agent Trace by Location Report
adding buttons	AGINRING
ADJATTEMPTS	AGRING
ADJROUTED284	AGTIME
Adjunct Routing Attempts	Ans/Conn
Adjunct Routing Completions	ANSCONNCALLS1
After Call Work	ANSCONNCALLS10
Agent <u>87</u> , <u>147</u> , <u>158</u> , <u>187</u> , <u>200</u> , <u>204</u> , <u>207</u> , <u>211</u>	ANSCONNCALLS1-10
Agent Attendance Report	ANSCONNCALLS2
Agent AUX Report	ANSCONNCALLS2-10
Agent Graphical Information Report86	ANSTIME
Agent Group	93, 115, 134, 150, 154, 163, 167, 169, 171, 222, 255, 262,
Agent Group Report80	<u>277,</u> <u>287,</u> <u>290,</u> <u>308,</u> <u>310</u>
Agent ID	ASA
Agent Information Report83, 299	Assists
Agent Name	ASSISTS
80, 81, 83, 91, 101, 105, 112, 122, 124, 134, 138, 140, 143,	Asst
153, 174, 186, 189, 193, 195, 196, 203, 238, 242	Attendance Report
Agent Report81	AUX
Agent report input fields298	AUXINCALLS 187, 193, 196, 200, 204

AUXINTIME <u>196, 200</u>	AWORKMODE <u>112, 138, 300, 304</u>
AUXOUTCALLS	
AUXOUTOFFCALLS	D
AUXOUTOFFTIME200	В
AUXOUTTIME 193, 196, 200, 255, 262	Backup ACD Calls
AUXREASON <u>112, 122, 124, 138, 140, 300</u>	BACKUPCALLS
AUX Reason80, 81, 87, 101, 105, 112, 122, 124, 138, 211	BH ABNCALLS 276
AUX Report	BH ACDCALLS 276
AUX Time187, 193, 195, 196, 207, 238, 242	BH_ACDTIME276
AUX Time 0	BH_BUSYCALLS276
AUX Time 1 I 9	BH DISCCALLS
Aux Work	BH OTHERCALLS
AVAIL	BH_STARTTIME
Available	BH_VDNCALLS
AVAILABLE	Browse buttons
Avail Time	Browse Date dialog box
Avaya support website support322	
Average Speed of Ans - Seconds225, 227	Browse Dates dialog box
Average Speed of Answer	Browse Months dialog box
Average Time to Abandon	Browse Time dialog box
AVG_ABANDON_TIME310	Busy
AVG_ACD_TALK_TIME	Busy/Disc
AVG_AGENT_ACW_TIME	Busy+Disc Calls
AVG_AGENT_TALK_SUM	BUSYCALLS
AVG ANSWER SPEED134, 225, 227, 308, 310	Busy Hour
AVG_EQV_AG_STFD	buttons, adding
Avg. ACD Talk Time	buttons, customizing <u>73</u>
Avg. Speed of Answer	
Avg. Time to Abandon 134	C
Avg Aban Time	
Avg ACD Talk	Call Handling Preference87
Avg ACD Talk Time93, 150, 154	Calling Party211
Avg ACD Time	Call Profile Report <u>114</u>
	Call Records Report
Avg ACW	Call Records Report Input Fields213
Avg ACW Call	Calls <u>200</u>
Avg ACW Time	Calls Aban <u>171</u>
Avg ACW Time (Inbound ACD)	CALLSOFFERED <u>115</u> , <u>134</u> , <u>222</u> , <u>231</u> , <u>255</u> , <u>262</u> , <u>310</u>
Avg ACW Time (Outbound ACD)	Calls Wait <u>171</u>
Avg After Call	Calls Waiting
Avg Connect Time	<u>93, 97, 101, 109, 130, 134, 145, 147, 150, 154, 158, 169</u>
Avg External Extn Out Time200	Call Work Code <u>218, 219</u>
Avg Extn In Time	Call Work Code Name219
Avg Extri Out Time	Call Work Code Report217
Avg Hold Time	Call Work Code Report Input Fields
Avg Inbound ACD Time	Chart Reports
Avg Inbound Trunk Hold Time	3D Effects Tab
Avg Outbound ACD Time	Axis Tab
Avg Outbound Trunk Hold Time271	Data Labels Tab48
	Formatting
Avg Pos Staffed	General Tab45
Avg Speed Answer	Legend Tab
· · · · · · · · · · · · · · · · · · ·	Title Tab
Avg Speed of Answer 277	Type Tab
Avg Speed of Answer	Chart Threshold Colors tab65
Avg Time to Abandon 03 150 154 171	collection
Avg VDN Time	delete320
Avg VDN Time	edit name320

collection (continued)		EWT High		
generating PDF	<u>320</u>	EWTLOW <u>93</u>	3, <u>128</u> , <u>147</u> ,	<u>158</u>
sharing content	<u>320</u>	EWT Low		<u>93</u>
Conf	<u>211</u>	EWTMEDIUM93	3, <u>128</u> , <u>147</u> ,	<u>158</u>
CONNECTCALLS	<u>163, 277, 287</u>	EWT Medium		<u>93</u>
Connect Calls	<u>287</u>	EWTTOP <u>93</u>	3, <u>128</u> , <u>147</u> ,	<u>158</u>
CONNECTTIME	163, 277, 287	EWT Top		93
content		Exceptions		
publishing PDF output	320	Audio difficulty		91
searching		Exiting and Restarting Reports		
sharing		Exiting and restarting reports in CMS Supervis		
watching for updates	<u>320</u>	Expected Wait Time High		
Copying Chart Reports		Expected Wait Time Low		
customizing buttons		Expected Wait Time Medium		
CWC		Expected Wait Time Top		
		Exporting Report Data		
<b>D</b>		Defaults		
D		Procedure		
DA ACDCALLO		Report Format		
DA_ACDCALLS	0 040 000 004	Exporting report data on CMS Supervisor Web		
<u>187, 189, 193, 196, 200, 204, 23</u>		EXT_CALL_IN		
DA_ACDTIME		EXT_CALL_OUT		
DA_ACWTIME		EXT_IN_TIME		
DA_SKILL		EXT_OUT_TIME		
Daily Reports	<u>181</u>	EXTENSION		
Date		External Extn Out Calls		
186, 187, 189, 190, 193, 196, 200, 203, 204		Extn80, 81, 83, 87, 101, 105		
222, 225, 227, 228, 231–234, 238, 242, 255,		EXTN		
<u>277, 279, 281, 282, 284,</u>	<u>287,</u> <u>290</u>	EXTN IN TIME		
Date, Week Starting, Month Starting		Extn In Calls <u>187</u> , <u>193</u> , <u>196</u>		
Dates		Extri In Calls <u>107, 193, 190</u>		
Dialed Digits		Extn Out Calls 187, 193, 196, 200, 204, 207		
Direct Agent Calls		Extn Out Time		
Direct Agent Skills		Extil Out Time	<u>107</u> , <u>193</u> ,	204
Direction				
DIRECTION112, 134, 138, 15		F		
DISCCALLS				
Disconnect		FAGINRING	· · · · · · · · · · · · · · · · · · ·	
documentation		FAILURES		
documentation portal		FINACW		
finding content		FINAUX		
navigation		finding content on documentation portal		
Drill-Down Reports		Flex Agents (Active)		132
Drill-Down Top Agent Work State Report		Flex Agents (AUX)		
Drill-Down Work State Report		Flex Agents (Other)		
General Information		Flex Agents Staffed		
Drill-Down Top Agent Work State Report	<u>173</u>	Flow In		
DURATION	<u>211</u>	Flow Out		
		FONACD		
E		Forced Busy Calls		
<b>-</b>		Forced Disc Calls		
EQLOC	271	Formatting table reports in CMS Supervisor W	eb	<u>44</u>
EVENT TIME		FOTHER		
EVENT1-9		FSTAFFED		
Event Count		FTE_AGENTS		
Event Count 1-9		Full Time Equivalent Agents Staffed		
Event Count Report		-		
EWTHIGH9				
	<u>v, 120, 171, 100</u>			

G	Historical Reports (continued)
	Trunk Group Summary Report
Graphical Active Agents Report	Trunk Report268
Graphical Allocated Agents Report	VDN Busy Hour Report
Graphical Reports	VDN Call Profile Report
Introduction	VDN Graphical Busy/Abandon/Disconnect Comparison
Graphical Skill Overload Report	Report
Graphical Staffing Profile Report	VDN Graphical Call Profile Report
Group Attendance Report <u>192</u>	VDN Graphical Service Level Report
Group AUX Report <u>194</u>	VDN Multi-ACD Flow Report
Group Summary Report <u>196</u>	VDN Report286
	VDN Skill Preference Report
H	Vector Report293
•	Historical Reports, introduction178
Held Calls	Historical Reports, overview
High 128	Historical Reports, presentation
Historical Agent Reports, overview	Hold <u>21</u>
Historical Other Reports, overview	HOLDCALLS <u>204</u> , <u>238</u>
Historical Reports	HOLDTIME <u>204</u> , <u>238</u>
Agent Attendance	
Agent AUX	I
Agent Event Count	•
Agent Group Attendance	I ACDTIME
Agent Group AUX	
Agent Group Summary	I_ACWINTIME
agent reports	I_ACWOUTTIME
Agent Summary Report	I ACWTIME
Agent Time Spent	
Agent Trace by Location Report	I_AUXINTIME
Call Records Report	I_AUXOUTTIME
Call Work Code Attendance	I AUXTIME
Graphical Skill Overload Report	I AUXTIME0234
Inbound/Outbound Summary	I AUXTIME1-9234
introduction	I_AVAILTIME
Login/Logout (Skill)202	I_DA_ACDTIME <u>187, 193, 196, 204, 238, 242, 300, 304</u>
Login/Logout (Split)	I_DA_ACWTIME187, 193, 196, 204, 238, 242, 300, 304
overview	I INOCC
presentation	I NORMTIME
Split/Skill by Location Report	I_OL1TIME
Split/Skill Call Profile Report	I OL2TIME
Split/Skill Graphical ASA Daily Report	I_OTHERTIME234, 238, 242
Split/Skill Graphical ASA Report	I OUTOCC
Split/Skill Graphical Average Positions Staffed Report	I_RINGTIME 87, 187, 190, 193, 196, 234, 238, 242, 304
226	I_STAFFTIME
Split/Skill Graphical Call Profile Report	IAUXTIME REMAINDER
Split/Skill Graphical Multi-ACD Service Level Report .230	INACW
Split/Skill Graphical Service Level Report	INAUX
Split/Skill Graphical Time Spent Report	INAUX REMAINING
Split/Skill Outbound Report	INAUX0
Split/Skill Report	INAUX1-9
Split/Skill Summary Report	Inbound/Outbound Report
System Graphical Maximum Delay Report	Inbound Calls
System Multi-ACD by Split/Skill Report	Inbound CCS
System Multi-ACD by Spilit Skill Report	INCALLS163, 167, 271, 277, 284, 287, 290
System Report	INCALLS
Trunk/Trunk Group Busy Hour Report	Information Report
Trunk Group Report	INPROGRESS
Пинк Group Report	IIVF NOURESS

INQUEUE	308, 310	Max Pos Allocated	227
INRING	308, 310	Medium	
InSite Knowledge Base		Month	
Integrated Reports		Monthly Reports	
Agent Information	299	Month starting262,	
Agent input fields		Month Starting <u>187</u> , <u>189</u> , <u>193</u> , <u>200</u> , <u>204</u> ,	
Graphical Call Handling		MOVEPENDING	
Graphical Split/Skill View		Move Pending?	
Split/Skill report input fields		Multi-ACD Report	
Split/Skill Reports		Multi-ACD Top Agent Report	
Split/Skill report selector window		My Docs	
VDN Report input fields		WIY DOGS	<u>020</u>
Integrated Reports, Definition		N	
Integrated Reports, roadmap			
Integrate reports		Normal	<u>233</u>
INTERFLOWCALLS			
Interval Reports		0	
INTIME		0	
INTRVL	<u>189, 290</u>	O ABNCALLS	271
		O ACDCALLS	
L		O ACDTIME	
<b>-</b>			
Level87, 105, 112, 134, 138	8 140 143	O_ACWTIME	
LEVEL		OACDCALLS	
		OLDESTCALL <u>93</u> , <u>130</u> , <u>134</u> , <u>147</u> , <u>154</u> ,	<u>158, 169, 308, 310</u>
LOC_ID 112, 122, 124, 140, 143, 153, 174, 17		Oldest Call Waiting	
Location ID <u>112, 122, 124, 140, 143, 153, 174</u>		<u>93</u> , <u>97</u> , <u>109</u> , <u>130</u> , <u>134</u> , <u>147</u> , .	
Location IDs	<u>242</u>	ONACD <u>93</u> ,	<u>119, 150, 154, 310</u>
LOGID	400 400	Options Menu	
91, 112, 122, 124, 134, 138, 147, 153, 158, 187		Menu Item Functions	
<u>193, 196, 200, 204, 207, 211, 238, 242, 300, 304</u>		Other	<u>83</u> , <u>93</u> , <u>150</u> , <u>154</u>
LOGIN		OTHER <u>87, 93, 138, 150,</u>	154, <u>190, 234, 310</u>
Login/Logout (Skill) Report		Other Calls	<u>276</u>
Login/Logout (Split) Report	<u>203</u>	Other Reports	<u>90</u>
Login ID		Call Records Report	
<u>80, 81, 83, 87, 101, 105, 112, 122, 124, 140, 143</u>	<u>3, 153, 174</u>	Call Work Code	
Login Skills	<u>147</u>	Event Count Summary Report	
Login Time	<u>202</u> , <u>203</u>	Multi-ACD Report	
LOGONSTART	<u>300</u>	Multi-ACD Top Agent Report	
LOGOUT	202, 203	overview	
LOGOUT DATE	203	Overview	
Logout Date		Roadmap	
Logout Reason		Other Time	the state of the s
Logout Time		Outbound Aban Calls	
Lookahead Interflow Attempts			
Lookahead Interflow Completions		Outbound ACD Calls	
LOOKATTEMPTS		Outbound Calls	
LOOKFLOWCALLS		Outbound CCS	
Low		OUTCALLS	
LOW	<u>120</u>	OUTFLOWCALLS <u>169</u> , <u>171</u> ,	
		OUTTIME	
M		Overload1	
		Overload2	<u>233</u>
Main ACD Calls			
Malicious Call		Р	
MAX_DEDICATED_AGT	<u>227</u>	1	
Max Delay		Percent	87 105 110
Max Delay Seconds		PERCENT	
MAXOCWTIME25		I LINGEINI	<u>112</u>

PERCENT CALL ABAN	232	Real-Time Reports (continued)	
PERCENT_SERV_LVL_SPL		Graphical EWT Report	128
PERCENT_SERV_LVL_SPL		Graphical Queue Report	
PERCENT_SERV_LVL_VDN		Graphical Skill Overload Report	
PERCENT_VDN_ABAN		Graphical Staffing Profile Report	
Percentage		Graphical Status Report	
Percentage Abandoned		Graphical Top Skill Status Report	<u>137</u>
Percentage Answered		Multi-ACD Report	
PERIOD1-9115, 163, 166		Multi-ACD Top Agent Report	
PERIODCHG		overview	
Pop-Up Menus		presentation	
Displayed Menus		Queue/Agent Report selector window	
PREFERENCE		Queue/Top Agent Status Report	
		Queue Agent Status Report	
•		Queue Agent Summary Report	
Q		Reserve1 AUX Agents Report	
Quous/Agent Benerts	100	Reserve2 AUX Agents Report	
Queue/Agent Reports		roadmap	
Queue/Top Agent Status Report		Skill AUX Report	
Queue Agent Status Report		Skill Status Report	
Queue Agent Summary Report		Skill Top Agent Report	
Roadmap		Split/Skill Agent Status by Location Report	
selector window		Split/Skill by Location Report	
Queue/Top Agent Status Report		Split/Skill Graphical AUX Agents Report	
Queue Agent Status Report		Split/Skill Graphical AUX Top Agents Report	
Queue Agent Summary Report	<u>108</u>	Split/Skill Report	
		Top Agent Status Report	
R		Trunk Group report	
		Trunk Group Report	
R1AGINRING		VDN Call Profile Report	
R1INACD		VDN Graphical Call Profile Report	
R1INACW	<u>117</u> , <u>132</u>	VDN Report	
R1INAUX	<u>132</u>	VDN Reports	
R10NACD	<u>117</u>	VDN Skill Preference Report	
R10THER	<u>132</u>	Vector Report	
R1STAFFED		Real-Time Reports, overview	
R21AGINRING	<u>117</u>	Real-Time Reports, presentation	
R2AGINRING	<u>132</u>	Real-Time Reports, roadmap	
R2INACD	<u>132</u>	Reason Code 0	
R2INACW	<u>117</u> , <u>132</u>	Reason Code 0-9	
R2INAUX	<u>132</u>	Reason Code 10-99	
R2ONACD	<u>117</u>	Reason Code 1-9	
R2OTHER	<u>132</u>	Reason Code 1 I 9	
R2STAFFED	<u>97, 117, 119</u>	Reason Codes 1-9	
Real-Time Reports		Reconnect	
Agent Graphical Information Report	<u>86</u>	RECONNECT	
Agent Group Report	<u>80</u>	related documentation	
Agent Information Report	<u>83</u>	Report, Editing and Viewing	
Agent Report	<u>81</u>	Report Chart Colors tab	
Agent report input window		Report Charts	
Call Profile		Report Intervals	
Drill-Down Reports			
Drill-Down Top Agent Work State Report	<u>173</u>	Report Monu Bar report manu	
Drill-Down Work State Report		Report Menu Bar, report menu	
Event Count Summary Report		Report Menu Bar, Save as HTML	
Graphical Active Agents		Report Options of CMS Supervisor Web	
Graphical Allocated Agents		Report Run Dates, Browse Date	
Graphical Call Profile Report		Report Run Dates, Browse Dates	<u>26</u>

Report Run Dates, Browse Months	S
Report Run Times, Browse Time29	
Reports	Save as HTML <u>32</u>
Agent	Browsers <u>33</u>
Reports, Copying Charts <u>54</u>	Fonts <u>34</u>
Reports, Editing	Not Using Templates34
Menu <u>35</u>	Output Files <u>33</u>
Menu Item Functions35	Save as location <u>33</u>
Reports, Exporting Data <u>53</u>	Templates34
Reports, Formatting	Template Tags34
Menu Item Functions36	Using Existing Templates34
Reports, Minimized49, 50	Save As Script21
Icons	Scripting, Using21
Threshold Icons50	searching for content320
Reports, Tools	Seconds
Menu Item Functions37	Secs
Report Tables	Secs
Report Types	Seq211
Report Windows	Service Interval Answers and Abandons228, 281
Changing Column Widths <u>56</u>	Service Interval Calls Answered
Graphical Report Window56	Service Intervals Changed222, 228, 277, 281
Resizing55	Service Interval - Seconds
Standard Windows	SERVICELEVEL
Reserve1 Agents (active)	Service Level
Reserve1 Agents (Active)	SERVLEVEL
Reserve1 Agents (AUX)	Set report threshold highlights
Reserve1 Agents (Other)	sharing content
Reserve1 Agents in AUX	Skill 87, 97, 119, 122, 124, 126, 138, 140, 143, 147, 174, 202
Reserve1 Agents Staffed	SKILL1
Reserve1 AUX Agents Report	SKILL2
Reserve2 Agents (active)	SKILL3
Reserve2 Agents (Active)	SKILLACWTIME1
Reserve2 Agents (AUX) 132	SKILLACWTIME2 290
Reserve2 Agents (Other) 132	SKILLACWTIME3
Reserve2 Agents in AUX	SKILLCALLS1
Reserve2 Agents Staffed	SKILLCALLS2
Reserve2 AUX Agents Report	SKILLCALLS3
Resizing report windows and columns in CMS Supervisor PC	Skills
client	Skills 1-15 202
Ringing	Skill State
RINGING	93, 97, 101, 109, 117, 119, 130–132, 134, 138, 147, 154, 176
Rls	SKILLTIME1290
Roadmap	SKILLTIME1 290 SKILLTIME2 290
·	SKILLTIME3
Historical Split/Skill Reports	Skill Top Agent Report
Historical Trunk/Trunk Group Reports	SKSTATE
Historical VDN Reports274	
	<u>93, 97, 101, 109, 117, 119, 130–132, 134, 138, 147, 154,</u> 176, 308, 310
Historical Vector Report	<u>176,</u> <u>308,</u> <u>310</u> Split
Real-Time Other Reports90	
Real-Time Queue/Agent Reports	SPLIT 01 02 112 115 117 110 122 124 126 129 120 122 124
Real-Time Split/Skill Reports	91, 93, 112, 115, 117, 119, 122, 124, 126, 128, 130–132, 134,
Role	<u>138, 145, 147, 154, 158, 174, 176, 202, 204, 211, 222, 225, 237, 238, 234, 234, 238, 243, 255, 256, 269, 269, 200, 204, 211, 222, 225, 237, 238, 234, 238, 243, 256, 256, 256, 269, 200, 204, 211, 222, 225, 237, 238, 234, 238, 243, 256, 256, 256, 256, 269, 200, 204, 211, 222, 225, 237, 238, 234, 238, 243, 256, 256, 256, 256, 256, 256, 256, 256</u>
ROLE	<u>227, 228, 231–234, 238, 242, 253, 255, 259, 262, 300, 304, 208, 240</u>
ROW_DATE	308-310 California
186, 187, 189, 190, 193, 196, 200, 202–204, 207, 211, 219,	Split/Skill
<u>222, 225, 227, 228, 231–234, 238, 242, 253, 255, 262, 271, 222, 223, 231–234, 238, 242, 253, 255, 262, 271, 232, 233, 234, 238, 242, 253, 255, 262, 271, 233, 234, 238, 242, 253, 255, 262, 271, 233, 234, 238, 242, 253, 255, 262, 271, 233, 255, 262, 271, 272, 272, 272, 272, 272, 272, 27</u>	<u>80, 81, 91, 105, 109, 112, 115, 117, 130–132, 134, 145, 204, </u>
276 277 279 281 282 284 287 290	

<u>211, 222, 225, 227, 228, 231–234, 238, 242, 253, 255, 259, </u>	Split/Skill Reports (continued)
<u>262</u>	Split/Skill Graphical AUX Agents Report
Split/Skill Agent Status by Location Report	Split/Skill Graphical Top AUX Agents Report 123
Split/Skill by Location Report	Split/Skill Report
Split/Skill Call Profile Report222	Summary Report
Split/Skill Graphical ASA Daily Report227	Top Agent Status Report
Split/Skill Graphical ASA Report224	VDN Report312
Split/Skill Graphical AUX Agents Report	Split/Skill report selector window
Split/Skill Graphical AUX Top Agents Report123	Split/Skill Reports selector window
Split/Skill Graphical Average Positions Staffed Report226	Split/Skill Skill AUX Report
Split/Skill Graphical Call Profile Report125, 228	Split/Skill Skill Status Report
Split/Skill Graphical EWT Report	Split/Skill Summary Report
Split/Skill Graphical Multi-ACD Service Level Report	Splits
Split/Skill Graphical Multi-ACD Service Level Report Input	Splits/Skills
Fields230	Staffed
Split/Skill Graphical Queue Report	STAFFED91, 93, 150, 154, 308, 310
Split/Skill Graphical Service Level Report	Staffed Time <u>87</u> , <u>186</u> , <u>187</u> , <u>193</u> , <u>195</u> , <u>196</u> , <u>207</u> , <u>238</u> , <u>242</u>
Split/Skill Graphical Status report	Standard Agents (active)
Split/Skill Graphical Status report	Standard Agents (staffed)
Split/Skill Graphical Status Report	Start
Split/Skill Graphical Time Spent Report	STARTTIME
Split/Skill Graphical Top Skill Status Report	Start Time (Interval)
Split/Skill Outbound Report	State80, 81, 83, 87, 105, 112, 134, 138, 147, 158, 211
Split/Skill Report	Stop
Split/Skill report input fields307	Stroke Count <u>189</u>
Split/Skill Report Input Fields	sum(I_AUXTIME) <u>242</u>
Split/Skill Reports	sum(I_AVAILTIME) <u>242</u>
Call Profile <u>114</u>	sum(I_OTHERTIME) <u>242</u>
Call Profile Report	sum(I_RINGTIME)
Graphical Active Agents116	sum(I_STAFFTIME) <u>242</u>
Graphical Allocated Agents <u>119</u>	sum(TOTAL_ACDCALLS)
Graphical ASA Daily Report227	sum(TOTAL_I_ACD_TIME)242
Graphical ASA Report224	sum(TOTAL_I_ACW_TIME)242
Graphical Average Positions Staffed Report	support322
Graphical Call Profile Report	SVCLEVELCHG
Graphical EWT Report	syn(SPLIT)203
Graphical Multi-ACD Service Level Report	System Graphical Maximum Delay Report Input Fields 253
Graphical Queue Report129	System Multi-ACD by Split/Skill Report
Graphical Service Level Report231	System Multi-ACD by Split/Skill Report Input Fields254
Graphical Skill Overload Report	System Multi-ACD Report
Graphical Staffing Profile Report	System Multi-ACD Report Input Fields
Graphical Status Report	System Report
Graphical Time Spent Report	System Reports
Graphical Time Open Report	Graphical Maximum Delay Report
• • • • • • • • • • • • • • • • • • • •	
Graphical View <u>310</u> input fields	Multi-ACD by Split/Skill Report
· · · · · · · · · · · · · · · · · · ·	
Outbound Report	Roadmap
Report	System Report <u>261</u>
Reserve1 AUX Agents Report	
Reserve2 AUX Agents Report	T
Roadmap	
selector window	Table Reports
Skill AUX Report145	Accessing Options Window
Skill Status Report	Formatting42
Skill Top Agent Report	General Tab43
Split/Skill Agent Status by Location Report112	Sort Tab43
Split/Skill by Location Report	Using Sort Tab

TAGINRING <u>117</u> , <u>132</u> , <u>138</u>	Total Agents Active <u>119</u>
TAVAILABLE <u>138</u>	Total Agent Staffed Time242
Text Threshold Colors tab <u>66</u>	Total AUX Time <u>186</u>
The Report Window of CMS Supervisor Web39	Total Avg ACD Time <u>242</u>
Threshold highlights	Total Avg ACW Time <u>242</u>
entities <u>56</u>	Total Calls Abandoned
example <u>57</u>	Total Calls Answered <u>115</u>
turn on and off <u>57</u>	Total Hold Time204
Threshold Settings window <u>57</u>	TOTHER 117, 132, 138
TI_AUXTIME87, 187, 190, 193, 196, 238, 300, 304	TRANSFERRED200, 204, 238
TI_AUXTIME0190, 300	Trans Out
TI_AUXTIME19 <u>190</u>	Trunk271
TI_AVAILTIME87, 187, 190, 193, 196, 300, 304	Trunk/Trunk Group Busy Hour Report267
TI_OTHERTIME <u>87</u> , <u>190</u> , <u>300</u> , <u>304</u>	Trunk/Trunk Group Report Input Fields
TI_STAFFTIME <u>87, 187, 193, 196, 300, 304</u>	Trunk/Trunk Group Reports
Time	Busy Hour Report267
80, 81, 83, 87, 105, 112, 122, 124, 134, 138, 140, 143, 147,	Roadmap
<u>158, 186, 187, 189, 200, 204, 211, 287, 290</u>	Trunk Group Report270
Times	Trunk Group Summary Report
Time Zone	Trunk Report268
<u>131, 189, 200, 202, 204, 207, 224, 225, 227, 232, 237, 249,</u>	Trunk Failures
269, 272, 282, 287, 290, 292, 294	Trunk Group Name271
TINACW	Trunk Group Report270
TINAUX	Trunk Group Reports
TINAUX REMAINING	General Information
TINAUX0	Input Fields
TINAUX1-9	selector window
TKGRP	Selector Window
TONACD	Trunk Group Report
Top	Trunk Group Reports selector window
Top Agents (Active)	Trunk Group Summary Report272
Top Agents (AUX)	Trunk Report
Top Agents (Other)	TSTAFFED
Top Agents Active chart Other Skills	10 1 4 1 25 <u>111</u> , <u>100</u>
Top Agents Active chartThis Skill117	
Top Agents Avail97	U
Top Agents in ACW97	Use the Browse Weeks window28
Top Agents in AUX97, 124	Use the Browse Week window
Top Agents in Other97	Ose the blowse week willdow20
Top Agents on ACD Calls97	
Top Agents Ringing97	V
Top Agents Staffed <u>97, 117, 138</u>	
Top Agent Status Report	VDN
TOPSKILL300	147, 158, 163, 166, 167, 169, 276, 277, 279, 281, 282, 284,
Top Skill	<u>286,</u> <u>287,</u> <u>290,</u> <u>314</u>
TOTAL_ACDCALLS91, 187, 193, 196	VDN Busy Hour Report275
TOTAL_ACDTIME	VDN Call Profile Report
TOTAL_ACWTIME196	Acceptable service level
TOTAL_I_ACDTIME	Caution
TOTAL I ACWTIME	Service level increments <u>163</u>
Total ACD Calls242	VDN Graphical Busy/Abandon/Disconnect Comparison
Total ACD Time	Report
Total ACW Time	VDN Graphical Call Handling Report313
Total Agent AUX Time	VDN Graphical Call Profile Report
Total Agent Avail Time242	VDN Graphical Service Level Report
Total Agent Other Time242	VDN Interflow
Total Agent Ring Time242	VDN Multi-ACD Flow Report
iotal / igent rang mine	VDN Name <u>80, 81, 276, 284, 287</u>

### Index

VDN Report	168.	286
VDN Report input fields		
VDN Report Input Fields		
VDN Reports		
Busy Hour Report		
Call Profile Report		
General Information		
Graphical Busy/Abandon/Disconnect Compariso		
Graphical Call Handling		
Graphical Call Profile Report		
Graphical Service Level Report		282
Input Fields		162
Multi-ACD Flow Report		<u>283</u>
Report		286
Roadmap	<u>162</u> ,	<u>274</u>
Selector Window		
Skill Preference Report		
VDN Call Profile Report		
VDN Graphical Call Profile Report		
VDN Report		
VDN Skill Preference Report		
VDN Skill Preference Report		
Vector <u>171</u> ,		
VECTOR <u>171</u> ,		
Vector Flow In		
Vector Flow Out		
Vector Report		
General Information		
Input Fields		
Roadmap		
Selector Window		
Vector Report Input Fields		
videos		<u>32</u>
W		
watch list		220
watch list		
Week		
Weekly Reports	297	. 10
Week Starting <u>187</u> , <u>189</u> , <u>193</u> , <u>200</u> , <u>204</u> , <u>207</u> , <u>222</u> , WMODE SEQ	<u>230</u> ,	211
WORKMODE	158	211
WORKSKILL 112, 138,	300	304
WORKSKLEVEL		
WORKSPLIT		
WORKSPLIT2		
WORKSPLIT3		
WORKSPI IT4		158