



**Avaya Proactive Outreach Manager
Database Dictionary for Oracle**

Release 4.0.2 SP2

Issue 1.1

Oct 2023

AVAYA SOFTWARE DEVELOPMENT KIT LICENSE AGREEMENT

REVISED: October 2023

READ THIS CAREFULLY BEFORE ELECTRONICALLY ACCESSING OR USING THIS PROPRIETARY PRODUCT!

THIS IS A LEGAL AGREEMENT (“AGREEMENT”) BETWEEN YOU, INDIVIDUALLY, AND/OR THE LEGAL ENTITY FOR WHOM YOU ARE OPENING, INSTALLING, DOWNLOADING, COPYING OR OTHERWISE USING THE AVAYA SOFTWARE DEVELOPMENT KIT (“SDK”) (COLLECTIVELY, AS REFERENCED HEREIN, “YOU”, “YOUR”, OR “LICENSEE”) AND AVAYA LLC OR ANY AVAYA AFFILIATE (COLLECTIVELY, “AVAYA”). IF YOU ARE ACCEPTING THE TERMS AND CONDITIONS OF THIS AGREEMENT ON BEHALF OF A LEGAL ENTITY, YOU REPRESENT AND WARRANT THAT YOU HAVE FULL LEGAL AUTHORITY TO ACCEPT ON BEHALF OF AND BIND SUCH LEGAL ENTITY TO THIS AGREEMENT. BY OPENING THE MEDIA CONTAINER, BY INSTALLING, DOWNLOADING, COPYING OR OTHERWISE USING THE AVAYA SOFTWARE DEVELOPMENT KIT (“SDK”) OR AUTHORIZING OTHERS TO DO SO, YOU SIGNIFY THAT YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS AGREEMENT. IF YOU DO NOT HAVE SUCH AUTHORITY OR DO NOT WISH TO BE BOUND BY THE TERMS OF THIS AGREEMENT, SELECT THE "DECLINE" BUTTON AT THE END OF THE TERMS OF THIS AGREEMENT OR THE EQUIVALENT OPTION AND YOU SHALL HAVE NO RIGHT TO USE THE SDK.

1.0 DEFINITIONS.

1.1 “Affiliates” means any entity that is directly or indirectly controlling, controlled by, or under common control with Avaya LLC. For purposes of this definition, “control” means the power to direct the management and policies of such party, directly or indirectly, whether through ownership of voting securities, by contract or otherwise; and the terms “controlling” and “controlled” have meanings correlative to the foregoing.

1.2 “Avaya Software Development Kit” or “SDK” means Avaya technology, which may include Software, Client Libraries, Specification Documents, Software libraries, application programming interfaces (“API”), Software tools, Sample Application Code and Documentation.

1.3 “Client Libraries” mean any enabler code specifically designated as such and included in a SDK. Client Libraries may also be referred to as “DLLs”, and represent elements of the SDK required at runtime to communicate with Avaya products or other SDK elements.

1.4 “Change In Control” shall be deemed to have occurred if any person, entity or group comes to own or control, directly or indirectly, beneficially or of record, voting securities (or any other form of controlling interest) which represent more than fifty percent (50%) of the total voting power of the Licensee.

1.5 “Derivative Work(s)” means any translation (including translation into other computer languages), port, compiling of Source Code into object code, combination with a pre-existing work, modification, correction, addition, extension, upgrade, improvement, compilation, abridgment or other form in which an existing work

may be recast, transformed or adapted or which would otherwise constitute a derivative work under the United States Copyright Act. Permitted Modifications will be considered Derivative Works.

1.6 “Documentation” includes programmer guides, CDs, manuals, materials, and information appropriate or necessary for use in connection with the SDK. Documentation may be provided in machine-readable, electronic or hard copy form.

1.7 “Intellectual Property” means any and all: (i) rights associated with works of authorship throughout the world, including copyrights, neighboring rights, moral rights, and mask works, (ii) trademark and trade name rights and similar rights, (iii) trade secret rights, (iv) patents, algorithms, designs and other industrial property rights, (v) all other intellectual and industrial property rights (of every kind and nature throughout the world and however designated) whether arising by operation of law, contract, license, or otherwise, and (vi) all registrations, initial applications, renewals, extensions, continuations, divisions or reissues thereof now or hereafter in force (including any rights in any of the foregoing).

1.8 “Permitted Modification(s)” means Licensee’s modifications of the Sample Application Code as needed to create applications, interfaces, workflows or processes for use with Avaya products.

1.9 “Specification Document” means any notes or similar instructions in hard copy or machine readable form, including any technical, interface and/or interoperability specifications that define the requirements and conditions for connection to and/or interoperability with Avaya products, systems and solutions.

1.10 “Source Code” means human readable or high-level statement version of software written in the source language used by programmers and includes one or more programs. Source Code programs may include one or more files, such as user interface markup language (.mxml), action script (.as), precompiled Flash code (.swc), java script (.js), hypertext markup language (.html), active server pages (.asp), C# or C# .Net source code (.cs), java source code (.java), java server pages (.jsp), java archives (.jar), graphic interchange format (.gif), cascading style sheet (.css), audio files (.wav) and extensible markup language (.xml) files.

1.11 “Sample Application Code” means Software provided for the purposes of demonstrating functionality of an Avaya product through the Avaya Software Development Kit.

1.12 “Software” means data or information constituting one or more computer or apparatus programs, including Source Code or in machine-readable, compiled object code form.

2.0 LICENSE GRANT.

2.1 SDK License.

A. Provided Licensee pays to Avaya the applicable license fee (if any), Avaya hereby grants Licensee a limited, non-exclusive, non-transferable license (without the right to sublicense, except as set forth in 2.1B(iii)) under the Intellectual Property of Avaya and, if applicable, its licensors and suppliers to (i) use the SDK solely for the purpose of Licensee's internal development efforts to develop applications, interfaces, value-added services and/or solutions, workflows or processes to work in conjunction with Avaya products; (ii) to package Client Libraries for redistribution with Licensee’s complementary

applications that have been developed using this SDK, subject to the terms and conditions set forth herein; (iii) use Specification Documents solely to enable Licensee's products, services and application solutions to exchange messages and signals with Avaya products, systems and solutions to which the Specification Document(s) apply; (iv) modify and create Derivative Works of the Sample Application Code, Specification Documents and Documentation solely for internal development of applications, interfaces, workflows or processes for use with Avaya products, integration of such applications, interfaces, workflows and processes with Avaya products and interoperability testing of the foregoing with Avaya products; and (v) compile or otherwise prepare for distribution the Sample Application Code with Permitted Modifications, into an object code or other machine-readable program format for distribution and distribute the same subject to the conditions set forth in Section 2.1B.

B. The foregoing license to use Sample Application Code is contingent upon the following: (i) Licensee must ensure that the modifications made to the Sample Application Code as permitted in clause (iv) of Section 2.1A are compatible and/or interoperable with Avaya products and/or integrated therewith, (ii) Licensee may distribute Licensee's application that has been created using this SDK, provided that such distribution is subject to an end user pursuant to Licensee's current end user license agreement ("Licensee EULA") that is consistent with the terms of this Agreement and, if applicable, any other agreement with Avaya (e.g., the Avaya DevConnect Program Agreement), and is equally as protective as Licensee's standard software license terms, but in no event shall the standard of care be less than a reasonable degree of care, and (iii) Licensee ensures that each end user who receives Client Libraries or Sample Application Code with Permitted Modifications has all necessary licenses for all underlying Avaya products associated with such Client Libraries or Sample Application Code.

Your Licensee EULA must include terms concerning restrictions on use, protection of proprietary rights, disclaimer of warranties, and limitations of liability. You must ensure that Your End Users using applications, interfaces, value-added services and/or solutions, workflows or processes that incorporate the API, Client Libraries, Sample Code or Permitted Modifications adhere to these terms, and You agree to notify Avaya promptly if You become aware of any breach of the terms of Licensee EULA that may impact Avaya. You will take all reasonable precautions to prevent unauthorized access to or use of the SDK and notify Avaya promptly of any such unauthorized access or use.

C. Licensee acknowledges and agrees that it is licensed to use the SDK only in connection with Avaya products (and if applicable, in connection with services provided by or on behalf of Avaya).

D. With respect to Software that contains elements provided by third party suppliers, Licensee may install and use the Software in accordance with the terms and conditions of the applicable license agreements, such as "shrinkwrap" or "click-through" licenses, accompanying or applicable to the Software.

2.2 No Standalone Product. Nothing in this Agreement authorizes or grants Licensee any rights to distribute or otherwise make available to a third party the SDK, in whole or in part, or any Derivative Work in source or object code format on a standalone basis other than the modifications permitted in Section 2.1B of this Agreement.

2.3 Proprietary Notices. Licensee shall not remove any copyright, trade mark or other proprietary notices incorporated in the copies of the SDK, Sample Application Code and redistributable files in Licensee's possession or control or any modifications thereto. Redistributions in binary form or other suitable program format for distribution, to the extent expressly permitted, must also reproduce Avaya's copyright, trademarks or other proprietary notices as incorporated in the SDK in any associated Documentation or "splash screens" that display Licensee copyright notices.

2.4 Third-Party Components. You acknowledge certain software programs or portions thereof included in the SDK may contain software distributed under third party agreements (“Third Party Components”), which may contain terms that expand or limit rights to use certain portions of the SDK (“Third Party Terms”). Information identifying the copyright holders of the Third Party Components and the Third Party Terms that apply is available in the attached Schedule 1 (if any), SDK, Documentation, or on Avaya’s web site at: <http://support.avaya.com/Copyright> (or such successor site as designated by Avaya). The open source software license terms provided as Third Party Terms are consistent with the license rights granted in this Agreement, and may contain additional rights benefiting You, such as modification and distribution of the open source software. The Third Party Terms shall take precedence over this Agreement, solely with respect to the applicable Third Party Components, to the extent that this Agreement imposes greater restrictions on You than the applicable Third Party Terms. Licensee is solely responsible for procuring any necessary licenses for Third Party Components, including payment of licensing royalties or other amounts to third parties, for the use thereof.

2.5 Copies of SDK. Licensee may copy the SDK only as necessary to exercise its rights hereunder.

2.6a No Reverse Engineering. Licensee shall have no rights to any Source Code for any of the software in the SDK, except for the explicit rights to use the Source Code as provided to Licensee hereunder. Licensee agrees that it shall not cause or permit the disassembly, decompilation or reverse engineering of the Software. Notwithstanding the foregoing, if the SDK is rightfully located in a member state of the European Union and Licensee needs information about the Software in the SDK in order to achieve interoperability of an independently created software program with the Software in the SDK, Licensee will first request such information from Avaya. Avaya may charge Licensee a reasonable fee for the provision of such information. If Avaya refuses to make such information available, then Licensee may take steps, such as reverse assembly or reverse compilation, to the extent necessary solely in order to achieve interoperability of the Software in the SDK with an independently created software program. To the extent that the Licensee is expressly permitted by applicable mandatory law to undertake any of the activities listed in this section, Licensee will not exercise those rights until Licensee has given Avaya twenty (20) days written notice of its intent to exercise any such rights.

2.6.b License Restrictions. To the extent permissible under applicable law, Licensee agrees not to: (i) publish, sell, sublicense, lease, rent, loan, assign, convey or otherwise transfer the SDK; (ii) distribute, disclose or allow use the SDK, in any format, through any timesharing service, service bureau, network or by any other means; (iii) distribute or otherwise use the Software in the SDK in any manner that causes any portion of the Software that is not already subject to an OSS License to become subject to the terms of any OSS License; (iv) link the Source Code for any of the software in the SDK with any software licensed under the Affero General Public License (Affero GPL) v.3 or similar licenses; (v) access information that is solely available to root administrators of the Avaya products, systems, and solutions; (vi) develop applications, interfaces, value-added services and/or solutions, workflows or processes that causes adverse effects to Avaya and third-party products, services, solutions, such as, but not limited to, poor performance, software crashes and cessation of their proper functions; and (vii) develop applications, interfaces, value-added services and/or solutions, workflows or processes that blocks or delays emergency calls; (viii) emulate an Avaya SIP endpoint by form or user interface design confusingly similar as an Avaya product ; (ix) reverse engineer Avaya SIP protocol messages; or (x) permit or encourage any third party to do any of (i) through (x), inclusive, above.

2.7 Responsibility for Development Tools. Licensee acknowledges that effective utilization of the SDK may require the use of a development tool, compiler and other software and technology of third parties, which may be incorporated in the SDK pursuant to Section 2.4. Licensee is solely responsible for procuring such third party software and technology and the necessary licenses, including payment of licensing royalties or other amounts to third parties, for the use thereof.

2.8 U.S. Government End Users. The SDK shall be classified as "commercial computer software" and the Documentation is classified as "commercial computer software documentation" or "commercial items," pursuant to FAR 12.212 or DFAR 227.7202, as applicable. Any use, modification, reproduction, release,

performance, display or disclosure of the SDK or Documentation by the Government of the United States shall be governed solely by the terms of the Agreement and shall be prohibited except to the extent expressly permitted by the terms of the Agreement.

2.9 Limitation of Rights. No right is granted to Licensee to sublicense its rights hereunder. All rights not expressly granted are reserved by Avaya or its licensors or suppliers and, except as expressly set forth herein, no license is granted by Avaya or its licensors or suppliers under this Agreement directly, by implication, estoppel or otherwise, under any Intellectual Property right of Avaya or its licensors or suppliers. Nothing herein shall be deemed to authorize Licensee to use Avaya's trademarks or trade names in Licensee's advertising, marketing, promotional, sales or related materials.

2.10 Independent Development.

2.10.1 Licensee understands and agrees that Avaya, Affiliates, or Avaya's licensees or suppliers may acquire, license, develop for itself or have others develop for it, and market and/or distribute applications, interfaces, value-added services and/or solutions, workflows or processes similar to that which Licensee may develop. Nothing in this Agreement shall restrict or limit the rights of Avaya, Affiliates, or Avaya's licensees or suppliers to commence or continue with the development or distribution of such applications, interfaces, value-added services and/or solutions, workflows or processes.

2.10.2 Nonassertion by Licensee. Licensee agrees not to assert any Intellectual Property related to the SDK or applications, interfaces, value-added services and/or solutions, workflows or processes developed using the SDK against Avaya, Affiliates, Avaya's licensors or suppliers, distributors, customers, or other licensees of the SDK.

2.11 Feedback and Support. Licensee agrees to provide any information, comments, problem reports, enhancement requests and suggestions regarding the performance of the SDK (collectively, "Feedback") via any public or private support mechanism, forum or process otherwise indicated by Avaya. Avaya monitors applicable mechanisms, forums, or processes but is under no obligation to implement any of Feedback, or be required to respond to any questions asked via the applicable mechanism, forum, or process. Licensee hereby assigns to Avaya all right, title, and interest in and to Feedback provided to Avaya.

2.12(a) Fees and Taxes. To the extent that fees are associated with the license of the SDK, Licensee agrees to pay to Avaya or pay directly to the applicable government or taxing authority, if requested by Avaya, all taxes and charges, including without limitation, penalties and interest, which may be imposed by any federal, state or local governmental or taxing authority arising hereunder excluding, however, all taxes computed upon Avaya's net income. If You move any Software, including the SDK, and as a result of such move, a jurisdiction imposes a duty, tax, levy or fee (including withholding taxes, fees, customs or other duties for the import and export of any such Software), then You are solely liable for, and agree to pay, any such duty, taxes, levy or other fees.

2.12(b) Audit. Avaya shall have the right, at its cost and expense, to inspect and/or audit (i) by remote polling or other reasonable electronic means at any time and (ii) in person during normal business hours and with reasonable notice Licensee's books, records, and accounts, to determine Licensee's compliance with this Agreement. In the event such inspection or audit uncovers non-compliance with this Agreement, then without prejudice to Avaya's termination rights hereunder, Licensee shall promptly pay Avaya any applicable license fees. Licensee agrees to keep a current record of the location of the SDK.

2.13 No Endorsement. Neither the name Avaya, Affiliates nor the names of contributors may be used to endorse or promote products derived from the Avaya SDK without specific prior written permission from Avaya.

2.14 High Risk Activities. The Avaya SDK is not fault-tolerant, and is not designed, manufactured or intended for use or resale as on-line control equipment or in hazardous environments requiring failsafe performance, such as in the operation of nuclear facilities, aircraft navigation or aircraft communications systems, mass transit, air traffic control, medical or direct life support machines, dedicated emergency call handling systems or weapons systems, in which the failure of the Avaya SDK could lead directly to death, personal injury, or severe physical or environmental damage ("high risk activities"). If Licensee uses the Avaya SDK for high risk activities, Licensee does so at Licensee's own risk and Licensee assumes all responsibility and liability for such use to the maximum extent such limitation or exclusion is permitted by applicable law. Licensee agrees that Avaya and its suppliers will not be liable for any claims or damages arising from or related to use of the Avaya SDK for high risk activities to the maximum extent such limitation or exclusion is permitted by law.

2.15 No Virus. Licensee warrants that (i) the applications, interfaces, value-added services and/or solutions, workflows or processes Licensee develops using this SDK will not contain any computer program file that includes time code limitations, disabling devices, or any other mechanism which will prevent the Avaya product (including other software, firmware, hardware), services and networks from being functional at all times (collectively "Time Bombs"); and (ii) the applications, interfaces, value-added services and/or solutions, workflows or processes Licensee develops using this SDK will be free of computer viruses, malicious or other harmful code, black boxes, malware, trapdoors, and other mechanisms which could: a) damage, destroy or adversely affect Avaya product, or services and/or end users; b) allow remote/hidden attacks or access through unauthorized computerized command and control; c) spy (network sniffers, keyloggers), and d) damage or erase such applications, interfaces, value-added services and/or solutions, workflows or processes developed using this SDK or data, or any computer files or systems of Avaya, Affiliates, and/or end users (collectively "Virus"). In addition to any other remedies permitted in the Agreement, if Licensee breaches its warranties under this Section, Licensee will, at its expense, take remedial action to eliminate any Time Bombs and/or Viruses and prevent re-occurrence (including implementing appropriate processes to prevent further occurrences) as well as provide prompt, reasonable assistance to Avaya to materially reduce the effects of the Time Bomb and/or Virus.

2.16 Disclaimer. Any software security feature is not a guaranty against malicious code, deleterious routines, and other techniques and tools employed by computer "hackers" and other third parties to create security exposures. Compromised passwords represent a major security risk. Avaya encourages You to create strong passwords using three different character types, change Your password regularly and refrain from using the same password regularly. You must treat such information as confidential. You agree to notify Avaya immediately upon becoming aware of any unauthorized use or breach of Your user name, password, account, API Key, or other credentials as provided by Avaya for use of the SDK, or subscription. You are responsible for ensuring that Your networks and systems are adequately secured against unauthorized intrusion or attack and regularly back up of Your data and files in accordance with good computing practices.

2.17 Third Party Licensed Software

A. "Commercial Third Party Licensed Software" is software developed by a business with the purpose of making money from the use of that licensed software. "Freeware Licensed Software" is software which is made available for use, free of charge and for an unlimited time, but is not Open Source Licensed Software. "Open Source Software" or "OSS" is as defined by the Open Source Initiative ("OSI") <https://opensource.org/osd> and is software licensed under an OSI approved license as set forth at <https://opensource.org/licenses/alphabetical> (or such successor site as designated by OSI). These are collectively referred to herein as "Third Party Licensed Software".

B. Licensee represents and warrants that Licensee, including any employee, contractor, subcontractor, or consultant engaged by Licensee, is to the Licensee's knowledge, in compliance and will continue to comply with all license obligations for Third Party Licensed Software used in the Licensee application created using the SDK including providing to end users all information required by such licenses as may be necessary. LICENSEE REPRESENTS AND WARRANTS THAT, TO THE LICENSEE'S KNOWLEDGE, THE OPEN SOURCE LICENSED SOFTWARE EMBEDDED IN OR PROVIDED WITH LICENSEE APPLICATION OR SERVICES DOES NOT INCLUDE ANY OPEN SOURCE LICENSED SOFTWARE CONTAINING TERMS REQUIRING ANY INTELLECTUAL PROPERTY OWNED OR LICENSED BY AVAYA OR END USERS TO BE (A) DISCLOSED OR DISTRIBUTED IN SOURCE CODE OR OBJECT CODE FORM; (B) LICENSED FOR THE PURPOSE OF MAKING DERIVATIVE WORKS; OR (C) REDISTRIBUTABLE ON TERMS AND CONDITION NOT AGREED UPON BY AVAYA OR END USERS.

C. Subject to any confidentiality obligations, trade secret or other rights or claims of Licensee suppliers, Licensee will respond to requests from Avaya or end users relating to Third Party Licensed Software associated with Licensee's use of Third Party Licensed Software. Licensee will cooperate in good faith by furnishing the relevant information to Avaya or end users and the requester within two (2) weeks from the time Avaya or end user provided the request to Licensee.

3. OWNERSHIP.

3.1 As between Avaya and Licensee, Avaya or its licensors or suppliers shall own and retain all Intellectual Property rights, in and to the SDK and any corrections, bug fixes, enhancements, updates, improvements, or modifications thereto and Licensee hereby irrevocably transfers, conveys and assigns to Avaya, its licensors and its suppliers all of its right, title, and interest therein. Avaya or its licensors or suppliers shall have the exclusive right to apply for or register any patents, mask work rights, copyrights, and such other proprietary protections with respect thereto. Licensee acknowledges that the license granted under this Agreement does not provide Licensee with title or ownership to the SDK, but only a right of limited use under the terms and conditions of this Agreement.

3.2 Grant Back License to Avaya. Licensee hereby grants to Avaya an irrevocable, perpetual, non-exclusive, sublicensable, royalty-free, fully paid up, worldwide license under any and all of Licensee's Intellectual Property rights related to any Permitted Modifications, to (i) use, make, sell, execute, adapt, translate, reproduce, display, perform, prepare derivative works based upon, distribute (internally and externally) and sublicense the Permitted Modifications and their derivative works, and (ii) sublicense others to do any, some, or all of the foregoing.

4.0 SUPPORT.

4.1 No Avaya Support. Avaya will not provide any support for the SDK provided under this Agreement or for any Derivative Works, including, without limitation, modifications to the Source Code or applications built by Licensee using the SDK. Avaya shall have no obligation to provide support for the use of the SDK, or Licensee's application, services or solutions which may or may not include redistributable Client Libraries or Sample Application Code, to any third party to whom Licensee delivers such applications, services or solutions. Avaya further will not provide fixes, patches or repairs for any defects that might exist in the SDK or

the Sample Application Code provided under this Agreement. In the event that Licensee desires support services for the SDK, and, provided that Avaya offers such support services (in its sole discretion), Licensee will be required to enter into an Avaya DevConnect Program Agreement or other support agreement with Avaya.

4.2 Licensee Obligations. Licensee acknowledges and agrees that it is solely responsible for developing and supporting any applications, interfaces, value-added services and/or solutions, workflows or processes developed under this Agreement, including but not limited to (i) developing, testing and deploying such applications, interfaces, value-added services and/or solutions, workflows or processes; (ii) configuring such applications, interfaces, value-added services and/or solutions, workflows or processes to interface and communicate properly with Avaya products; and (iii) updating and maintaining such applications, interfaces, value-added services and/or solutions, workflows or processes as necessary for continued use with the same or different versions of end user and/or third party licensor products, and Avaya products.

5.0 CONFIDENTIALITY.

5.1 Protection of Confidential Information. Licensee acknowledges and agrees that the SDK and any other Avaya technical information obtained by it under this Agreement (collectively, “Confidential Information”) is confidential information of Avaya. Licensee shall take all reasonable measures to maintain the confidentiality of the Confidential Information. Licensee further agrees at all times to protect and preserve the SDK in strict confidence in perpetuity, and shall not use such Confidential Information other than as expressly authorized by Avaya under this Agreement, nor shall Licensee disclose any Confidential Information to third parties without Avaya's written consent. Licensee further agrees to immediately 1) cease all use of all Confidential Information (including copies thereof) in Licensee's possession, custody, or control; 2) stop reproducing or distributing the Confidential Information; and 3) destroy the Confidential Information in Licensee's possession or under its control, including Confidential Information on its computers, disks, and other digital storage devices upon termination of this Agreement at any time and for any reason. Upon request, Licensee will certify in writing its compliance with this Section. The obligations of confidentiality shall not apply to information which (a) has entered the public domain except where such entry is the result of Licensee's breach of this Agreement; (b) prior to disclosure hereunder was already rightfully in Licensee's possession; (c) subsequent to disclosure hereunder is obtained by Licensee on a non-confidential basis from a third party who has the right to disclose such information to the Licensee; (d) is required to be disclosed pursuant to a court order, so long as Avaya is given adequate notice and the ability to challenge such required disclosure.

5.2 Press Releases. Any press release or publication regarding this Agreement is subject to prior written approval of Avaya.

6.0 NO WARRANTY.

The SDK and Documentation are provided “AS-IS” without any warranty whatsoever. AVAYA SPECIFICALLY AND EXPRESSLY DISCLAIMS ANY WARRANTIES OR CONDITIONS, STATUTORY OR OTHERWISE, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT AND SATISFACTORY QUALITY. AVAYA DOES NOT WARRANT THAT THE SDK AND DOCUMENTATION ARE SUITABLE FOR LICENSEE'S USE, THAT THE SDK OR DOCUMENTATION ARE WITHOUT DEFECT OR ERROR, THAT OPERATION WILL BE UNINTERRUPTED, OR THAT DEFECTS WILL BE CORRECTED. FURTHER, AVAYA MAKES NO WARRANTY REGARDING THE RESULTS OF THE USE OF THE SDK AND DOCUMENTATION. NEITHER AVAYA NOR ITS SUPPLIERS MAKE ANY WARRANTY, EXPRESS OR IMPLIED, THAT THE SDK OR DOCUMENTATION IS SECURE, SECURITY THREATS AND VULNERABILITIES WILL BE DETECTED OR SOFTWARE WILL RENDER AN END USER'S OR LICENSEE'S NETWORK OR PARTICULAR NETWORK ELEMENTS SAFE FROM INTRUSIONS AND OTHER SECURITY BREACHES.

7.0 CONSEQUENTIAL DAMAGES WAIVER.

EXCEPT FOR PERSONAL INJURY CLAIMS, AVAYA SHALL NOT BE LIABLE FOR ANY INCIDENTAL, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH, ARISING OUT OF OR RELATING TO THIS AGREEMENT OR USE OF THE SDK, OR FOR THE LOSS OR CORRUPTION OF DATA, INFORMATION OF ANY KIND, BUSINESS, PROFITS, OR OTHER COMMERCIAL LOSS, HOWEVER CAUSED, AND WHETHER OR NOT AVAYA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

8.0 LIMITATION OF LIABILITY.

EXCEPT FOR PERSONAL INJURY CLAIMS, IN NO EVENT SHALL AVAYA'S TOTAL LIABILITY TO LICENSEE IN CONNECTION WITH, ARISING OUT OF OR RELATING TO THIS AGREEMENT EXCEED FIVE HUNDRED DOLLARS (\$500). THE PARTIES AGREE THAT THE LIMITATIONS SPECIFIED IN THIS SECTION WILL APPLY EVEN IF ANY LIMITED REMEDY PROVIDED IN THIS AGREEMENT IS FOUND TO HAVE FAILED OF ITS ESSENTIAL PURPOSE.

9.0 INDEMNIFICATION.

Licensee shall defend, indemnify and hold harmless Avaya, Affiliates and their respective officers, directors, agents, suppliers, customers and employees ("Indemnified Parties") from and against all claims, demand, suit, actions or proceedings ("Claims") and damages, losses, liabilities, costs, expenses, and fees (including fees of attorneys and other professionals) ("Damages") based upon an allegation pertaining to wrongful use, misappropriation, or infringement of a third party's Intellectual Property right arising from or relating to Licensee's use of the SDK, alone or in combination with other software, such as operating systems and codecs, and the, direct or indirect, use, distribution or sale of any software, Derivative Works or other products (including but not limited to applications, interfaces, and application programming interfaces) developed utilizing the SDK.

Licensee shall defend, indemnify and hold harmless the Indemnified Parties from and against all Claims and Damages arising out of or related to: (i) personal injury (including death); (ii) damage to any person or tangible property caused, or alleged to be caused by Licensee or Licensee's application created by using the SDK; (iii) the failure by Licensee or Licensee's application created by using the SDK to comply with the terms of this Agreement or any applicable laws; (iv) the breach of any representation, or warranty made by Licensee herein; or (v) Licensee's breach of any obligation under the Licensee EULA.

10.0 TERM AND TERMINATION.

10.1 This Agreement will continue through December 31st of the current calendar year. The Agreement will automatically renew for one (1) year terms, unless terminated as specified in Section 10.2 or 10.3 below.

10.2 Either party shall have the right to terminate the Agreement, upon thirty (30) days written notice to the other party.

10.3 Notwithstanding language to the contrary, Avaya may terminate this Agreement immediately, upon written notice to Licensee for breach of Section 2 (License Grant), Section 5 (Confidentiality) or Section 12 (Compliance with Laws). Avaya may also terminate this Agreement immediately by giving written notice if a

Change In Control should occur or if Licensee becomes insolvent, or voluntary or involuntary proceedings by or against Licensee are instituted in bankruptcy or under any insolvency law, or a receiver or custodian is appointed for Licensee, or proceedings are instituted by or against Licensee for corporate reorganization or the dissolution of Licensee, which proceedings, if involuntary, have not been dismissed within thirty (30) days after the date of filing, or Licensee makes an assignment for the benefit of its creditors, or substantially all of the assets of Licensee are seized or attached and not released within sixty (60) days thereafter, or if Licensee has ceased or threatened to cease to do business in the regular course.

10.4 Upon termination or earlier termination of this Agreement, Licensee will immediately cease a) all uses of the Confidential Information; b) Licensee agrees to destroy all adaptations or copies of the Confidential Information stored in any tangible medium including any document or work containing or derived (in whole or in part) from the Confidential Information, and certify its destruction to Avaya upon termination of this License. Licensee will promptly cease use of, distribution and sales of Licensee products that embody any such Confidential Information, and destroy all Confidential Information belonging to Avaya as well as any materials that embody any such Confidential Information. All licenses granted will terminate.

10.5 The rights and obligations of the parties contained in Sections 2.3, 2.6, 2.7, 2.10, 2.11, 2.12, 3, and 5 through 17 shall survive any expiration or termination of this Agreement.

11.0 ASSIGNMENT.

Avaya may assign all or any part of its rights and obligations hereunder. Licensee may not assign this Agreement or any interest or rights granted hereunder to any third party without the prior written consent of Avaya. The term "assign" includes, but is not limited to, any transaction in which there is a Change In Control or reorganization of Licensee pursuant to a merger, sale of assets or stock. This Agreement shall terminate immediately upon occurrence of any prohibited assignment.

12.0 COMPLIANCE WITH LAWS AND IMPORT/EXPORT CONTROL.

Licensee shall comply with all applicable laws and regulations, including without limitation those applicable to data privacy, intellectual property, trade secret, and fraud. Licensee is advised that the Technical Information is of U.S. origin and subject to the U.S. Export Administration Regulations (“EAR”) and may be subject to applicable local country import/export laws and regulations. Diversion contrary to U.S. and/or applicable local country law and/or regulation is prohibited. Licensee agrees not to directly or indirectly export, re-export, import, download, or transmit the Technical Information to any country, end user or for any use that is contrary to applicable U.S. and/or local country regulation or statute (including but not limited to those countries embargoed by the U.S. government). Licensee represents that any governmental agency has not issued sanctions against Licensee or otherwise suspended, revoked or denied Licensee's import/export privileges. Licensee agrees not to use or transfer the Technical Information for any use relating to nuclear, chemical or biological weapons, or missile technology, unless authorized by the U.S. and/or any applicable local government by regulation or specific written license. Additionally, Licensee is advised that the Technical Information may contain encryption algorithm or source code that may not be exported to government or military end users without a license issued by the U.S. Bureau of Industry and Security and any other country's governmental agencies, where applicable.

13.0 WAIVER.

The failure to assert any rights under this Agreement, including, but not limited to, the right to terminate in the event of breach or default, will not be deemed to constitute a waiver of the right to enforce each and every provision of this Agreement in accordance with their terms.

14.0 SEVERABILITY.

If any provision of this Agreement is determined to be unenforceable or invalid, this Agreement will not be rendered unenforceable or invalid as a whole, and the provision will be changed and interpreted so as to best accomplish the objectives of the original provision within the limits of applicable law.

15.0 GOVERNING LAW AND DISPUTE RESOLUTION.

15.1 Governing Law. This Agreement and any dispute, claim or controversy arising out of or relating to this Agreement (“Dispute”), including without limitation the formation, interpretation, breach or termination of this Agreement, or any issue regarding whether a Dispute is subject to arbitration under this Agreement, will be governed by New York State laws, excluding conflict of law principles, and the United Nations Convention on Contracts for the International Sale of Goods.

15.2 Dispute Resolution. Any Dispute will be resolved in accordance with the provisions of this Section 15. The disputing party shall give the other party written notice of the Dispute in accordance with the notice provision of this Agreement. The parties will attempt in good faith to resolve each controversy or claim within 30 days, or such other longer period as the parties may mutually agree, following the delivery of such notice, by negotiations between designated representatives of the parties who have dispute resolution authority.

15.3 Arbitration of Non-US Disputes. If a Dispute that arose anywhere other than in the United States or is based upon an alleged breach committed anywhere other than in the United States cannot be settled under the procedures and within the timeframe set forth in Section 15.2, it will be conclusively determined upon request of either party by a final and binding arbitration proceeding to be held in accordance with the Rules of Arbitration of the International Chamber of Commerce by a single arbitrator appointed by the parties or (failing agreement) by an arbitrator appointed by the President of the International Chamber of Commerce (from time to time), except that if the aggregate claims, cross claims and counterclaims by any one party against the other party exceed One Million US Dollars at the time all claims, including cross claims and counterclaims are filed, the proceeding will be held in accordance with the Rules of Arbitration of the International Chamber of Commerce by a panel of three arbitrator(s) appointed in accordance with the Rules of Arbitration of the International Chamber of Commerce. The arbitration will be conducted in the English language, at a location agreed by the parties or (failing agreement) ordered by the arbitrator(s). The arbitrator(s) will have authority only to award compensatory damages within the scope of the limitations of Section 8 and will not award punitive or exemplary damages. The arbitrator(s) will not have the authority to limit, expand or otherwise modify the terms of this Agreement. The ruling by the arbitrator(s) will be final and binding on the parties and may be entered in any court having jurisdiction over the parties or any of their assets. The parties will evenly split the cost of the arbitrator(s)' fees, but Avaya and Customer will each bear its own attorneys' fees and other costs associated with the arbitration. The parties, their representatives, other participants and the arbitrator(s) will hold the existence, content and results of the arbitration in strict confidence to the fullest extent permitted by law. Any disclosure of the existence, content and results of the arbitration will be as limited and narrowed as required to comply with the applicable law. By way of illustration,

if the applicable law mandates the disclosure of the monetary amount of an arbitration award only, the underlying opinion or rationale for that award may not be disclosed.

15.4 Choice of Forum for US Disputes. If a Dispute by one party against the other that arose in the United States or is based upon an alleged breach committed in the United States cannot be settled under the procedures and within the timeframe set forth in Section 15.2, then either party may bring an action or proceeding solely in either the Supreme Court of the State of New York, New York County, or the United States District Court for the Southern District of New York. Except as otherwise stated in Section 15.3 each party consents to the exclusive jurisdiction of those courts, including their appellate courts, for the purpose of all actions and proceedings arising out of or relating to this Agreement.

15.5 Injunctive Relief. Nothing in this Agreement will be construed to preclude either party from seeking provisional remedies, including, but not limited to, temporary restraining orders and preliminary injunctions from any court of competent jurisdiction in order to protect its rights, including its rights pending arbitration, at any time. The parties agree that the arbitration provision in Section 15.3 may be enforced by injunction or other equitable order, and no bond or security of any kind will be required with respect to any such injunction or order.

15.6 Time Limit. Actions on Disputes between the parties must be brought in accordance with this Section within 2 years after the cause of action arises.

16.0 AGREEMENT IN ENGLISH.

The parties confirm that it is their wish that the Agreement, as well as all other documents relating hereto, including all notices, have been and shall be drawn up in the English language only. Les parties aux présentes confirment leur volonté que cette convention, de même que tous les documents, y compris tout avis, qui s'y rattachent, soient rédigés en langue anglaise.

17.0 ENTIRE AGREEMENT.

This Agreement, its exhibits, schedules and other agreements or documents referenced herein, constitute the full and complete understanding and agreement between the parties and supersede all contemporaneous and prior understandings, agreements and representations relating to the subject matter hereof. No modifications, alterations or amendments shall be effective unless in writing signed by both parties to this Agreement.

18. REDISTRIBUTABLE CLIENT FILES.

The list of SDK client files that can be redistributed, if any, are in the SDK in a file called Redistributable.txt.

**Schedule 1 to Avaya SDK License Agreement
Third Party Notices**

1. **CODECS:** WITH RESPECT TO ANY CODECS IN THE SDK, YOU ACKNOWLEDGE AND AGREE YOU ARE RESPONSIBLE FOR ANY AND ALL RELATED FEES AND/OR ROYALTIES, IF ANY. IT IS YOUR RESPONSIBILITY TO CHECK.

THE H.264 (AVC) CODEC IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO: (I) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD ("AVC VIDEO") AND/OR (II) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION FOR THE H.264 (AVC) CODEC MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE [HTTP://WWW.MPEGLA.COM](http://www.mpegla.com).

Contents

Description	19
What's New / What's Changed.....	19
Tables	19
Views	22
Interfaces (Schema)	22
Reporting Data Tables	22
Database users.....	27
Database basic operations	28
All Tables.....	28
PIM_AGENT_ATTRIBUTE.....	28
PIM_AGENT_ATTRIBUTE_VALUE	30
PIM_AGENT_BLEND_DETAILS.....	31
PIM_AGENT_CONTACT.....	32
PIM_AGENT_CONTACT_HISTORY.....	34
PIM_AGENT_JOB.....	36
PIM_AGENT_JOB_HISTORY	43
PIM_AGENT_JOB_SUMMARY	48
PIM_AGENT_JOB_SUMMARY_HISTORY.....	50
PIM_AGENT_SESSION.....	52
PIM_ATTRIBUTE	55
PIM_BULK_IMPORT_DS_JOB_FILE.....	57
PIM_CAMPAIGN	58

PIM_CAMPAIGN_ATTRIBUTE.....	66
PIM_CAMPAIGN_ATTRIBUTE_VALUE	68
PIM_COMPLETION_CODE.....	69
PIM_CONTACT.....	73
PIM_CONTACT_ATTEMPTS.....	79
PIM_CONTACT_ATTEMPTS_HISTORY	87
PIM_CONTACT_ATTRIBUTE	96
PIM_CONTACT_ATTRIBUTE_HISTORY	97
PIM_CONTACT_HISTORY	98
PIM_CONTACT_STORE.....	103
PIM_CONTACT_STORE_ATTRIBUTE.....	106
PIM_CONTACT_STRATEGY	107
PIM_IMPORT_DS	110
PIM_IMPORT_DS_JOB	113
PIM_BULK_IMPORT_DS_JOB_CLOB.....	115
PIM_IMPORT_DS_JOB_DTL_HSTRY	116
PIM_IMPORT_JOB_STATUS_CNTR	118
PIM_JOB	119
PIM_JOB_ACTION	124
PIM_JOB_PARAMS_HISTORY	126
PIM_LIST_OPS_HSTRY.....	127
PIM_ORGANIZATION.....	129
PIM_SERVER	131
PIM_ZONE.....	134
PIM_JOB_FILTER_HISTORY	136

PIM_JOB_SORT_CRITERIA.....	138
PIM_JOB_CONTACT_LIST.....	140
PIM_JOB_CONTACT_LIST_HIST.....	142
PIM_CALLBACK.....	144
PIM_CALLBACK_HISTORY.....	147
PIM_DNCLISTS_GROUP.....	150
PIM_DNCLISTS_GROUP_MAP.....	152
PIM_HOLIDAY.....	153
PIM_ORG_HOLIDAY.....	155
PIM_CAMPAIGN_HOLIDAY.....	156
PIM_COUNTRY_STATE_HOLIDAY.....	158
PIM_FILTER_TEMPLATE.....	159
PIM_FILTER_TEMPLATE_ASSOC.....	161
PIM_JOB_FT_ASSOC.....	162
PIM_JOB_FT_ASSOC_HIST.....	164
PIM_JOB_DIALING_RATIO.....	166
PIM_JOB_LOOKUP.....	167
PIM_PURGE_DEF.....	169
PIM_ORG_PURGE_RUNSCHEDULE.....	170
PIM_PURGE_ORG_RETENTION.....	172
PIM_CAMPAIGN_INTERVAL.....	174
PIM_SIP_CODE_EVENT_CC_MAPPING.....	177
PIM_CONTACTLIST_EXPORT.....	179
All Views.....	182
VW__PAJ.....	182

VW_PAJH	183
VW_PAJS	184
VW_PAJSH	186
VW_PC_PJ_PJA	187
VW_PCA	190
VW_PCAH	192
VW_PCD	194
VW_CONTACTATTEMPT	196
VW_PCA_DAYWISE	197
VW_PCAH_DAYWISE	199
VW_CALLBACK	201

Description

The database is a very critical component of the Proactive Outreach Manager architecture. Proactive Outreach Manager uses database extensively to store information such as contact records, campaign templates, schedules, and campaign data. Proactive Outreach Manager supports Oracle and PostgreSQL, and MS-SQL Server databases.

This document is for reporting tables in Oracle database and provides detailed description about POM reporting tables which will enable you to develop custom reports. POM performs database intensive operations so while performing operations on database, remember:

- Do not modify the database schema.
- Do not insert, update, and delete the table contents.
- Do not create database level triggers on the tables.
- Do not query the database such that it will adversely affect POM performance. If you need such queries then copy the relevant data into separate database.
- Test the custom report in live system to ensure queries are not impacting POM performance.

While creating custom reports, if you face any issues, get in touch with the integrators, or Business Partners who provided the custom reporting solution. Please refer the *Implementing POM* guide for database hardware and software specification.

What's New / What's Changed

This section presents an overview of the database changes with respect to previous release.

Tables

Name	Versions	Description
PIM_PURGE_DEF	03.01.03	Table created.
PIM_ORG_PURGE_RUNSCHEDULE	03.01.03	Table created.
PIM_PURGE_ORG_RETENTION	03.01.03	Table created.
PIM_BULK_IMPORT_DS_JOB_FILE	04.00.02.00	Table created.
PIM_IMPORT_DS_JOB_CLOB	04.00.02.00	Table created.

PIM_IMPORT_DS	03.01.03	New Column CHECK_TRIGGER_IMPORT added.
	04.00.00	New Column ISRETAINCALLBACK added.
PIM_IMPORT_DS_JOB_DTL_HSTRY	03.01.03	Datatype of Column USER_LINE altered.
PIM_CALLBACK	03.01.02.01	New Column ADDRESS_COUNTRY_CODE added.
	03.01.02.01	New Index IX_CALLBK_ADDR on column ADDRESS created.
PIM_CALLBACK_HISTORY	03.01.02.01	New Column ADDRESS_COUNTRY_CODE added.
	03.01.02.01	New Index IX_CALLBKHIST_ADDR on column ADDRESS created.
PIM_ATTRIBUTE	03.01.03.01	New Column IS_MASKED_FOR_ALL_USERS added.
PIM_CAMPAIGN	03.01.03.01	New Column EXPORT_FREQ_TYPE added.
	03.01.03.01	New Column EXPORT_FREQ_VAL added.
PIM_CONTACT_ATTEMPTS	03.01.03.01	New Column Org_id
PIM_CONTACT_ATTEMPTS_HISTORY	03.01.03.01	New Column Org_id
PIM_CONTACT	03.01.03.02	New Columns COUNTER, LAST_HANDLED_BY_AGENT_ID, LAST_ADDR_DIALED_ATTR_NAME, LAST_NUISANCE_CALL_TIME, SYS_AGENTID added.
PIM_CONTACT_HISTORY	04.00.00.00	New Columns COUNTER, LAST_HANDLED_BY_AGENT_ID, LAST_ADDR_DIALED_ATTR_NAME, LAST_NUISANCE_CALL_TIME, SYS_AGENTID added.
PIM_AGENT_SESSION	04.00.00.00	New Column AGENT_STATISTICS added.
PIM_JOB	04.00.00.00	New Column FALSE_POSITIVE_RATE added.
PIM_JOB_FT_ASSOC	04.00.00.01	New Column last_filter_change_time added.
PIM_CAMPAIGN	04.00.01.00	New Column dialing_order added.
PIM_JOB	04.00.01.00	New Column dialing_order added.
PIM_CONTACT_STORE	04.00.01.00	New Column cs_multiple_phone_fields added.
PIM_CONTEXT_STORE_ATTRIBUTES	04.00.01.00	Table created.
PIM_CAMPAIGN	04.00.02.00	New Columns ABORT_DATE_TIME, ABORT_TYPE , EXPORT_SFTP_SERVER, IXOB_QUEUE_ID ,TZ_PHONE_ATTRIBUTE ,USER_PREF_TIME AND ZIP_ZONE are added.
PIM_CONTACT	04.00.02.00	New COLUMNS PHONE_NUMBER1_ALLOWEDTIME, PHONE_NUMBER1_DISALLOWEDTIME ,PHONE_NUMBER2_ALLOWEDTIME, PHONE_NUMBER2_DISALLOWEDTIME,

		ZIPCODE_STATE_PREDEFINED ,ZIPCODE_TZ_INT_PREDEFINED ,ZIPCODE_TZ_PREDEFINED, ZIPCODE1_PREDEFINED, ZIPCODE1_STATE_PREDEFINED, ZIPCODE1_TZ_INT_PREDEFINED, ZIPCODE1_TZ_PREDEFINED are added
PIM_CONTACT_HISTORY	04.00.02.00	New columns PHONE_NUMBER1_ALLOWEDTIME, PHONE_NUMBER1_DISALLOWEDTIME, PHONE_NUMBER2_ALLOWEDTIME, PHONE_NUMBER2_DISALLOWEDTIME, ZIPCODE_STATE_PREDEFINED, ZIPCODE_TZ_INT_PREDEFINED, ZIPCODE_TZ_PREDEFINED, ZIPCODE1_PREDEFINED, ZIPCODE1_STATE_PREDEFINED, ZIPCODE1_TZ_INT_PREDEFINED, ZIPCODE1_TZ_PREDEFINED are added
PIM_JOB	04.00.02.00	New Columns TZ_PHONE_ATTRIBUTE, USER_PREF_TIME, ZIP_ZONE added.
PIM_AGENT_SESSION	04.00.02.00	New Column CCAAS_USER_ID added.
PIM_AGENT_JOB_SUMMARY	04.00.02.00	New index IDX_CURR_ZONE_ID on column CURR_ZONE_ID created
PIM_AGENT_SESSION	04.00.02.00	New index IDX_AGENT_ID on column AGENT_ID created
PIM_CONTACT_ATTEMPTS_HISTORY	04.00.02.00	New indexes IDX_JOB_ID_SESSION_ID, IX_CONTATMPHSTRY_SYS_COMP, IX_CONTATMPHSTRY_NW_DISPO, IX_CONTATMPHSTRY_JOB_ACT_ID and IX_HSTRY_JOBACTIONSSYSCOM_ID are added
PIM_CONTACT_ATTEMPTS	04.00.02.00	New column RECORD_PICKUP_TIME added
PIM_CONTACT_ATTEMPTS_HISTORY	04.00.02.00	New column RECORD_PICKUP_TIME added
PIM_CAMPAIGN_INTERVAL	04.00.02.00	New columns AVG_IDLE_TIME, DROPPED_CALL_COUNT, SUCCESS_COUNT, CLOSURE_COUNT, TOTAL_CALLQUEUE_COUNT, ACTIVE_CALLQUEUE_COUNT, TOTAL_CALLQUEUE_TIME are added
PIM_IMPORT_DS	04.00.02.02	New Column FILTER_TEMPLATE_ID added.
PIM_COMPLETION_CODE	04.00.02.02	New Column SIP added.

PIM_SIP_CODE_EVENT_CC_MAPPING	04.00.02.02	Table created.
PIM_CONTACTLIST_EXPORT	04.00.02.02	Table created.

Views

Name	Description
VW_CALLBACK	Definition Changed.
VW_CONTACTATTEMPT	Definition Changed to include Org_id.
VW__PC_PJ_PJA	Definition Changed.

Interfaces (Schema)

Proactive Outreach Manager creates only one database schema i.e. POM Schema in the database. The database user is the owner of this database schema whose credential is given while installing Proactive Outreach Manager database.

The schema has two logical parts:

- Operational Data Tables
- Reporting Data Tables

Refer “Avaya Proactive Outreach Manager 3.1.3 Database Model” document for more information.

Reporting Data Tables

The reporting data tables stores data for reporting.

The list of tables logically grouped in the reporting data tables is as follows:

Table Name	Description
PIM_AGENT_ATTRIBUTE	This table stores a list of attributes which can be updated by Agent.
PIM_AGENT_ATTRIBUTE_VALUE	This table stores attributes values updated by Agent in current Agent Session. Agent can update attribute value from Agent scripts or Web Services.
PIM_AGENT_BLEND_DETAILS	This table stores information about the movement of agents in agent blending.
PIM_AGENT_CONTACT	This table stores information about the contacts currently handled by agents.
PIM_AGENT_CONTACT_HISTORY	The field descriptions of this table are same as the descriptions for the PIM_AGENT_CONTACT table given above. The record that is associated with an agent is moved from PIM_AGENT_CONTACT table to this table after the contact processing is completed by agent. Based on the purging policy, records will be removed from PIM_AGENT_CONTACT_HISTORY.
PIM_AGENT_JOB	This table stores information about agent working on specific job.
PIM_AGENT_JOB_HISTORY	The field descriptions of this table are same as the descriptions for the PIM_AGENT_JOB table given above. All the records that are associated with an agent are moved from PIM_AGENT_JOB table to this table when agent leaves the job. Based on the purging policy, records will be removed from PIM_AGENT_JOB_HISTORY.
PIM_AGENT_JOB_SUMMARY	This table stores the summarized information about all jobs.
PIM_AGENT_JOB_SUMMARY_HISTORY	The field descriptions of this table are same as the descriptions for the PIM_AGENT_JOB_SUMMARY table given above. All the records that are associated with a job are moved from PIM_AGENT_JOB_SUMMARY table to this table when the job gets completed. Based on the purging policy, records will be removed from PIM_AGENT_JOB_HISTORY.
PIM_AGENT_SESSION	This table stores information about agent sessions.
PIM_ATTRIBUTE	This table stores information about all the Contact Lists Attributes. This includes Predefined as well as custom attributes.

PIM_CALLBACK_DETAILS	This table stores information about the callbacks which are associated with campaigns.
PIM_CAMPAIGN	This table stores information about the campaigns.
PIM_CAMPAIGN_ATTRIBUTE	This table stores information about the campaigns attributes.
PIM_CAMPAIGN_ATTRIBUTE_VALUE	This table stores information about value associated with campaign attributes.
PIM_COMPLETION_CODE	This table stores information about all completion codes in the POM system.
PIM_COMPLN_CODE_TREND_HSTRY	This table stores the historical information about completion code trends associated with campaigns.
PIM_CONTACT	This table stores information about the Contacts. It contains only the predefined attributes of Contacts and does not contain custom attributes.
PIM_CONTACT_ATTEMPTS	This table stores all the contact attempts made during campaign execution.
PIM_CONTACT_ATTEMPTS_HISTORY	The field descriptions of this table are same as the descriptions for the PIM_CONTACT_ATTEMPTS table given above. All the records that are associated with a job are moved from PIM_CONTACT_ATTEMPTS table to this table after the campaign job is completed for a finite campaign or after every archival interval for an infinite campaign. Also, when the contact is marked as done as per the strategy configured for the campaign or the agent on call wraps up the call, the contacts are moved from PIM_CONTACT_ATTEMPTS table to this table. Based on the purging policy, records will be removed from PIM_CONTACT_ATTEMPTS_HISTORY.
PIM_CONTACT_ATTRIBUTE	This table stores the details for the Custom attributes and value for the each contact
PIM_CONTACT_ATTRIBUTE_HISTORY	Data from the PIM_CONTACT_ATTRIBUTE table is moved to this table along with the job id information. The data is moved to this table either after contact is marked as 'done' or when creating history for un-attempted contacts when 'Ignore Un-attempted contacts from reports' option is disabled in global configuration. The records in this table are purged when the campaign job is purged.

PIM_CONTACT_HISTORY	The field descriptions of this table are same as the descriptions for the PIM_CONTACT table given above except that this table has an extra column job_id. All the contact records that are associated with a job are moved from PIM_CONTACT table to this table after the campaign job is completed for a finite campaign or after every archival interval for an infinite campaign. The records in this table are purged when the campaign job is purged.
PIM_CONTACT_STORE	This table stores information about all the Contact Lists in the POM system.
PIM_CONTACT_STORE_ATTRIBUTE	This table stores information about attributes associated with contact lists.
PIM_CONTACT_STRATEGY	This table stores information about all the campaign strategies and campaign strategy templates.
PIM_IMPORT_DS	This table stores information about data sources associated with contact lists.
PIM_IMPORT_DS_JOB	This table stores information about import job.
PIM_IMPORT_DS_JOB_DTL_HSTRY	This table stores information about each contact added /rejected in POM while import. This table contains information only for completed import jobs.
PIM_IMPORT_JOB_STATUS_CNTR	This table stores information about count of import records in different status in respective import job.
PIM_JOB	This table stores information about the campaign jobs. A record is created in this table only when a campaign starts.
PIM_JOB_ACTION	This table stores information about campaign job and handler used in that job.
PIM_JOB_PARAMS_HISTORY	This table stores historical information about job parameters which are modified by users.
PIM_LIST_OPS_HSTRY	This table stores information about records which are added/modified/deleted using POM UI/Web Service/Agent.
PIM_ORGANIZATION	This table stores information about organizations.
PIM_ORGANIZATION_CONTACT_STORE	This table stores mapping of contact stores associated with organization.

PIM_SERVER	This table stores information about POM Servers.
PIM_WAITING_CALLBACK	This table stores information about the callbacks which are not associated with campaigns.
PIM_ZONE	This table stores information about zones.
PIM_JOB_FILTER_CRITERIA	Store data related to record selection of Campaign job, Changes done from Monitor related to Record selection will be reflected here.
PIM_JOB_FILTER_HISTORY	History of above table. This table will maintain history of all changes related to Record selection done from Monitor
PIM_JOB_SORT_CRITERIA	Store data related to Sort Criteria of campaign job. Sort Criteria changes from Monitor will be reflatd here.
PIM_JOB_SORT_HISTORY	History table, will have history of all changes done to Sort criteria from Monitor.
PIM_JOB_CONTACT_LIST	Store data related to contact list attached to running campaign. Contact list related changes done from Monitor will be reflected here.
PIM_JOB_CONTACT_LIST_HIST	Maintains history of all contact list related changes done from Monitor.
PIM_FILTER_TEMPLATE	Stores filter template definition and related parameters
PIM_FILTER_TEMPLATE_ASSOC	Stores filter template and contact list associations for campaigns
PIM_JOB_FT_ASSOC	Stores filter template and contact list associations for jobs
PIM_JOB_FT_ASSOC_HIST	Stores previous filter template and contact list associations for jobs
PIM_JOB_DIALING_RATIO	Stores job dialing ratio
PIM_JOB_LOOKUP	Stores mapping of sort column to actual mapped column in the job table
PIM_PURGE_DEF	Stores list of all types of purges
PIM_ORG_PURGE_RUNSCHEDULE	Stores the scheduled time of purges for the organizations
PIM_PURGE_ORG_RETENTION	Stores what purges are applicable to which organization and their retention period

PIM_SIP_CODE_EVENT_CC_MAPPING	This table stores sipcode or event to completion code mappings.
PIM_CONTACTLIST_EXPORT	This table stores information about contact list export.
VW__PAJ	This view stores summarized information about running jobs and their handler tasks.
VW__PAJH	This view stores summarized historical information about jobs and their handler tasks.
VW__PAJS	This view stores information about agent utilization and service level achieved for running jobs.
VW__PAJSH	This view stores historical information about agent utilization and service level achieved for jobs.
VW__PC_PJ_PJA	This view stores information about running jobs.
VW__PCA	This view stores summarized information about contact attempts.
VW__PCAH	This view stores summarized historical information about contact attempts.
VW__PCD	This view stores information about callbacks.
VW_CONTACTATTEMPT	This view stores combined information about contact attempts and contact attempts history
VW_PCA_DAYWISE	This view stores summarized information about contact attempts per day
VW_PCAH_DAYWISE	This view stores summarized historical information about contact attempts per day

Database users

The database user is the owner of this database schema whose credential is given while installing Proactive Outreach Manager database.

Note: If you install POM database schema on a local or external database, POM does not refer to the contents of the local or external database, or administration of the system. The administration of the system and contents of the database is the responsibility of the customer.

Database basic operations

The administration of the system and contents of the database is the responsibility of the customer.

All Tables

PIM_AGENT_ATTRIBUTE

Primary Key(s): ATTRIBUTE_ID

Field	Type	Default	Nulls?	Comments
ATTRIBUTE_ID	NUMBER (10,0)		No	Attribute ID
ORGANIZATION_ID	NUMBER (10,0)		Yes	Organization ID
ATTRIBUTE_NAME	VARCHAR2(80 CHAR)		No	Attribute Name
ATTRIBUTE_DESCRIPTION	VARCHAR2(256 CHAR)		Yes	Attribute Description
ATTRIBUTE_DATA_TYPE	VARCHAR2(80 CHAR)		No	Attribute Data Type Data type can be one of the following: Long Currency
STATUS	NUMBER (10,0)		Yes	For Operational Use
CREATED_BY	VARCHAR2(40 CHAR)		Yes	Username who created the attribute

LAST_MODIFIED_BY	VARCHAR2(40 CHAR)		No	Username who did last modification
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		Yes	Last modified time

Index Name	Type	Unique	Fields
SYS_C0027358	NORMAL	Yes	ATTRIBUTE_ID
SYS_C0027359	NORMAL	Yes	ATTRIBUTE_NAME
IX_AGENTATTRIBUTE_ORG	NORMAL	No	ORGANIZATION_ID

Check Constraint Name	Text
SYS_C0027358	ATTRIBUTE_ID
SYS_C0027354	"ATTRIBUTE_ID" IS NOT NULL
SYS_C0027355	"ATTRIBUTE_NAME" IS NOT NULL
SYS_C0027356	"ATTRIBUTE_DATA_TYPE" IS NOT NULL
SYS_C0027357	"LAST_MODIFIED_BY" IS NOT NULL
SYS_C0027359	Unique ATTRIBUTE_NAME

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_AGENTATTRIBUTE_ORG	ORGANIZATION_ID	POM Schema	PIM_ORGANIZATION

PIM_AGENT_ATTRIBUTE_VALUE

Primary Key(s): JOB_ID, ATTRIBUTE_ID, AGENT_SESSION_ID

Field	Type	Default	Nulls?	Comments
JOB_ID	NUMBER (10,0)		No	Job ID
ATTRIBUTE_ID	NUMBER (10,0)		No	Attribute ID
AGENT_SESSION_ID	NUMBER (19,0)		No	Agent Session ID
ATTRIBUTE_VALUE	FLOAT		Yes	Attribute Value

Index Name	Type	Unique	Fields
SYS_C0027363	NORMAL	Yes	JOB_ID, ATTRIBUTE_ID, AGENT_SESSION_ID
IX_PIMJOB_ID	NORMAL	No	JOB_ID
IX_AGTSESSION_ID	NORMAL	No	AGENT_SESSION_ID
IX_CAMPATTR_ATTR	NORMAL	No	ATTRIBUTE_ID

Check Constraint Name	Text
SYS_C0011634	JOB_ID, ATTRIBUTE_ID, AGENT_SESSION_ID
SYS_C0011631	"JOB_ID" IS NOT NULL
SYS_C0011632	"ATTRIBUTE_ID" IS NOT NULL
SYS_C0011633	"AGENT_SESSION_ID" IS NOT NULL

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
FK_AGTSESSION_ID	POM Schema	PIM_AGENT_SESSION	AGENT_SESSION_ID
FK_CAMPATTR_ATTR	POM Schema	PIM_AGENT_ATTRIBUTE	ATTRIBUTE_ID
FK_PIMJOB_ID	POM Schema	PIM_JOB	JOB_ID

PIM_AGENT_BLEND_DETAILS

Primary Key(s): PIM_AGENT_BLEND_DETAILS_ID

Field	Type	Default	Nulls?	Comments
PIM_AGENT_BLEND_DETAILS_ID	NUMBER (19,0)		No	Auto generated ID
AGENT_SESSION_ID	NUMBER (19,0)		No	Agent login to logout session is uniquely identified by this agent_session_id
EVENT_TYPE	NUMBER (10,0)		Yes	Whether agent is in Inbound or Outbound. 0 - Inbound1- Outbound
REQUEST_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Timestamp when Blender queued request for Blending the agent to Agent Manager
START_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	When agent is actually transitioned
END_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	When agent is transitioned back

Index Name	Type	Unique	Fields
SYS_C0027374	NORMAL	Yes	PIM_AGENT_BLEND_DETAILS_ID
IX_AGTBLEND_AGTSESS	NORMAL	No	AGENT_SESSION_ID

Check Constraint Name	Text
SYS_C0027374	PIM_AGENT_BLEND_DETAILS_ID
SYS_C0027372	"PIM_AGENT_BLEND_DETAILS_ID" IS NOT NULL
SYS_C0027373	"AGENT_SESSION_ID" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_AGTBLEND_AGTSESS	AGENT_SESSION_ID	POM Schema	PIM_AGENT_SESSION

PIM_AGENT_CONTACT

Primary Key(s): PIM_AGENT_CONTACT_ID

Field	Type	Default	Nulls?	Comments
PIM_AGENT_CONTACT_ID	NUMBER (19,0)		No	Auto generated ID
PIM_SESSION_ID	NUMBER (19,0)		No	Auto generated ID of each contact attempt.

AGENT_SESSION_ID	NUMBER (19,0)		No	Agent login to logout session is uniquely identified by this agent_session_id
EVENT_TYPE	NUMBER (10,0)		Yes	Event indicates the activity of an agent. Various events are, 0 = CUSTOMER_CONNECT 1 = CONSULT 2 = EXT_CONSULT 3 = TRANSFER 4 = CONFERENCE_OWNER 5 = CONFERENCE_PASSIVE 6 = PREVIEW 7 = CALLBACK 8 = REDIAL 9 = WRAPUP 10= DIALING 11= HOLD 12= TALKING
START_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Timestamp when agent started activity mentioned in event type
END_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Timestamp when agent end activity mentioned in event type
XFER_DEST	VARCHAR2(128 CHAR)		Yes	In case of consult and transfer this field indicates consulted party number
CUST_NUM	VARCHAR2(128 CHAR)		Yes	Customer number to which agent is dealing with

Index Name	Type	Unique	Fields
SYS_C0027378	Normal	Yes	PIM_AGENT_CONTACT_ID
IX_AGTCONT_AGTSESS	NORMAL	No	AGENT_SESSION_ID

IX_AGTCONT_CONTATMPS	NORMAL	No	PIM_SESSION_ID
----------------------	--------	----	----------------

Check Constraint Name	Text
SYS_C0027378	PIM_AGENT_CONTACT_ID
SYS_C0027375	"PIM_AGENT_CONTACT_ID" IS NOT NULL
SYS_C0027376	"PIM_SESSION_ID" IS NOT NULL
SYS_C0027377	"AGENT_SESSION_ID" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_AGTCONT_AGTSESS	AGENT_SESSION_ID	POM Schema	PIM_AGENT_SESSION
FK_AGTCONT_CONTATMPS	PIM_SESSION_ID	POM Schema	PIM_CONTACT_ATTEMPTS

PIM_AGENT_CONTACT_HISTORY

Primary Key(s): PIM_AGENT_CONTACT_ID

Field	Type	Nulls?	Comments
-------	------	--------	----------

PIM_AGENT_CONTACT_ID	NUMBER (19,0)	No	Auto generated ID of pim_agent_contact_history table
PIM_SESSION_ID	NUMBER (19,0)	No	Auto generated ID of each contact attempt.
AGENT_SESSION_ID	NUMBER (19,0)	No	Agent login to logout session is uniquely identified by this agent_session_id
EVENT_TYPE	NUMBER (10,0)	Yes	Event indicates the activity of an agent. Various events are,0 = CUSTOMER_CONNECT1 = CONSULT2 = EXT_CONSULT3 = TRANSFER4 = CONFERENCE_OWNER5 = CONFERENCE_PASSIVE6 = PREVIEW7 = CALLBACK8 = REDIAL9 = WRAPUP10= DIALING11= HOLD12= TALKING
START_TIME	TIMESTAMP (6) WITH TIME ZONE	Yes	Timestamp when agent started activity mentioned in event type
END_TIME	TIMESTAMP (6) WITH TIME ZONE	Yes	Timestamp when agent end activity mentioned in event type
XFER_DEST	VARCHAR2(128 CHAR)	Yes	In case of consult and transfer this field indicates consulted party number
CUST_NUM	VARCHAR2(128 CHAR)	Yes	Customer number to which agent is dealing with

Index Name	Type	Unique	Fields
SYS_C0027382	NORMAL	Yes	PIM_AGENT_CONTACT_ID
IX_AGTCONTHSTRY_AGTSESS	NORMAL	No	AGENT_SESSION_ID
IX_AGTCONTHSTRY_CONTATMPHSTRY	NORMAL	No	PIM_SESSION_ID

Check Constraint Name	Text
SYS_C0027382	PIM_AGENT_CONTACT_ID

SYS_C0027379	"ATTRIBUTE_ID" IS NOT NULL
SYS_C0027380	"ATTRIBUTE_NAME" IS NOT NULL
SYS_C0027381	"ATTRIBUTE_DATA_TYPE" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_AGTCONTHSTRY_AGTSESS	AGENT_SESSION_ID	POM Schema	PIM_AGENT_SESSION
FK_AGTCONTHSTRY_CONTATMPHSTRY	PIM_SESSION_ID	POM Schema	PIM_CONTACT_ATTEMPTS_HISTORY

PIM_AGENT_JOB

Primary Key(s): AGENT_JOB_ID

Field	Type	Default	Nulls?	Comments
AGENT_JOB_ID	NUMBER (19,0)		No	Auto generated ID
JOB_ID	NUMBER (10,0)		Yes	Job id on which agent is worked.

CONTACT_ID	NUMBER (19,0)		Yes	Contact Id which agent handled. For Operational Use
AUX_CODE_ID	NUMBER (10,0)		Yes	For future use
AGENT_SESSION_ID	NUMBER (19,0)		No	Agent login to logout session is uniquely identified by this agent_session_id
ACTION_ID	NUMBER (10,0)		No	ID of the action to which agent is attached.
CURRENT_AGENT_STATE	NUMBER (10,0)		No	Current agent state 0 = READY 1 = BUSY 2 = WORK_NOT_READY 3 = NOT_READY 4 = LOG_OUT 5 = UNKNOWN 6 = PENDING_NOT_READY_MANUAL 7 = PENDING_LOGOUT_MANUAL
PREVIOUS_AGENT_STATE	NUMBER (10,0)		Yes	Previous agent state
CURRENT_CALL_STATE	NUMBER (10,0)		No	Current agent call state 0 = Idle 1 = Talking 2 = Wrap-up 3 = Held 4 = Consult 5 = ConferenceOwner 6 = ConferencePassive 7 = Preview 8 = Dialing 9 = Callback 10 = Pending_Call
PREVIOUS_CALL_STATE	NUMBER (10,0)		Yes	Previous agent call state
CURRENT_NAILED_STATE	NUMBER (10,0)		No	Current agent nail state 0 = Nailed, 1 = PendingNailUp, 2 = PendingNailUpDrop, 3 = UnNailed, 4 = ReNailing
PREVIOUS_NAILED_STATE	NUMBER (10,0)		Yes	Previous agent nail state
CURRENT_JOB_STATE	NUMBER (10,0)		No	Current agent job state 0 = JobAttached 1 = JobDetached 2 = JobEnd 3 = JobInbound 4 = Pending_Inbound 5 = Pending_Outbound 6 = Pending_Manual_Inbound 7 = Pending_Manual_Job_Movement 8 = Pending_Job_Attach
PREVIOUS_JOB_STATE	NUMBER (10,0)		Yes	Previous agent job state
CURRENT_STATE_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Timestamp of last state change (any state change out of 4 states) happen for agent.

PREV_STATE_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Timestamp of previous state change (any state change out of 4 states) happen for agent.
CALL_COUNT	NUMBER (10,0)		No	Number of call handled by the agent in current job.
TOTAL_TALK_DURATION	FLOAT		Yes	Total talk time of agent in current job action in seconds.
TOTAL_IDLE_FOR_CALL_DURATION	FLOAT		Yes	Total idle time of agent in current job action in seconds.
TOTAL_IN_JOB_BREAK_DURATION	FLOAT		Yes	Total break time of agent in current job action in seconds.
TOTAL_ACW_DURATION	FLOAT		Yes	Total after call work time of agent in current job action in seconds.
HOLD_COUNT	NUMBER (10,0)		No	Number of time agent put customer on hold in current job action
TOTAL_HOLD_DURATION	FLOAT		Yes	Total time agent put customer on hold in current job action in seconds.
TOTAL_PREVIEW_DURATION	FLOAT		Yes	Total preview time of agent in current job action
JOB_ATTACH_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Timestamp when agent is attached to a job action
CONF_COUNT	NUMBER (10,0)		Yes	Number of time agent participated in conference in current job action.
TRANSFER_COUNT	NUMBER (10,0)		Yes	Number of transfer done by agent in current job action
CONSULT_COUNT	NUMBER (10,0)		Yes	Number of consult done by agent in current job action
TOTAL_CONF_DURATION	FLOAT		Yes	Total time spent by agent in seconds when agent is in conference.
TOTAL_CONSULT_DURATION	FLOAT		Yes	Total time spent by agent in seconds when agent is in consult

CONFERENCE_HELD	NUMBER (10,0)		Yes	For Operational Use
PIM_SESSION_ID	NUMBER (19,0)		Yes	Auto generated ID of each contact attempt.
XFER_DESTINATION	VARCHAR2(255 CHAR)		Yes	For Operational Use
PREVIEW_ACCEPT_COUNT	NUMBER (10,0)		Yes	Number of preview accepted by agent in current job action.
PREVIEW_REJECT_COUNT	NUMBER (10,0)		Yes	Number of preview rejected by agent in current job action.
ABANDON_ON_HOLD_COUNT	NUMBER (10,0)		Yes	Number of customer calls disconnected when customer is on hold.
CALLBACK_ACCEPT_COUNT	NUMBER (10,0)		Yes	Number of callback preview cancels by agent.
CALLBACK_REJECT_COUNT	NUMBER (10,0)		Yes	Number of callback preview accepted by agent.
BREAK_COUNT	NUMBER (10,0)		Yes	Number of breaks by agent in current job action.
CONSULT_OWNER	NUMBER (10,0)		Yes	For Operational Use
CAN_NAIL	NUMBER (10,0)		Yes	For Operational Use
CALLBACKID	VARCHAR2(255 CHAR)		Yes	For Operational Use
TOTAL_CALLBACK_PRV_DURATION	FLOAT		Yes	Total time in second spend by agent in preview for callback in current job action
TOTAL_HOLD_IN_CONF_DURATION	FLOAT		Yes	Total time in second customer put on hold by agent when agent is in conference with customer in current job action
TOTAL_DIALING_DURATION	FLOAT		Yes	Total time in second agent spend in dialing
TRANSFER_RECEIVED_COUNT	NUMBER (10,0)		Yes	Number of transfer received by agent in current job action
HOLD_IN_CONF_COUNT	NUMBER (10,0)		Yes	Number of time agent put customer on hold by agent when agent is in conference with customer in current job action

DIALING_COUNT	NUMBER (10,0)		Yes	Number of calls agent dial from desktop in current job action
TOTAL_IN_JOB_HA_DURATION	FLOAT		Yes	For Operational Use
CURRENT_CALL_STATE_TIME	TIMESTAMP WITH TIME ZONE		Yes	For Operational Use
CURRENT_AGENT_STATE_TIME	TIMESTAMP WITH TIME ZONE		Yes	For Operational Use
AGENT_ACTIVITY_STATUS	NUMBER (10,0)		Yes	For Operational Use
MANUAL_MOVEMENT_JOB_ID	NUMBER (10,0)		Yes	For Operational Use
MANUAL_MOVEMENT_ACTION_ID	NUMBER (10,0)		Yes	For Operational Use
MANUAL_BLEND_THRASH_INTERVAL	NUMBER (19,0)		Yes	For Operational Use
BLEND_TRANSITION_TIME	TIMESTAMP WITH TIME ZONE		Yes	For Operational Use
CUST_DIALED_NUM	VARCHAR2(255 CHAR)		Yes	For Operational Use
UCID	VARCHAR2(255 CHAR)		Yes	For Operational Use
CALL_CONNECT_TIME	NUMBER (19,0)		Yes	For Operational Use
START_OF_VOICE_OFFSET	NUMBER (10,0)		Yes	For Operational Use
LAST_CALL_PROGRESS_TIME	NUMBER (19,0)		Yes	For Operational Use
FIRST_PROMPT_OFFSET	NUMBER (10,0)		Yes	For Operational Use

UCID_CONS	VARCHAR2(255 CHAR)		Yes	For Operational Use
UCID_EXT	VARCHAR2(255 CHAR)		Yes	For Operational Use
DEFAULT_NUMBER_FIELD	VARCHAR2(80 CHAR)		Yes	For Operational Use
CALLING_URI	VARCHAR2(80 CHAR)		Yes	For Operational Use
MANUAL_MOVE_TRASHING_TIME	NUMBER (19,0)		Yes	For Operational Use
LICENSE_ACQUIRED	NUMBER (1,0)		Yes	For Operational Use
PARENT_PIM_SESSION_ID			Yes	<p>POM will create new attempt in case of</p> <ol style="list-style-type: none"> 1. "Redial" 2. Preview dial on non-default number (provided that there is parameter "NewAttemptCreationOnNonDefaultPreviewNumber" set to TRUE in pim_config). <p>This indicates the parent – child relationship between original attempt and new attempt because of above operation.</p>
JOINED_SHADOW_JOB	NUMBER (1,0)		Yes	Show job flag
IDLE_COUNT	NUMBER (10,0)		Yes	
ACW_COUNT	NUMBER (10,0)		Yes	
AGENT_JOB_PARAMS	CLOB		Yes	This column is used to stored operational information of the agent to persist so that in case of Agent manager failover,

				information is retrieved from this column. Information is saved in JSON. Currently this JSON contains context store id and group id.
--	--	--	--	--

Index Name	Type	Unique	Fields
SYS_C0027396	NORMAL	Yes	AGENT_JOB_ID
IX_AGTJOB_JOB	NORMAL	No	JOB_ID
IX_AGTJOB_CONT	NORMAL	No	CONTACT_ID
IX_AGTJOB_AGTSESS	NORMAL	No	AGENT_SESSION_ID
IX_AGTJOB_AGTAUXCD	NORMAL	No	AUX_CODE_ID

Check Constraint Name	Text
SYS_C0027396	AGENT_JOB_ID
SYS_C0027387	"AGENT_JOB_ID" IS NOT NULL
SYS_C0027388	"AGENT_SESSION_ID" IS NOT NULL
SYS_C0027389	"ACTION_ID" IS NOT NULL
SYS_C0027390	"CURRENT_AGENT_STATE" IS NOT NULL
SYS_C0027391	"CURRENT_CALL_STATE" IS NOT NULL
SYS_C0027392	"CURRENT_NAILED_STATE" IS NOT NULL
SYS_C0027393	"CURRENT_JOB_STATE" IS NOT NULL
SYS_C0027394	"CALL_COUNT" IS NOT NULL
SYS_C0027395	"HOLD_COUNT" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_AGTJOB_AGTAUXCD	AUX_CODE_ID	POM Schema	PIM_AGENT_AUX_CODE
FK_AGTJOB_AGTSESS	AGENT_SESSION_ID	POM Schema	PIM_AGENT_SESSION
FK_AGTJOB_CONT	CONTACT_ID	POM Schema	PIM_CONTACT
FK_AGTJOB_JOB	JOB_ID	POM Schema	PIM_JOB

PIM_AGENT_JOB_HISTORY

Primary Key(s): AGENT_JOB_ID

Field	Type	Default	Nulls?	Comments
AGENT_JOB_ID	NUMBER (19,0)		No	Auto generated ID of this pim_agent_job_history
JOB_ID	NUMBER (10,0)		No	Job id on which agent is worked.
AGENT_SESSION_ID	NUMBER (19,0)		No	Agent login to logout session is uniquely identified by this agent_session_id
ACTION_ID	NUMBER (10,0)		No	ID of the action to which agent is attached.
CALL_COUNT	NUMBER (10,0)		No	Number of call handled by agent

TOTAL_TALK_DURATION	FLOAT		No	Total talk time of agent in current job action in seconds.
HOLD_COUNT	NUMBER (10,0)		No	Number of time agent put customer on hold in current job action
TOTAL_HOLD_DURATION	FLOAT		No	Total time agent put customer on hold in current job action in seconds.
TOTAL_IDLE_DURATION	FLOAT		No	Total idle time of agent in current job action in seconds.
TOTAL_ACW_DURATION	FLOAT		No	Total after call work time of agent in current job action in seconds.
TOTAL_PREVIEW_DURATION	FLOAT		No	Total preview time of agent in current job action.
CONSULT_COUNT	NUMBER (10,0)		No	Number of consult done by agent in current job action.
TOTAL_CONSULT_DURATION	FLOAT		No	Total time spent by agent in seconds when agent is in consult.
TRANSFER_COUNT	NUMBER (10,0)		No	Number of transfer done by agent in current job action.
CONF_COUNT	NUMBER (10,0)		No	Number of time agent participated in conference in current job action.
TOTAL_CONF_DURATION	FLOAT		No	Total time spent by agent in seconds when agent is in conference.
JOB_ATTACH_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Timestamp when agent is attached to a job action.

JOB_DETACH_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Timestamp when agent is detached from a job action.
PREVIEW_REJECT_COUNT	NUMBER (10,0)		Yes	Number of preview rejected by agent in current job action.
ABANDON_ON_HOLD_COUNT	NUMBER (10,0)		Yes	Number of customer calls disconnected when customer is on hold.
CALLBACK_ACCEPT_COUNT	NUMBER (10,0)		Yes	Number of callback preview accepted by agent.
CALLBACK_REJECT_COUNT	NUMBER (10,0)		Yes	Number of callback preview cancels by agent.
TOTAL_CALLBACK_PRV_DURATION	FLOAT		Yes	Total time in second spend by agent in preview for callback in current job action.
PREVIEW_ACCEPT_COUNT	NUMBER (10,0)		Yes	Number of preview accepted by agent in current job action...
TOTAL_IN_JOB_BREAK_DURATION	FLOAT		Yes	Total break time of agent in current job action in seconds.
BREAK_COUNT	NUMBER (10,0)		Yes	Number of breaks by agent in current job action.
TOTAL_HOLD_IN_CONF_DURATION	FLOAT		Yes	Total time in second customer put on hold by agent when agent is in conference with customer in current job action.
TOTAL_DIALING_DURATION	FLOAT		Yes	Total time in second agent spend in dialing.
TRANSFER_RECEIVED_COUNT	NUMBER (10,0)		Yes	Number of transfer received by agent in current job action.
HOLD_IN_CONF_COUNT	NUMBER (10,0)		Yes	Number of time agent put customer on hold by agent when agent is in conference with customer in current job action.

DIALING_COUNT	NUMBER (10,0)		Yes	Number of calls agent dial from desktop in current job action.
TOTAL_IN_JOB_HA_DURATION	FLOAT		Yes	This column contains agent time during agent manager HA when agent is attached to a job. In case of multiple occurrences of Agent manager HA and if agent is attached to same job then cumulative time gets store. Time unit is in seconds.
IDLE_COUNT	NUMBER (10,0)		Yes	
ACW_COUNT	NUMBER (10,0)		Yes	

Index Name	Type	Unique	Fields
SYS_C0027413	NORMAL	Yes	AGENT_JOB_ID
IX_AGTJOBHSTRY_JOB	NORMAL	No	JOB_ID
IX_AGTJOBHSTRY_AGTSESS	NORMAL	No	AGENT_SESSION_ID

Check Constraint Name	Text
SYS_C0027413	AGENT_JOB_ID
SYS_C0027397	"AGENT_JOB_ID" IS NOT NULL
SYS_C0027398	"JOB_ID" IS NOT NULL
SYS_C0027399	"AGENT_SESSION_ID" IS NOT NULL
SYS_C0027400	"ACTION_ID" IS NOT NULL
SYS_C0027401	"CALL_COUNT" IS NOT NULL
SYS_C0027402	"TOTAL_TALK_DURATION" IS NOT NULL

SYS_C0027403	"HOLD_COUNT" IS NOT NULL
SYS_C0027404	"TOTAL_HOLD_DURATION" IS NOT NULL
SYS_C0027405	"TOTAL_IDLE_DURATION" IS NOT NULL
SYS_C0027406	"TOTAL_ACW_DURATION" IS NOT NULL
SYS_C0027407	"TOTAL_PREVIEW_DURATION" IS NOT NULL
SYS_C0027408	"CONSULT_COUNT" IS NOT NULL
SYS_C0027409	"TOTAL_CONSULT_DURATION" IS NOT NULL
SYS_C0027410	"TRANSFER_COUNT" IS NOT NULL
SYS_C0027411	"CONF_COUNT" IS NOT NULL
SYS_C0027412	"TOTAL_CONF_DURATION" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_AGTJOBHSTRY_AGTSESS	AGENT_SESSION_ID	POM Schema	PIM_AGENT_SESSION
FK_AGTJOBHSTRY_JOB	JOB_ID	POM Schema	PIM_JOB

PIM_AGENT_JOB_SUMMARY

Primary Key(s): JOB_ID, ACTION_ID, ZONE_ID

Field	Type	Default	Nulls?	Comments
JOB_ID	NUMBER (10,0)		No	Job instance ID to which agent was attached
ACTION_ID	NUMBER (10,0)		No	ID of the action for which the agent got call
ZONE_ID	NUMBER (10,0)		No	ID of the zone to which agent has logged in
STATE	NUMBER (10,0)		No	For Operational Use
GROUP_ID	VARCHAR2(64 CHAR)		No	For Operational Use
FREE_AGENT_COUNT	NUMBER (10,0)		Yes	For Operational Use
IN_PROGRESS_ATTEMPTS	NUMBER (10,0)		Yes	For Operational Use
BUSY_AGENT_COUNT	NUMBER (10,0)		Yes	For Operational Use
SERVICE_LEVEL_ACHIEVED	FLOAT		Yes	Service level achieved for the current job action zone
AGENT_UTILIZATION	FLOAT		Yes	Total agent utilization for the current job action zone
PACING_DATA	VARCHAR2(2048 CHAR)		Yes	For Operational Use
CURR_ZONE_ID	NUMBER (10,0)		No	Current zone id in case of geo redundancy.
TOTAL_QUEUED_CALL_COUNT	NUMBER (10,0)		Yes	Summarized total number of calls queued for the Job ID

TOTAL_CALL_QUEUED_DURATION	NUMBER (19,0)		Yes	Summarized total duration of all the calls queued for the Job ID
CURR_ZONE_ID	NUMBER (10,0)		No	Current zone id in case of geo redundancy

Index Name	Type	Unique	Fields
SYS_C0027420	NORMAL	Yes	JOB_ID, ACTION_ID, ZONE_ID
IX_AGTJOBSUMMARY_JOB	NORMAL	No	JOB_ID
IX_AGTJOBSUMMARY_ZONE	NORMAL	No	ZONE_ID
IDX_CURR_ZONE_ID	NORMAL	No	CURR_ZONE_ID

Check Constraint Name	Text
SYS_C0027420	JOB_ID, ACTION_ID, ZONE_ID
SYS_C0027414	"JOB_ID" IS NOT NULL
SYS_C0027415	"ACTION_ID" IS NOT NULL
SYS_C0027416	"ZONE_ID" IS NOT NULL
SYS_C0027417	"STATE" IS NOT NULL
SYS_C0027418	"GROUP_ID" IS NOT NULL
SYS_C0027419	"CURR_ZONE_ID" IS NOT NULL

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
FK_AGTJOBSUMMARY_JOB	POM Schema	PIM_JOB	JOB_ID

FK_AGTJOBSUMMARY_ZONE	POM Schema	PIM_ZONE	ZONE_ID
-----------------------	------------	----------	---------

PIM_AGENT_JOB_SUMMARY_HISTORY

Primary Key(s): JOB_ID, ACTION_ID, ZONE_ID

Field	Type	Default	Nulls?	Comments
JOB_ID	NUMBER (10,0)		No	Job instance ID to which agent was attached
ACTION_ID	NUMBER (10,0)		No	ID of the action for which the agent got call
ZONE_ID	NUMBER (10,0)		No	ID of the zone to which agent has logged in
GROUP_ID	VARCHAR2(64 CHAR)		No	For Operational Use
FREE_AGENT_COUNT	NUMBER (10,0)		Yes	For Operational Use
IN_PROGRESS_ATTEMPTS	NUMBER (10,0)		Yes	For Operational Use
BUSY_AGENT_COUNT	NUMBER (10,0)		Yes	For Operational Use
SERVICE_LEVEL_ACHIEVED	FLOAT		Yes	Service level achieved for the current job action zone.
AGENT_UTILIZATION	FLOAT		Yes	Total agent utilization for the current job action zone.
TOTAL_QUEUED_CALL_COUNT	NUMBER (10,0)		Yes	Summarized total number of calls queued for the Job ID

TOTAL_CALL_QUEUED_DURATION	NUMBER (19,0)		Yes	Summarized total duration of all the calls queued for the Job ID
----------------------------	---------------	--	-----	--

Index Name	Type	Unique	Fields
SYS_C0027425	NORMAL	Yes	JOB_ID, ACTION_ID, ZONE_ID
IX_AGTJOBSUMMARYHSTRY_JOB	NORMAL	No	JOB_ID
IX_AGTJOBSUMMARYHSTRY_ZONE	NORMAL	No	ZONE_ID

Check Constraint Name	Text
SYS_C0027425	JOB_ID, ACTION_ID, ZONE_ID
SYS_C0027421	"JOB_ID" IS NOT NULL
SYS_C0027422	"ACTION_ID" IS NOT NULL
SYS_C0027423	"ZONE_ID" IS NOT NULL
SYS_C0027424	"GROUP_ID" IS NOT NULL

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
FK_AGTJOBSUMMARYHSTRY_JOB	POM Schema	PIM_JOB	JOB_ID
FK_AGTJOBSUMMARYHSTRY_ZONE	POM Schema	PIM_ZONE	ZONE_ID

PIM_AGENT_SESSION

Primary Key(s): AGENT_SESSION_ID

Field	Type	Default	Nulls?	Comments
AGENT_SESSION_ID	NUMBER (19,0)		No	Auto generated agent session ID
AGENT_ID	VARCHAR2(80 CHAR)		No	Agent login ID
LOGIN_TIME	TIMESTAMP (6) WITH TIME ZONE		No	Agent login time
LOGOUT_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Agent logout time
AGENT_EXTENSION	VARCHAR2(80 CHAR)		Yes	Agent extension
AGENT_NAME	VARCHAR2(255 CHAR)		Yes	Agent name
AGENT_LOCALE	VARCHAR2(10 CHAR)		Yes	Agent locale
AGENT_TIMEZONE	VARCHAR2(255 CHAR)		Yes	Agent time zone
JOB_WAITING_IDLE_DURATION	DOUBLE PRECISION		Yes	Total idle time spent in seconds by agent in ready state and waiting for campaign to attach.
TOTAL_OFF_JOB_BREAK_DURATION	DOUBLE PRECISION		Yes	Total time spent in seconds by agent in break, but not attached to campaign

TOTAL_INBOUND_DURATION	DOUBLE PRECISION		Yes	Total time spent in seconds by agent on inbound
TOTAL_OUTBOUND_DURATION	DOUBLE PRECISION		Yes	Total time spent in seconds by agent on outbound
INBOUND_COUNT	NUMBER (10,0)		Yes	Total number of times agent is released to take inbound calls
AGENT_SKILLS	VARCHAR2(2048 CHAR)		Yes	Agent skills information, it is colon separated skill information. i.e. "<skill1>, <skill1 level>;<skill2>,<skill2 level>"
HA_SUPPORT	NUMBER (10,0)		Yes	This is used to indicate whether desktop HA is enabled for agent or not. If it sets to 1, desktop HA is enabled.
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		No	Agent session details last modified on.
ZONE_ID	NUMBER (10,0)		Yes	ID of the zone to which agent has logged in
TOTAL_OFF_JOB_HA_DURATION	DOUBLE PRECISION(126)		Yes	This column contains agent time during agent manager HA when agent is not attached to a job. In case of multiple occurrences of Agent manager HA and if agent is not attached to any job during HA then cumulative time gets store. Time unit is in seconds.
AGENT_ATTRIBUTES	VARCHAR2(2048 CHAR)		Yes	Agent skill attributes for preferred agent selection, it is comma separated attribute information. i.e <Attribute Skill Id1>!.<Attribute Skill Level1> , <Attribute Skill Id2>!.<Attribute Skill Leve2>

AGENT_STATISTICS	CLOB		Yes	This column contains agent event statistics information which is used to retrieve statistics information back in case of agent manager HA happens.
CCAAS_USER_ID	VARCHAR2(36 CHAR)		Yes	This column is applicable for CCaaS-Outbound mode only. It contains user ID information of CCaaS agent.
ORG_NAME	VARCHAR (1024 CHAR)		Yes	Organization Name
WEB_API_SERVICE_AGENT	NUMBER(10,0)		Yes	Web Api service agent

Index Name	Type	Unique	Fields
SYS_C0027432	Normal	Yes	AGENT_SESSION_ID
IDX_AGENT_ID	Normal	No	AGENT_ID
IX_AGENT_ID_LOGOUT_TIME	Normal	No	AGENT_ID, LOGOUT_TIME

Check Constraint Name	Text
SYS_C0027432	AGENT_SESSION_ID
SYS_C0027428	"AGENT_SESSION_ID" IS NOT NULL
SYS_C0027429	"AGENT_ID" IS NOT NULL
SYS_C0027430	"LOGIN_TIME" IS NOT NULL
SYS_C0027431	"LAST_MODIFIED_ON" IS NOT NULL

PIM_ATTRIBUTE

Primary Key(s): ATTRIBUTE_ID

Field	Type	Default	Nulls?	Comments
ATTRIBUTE_ID	NUMBER (10,0)		No	Auto generated attribute ID
ATTRIBUTE_NAME	VARCHAR2(30 CHAR)		No	Attribute name
DATA_TYPE	VARCHAR2(80 CHAR)		No	Attribute data type. Data type can be one of the following: NUMBER Long Short Character DOUBLE PRECISION Boolean String Phone Email Date Time Timestamp
IS_SENSITIVE	NUMBER (1,0)		No	For operational use
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		Yes	Last modified time

CREATED_BY	VARCHAR2(40 CHAR)		Yes	Username who created the attribute
LAST_MODIFIED_BY	VARCHAR2(40 CHAR)		Yes	Last modified user name
IS_READ_ONLY	NUMBER (1,0)		No	For Operational Use
IS_RESULT	NUMBER (1,0)		No	For Operational Use
IS_MASKED	NUMBER (1,0)		No	For Operational Use
IS_WFO	NUMBER (1,0)		No	For Operational Use
ATTRIBUTE_TYPE	NUMBER (10,0)		No	For Operational Use
STATUS	NUMBER (10,0)		No	For Operational Use
IS_MASKED_FOR_ALL_USERS	NUMBER (1,0)	0	No	Mask Attribute value or not

Index Name	Type	Unique	Fields
SYS_C0027458	NORMAL	Yes	ATTRIBUTE_ID
SYS_C0027459	NORMAL	Yes	ATTRIBUTE_NAME

Check Constraint Name	Text
SYS_C0027458	ATTRIBUTE_ID
SYS_C0027448	"ATTRIBUTE_ID" IS NOT NULL
SYS_C0027449	"ATTRIBUTE_NAME" IS NOT NULL
SYS_C0027450	"DATA_TYPE" IS NOT NULL
SYS_C0027451	"IS_SENSITIVE" IS NOT NULL
SYS_C0027452	"IS_READ_ONLY" IS NOT NULL

SYS_C0027453	"IS_RESULT" IS NOT NULL
SYS_C0027454	"IS_MASKED" IS NOT NULL
SYS_C0027455	"IS_WFO" IS NOT NULL
SYS_C0027456	"ATTRIBUTE_TYPE" IS NOT NULL
SYS_C0027457	"STATUS" IS NOT NULL
SYS_C0027459	Unique ATTRIBUTE_NAME

PIM_BULK_IMPORT_DS_JOB_FILE

Primary Key(s): BULK_IMPORT_DS_JOB_FILE_ID

Field	Type	Default	Nulls?	Comments
BULK_IMPORT_DS_JOB_FILE_ID	NUMBER (1,0)		No	Auto generated bulk import DS job file ID
IMPORT_DS_JOB_ID	NUMBER (1,0)		No	Import DS Job Id
IMPORT_DS_ID	NUMBER (1,0)		No	Import DS Id
BULK_FILE_PATH	CHARACTER VARYING		No	Bulk import file path
BULK_UPLOAD_FILE_PATH	CHARACTER VARYING		Yes	Temporary file path used for uploading the bulk import file

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_BKIMP_DS_JOB	IMPORT_DS_JOB_ID	POM Schema	PIM_IMPORT_DS_JOB
FK_BKIMP_DS	IMPORT_DS_ID	POM Schema	PIM_IMPORT_DS

PIM_CAMPAIGN

Primary Key(s): CAMPAIGN_ID

Field	Type	Default	Nulls?	Comments
CAMPAIGN_ID	NUMBER (10,0)		No	Auto generated campaign ID
ORGANIZATION_ID	NUMBER (10,0)		Yes	Id of the organization to which this campaign belongs.
CONTACT_STRATEGY_ID	NUMBER (10,0)		Yes	Id of the associated campaign strategy
IS_INFINITE	NUMBER (10,0)		No	0 if campaign is finite, 1 if campaign is infinite and has contacts in the beginning, 2 if campaign is infinite with no contacts in the beginning
PRIORITY	NUMBER (10,0)		No	Not in use.
NAME	VARCHAR2(80 CHAR)		No	Name of the campaign
DESCRIPTION	VARCHAR2(256 CHAR)		Yes	Description of the campaign

STATUS	NUMBER (10,0)		No	Status of the campaign. Status can be one of the following: 0 – Not In Progress 1 – In Progress
ABORT_TIME	NUMBER (10,0)		Yes	If specified by the user, offset in minutes when to Stop the campaign.
ENABLE_PACING	NUMBER (1,0)		No	True if custom call pacing is enabled in the strategy.
HIT_PROBABILITY	DOUBLE PRECISION		Yes	Not used anymore
INBOUND_RESERVATION	VARCHAR2(10 CHAR)		Yes	Not used anymore
ENABLE_EXPORT	NUMBER (1,0)		No	True if the export is enabled
CREATED_BY	VARCHAR2(40 CHAR)		Yes	Name of the user who created the campaign
LAST_MODIFIED_BY	VARCHAR2(40 CHAR)		Yes	Name of the user who last modified it.
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when the campaign was last modified
LAST_JOB_START_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when the last job for this campaign was started
DIALING_PREFIX	VARCHAR2(20 CHAR)		Yes	Dialing prefix to be used when making calls in the campaign

SMS_PREFIX	VARCHAR2(20 CHAR)		Yes	Prefix to be used when sending SMS
ENABLE_COMPLIANCE_TIMERS	NUMBER (1,0)		No	Will be set to true if compliance timers are enabled via Campaign Creation wizard
START_OF_VOICE_TIMEOUT	NUMBER (10,0)		No	Used to store start of voice timeout value specified during Campaign Creation wizard
LIVE_VOICE_TIMEOUT	NUMBER (10,0)		No	Used to store live voice timeout value specified during Campaign Creation wizard
CCA_START	NUMBER (10,0)		No	0 if CCA starts on connect and 1 if it starts on progress
CCA_TIMEOUT	NUMBER (10,0)		No	Used to store CCA timeout value (milliseconds)
FILTER_CONDITION_TYPE	NUMBER (10,0)		No	For Operational Use
FILTER_CONDITIONS	VARCHAR2(255 CHAR)		Yes	For Operational Use
FINISH_COMPCODE_CONDITION_TYPE	NUMBER (10,0)		No	For Operational Use
FINISH_COMP_CODE_CONDITIONS	VARCHAR2(255 CHAR)		Yes	For Operational Use
FINISH_GOAL_CONDITION_TYPE	NUMBER (10,0)		No	For Operational Use
FINISH_GOAL_CONDITIONS	VARCHAR2(255 CHAR)		Yes	For Operational Use

EXPORT_CLASS_NAME	VARCHAR2(256 CHAR)		Yes	Fully resolved class Name (e.g. com.avaya.pom.custom.myPostProcessor) implementing the custom post processing interface.
IS_DELETED	NUMBER (10,0)		No	List of comma separated completion code ids which will be used when data is exported after campaign completes
POST_PROCESSING_COLUMNS	CLOB		Yes	For Operational Use
POST_PROCESS_COMPLETION_CODES	CLOB		Yes	For Operational Use
FALSE_POSITIVE_RATE	DOUBLE PRECISION		Yes	For Operational Use
WAIT_TILL_IMPORT_FINISH	BOOLEAN		No	For Operational Use
DIALING_TYPE	NUMBER (10,0)	0	No	Used to store Campaign dialing type. 0 –Default 1 – Attribute based Contact Record Assignment to Agent 2 - Agent ID based Contact Record Assignment to Agent 3 – Attribute and Agent ID based Contact Record Assignment to Agent
ATTRIBUTE_DIALING_MAPPING	VARCHAR2(256 CHAR)		Yes	Mapping of attributes for Attribute based Contact Record Assignment to Agent
PERSONAL_AGENDA_MAPPING	VARCHAR2(64 CHAR)		Yes	Mapping of an attribute for Agent ID based Contact Record Assignment to Agent

PUBLISH_TO_CONTEXT_STORE	NUMBER (1,0)	0	0	Indicate whether campaign has been configured to push the attempt data to context store.
ATTRIBUTES_FOR_RECORDER	CLOB		yes	Recorder Attributes
CHK_FIN_CRIT_FOR_PAUSED_JOB	NUMBER (1,0)	0	NO	
ENABLE_EXCLU_FRM_NUISANCE_RATE	NUMBER (10,0)	0	NO	
CHK_FIN_CRIT_FOR_PAUSED_JOB	NUMBER (10,0)	0	NO	
APPLY_DNC	NUMBER (10,0)		NO	Apply DNC flag
DIALING_TYPE	NUMBER (10,0)		NO	Type of Dialing
PERSONAL_AGENDA_MAPPING	VARCHAR2(256 CHAR)		NO	Mapping for personal agenda
DEFAULT_DNCGROUP	VARCHAR2(256 CHAR)		NO	Default DNC group
LINKED_CAMPAIGN_ID	INTEGER		Yes	CAMPAIGN_ID of linked campaign
AGT_OUTBOUND_SKILL_ID	INTEGER		YES	PIM_SKILL_MAP_ID of the assigned Skill
FROM_ADDRESS	VARCHAR2(256 CHAR)		YES	Sender's address for the campaign
FROM_DISPLAY_NAME	VARCHAR2(256 CHAR)		YES	Sender's display name for the campaign
IGNORE_ALL_HOLIDAYS	NUMBER (1,0)	0		Will be set to 1 if IGNORE_ALL_HOLIDAYS set to true
EXTERNAL_TRANSFER_DATA	VARCHAR2(20 CHAR)		YES	External Transfer option, it can be ContextStore ID or UserContact ID

FT_APPLYALL	NUMBER (1,0)	0	YES	Set to true if same filter template is to be applied to all contact lists (feature backward compatibility and ease of use)
DIAL_ALLOCATION	NUMBER (1,0)	0	YES	Set to true if no dialing allocation is selected for contact lists (feature backward compatibility)
EXPORT_FREQ_TYPE	NUMBER (10,0)	0	NO	Export Frequency Type
EXPORT_FREQ_VAL	VARCHAR2(20 CHAR)		NO	Export Frequency Value
DIALING_ORDER	VARCHAR2(80 CHAR)	NULL	YES	Used to store Campaign dialing order priority. Valid Values or Valid Dialing Orders: 2,1,0 - Priority,Retry,Regular 1,2,0 - Retry,Priority,Regular 2,0,1- Priority,Regular,Retry
TZ_PHONE_ATTRIBUTE	VARCHAR2(2048 CHAR)	NULL	YES	Comma separated list of phone attributes on which POM must perform guard time validation to determine the time during which the records can be picked up for dialing from the operational database.
ABORT_DATE_TIME	TIMESTAMP WITH TIME ZONE		YES	Stores campaign abort date and time.
ABORT_TYPE	VARCHAR (20 CHAR)		YES	AbortAt or AbortAfter

EXPORT_SFTP_SERVER	INTEGER		YES	stores the Sftp server name of the configured sftp server if the campaign wants to send the campaign export files to the selected sftp server
IXOB_QUEUE_ID	VARCHAR (255 CHAR)		YES	
ZIP_ZONE	BOOLEAN		YES	Boolean parameter. If true then guard times of zipcode timezones are used when calculating the time during which the records can be picked up for dialing from the operational database.
USER_PREF_TIME	BOOLEAN		YES	Boolean parameter. If true Phone Allowed and Phone Disallowed Time attributes of phone attributes are used when calculating the time during which the records can be picked up for dialing from the operational database.

Index Name	Type	Unique	Fields
SYS_C0027489	NORMAL	Yes	CAMPAIGN_ID
SYS_C0027490	NORMAL	Yes	NAME
IX_CMPGN_ORG	NORMAL	No	ORGANIZATION_ID
IX_CMPGN_CONSTRATEGY	NORMAL	No	CONTACT_STRATEGY_ID
IX_EXPORT_SFTP_SERVER	NORMAL	No	EXPORT_SFTP_SERVER

Check Constraint Name	Text
SYS_C0027489	CAMPAIGN_ID
SYS_C0027470	"CAMPAIGN_ID" IS NOT NULL
SYS_C0027471	"IS_INFINITE" IS NOT NULL
SYS_C0027472	"PRIORITY" IS NOT NULL
SYS_C0027473	"NAME" IS NOT NULL
SYS_C0027474	"STATUS" IS NOT NULL
SYS_C0027475	"ENABLE_PACING" IS NOT NULL
SYS_C0027476	"ENABLE_EXPORT" IS NOT NULL
SYS_C0027477	"ENABLE_COMPLIANCE_TIMERS" IS NOT NULL
SYS_C0027478	"START_OF_VOICE_TIMEOUT" IS NOT NULL
SYS_C0027479	"LIVE_VOICE_TIMEOUT" IS NOT NULL
SYS_C0027480	"CCA_START" IS NOT NULL
SYS_C0027481	"CCA_TIMEOUT" IS NOT NULL
SYS_C0027482	"FILTER_CONDITION_TYPE" IS NOT NULL
SYS_C0027483	"FINISH_COMPCODE_CONDITION_TYPE" IS NOT NULL
SYS_C0027484	"FINISH_GOAL_CONDITION_TYPE" IS NOT NULL
SYS_C0027485	"BATCH_SIZE" IS NOT NULL
SYS_C0027486	"IS_DELETED" IS NOT NULL
SYS_C0027487	"FILTER_OPTION" IS NOT NULL
SYS_C0027488	"IS_SERIAL_DIAL" IS NOT NULL

SYS_C0027490	Unique NAME
--------------	-------------

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_CMPGN_CONTSTRATEGY	CONTACT_STRATEGY_ID	POM Schema	PIM_CONTACT_STRATEGY
FK_CMPGN_ORG	ORGANIZATION_ID	POM Schema	PIM_ORGANIZATION

PIM_CAMPAIGN_ATTRIBUTE

Primary Key(s): ATTRIBUTE_ID

Field	Type	Default	Nulls?	Comments
ATTRIBUTE_ID	NUMBER (10,0)		No	Attribute ID
ORGANIZATION_ID	NUMBER (10,0)		Yes	Organization ID
ATTRIBUTE_NAME	VARCHAR2(80 CHAR)		No	Attribute Name
ATTRIBUTE_DATA_TYPE	VARCHAR2(80 CHAR)		No	Attribute Data Type Data type can be one of the following: Long Currency
ATTRIBUTE_DESCRIPTION	VARCHAR2(256 CHAR)		Yes	Attribute Description

STATUS	NUMBER (10,0)		Yes	For Operational Use
CREATED_BY	VARCHAR2(40 CHAR)		Yes	Username who created the attribute
LAST_MODIFIED_BY	VARCHAR2(40 CHAR)		No	Username who did last modification
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		Yes	Last modified time

Index Name	Type	Unique	Fields
SYS_C0027498	NORMAL	Yes	ATTRIBUTE_ID
SYS_C0027499	NORMAL	Yes	ATTRIBUTE_NAME
IX_CMPGNATTRIBUTE_ORG	NORMAL	No	ORGANIZATION_ID

Check Constraint Name	Text
SYS_C0027498	ATTRIBUTE_ID
SYS_C0027494	"ATTRIBUTE_ID" IS NOT NULL
SYS_C0027495	"ATTRIBUTE_NAME" IS NOT NULL
SYS_C0027496	"ATTRIBUTE_DATA_TYPE" IS NOT NULL
SYS_C0027497	"LAST_MODIFIED_BY" IS NOT NULL
SYS_C0027499	Unique ATTRIBUTE_NAME

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_CMPGNATTRIBUTE_ORG	ORGANIZATION_ID	POM Schema	PIM_ORGANIZATION

PIM_CAMPAIGN_ATTRIBUTE_VALUE

Primary Key(s): JOB_ID, ATTRIBUTE_ID

Field	Type	Default	Nulls?	Comments
JOB_ID	NUMBER (10,0)		No	Job ID.
ATTRIBUTE_ID	NUMBER (10,0)		No	Attribute ID
ATTRIBUTE_VALUE	FLOAT		Yes	Attribute Value

Index Name	Type	Unique	Fields
SYS_C0027502	NORMAL	Yes	JOB_ID, ATTRIBUTE_ID
IX_CAMPATTRVAL_PIMJOB	NORMAL	No	JOB_ID
IX_CAMPATTRVAL_CAMPATTR	NORMAL	No	ATTRIBUTE_ID

Check Constraint Name	Text
SYS_C0027502	JOB_ID, ATTRIBUTE_ID
SYS_C0027500	"JOB_ID" IS NOT NULL
SYS_C0027501	"ATTRIBUTE_ID" IS NOT NULL

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
FK_CAMPATTRVAL_CAMPATTR	POM Schema	PIM_CAMPAIGN_ATTRIBUTE	ATTRIBUTE_ID
FK_CAMPATTRVAL_PIMJOB	POM Schema	PIM_JOB	JOB_ID

PIM_COMPLETION_CODE

Primary Key(s): COMPLETION_CODE_ID

Field	Type	Default	Nulls?	Comments
COMPLETION_CODE_ID	NUMBER (10,0)		No	Auto generated number to uniquely identify a completion code in POM system
ORGANIZATION_ID	NUMBER (10,0)		Yes	ID of the Organization to which this Completion Code belongs.
CODE	VARCHAR2(80 CHAR)		No	Completion code name
COMPLETION_CODE_TYPE	NUMBER (10,0)		No	Completion code Type:"0" - System Completion Code (Defined by POM System)"1" - Custom Completion Code(Defined by customer)

DESCRIPTION	VARCHAR2(80 CHAR)		Yes	Description of completion code.
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when this completion code was last updated by user.
CREATED_BY	VARCHAR2(40 CHAR)		Yes	Name of user who created this completion code.
LAST_MODIFIED_BY	VARCHAR2(40 CHAR)		Yes	Name of the user who last modified this completion code.
RPC	NUMBER (1,0)		No	Use to specify to the Right Party Connect flag for completion code. User can use the flag only for custom completion codes. This flag helps user to determine the total number of Right Party Connect count. The count is shown in completion code summary reports and POM Monitor
SUCCESS	NUMBER (1,0)		No	Use to specify to the Success flag for completion code. User can use the flag only for custom completion codes. This flag helps user to determine the total number of Success count. The count is shown in completion code summary reports and POM Monitor.
CLOSURE	NUMBER (1,0)		No	Use to specify to the Closure flag for completion code. User can use the flag only for custom completion codes. This flag helps user to determine the total number of Closure count. The count is shown in completion code summary reports and POM Monitor
EXCLUDE_FROM_NUISANCE_RATE	NUMBER (1,0)		No	There are calls which are answer machines but falsely detected as live person and connected to the agent. Agent can dispose such calls with completion code for which "Answer Machine By Agent" property is enabled.

SIP	NUMBER (1,0)	0	No	Use to specify to the SIP flag for completion code. User can use the flag only for custom completion codes.
-----	--------------	---	----	---

Index Name	Type	Unique	Fields
SYS_C0027560	NORMAL	Yes	COMPLETION_CODE_ID
SYS_C0027561	NORMAL	Yes	CODE
IX_CMPLNCD_ORG	NORMAL	No	ORGANIZATION_ID

Check Constraint Name	Text
SYS_C0027560	COMPLETION_CODE_ID
SYS_C0027554	"COMPLETION_CODE_ID" IS NOT NULL
SYS_C0027555	"CODE" IS NOT NULL
SYS_C0027556	"COMPLETION_CODE_TYPE" IS NOT NULL
SYS_C0027557	"RPC" IS NOT NULL
SYS_C0027558	"SUCCESS" IS NOT NULL
SYS_C0027559	"CLOSURE" IS NOT NULL
SYS_C0027561	Unique CODE

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_CMPLNCD_ORG	ORGANIZATION_ID	POM Schema	PIM_ORGANIZATION

PIM_COMPLN_CODE_TREND_HSTRY

Primary Key(s): COMPLN_CODE_TREND_HISTORY_ID

Field	Type	Default	Nulls?	Comments
COMPLN_CODE_TREND_HISTORY_ID	NUMBER (19,0)		No	Auto generated ID
QUARTER_HOURLY_TREND_INDEX	NUMBER (19,0)		Yes	For Operational Use.
HALF_HOURLY_TREND_INDEX	NUMBER (19,0)		Yes	For Operational Use
HOURLY_TREND_INDEX	NUMBER (19,0)		No	For Operational Use
JOB_ID	NUMBER (10,0)		No	Job ID.
ACTION_ID	NUMBER (10,0)		Yes	Action ID.
COMPLETION_CODE_ID	NUMBER (10,0)		No	Completion Code ID
START_TIME	TIMESTAMP (6) WITH TIME ZONE		No	Timestamp when completion code capturing started.
END_TIME	TIMESTAMP (6) WITH TIME ZONE		No	Timestamp when completion code capturing completed.
COUNT	NUMBER (19,0)		No	Total count of Completion code.

Index Name	Type	Unique	Fields
SYS_C0027581	NORMAL	Yes	COMPLN_CODE_TREND_HISTORY_ID
IX_PIMCCTRENDAHISTORY_JOB	NORMAL	No	JOB_ID

PIMCOMPLNCODETRENDHSTRYUKEY	NORMAL	Yes	QUARTER_HOURLY_TREND_INDEX, HALF_HOURLY_TREND_INDEX, HOURLY_TREND_INDEX, JOB_ID
-----------------------------	--------	-----	---

Check Constraint Name	Text
SYS_C0027581	COMPLN_CODE_TREND_HISTORY_ID
SYS_C0027574	"COMPLN_CODE_TREND_HISTORY_ID" IS NOT NULL
SYS_C0027575	"HOURLY_TREND_INDEX" IS NOT NULL
SYS_C0027576	"JOB_ID" IS NOT NULL
SYS_C0027577	"COMPLETION_CODE_ID" IS NOT NULL
SYS_C0027578	"START_TIME" IS NOT NULL
SYS_C0027579	"END_TIME" IS NOT NULL
SYS_C0027580	"COUNT" IS NOT NULL
PIMCOMPLNCODETRENDHSTRYUKEY	Unique QUARTER_HOURLY_TREND_INDEX, HALF_HOURLY_TREND_INDEX, HOURLY_TREND_INDEX, JOB_ID, ACTION_ID, COMPLETION_CODE_ID

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_PIMCCTRENDHISTORY_JOB	JOB_ID	POM Schema	PIM_JOB

PIM_CONTACT

Primary Key(s): CONTACT_ID

Field	Type	Default	Nulls?	Comments
CONTACT_ID	NUMBER (19,0)		No	Auto generated ID.
SITE_ID	NUMBER (10,0)		Yes	Reserved for future use
PIM_CONTACT_STORE_ID	NUMBER (10,0)		No	Contact list ID to which this contact belongs
LAST_COMPLETION_CODE_ID	NUMBER (10,0)		Yes	ID of the last completion code received for this contact record.
PHONE_NUMBER1	VARCHAR2(80 CHAR)		Yes	Phone 1 for this contact, if provided during import.
PHONE_NUMBER2	VARCHAR2(80 CHAR)		Yes	Phone 2 for this contact, if provided during import.
FIRST_NAME	VARCHAR2(80 CHAR)		Yes	Field to store first name of the contact
LAST_NAME	VARCHAR2(80 CHAR)		Yes	Field to store last name of the contact
EMAIL	VARCHAR2(80 CHAR)		Yes	Email Id for this contact, if provided during import
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		No	Time when this contact record was inserted or last updated by import operation.
LANGUAGE	VARCHAR2(80 CHAR)		Yes	Field for storing language choice of this contact. This field can contain only the values mentioned in the POM documentation.
TIME_ZONE	VARCHAR2(80 CHAR)		Yes	Field for storing the time zone for the phone number 1 of the contact.

LAST_ATTEMPT_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when this contact was last attempted in a campaign.
LAST_SUCCESSFUL_ATTEMPT_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when this contact was last successfully reached in a campaign.
CREATED_BY	VARCHAR2(40 CHAR)		Yes	Name of the user who imported this contact
LAST_MODIFIED_BY	VARCHAR2(40 CHAR)		Yes	Name of the user who last modified this contact.
PHONE_NUMBER1_TZ_INT	NUMBER (10,0)		No	Offset in milliseconds from GMT for time zone value, used for sorting contacts using Phone number 1 time zone
PHONE_NUMBER2_TZ	VARCHAR2(80 CHAR)		Yes	used to store contact phone number 2's time zone, either can be given by user or automatically calculated by POM
PHONE_NUMBER1_CTRY_CODE	NUMBER (10,0)		Yes	Country code of Phone number 1
PHONE_NUMBER2_CTRY_CODE	NUMBER (10,0)		Yes	Country code of Phone number 2
PHONE_NUMBER2_TZ_INT	NUMBER (10,0)		Yes	Offset in milliseconds from GMT for phone_number2_tz value, used for sorting contacts using Phone number 2 time zone
USER_CONTACT_ID	VARCHAR2(80 CHAR)		No	Contact ID provided while importing this contact record in the POM database. This should be used as a link between external customer database and POM database.
TITLE_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store title for contact. For example Mr., Mrs. etc...

ADDR_LINE1_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store address line 1 for contact
ADDR_LINE2_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store address line 2 for contact
ADDR_LINE3_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store address line 3 for contact
ADDR_LINE4_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store address line 4 for contact
ADDR_LINE5_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store address line 5 for contact
COUNTRY_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store country for contact
ZIPCODE_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store zip code for contact
PIM_CONTACT_STATUS_FLAG	NUMBER (1,0)		Yes	Predefined attribute to store contact status flag.
PHONE_NUMBER1_STATE	VARCHAR2(256)		Yes	Predefined attribute to store state for Phone 1
PHONE_NUMBER2_STATE	VARCHAR2(256)		Yes	Predefined attribute to store state for Phone2
PHONE_NUMBER1_WIRELESS	VARCHAR2(256)		Yes	Predefined attribute to store wireless for phone1
PHONE_NUMBER2_WIRELESS	VARCHAR2(256)		Yes	Predefined attribute to store
COUNTER	NUMBER (10)		Yes	Predefined attribute to store counter for every real attempt
LAST_ADDR_DIALED_ATTR_NAME	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store last phone field for Call/SMS/notification attempt type or last email address for Email attempt type

LAST_HANDLED_BY_AGENT_ID	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store Last Agent ID who handled the contact
LAST_NUISANCE_CALL_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Predefined attribute to store time stamp of Last nuisance call
SYS_AGENTID	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store agent id for contact.
PHONE_NUMBER1_ALLOWEDTIME	VARCHAR (256 CHAR)		Yes	To specify specific hours and days of the week during which phone1 can be dialed.
PHONE_NUMBER1_DISALLOWEDTIME	VARCHAR (256 CHAR)		Yes	To specify specific hours and days of the week during which phone1 cannot be dialed.
PHONE_NUMBER2_ALLOWEDTIME	VARCHAR (256 CHAR)		Yes	To specify specific hours and days of the week during which phone2 can be dialed.
PHONE_NUMBER2_DISALLOWEDTIME	VARCHAR (256 CHAR)		Yes	To specify specific hours and days of the week during which phone2 cannot be dialed.
ZIPCODE_STATE_PREDEFINED	VARCHAR (80 CHAR)		Yes	To specify state of primary zipcode
ZIPCODE_TZ_INT_PREDEFINED	INTEGER		Yes	Contains offset of timezone of primary zipcode
ZIPCODE_TZ_PREDEFINED	VARCHAR (256 CHAR)		Yes	To specify timezone of primary zipcode
ZIPCODE1_PREDEFINED	VARCHAR (80 CHAR)		Yes	To specify secondary zipcode for contact record

ZIPCODE1_STATE_PREDEFINED	VARCHAR (256 CHAR)		Yes	To specify state of secondary zipcode
ZIPCODE1_TZ_INT_PREDEFINED	INTEGER		Yes	Contains offset of timezone of secondary zipcode
ZIPCODE1_TZ_PREDEFINED	VARCHAR (80 CHAR)		Yes	To specify timezone of secondary zipcode

Index Name	Type	Unique	Fields
SYS_C0027595	NORMAL	Yes	CONTACT_ID
IX_CONT_SITES	NORMAL	Yes	SITE_ID
IX_CONT_CMPLNCD	NORMAL	No	LAST_COMPLETION_CODE_ID
IX_CONT_CONTACTSTORE	NORMAL	No	PIM_CONTACT_STORE_ID
PIMCONTACTUNIQUEKEY	NORMAL	Yes	USER_CONTACT_ID, PIM_CONTACT_STORE_ID
IX_CONT_STORE_MODIFIED	FUNCTION-BASED NORMAL	No	PIM_CONTACT_STORE_ID
IX_CONT_STORE_EXCLUDE_FLAG	NORMAL	No	PIM_CONTACT_STORE_ID, PIM_CONTACT_STATUS_FLAG_

Check Constraint Name	Text
SYS_C0027595	CONTACT_ID
SYS_C0027590	"CONTACT_ID" IS NOT NULL
SYS_C0027591	"PIM_CONTACT_STORE_ID" IS NOT NULL
SYS_C0027592	"LAST_MODIFIED_ON" IS NOT NULL

SYS_C0027593	"PHONE_NUMBER1_TZ_INT" IS NOT NULL
SYS_C0027594	"USER_CONTACT_ID" IS NOT NULL
PIMCONTACTUNIQUEKEY	Unique USER_CONTACT_ID, PIM_CONTACT_STORE_ID

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_CONT_CMLNCD	LAST_COMPLETION_CODE_ID	POM Schema	PIM_COMPLETION_CODE
FK_CONT_CONTSTORE	PIM_CONTACT_STORE_ID	POM Schema	PIM_CONTACT_STORE
FK_CONT_SITES	SITE_ID	POM Schema	PIM_SITES

PIM_CONTACT_ATTEMPTS

Primary Key(s): PIM_SESSION_ID

Field	Type	Default	Nulls?	Comments
--------------	-------------	----------------	---------------	-----------------

PIM_SESSION_ID	NUMBER (19,0)		No	Auto generated ID of this contact attempt.
COMPLETION_CODE_ID	NUMBER (10,0)		No	ID of the last custom completion code received for this contact attempt.
SYS_COMPLETION_CODE_ID	NUMBER (10,0)		Yes	ID of the last system completion code received for this contact attempt.
JOB_ID	NUMBER (10,0)		No	Campaign job ID. This ID is shown in the POM monitor when the campaign job is running.
CONTACT_ID	NUMBER (19,0)		No	Contact id from PIM_CONTACT table.
OWNER_PIM_SERVER_NAME	VARCHAR2(255 CHAR)		Yes	ID of the POM server which processed this attempt.
ACTION_ID	NUMBER (10,0)		Yes	ID of the action which resulted in this contact attempt.
SESSION_ID	VARCHAR2(2048 CHAR)		Yes	Session ID returned by the media server.
CONTACT_ATTEMPT_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time of this attempt.
RINGBACK_START_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when ring-back event was received
LAST_NW_DISPOSITION_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when the last disposition was received from the network.

CALL_START_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when the call was answered and application started
CALL_COMPLETION_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when the call was disconnected.
CALL_CONNECT_TIME	NUMBER (19,0)		Yes	Time of call answer as an offset from the epoch.
START_OF_VOICE_OFFSET	NUMBER (10,0)		Yes	Offset from the call answer time of start of voice event.
FIRST_PROMPT_OFFSET	NUMBER (10,0)		Yes	Offset from the call answer time of the first prompt play event
MEDIA_SERVER_NAME	VARCHAR2(80 CHAR)		Yes	Name of the media server who serviced this attempt.
CHANNEL_TYPE	NUMBER (10,0)		No	NUMBER to identify the type of the channel. (-1) - Excluded contacts and Un-attempted contacts 0 - Voice1 - SMS2 - E-mail3 - Custom
ADDRESS	VARCHAR2(80 CHAR)		Yes	Phone number or email address used to make this attempt.
AGENT_ID	VARCHAR2(80 CHAR)		Yes	Agent assigned for this attempt.
CALLBACK_ID	NUMBER (19,0)		Yes	this is reserved for future use
NUISANCE_CALL	NUMBER (1,0)		Yes	This will be set to true if attempted call is a nuisance call

RESULT_STATE	NUMBER (10,0)		No	0 - NO_RESULT 1 - NEW_YET_TO_PROCESS 2 - LOCKED 3 - TO_PROCESS_LATER 4 - PROCESSED
LICENSE_USED	NUMBER (1,0)		No	For Operational Use.
ATTEMPT_TYPE	NUMBER (10,0)		No	This field gives information about type of attempt like Regular, Callback, Out of Temporary Restriction, Retry 0 - REGULAR 1 - CALLBACK 2 - OUT_OF_RESTRICT 3 - RETRY 4 - HIGH_PRIORITY 5 - REDIAL
PACING_TYPE	NUMBER (1,0)		Yes	Type of pacing."0" - Expert Call Ratio"1" - Cruise Control"3" - Progressive"4" - Custom"5" - Preview"6" - Time-based Pacing"7" - Skill Based Pacing"8" - None
HANDLER_NAME	VARCHAR2(256 CHAR)		Yes	This field gives information about the Handler created in strategy
ADDRESS_ATTR_NAME	VARCHAR2(80 CHAR)		Yes	
RULE_NAME	VARCHAR2(255 CHAR)		Yes	This field gives information about the Rule Name
PROCESS_AFTER	BIGINT		Yes	For Operational Use.
RESULT_PROGRESS	NUMBER (1,0)		Yes	For Operational Use.

USER_CONTACT_ID	VARCHAR2(80 CHAR)		Yes	For Operational Use.
CONTACT_AGENT_STATE	NUMBER (1,0)	0	No	0 - NOT_YET_WITH_AGENT 1 - BUSY_WITH_AGENT 2- DONE_WITH_AGENT 3- EXECUTE_CUSTOM_CLASS_ONLY
CAMPAIGN_ID	NUMBER (10,0)		Yes	This field contains the campaign ID.
INFO1	VARCHAR2(2048 CHAR)		Yes	Info1
INFO2	VARCHAR2(2048 CHAR)		Yes	Info2
INFO3	VARCHAR2(2048 CHAR)		Yes	Info2
PARENT_PIM_SESSION_ID	NUMBER (19,0)		Yes	Parents session ID
EXCLUDED_FROM_NUISANCE_RATE	NUMBER (1,0)		Yes	True if attempt is marked by agent as "answer machine by agent"
UCID	VARCHAR2(256)		Yes	The field contains UCID
AGENT_CONNECT_TIME	TIMESTAMP (6) WITH TIME ZONE			Contains the Agent connect Time.
ZIP_TONE_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Contains the zip tone time
LIVE_VOICE_OFFSET	NUMBER		Yes	Offset for live voice
RECORDED_MSG_OFFSET	NUMBER		Yes	Offset for recorded msg

MSG_END_OFFSET	NUMBER		Yes	Offset for meg end
SKIP_ADDR_COUNT	NUMBER	0	NO	Count f skipped addresses
DNC_LIST_NAME	VARCHAR2 (20)		Yes	Name of the DNC list
DNCLISTS_GROUP_NAME	VARCHAR2(20)		Yes	Name of DNC group
AGENT_OFFSET_OFFHOOK	NUMBER		Yes	Offset for agent offhook
AGENT_OFFSET_SOV	NUMBER		Yes	Offset for agent sov
CONTACT_LIST_ID	NUMBER		Yes	ID of contact list
ATTEMPT_TYPE	NUMBER		Yes	Type of the attempt
CONTEXT_STORE_ID	VARCHAR2(256)			ID of context store
ORG_ID	NUMBER (10,0)		Yes	This field contains organization id associated with campaign. In case of default org value would be null or -1 as applicable in campaign table.
RECORD_PICKUP_TIME	TIMESTAMP WITH TIME ZONE		Yes	This column shows the time when record is picked by POM from database before making an contact attempt
EXPORTED	NUMBER (1,0)		No	
CUSTOM_FIELD1	VARCHAR (30 CHAR)		Yes	
CUSTOM_FIELD2	VARCHAR (30 CHAR)		Yes	
CUSTOM_FIELD3	VARCHAR (30 CHAR)		Yes	

CUSTOM_FIELD4	VARCHAR (30 CHAR)		Yes	
CUSTOM_FIELD5	VARCHAR (30 CHAR)		Yes	
REASON_CODE	VARCHAR (30 CHAR)		Yes	
RESPONSE_CODE	VARCHAR (30 CHAR)		Yes	
RESPONSE_STATUS	VARCHAR (20 CHAR)		Yes	
SELECTION_CONTROL	VARCHAR (20 CHAR)		Yes	
ZIP_TONE_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	

Index Name	Type	Unique	Fields
SYS_C0027606	Normal	Yes	PIM_SESSION_ID
IX_CONTATMPS_JOB	Normal	No	JOB_ID
IX_NUISANCE_CALL	Normal	No	NUISANCE_CALL
IX_CONTATMPS_CONT	Normal	No	CONTACT_ID
IX_JOBACTIONCOM_ID	Normal	No	JOB_ID, ACTION_ID, COMPLETION_CODE_ID
IX_JOBACTIONLICUSED	Normal	No	JOB_ID, ACTION_ID, LICENSE_USED
IX_JOB_ID_ACTION_ID	Normal	No	JOB_ID, ACTION_ID

IX_CONTATMPS_CMPLNCD	Normal	No	COMPLETION_CODE_ID
IX_JOBACTIOINSYSYSCOM_ID	Normal	No	JOB_ID, ACTION_ID, SYS_COMPLETION_CODE_ID
IX_CONTATTMPTS_CBKDTLS	Normal	No	CALLBACK_ID
IX_CONTATMPS_SYSCMPLNCD	Normal	No	SYS_COMPLETION_CODE_ID
IX_CONTATMPS_EPSESSION_ID	Normal	No	SESSION_ID
IX_RULE_ATMPT_INPG	Normal	No	ADDRESS, USER_CONTACT_ID
IX_RULE_ATMPT_NS_ADDR	Normal	No	ADDRESS, ADDRESS_ATTR_NAME, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME
IX_RULE_ATMPT_NS_USRCNT	Normal	No	NUISANCE_CALL, RULE_NAME, USER_CONTACT_ID, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME
IX_RULE_ATTEMPT_ADDRESS	Normal	No	CHANNEL_TYPE, ADDRESS, ADDRESS_ATTR_NAME, RULE_NAME, COMPLETION_CODE_ID, CAMPAIGN_ID, CONTACT_ATTEMPT_TIME
IX_RULE_ATTEMPT_USRCNTID	Normal	No	CHANNEL_TYPE, RULE_NAME, USER_CONTACT_ID, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME
IX_CONTATMPS_2	Normal	No	JOB_ID, CONTACT_LIST_ID, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME, CONTACT_ID
IX_CONTATMPS_3	Normal	No	OWNER_PIM_SERVER_NAME, CHANNEL_TYPE, LICENSE_USED
IX_CONTATMPS_4	Normal	No	NUISANCE_CALL, JOB_ID
IX_CONTATMPS_6	Normal	No	SYS_COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME, JOB_ID
IX_CONTATMPS_8	Normal	No	JOB_ID, CONTACT_ID

Check Constraint Name	Text
-----------------------	------

SYS_C0027606	PIM_SESSION_ID
SYS_C0027597	"PIM_SESSION_ID" IS NOT NULL
SYS_C0027598	"COMPLETION_CODE_ID" IS NOT NULL
SYS_C0027599	"JOB_ID" IS NOT NULL
SYS_C0027600	"CONTACT_ID" IS NOT NULL
SYS_C0027601	"CHANNEL_TYPE" IS NOT NULL
SYS_C0027602	"RESULT_STATE" IS NOT NULL
SYS_C0027603	"RESULT_PROCESSED" IS NOT NULL
SYS_C0027604	"LICENSE_USED" IS NOT NULL
SYS_C0027605	"ATTEMPT_TYPE" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_CONTATMPS_CMPLNCD	COMPLETION_CODE_ID	POM Schema	PIM_COMPLETION_CODE
FK_CONTATMPS_CONT	CONTACT_ID	POM Schema	PIM_CONTACT
FK_CONTATMPS_JOB	JOB_ID	POM Schema	PIM_JOB
FK_CONTATMPS_SYSCMPLNCD	SYS_COMPLETION_CODE_ID	POM Schema	PIM_COMPLETION_CODE

PIM_CONTACT_ATTEMPTS_HISTORY

Primary Key(s): PIM_SESSION_ID

Field	Type	Default	Nulls?	Comments
PIM_SESSION_ID	NUMBER (19,0)		No	Auto generated ID of this contact attempt.
COMPLETION_CODE_ID	NUMBER (10,0)		No	ID of the last custom completion code received for this contact attempt.
SYS_COMPLETION_CODE_ID	NUMBER (10,0)		Yes	ID of the last system completion code received for this contact attempt.
JOB_ID	NUMBER (10,0)		No	Campaign job ID. This ID is shown in the POM monitor when the campaign job is running.
CONTACT_ID	NUMBER (19,0)		No	Contact id from pim_contact table.
OWNER_PIM_SERVER_NAME	VARCHAR2(255 CHAR)		Yes	ID of the POM server which processed this attempt.
ACTION_ID	NUMBER (10,0)		Yes	ID of the action which resulted in this contact attempt.
SESSION_ID	VARCHAR2(2048 CHAR)		Yes	Session ID returned by the media server.
CONTACT_ATTEMPT_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time of this attempt.
RINGBACK_START_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when ring-back event was received
LAST_NW_DISPOSITION_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when the last disposition was received from the network.
CALL_START_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when the call was answered and application started

CALL_COMPLETION_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when the call was disconnected.
CALL_CONNECT_TIME	NUMBER (19,0)		Yes	Time of call answer as an offset from the epoch.
START_OF_VOICE_OFFSET	NUMBER (10,0)		Yes	Offset from the call answer time of start of voice event.
FIRST_PROMPT_OFFSET	NUMBER (10,0)		Yes	Offset from the call answer time of the first prompt play event
MEDIA_SERVER_NAME	VARCHAR2(80 CHAR)		Yes	Name of the media server who serviced this attempt.
CHANNEL_TYPE	NUMBER (10,0)		No	NUMBER to identify the type of the channel. (-1) - Excluded contacts and Un-attempted contacts 0 - Voice1 - SMS2 - E-mail3 - Custom
ADDRESS	VARCHAR2(80 CHAR)		Yes	Phone number or email address used to make this attempt.
AGENT_ID	VARCHAR2(80 CHAR)		Yes	Agent assigned for this attempt.
CALLBACK_ID	NUMBER (19,0)		Yes	this is reserved for future use
NUISANCE_CALL	NUMBER (1,0)		Yes	This will be set to true if attempted call is a nuisance call
RESULT_STATE	NUMBER (10,0)		No	0 - NO_RESULT 1 - NEW_YET_TO_PROCESS 2 - LOCKED 3 - TO_PROCESS_LATER 4 - PROCESSED

LICENSE_USED	NUMBER (1,0)		No	For Operational Use.
ATTEMPT_TYPE	NUMBER (10,0)		No	This field gives information about type of attempt like Regular, Callback, Out of Temporary Restriction, Retry 0 - REGULAR 1 - CALLBACK 2 - OUT_OF_RESTRICT 3 - RETRY 4 - HIGH_PRIORITY 5 - REDIAL
PACING_TYPE	NUMBER (10,0)		Yes	Type of pacing."0" - Expert Call Ratio"1" - Cruise Control"3" - Progressive"4" - Custom"5" - Preview"6" - Time-based Pacing"7" - Skill Based Pacing"8" - None
HANDLER_NAME	VARCHAR2(256 CHAR)		Yes	This field gives information about the Handler created in strategy
ADDRESS_ATTR_NAME	VARCHAR2(80 CHAR)		Yes	
RULE_NAME	VARCHAR2(255 CHAR)		Yes	Will display rule Name
PROCESS_AFTER	BIGINT		Yes	
RESULT_PROGRESS	NUMBER (10,0)		Yes	
USER_CONTACT_ID	VARCHAR2(80 CHAR)		Yes	
CAMPAIGN_ID	NUMBER (10,0)		Yes	This field contains the campaign ID.
INFO1	VARCHAR2(2048 CHAR)		Yes	Info1

INFO2	VARCHAR2(2048 CHAR)		Yes	Info2
INFO3	VARCHAR2(2048 CHAR)		Yes	Info2
PARENT_PIM_SESSION_ID	NUMBER (19,0)		Yes	Parents session ID
EXCLUDED_FROM_NUISANCE_RATE	NUMBER (1,0)		Yes	True if attempt is marked by agent as "answer machine by agent"
UCID	VARCHAR2(256)		Yes	The field contains UCID
SKIP_ADDR_COUNT	NUMBER	0	NO	Count for skipped addresses
DNC_LIST_NAME	VARCHAR2(80)		Yes	Name of the DNC list
DNCLIST_GROUP_NAME	VARCHAR2(80)		Yes	Name of DNC group
AGENT_OFFSET_OFFHOOK	NUMBER		Yes	Offset for agent offhook
CONTACT_LIST_ID	NUMBER		Yes	ID of contact list
AGENT_CONNECT_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Contains the Agent connect Time.
ZIP_TONE_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Contains the Agent connect Time.
LIVE_VOICE_OFFSET	NUMBER		Yes	Contains the zip tone time
RECORDED_MSG_OFFSET	NUMBER		Yes	Offset for live voice
MSG_END_OFFSET	NUMBER		Yes	Offset for meg end
AGENT_OFFSET_SOV	NUMBER		Yes	Offset for agent sov
CONTACT_AGENT_STATE	NUMBER		Yes	State of the Agent
CONTEXT_STORE_ID	VARCHAR2(20)		Yes	ID of context store

ORG_ID	NUMBER (10,0)		Yes	This field contains organization id associate with campaign. In case of default organization, value could be null or -1 as applicable in campaign table.
CUSTOM_FIELD1	VARCHAR (30)		Yes	
CUSTOM_FIELD2	VARCHAR (30)		Yes	
CUSTOM_FIELD3	VARCHAR (30)		Yes	
CUSTOM_FIELD4	VARCHAR (30)		Yes	
CUSTOM_FIELD5	VARCHAR (30)		Yes	
EXPORTED	NUMBER (1,0)		No	
REASON_CODE	VARCHAR (30)		Yes	
RECORD_PICKUP_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	This column shows the time when record is picked by POM from database before making an contact attempt
RESPONSE_CODE	VARCHAR (30)		Yes	
RESPONSE_STATUS	VARCHAR (20)		Yes	
SELECTION_CONTROL	VARCHAR (20)		Yes	

Index Name	Type	Unique	Fields
SYS_C0027616	Normal	No	PIM_SESSION_ID
IX_NUISANCE_JID	Normal	No	NUISANCE_CALL, JOB_ID
IX_CONTATMPHSTRY_JOB	Normal	No	JOB_ID

IX_CONTATMPHSHSTRY_JCID	Normal	No	JOB_ID, CONTACT_ID
IX_CONTATMPS_SYSCC_JID	Normal	No	SYS_COMPLETION_CODE_ID, JOB_ID
IX_CONTATMPHSHSTRY_CMPLNCD	Normal	No	COMPLETION_CODE_ID
IX_CONTATTMPTSHST_CBKDTLS	Normal	No	CALLBACK_ID
IX_CONTATMPHSHSTRY_CONTHSTRY	Normal	No	CONTACT_ID, JOB_ID
IX_CONTATMPHSHSTRY_SYSCMPLNCD	Normal	No	SYS_COMPLETION_CODE_ID
IX_CONTATMPHSHSTRY_EPSESSION_ID	Normal	No	SESSION_ID
IX_NUISANCE_JID	Normal	No	NUISANCE_CALL, JOB_ID
IX_RULE_ATMPT_CC_ADDR	Normal	No	ADDRESS, RULE_NAME, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME, CAMPAIGN_ID
IX_RULE_ATMPT_CC_ADDR_ATTR	Normal	No	ADDRESS, ADDRESS_ATTR_NAME, RULE_NAME, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME, CAMPAIGN_ID
IX_RULE_ATMPT_CC_USERCNT	Normal	No	RULE_NAME, USER_CONTATC_ID, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME
IX_RULE_ATMPT_HSTRY_ADDRESS	Normal	No	CHANNEL_TYPE, ADDRESS, ADDRESS_ATTR_NAME, RULE_NAME, COMPLETION_CODE_ID, CAMPAIGN_ID, CONTACT_ATTEMPT_TIME
IX_RULE_ATMPT_HSTRY_NS_ADDR	Normal	No	ADDRESS, NUISANCE_CALL, RULE_NAME, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME, CAMPAIGN_ID
IX_RULE_ATMPT_HSTRY_NS_ADR_ATR	Normal	No	ADDRESS, NUISANCE_CALL, ADDRESS_ATTR_NAME, RULE_NAME, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME, CAMPAIGN_ID

IX_RULE_ATMPT_HSTRY_NS_USRCNT	Normal	No	NUISANCE_CALL, RULE_NAME, USER_CONTACT_ID, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME
IX_CONTATTRHIST_JID	Normal	NO	CHANNEL_TYPE, RULE_NAME, USER_CONTACT_ID, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME
IDX_JOB_ID_SESSION_ID	Normal	No	PIM_SESSION_ID, JOB_ID
IX_CONTATMPHSTRY_1	Normal	NO	JOB_ID, ACTION_ID, COMPLETION_CODE_ID
IX_CONTATMPHSTRY_2	Normal	NO	JOB_ID, CONTACT_LIST_ID, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME, CONTACT_ID
IX_CONTATMPHSTRY_3	Normal	NO	JOB_ID, CHANNEL_TYPE
IX_CONTATMPHSTRY_5	Normal	NO	EXCLUDED_FROM_NUISANCE_RATE, JOB_ID, CONTACT_ATTEMPT_TIME
IX_CONTATMPHSTRY_JOB	Normal	NO	JOB_ID
IX_CONTATMPHSTRY_JOB_ACT_ID	Normal	NO	JOB_ID, ACTION_ID
IX_CONTATMPHSTRY_NW_DISPO	Normal	NO	JOB_ID, ACTION_ID, LAST_NW_DISPOSITION_TIME
IX_CONTATMPHSTRY_SYS_COMP	Normal	NO	JOB_ID, SYS_COMPLETION_CODE_ID
IX_HSTRY_JOBACTIOINSYSCOM_ID	Normal	NO	JOB_ID, ACTION_ID, SYS_COMPLETION_CODE_ID
IX_RULE_ATMPT_HSTRY_USRCNTID	Normal	NO	CHANNEL_TYPE, RULE_NAME, USER_CONTACT_ID, COMPLETION_CODE_ID, CONTACT_ATTEMPT_TIME

Check Constraint Name	Text
SYS_C0027616	PIM_SESSION_ID
SYS_C0027607	"PIM_SESSION_ID" IS NOT NULL

SYS_C0027608	"COMPLETION_CODE_ID" IS NOT NULL
SYS_C0027609	"JOB_ID" IS NOT NULL
SYS_C0027610	"CONTACT_ID" IS NOT NULL
SYS_C0027611	"CHANNEL_TYPE" IS NOT NULL
SYS_C0027612	"RESULT_STATE" IS NOT NULL
SYS_C0027613	"RESULT_PROCESSED" IS NOT NULL
SYS_C0027614	"LICENSE_USED" IS NOT NULL
SYS_C0027615	"ATTEMPT_TYPE" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_CONTATMPHSTRY_CMPLNCD	COMPLETION_CODE_ID	POM Schema	PIM_COMPLETION_CODE
FK_CONTATMPHSTRY_CONTHSTRY	CONTACT_ID, JOB_ID	POM Schema	PIM_CONTACT_HISTORY
FK_CONTATMPHSTRY_JOB	JOB_ID	POM Schema	PIM_JOB
FK_CONTATMPHSTRY_SYSCMPLNCD	SYS_COMPLETION_CODE_ID	POM Schema	PIM_COMPLETION_CODE

PIM_CONTACT_ATTRIBUTE

Primary Key(s): CONTACT_ID, ATTRIBUTE_ID

Field	Type	Default	Nulls?	Comments
CONTACT_ID	NUMBER (19,0)		No	Contact ID
ATTRIBUTE_ID	NUMBER (10,0)		No	Attribute ID
ATTRIBUTE_VALUE	VARCHAR2(3990 CHAR)		Yes	Attribute Name

Index Name	Type	Unique	Fields
SYS_C0027619	NORMAL	Yes	CONTACT_ID, ATTRIBUTE_ID
IX_CONTATTR_ATTR	NORMAL	No	ATTRIBUTE_ID
IX_CONTATTR_CONT	NORMAL	No	CONTACT_ID

Check Constraint Name	Text
SYS_C0027619	CONTACT_ID, ATTRIBUTE_ID
SYS_C0027617	"CONTACT_ID" IS NOT NULL
SYS_C0027618	"ATTRIBUTE_ID" IS NOT NULL

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
---------------------------------------	-----------------	----------------	----------------

FK_CONTATTR_ATTR	POM Schema	PIM_ATTRIBUTE	ATTRIBUTE_ID
FK_CONTATTR_CONT	POM Schema	PIM_CONTACT	CONTACT_ID

PIM_CONTACT_ATTRIBUTE_HISTORY

Primary Key(s): CONTACT_ID, JOB_ID, ATTRIBUTE_NAME

Field	Type	Default	Nulls?	Comments
CONTACT_ID	NUMBER (19,0)		No	Contact ID
JOB_ID	NUMBER (10,0)		No	Job ID
ATTRIBUTE_NAME	VARCHAR2(30 CHAR)		No	Attribute Name
ATTRIBUTE_VALUE	VARCHAR2(3990 CHAR)		Yes	Attribute Value

Index Name	Type	Unique	Fields
SYS_C0027623	NORMAL	Yes	CONTACT_ID, JOB_ID, ATTRIBUTE_NAME
IX_CONTATTRHSTRY_CONTHSTRY	NORMAL	No	CONTACT_ID, JOB_ID

IX_CONTATTRHIST_JID	NORMAL	No	CONTACT_ID, JOB_ID, ATTRIBUTE_NAME
---------------------	--------	----	------------------------------------

Check Constraint Name	Text
SYS_C0027623	CONTACT_ID, JOB_ID, ATTRIBUTE_NAME
SYS_C0027620	"CONTACT_ID" IS NOT NULL
SYS_C0027621	"JOB_ID" IS NOT NULL
SYS_C0027622	"ATTRIBUTE_NAME" IS NOT NULL

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
FK_CONTATTRHSTRY_CONTHSTRY	POM Schema	PIM_CONTACT_HISTORY	CONTACT_ID, JOB_ID

PIM_CONTACT_HISTORY

Primary Key(s): CONTACT_ID, JOB_ID

Field	Type	Default	Nulls?	Comments
CONTACT_ID	NUMBER (19,0)		No	Contact ID.
JOB_ID	NUMBER (10,0)		No	Job ID.

PHONE_NUMBER1	VARCHAR2(80 CHAR)		Yes	Phone 1 for this contact, if provided during import.
PHONE_NUMBER2	VARCHAR2(80 CHAR)		Yes	Phone 2 for this contact, if provided during import.
FIRST_NAME	VARCHAR2(80 CHAR)		Yes	Field to store first name of the contact
LAST_NAME	VARCHAR2(80 CHAR)		Yes	Field to store last name of the contact
EMAIL	VARCHAR2(80 CHAR)		Yes	Email Id for this contact, if provided during import
LANGUAGE	VARCHAR2(80 CHAR)		Yes	Field for storing language choice of this contact. This field can contain only the values mentioned in the POM documentation.
TIME_ZONE	VARCHAR2(80 CHAR)		Yes	Field for storing the time zone for the phone number 1 of the contact.
CREATED_BY	VARCHAR2(80 CHAR)		Yes	Name of the user who imported this contact.
PHONE_NUMBER1_TZ_INT	NUMBER (10,0)		No	Offset in milliseconds from GMT for time zone value, used for sorting contacts using phone number 1 time zone
PHONE_NUMBER2_TZ	VARCHAR2(80 CHAR)		Yes	Field for storing the time zone for the phone number 2 of the contact.
PHONE_NUMBER1_CTRY_CODE	NUMBER (10,0)		Yes	Country code of Phone number 1
PHONE_NUMBER2_CTRY_CODE	NUMBER (10,0)		Yes	Country code of Phone number 2

PHONE_NUMBER2_TZ_INT	NUMBER (10,0)		Yes	Offset in milliseconds from GMT for time zone value, used for sorting contacts using phone number 2 time zone
USER_CONTACT_ID	VARCHAR2(80 CHAR)		No	Contact ID provided while importing this contact record in the POM database. This should be used as a link between external customer database and POM database.
STORE_NAME	VARCHAR2(40 CHAR)		No	Contact List Name.
TITLE_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store title for contact. For example Mr., Mrs. etc...
ADDR_LINE1_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store address line 2 for contact
ADDR_LINE2_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store address line 3 for contact
ADDR_LINE3_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store address line 4 for contact
ADDR_LINE4_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store address line 5 for contact
ADDR_LINE5_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store country for contact
COUNTRY_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store zip code for contact
ZIPCODE_PREDEFINED	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store address line 2 for contact
ZONE_ID	NUMBER (10,0)		No	Zone ID

PIM_CONTACT_STATUS_FLAG_	NUMBER	0		Status flag for contact
PHONE_NUMBER1_STATE	VARCHAR(256)		Yes	Predefined attribute to store State of Phone 1
PHONE_NUMBER2_STATE	VARCHAR(256)		Yes	Predefined attribute to store State of Phone 2
PHONE_NUMBER1_WIRELESS	VARCHAR(256)		Yes	Predefined attribute to store wireless for phone1
PHONE_NUMBER2_WIRELESS	VARCHAR(256)		Yes	Predefined attribute to store wireless for phone2
COUNTER	NUMBER (10)		Yes	Predefined attribute to store counter for every real attempt
LAST_ADDR_DIALED_ATTR_NAME	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store last phone field for Call/SMS/notification attempt type or last email address for Email attempt type
LAST_HANDLED_BY_AGENT_ID	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store Last Agent ID who handled the contact
LAST_NUISANCE_CALL_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Predefined attribute to store time stamp of Last nuisance call
SYS_AGENTID	VARCHAR2(80 CHAR)		Yes	Predefined attribute to store agent id for contact.
PHONE_NUMBER1_ALLOWEDTIME	VARCHAR (256 CHAR)		Yes	To specify specific hours and days of the week during which phone1 can be dialed.
PHONE_NUMBER1_DISALLOWEDTIME	VARCHAR (256 CHAR)		Yes	To specify specific hours and days of the week during which phone1 cannot be dialed.

PHONE_NUMBER2_ALLOWEDTIME	VARCHAR (256 CHAR)		Yes	To specify specific hours and days of the week during which phone2 can be dialed.
PHONE_NUMBER2_DISALLOWEDTIME	VARCHAR (256 CHAR)		Yes	To specify specific hours and days of the week during which phone2 cannot be dialed.
ZIPCODE_TZ_PREDEFINED	VARCHAR (80 CHAR)		Yes	To specify state of primary zipcode
ZIPCODE_TZ_INT_PREDEFINED	INTEGER		Yes	Contains offset of timezone of primary zipcode
ZIPCODE_STATE_PREDEFINED	VARCHAR (256 CHAR)		Yes	To specify timezone of primary zipcode
ZIPCODE1_PREDEFINED	VARCHAR (256 CHAR)		Yes	To specify secondary zipcode for contact record
ZIPCODE1_TZ_PREDEFINED	VARCHAR (80 CHAR)		Yes	To specify state of secondary zipcode
ZIPCODE1_TZ_INT_PREDEFINED	INTEGER		Yes	Contains offset of timezone of secondary zipcode
ZIPCODE1_STATE_PREDEFINED	VARCHAR (256 CHAR)		Yes	To specify timezone of secondary zipcode

Index Name	Type	Unique	Fields
SYS_C0027635	NORMAL	No	CONTACT_ID, JOB_ID

IX_CONTHSTRY_JOB	NORMAL	No	JOB_ID
------------------	--------	----	--------

Check Constraint Name	Text
SYS_C0027635	CONTACT_ID, JOB_ID
SYS_C0027629	"CONTACT_ID" IS NOT NULL
SYS_C0027630	"JOB_ID" IS NOT NULL
SYS_C0027631	"PHONE_NUMBER1_TZ_INT" IS NOT NULL
SYS_C0027632	"USER_CONTACT_ID" IS NOT NULL
SYS_C0027633	"STORE_NAME" IS NOT NULL
SYS_C0027634	"ZONE_ID" IS NOT NULL

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
FK_CONTHSTRY_JOB	POM Schema	PIM_JOB	JOB_ID

PIM_CONTACT_STORE

Primary Key(s): PIM_CONTACT_STORE_ID

Field	Type	Default	Nulls?	Comments
PIM_CONTACT_STORE_ID	NUMBER (10,0)		No	Auto generated ID
STORE_NAME	VARCHAR2(40 CHAR)		No	Contact List Name
STORE_DESCRIPTION	VARCHAR2(256 CHAR)		Yes	Contact List Description
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when contact list was modified.
TOTAL_CONTACTS	NUMBER (19,0)		No	Total numbers of contacts in contact list.
LAST_UPDATE_ON	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when contact list was updated.
CREATED_BY	VARCHAR2(40 CHAR)		Yes	Name of person who created contact list.
LAST_MODIFIED_BY	VARCHAR2(40 CHAR)		Yes	Name of person who did last modification.
STATUS	NUMBER (10,0)		No	For Operational Use.
DELETION_START_AT	TIMESTAMP (6) WITH TIME ZONE		Yes	For Operational Use.
ZONE_ID	NUMBER (10,0)		No	Zone ID.
TOTAL_EXCLUDED_CONTACTS	NUMBER (19,0)		NO	For total exclude contacts
CS_CUSTOMER_ID_RETRIVAL_MODE	NUMBER (10,0)		No	Customer ID retrieval mode

CONTEXT_STORE_CUSTOMER_ID	NUMBER (1,0)	1	No	Attribute ID that will be used to fetch customer ID from Oceana
CS_MULTIPLE_PHONE_FIELDS	NUMBER (1,0)		No	Flag to check if Multiple Phone Fields is allowed to fetch customer ID

Index Name	Type	Unique	Fields
SYS_C0027646	NORMAL	Yes	PIM_CONTACT_STORE_ID
SYS_C0027647	NORMAL	Yes	STORE_NAME
IX_CONTSTORE_ZONE	NORMAL	No	ZONE_ID

Check Constraint Name	Text
SYS_C0027646	PIM_CONTACT_STORE_ID
SYS_C0027641	"PIM_CONTACT_STORE_ID" IS NOT NULL
SYS_C0027642	"STORE_NAME" IS NOT NULL
SYS_C0027643	"TOTAL_CONTACTS" IS NOT NULL
SYS_C0027644	"STATUS" IS NOT NULL
SYS_C0027645	"ZONE_ID" IS NOT NULL
SYS_C0027647	Unique STORE_NAME

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
STORE_NAME	ZONE_ID	POM Schema	PIM_ZONE

PIM_CONTACT_STORE_ATTRIBUTE

Primary Key(s): PIM_CONTACT_STORE_ID, ATTRIBUTE_ID

Field	Type	Default	Nulls?	Comments
PIM_CONTACT_STORE_ID	NUMBER (10,0)		No	Contact list ID
ATTRIBUTE_ID	NUMBER (10,0)		No	Attribute ID
SELECT_ORDER	NUMBER (10,0)		No	Order of attributes in contact lists. For Operational Use.

Index Name	Type	Unique	Fields
SYS_C0027651	NORMAL	Yes	PIM_CONTACT_STORE_ID, ATTRIBUTE_ID
IX_ATTR_CONTSTORE	NORMAL	No	ATTRIBUTE_ID
IX_CONTSTORE_ATTR	NORMAL	No	PIM_CONTACT_STORE_ID

Check Constraint Name	Text
SYS_C0027651	PIM_CONTACT_STORE_ID, ATTRIBUTE_ID
SYS_C0027648	"PIM_CONTACT_STORE_ID" IS NOT NULL
SYS_C0027649	"ATTRIBUTE_ID" IS NOT NULL
SYS_C0027650	"SELECT_ORDER" IS NOT NULL

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
FK_ATTR_CONTSTORE	POM Schema	PIM_ATTRIBUTE	ATTRIBUTE_ID
FK_CONTSTORE_ATTR	POM Schema	PIM_CONTACT_STORE	PIM_CONTACT_STORE_ID

PIM_CONTACT_STRATEGY

Primary Key(s): CONTACT_STRATEGY_ID

Field	Type	Default	Nulls?	Comments
CONTACT_STRATEGY_ID	NUMBER (10,0)		No	Auto generated ID.
ORGANIZATION_ID	NUMBER (10,0)		Yes	Organization ID
STRATEGY_NAME	VARCHAR2(256 CHAR)		Yes	Campaign Strategy Name.
STRATEGY_TEXT	CLOB		Yes	For Operational Use.
STATE	NUMBER (10,0)		No	For Operational Use.
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		No	Time when strategy was modified.
CREATED_BY	VARCHAR2(40 CHAR)		Yes	Name of person who created campaign strategy.
LAST_MODIFIED_BY	VARCHAR2(40 CHAR)		Yes	Name of person who did last modification in campaign strategy.

Index Name	Type	Unique	Fields
------------	------	--------	--------

SYS_C0027658	NORMAL	Yes	CONTACT_STRATEGY_ID
IX_CONTSTRATEGY_ORG	NORMAL	No	ORGANIZATION_ID

Check Constraint Name	Text
SYS_C0027658	CONTACT_STRATEGY_ID
SYS_C0027655	"CONTACT_STRATEGY_ID" IS NOT NULL
SYS_C0027656	"STATE" IS NOT NULL
SYS_C0027657	"LAST_MODIFIED_ON" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_CONTSTRATEGY_ORG	ORGANIZATION_ID	POM Schema	PIM_ORGANIZATION

PIM_CONTEXT_STORE_ATTRIBUTES

Primary Key(s): CONTEXT_STORE_ATTR_ID

Field	Type	Default	Nulls?	Comments
CONTEXT_STORE_ATTR_ID	NUMBER (10,0)		No	Auto generated ID

PIM_CONTACT_STORE_ID	NUMBER (10,0)		No	Contact list ID
ATTRIBUTE_ID	NUMBER (10,0)		No	Phone Attribute ID associated with contact list to fetch the customer ID along with attempted address.

Index Name	Type	Unique	Fields
SYS_C007763	NORMAL	Yes	CONTEXT_STORE_ATTRIBUTE_ID
IX_CONTEXTSTORE_ATTR	NORMAL	No	ATTRIBUTE_ID
IX_CONTEXTSTORE_CONTACTSTORE	NORMAL	No	PIM_CONTACT_STORE_ID

Check Constraint Name	Text
SYS_C007763	CONTEXT_STORE_ATTR_ID
SYS_C007760	“CONTEXT_STORE_ATTR_ID” IS NOT NULL
SYS_C007761	“PIM_CONTACT_STORE_ID” IS NOT NULL
SYS_C007761	“ATTRIBUTE_ID” IS NOT NULL

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
FK_CONTEXTSTORE_CONTACTSTORE	POM Schema	PIM_CONTACT_STORE	PIM_CONTACT_STORE_ID
FK_CONTEXTSTORE_ATTR	POM Schema	PIM_ATTRIBUTE	ATTRIBUTE_ID

PIM_IMPORT_DS

Primary Key(s): IMPORT_DS_ID

Field	Type	Default	Nulls?	Comments
IMPORT_DS_ID	NUMBER (10,0)		No	Auto generated ID
ORGANIZATION_ID	NUMBER (10,0)		Yes	Organization ID
PIM_CONTACT_STORE_ID	NUMBER (10,0)		Yes	Contact list ID
PIM_DNC_LIST_ID	NUMBER (10,0)		Yes	DNC list ID
IMPORT_TYPE	NUMBER (10,0)		No	Type of data source.
IMPORT_DS_NAME	VARCHAR2(80 CHAR)		No	Data source name.
IMPORT_DS_DESCRIPTION	VARCHAR2(256 CHAR)		Yes	Data source description.
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when data source was last modified.
CREATED_BY	VARCHAR2(40 CHAR)		Yes	Name of person who created data source.
LAST_MODIFIED_BY	VARCHAR2(40 CHAR)		Yes	Name of person who did last modification in data source.
IS_JOB_ACTIVE	NUMBER (10,0)		No	For Operational Use.
LAST_JOB_START_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when data source was last run.
EMPTY_CONTACT_GROUP	NUMBER (1,0)		No	For Operational Use.

PAUSE_ASSOCIATED_CAMPAIGNS	NUMBER (1,0)		NO	Flag for Pause Associated Campaigns associated with flag for Empty Contact Group
IGNORE_ACTIVE_EXCLUDE_CONTACTS	NUMBER (1,0)		NO	Flag for Ignore Active Exclude Contacts associated with flag for Empty Contact Group
IGNORE_CALLBACK_ON_CONTACTS	NUMBER (1,0)		NO	Flag for Ignore Callback On Contacts associated with flag for Empty Contact Group
CHECK_TRIGGER_IMPORT	NUMBER (1,0)		No	For Operational Use.
AUTOMATICALLY_UPDATE_TZ	NUMBER (1,0)		No	For Operational Use.
CHECK_PHONE_REJECTS	NUMBER (1,0)		No	For Operational Use.
IF_CONTACT_EXISTS	NUMBER (10,0)		No	For Operational Use.
CHECK_PHONE_FORMATS	NUMBER (1,0)		No	For Operational Use.
CHECK_DNC	NUMBER (1,0)		No	For Operational Use.
STATUS	NUMBER (10,0)		No	For Operational Use.
DRIVER_STATE	NUMBER		No	
DERIVE_WIRELESS	NUMBER		NO	
CLEANUP_PHONENUMBER	BOOLEAN		Yes	To remove non-numeric chars from phone number
EMPTY_PH_ON_RULE_MATCH	BOOLEAN		Yes	To empty phone number if it matches rejection pattern/criteria or phone format rules
EMPTY_INVALID_EMAIL	BOOLEAN		Yes	To empty email attribute if it is invalid

ISRETAINCALLBACK	NUMBER (1,0)	0	No	To retain callback if contact is excluded
ALLOW_BULK_IMPORT	NUMBER (1,0)		No	
FILTER_TEMPLATE_ID	NUMBER(10, 0)	0	No	Id of the filter template used to delete records from the contact list before import

Index Name	Type	Unique	Fields
SYS_C0027774	NORMAL	Yes	IMPORT_DS_ID
IX_IMPTDS_ORG	NORMAL	No	ORGANIZATION_ID
IX_IMPTDS_DNCLIST	NORMAL	No	PIM_DNC_LIST_ID
IX_IMPTDS_CONTSTORE	NORMAL	No	PIM_CONTACT_STORE_ID

Check Constraint Name	Text
SYS_C0027774	IMPORT_DS_ID
SYS_C0027763	"IMPORT_DS_ID" IS NOT NULL
SYS_C0027764	"IMPORT_TYPE" IS NOT NULL
SYS_C0027765	"IMPORT_DS_NAME" IS NOT NULL
SYS_C0027766	"IS_JOB_ACTIVE" IS NOT NULL
SYS_C0027767	"EMPTY_CONTACT_GROUP" IS NOT NULL
SYS_C0027768	"AUTOMATICALLY_UPDATE_TZ" IS NOT NULL
SYS_C0027769	"CHECK_PHONE_REJECTS" IS NOT NULL
SYS_C0027770	"IF_CONTACT_EXISTS" IS NOT NULL

SYS_C0027771	"CHECK_PHONE_FORMATS" IS NOT NULL
SYS_C0027772	"CHECK_DNC" IS NOT NULL
SYS_C0027773	"STATUS" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_IMPTDS_CONTSTORE	PIM_CONTACT_STORE_ID	POM Schema	PIM_CONTACT_STORE
FK_IMPTDS_DNCLIST	PIM_DNC_LIST_ID	POM Schema	PIM_DNC_LIST
FK_IMPTDS_ORG	ORGANIZATION_ID	POM Schema	PIM_ORGANIZATION

PIM_IMPORT_DS_JOB

Primary Key(s): IMPORT_DS_JOB_ID

Field	Type	Default	Nulls?	Comments
IMPORT_DS_JOB_ID	NUMBER (10,0)		No	Auto generated id for import job.
IMPORT_DS_ID	NUMBER (10,0)		No	ID of import data source.
OWNER_DIRECTOR	NUMBER (10,0)		No	Field for Operational use.

START_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Timestamp when this import job was started.
END_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Timestamp when this import job was ended.
STATUS	NUMBER (10,0)		No	Status of Import Job."0" - Completed"1" - Queued"2" - Running"3" - Error"4" - File Copying"5" - Pausing"6" - Paused"7" - Stopping"8" - Waiting to resume"9" - Deleting Contact"10" - Creating history records
PAUSED_IN_STATE	NUMBER (10,0)		Yes	Reserved for future use.
IMPORT_SPEED	NUMBER (19,0)		Yes	Reserved for future use.
FINISH_REASON	VARCHAR2(4000 CHAR)		Yes	This hold the reason value of current state.
RETRY_COUNT_ON_ERROR	NUMBER (10,0)		No	For Operational Use.
HEADER_LINE	CLOB		Yes	Header line given in import File or name of fields given in database query for import
EVENT_SENT_CODE	NUMBER (10,0)		Yes	This hold the event code

Index Name	Type	Unique	Fields
SYS_C0027801	NORMAL	Yes	IMPORT_DS_JOB_ID
IX_IMPTDSJOB_IMPTDS	NORMAL	No	IMPORT_DS_ID
IX_IMPTDSJOB_DIRECTOR	NORMAL	No	OWNER_DIRECTOR

Check Constraint Name	Text
SYS_C0027801	IMPORT_DS_JOB_ID
SYS_C0027796	"IMPORT_DS_JOB_ID" IS NOT NULL
SYS_C0027797	"IMPORT_DS_ID" IS NOT NULL
SYS_C0027798	"OWNER_DIRECTOR" IS NOT NULL
SYS_C0027799	"STATUS" IS NOT NULL
SYS_C0027800	"RETRY_COUNT_ON_ERROR" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_IMPTDSJOB_DIRECTOR	OWNER_DIRECTOR	POM Schema	PIM_DIRECTOR
FK_IMPTDSJOB_IMPTDS	IMPORT_DS_ID	POM Schema	PIM_IMPORT_DS

PIM_BULK_IMPORT_DS_JOB_CLOB

Primary Key(s): IMPORT_DS_JOB_CLOB_ID

Field	Type	Default	Nulls?	Comments
IMPORT_DS_JOB_CLOB_ID	NUMBER (10,0)		No	Auto generated import DS job clob ID
IMPORT_DS_JOB_ID	NUMBER (10,0)		No	Import DS Job Id
IMPORT_DS_ID	NUMBER (10,0)		No	Import DS Id
CONTACT_LIST	CLOB		No	JSON Contact list input by user
IMPORT_OPTIONS	CLOB		Yes	Optional import options

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_BB_IMP_DS_JOB	IMPORT_DS_JOB_ID	POM Schema	PIM_IMPORT_DS_JOB
FK_BB_IMP_DS	IMPORT_DS_ID	POM Schema	PIM_IMPORT_DS

PIM_IMPORT_DS_JOB_DTL_HSTRY

Primary Key(s): PIM_IMPORT_DS_JOB_DTL_HSTRY_ID

Field	Type	Default	Nulls?	Comments
PIM_IMPORT_DS_JOB_DTL_HSTRY_ID	NUMBER (19,0)		No	Auto generated ID.
IMPORT_DS_JOB_ID	NUMBER (10,0)		No	ID of import job.
USER_CONTACT_ID	VARCHAR2(80 CHAR)		No	User given contact ID.
STATUS	NUMBER (10,0)		No	Contact status ID."0" - New"1" - Updated"2" - Error"3" - Validation Failed"4" - Ignored duplicate records"5" - Reject pattern matched"6" - Deleted"7" - Existing in DNC list"8" - Phone format issue
DESCRIPTION	VARCHAR2(256 CHAR)		Yes	Description of contact status.

FAILED_ATTRIBUTE	VARCHAR2(80 CHAR)		Yes	Name of attribute because of which record is invalid.
USER_LINE	CLOB		Yes	User given record line

Index Name	Type	Unique	Fields
SYS_C0027811	NORMAL	Yes	PIM_IMPORT_DS_JOB_DTL_HSTRY_ID
IX_IMPTDSJOBDTLHSTRY_IMPTDSJOB	NORMAL	No	IMPORT_DS_JOB_ID

Check Constraint Name	Text
SYS_C0027811	PIM_IMPORT_DS_JOB_DTL_HSTRY_ID
SYS_C0027807	"PIM_IMPORT_DS_JOB_DTL_HSTRY_ID" IS NOT NULL
SYS_C0027808	"IMPORT_DS_JOB_ID" IS NOT NULL
SYS_C0027809	"USER_CONTACT_ID" IS NOT NULL
SYS_C0027810	"STATUS" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_IMPTDSJOBDTLHSTRY_IMPTDSJOB	IMPORT_DS_JOB_ID	POM Schema	PIM_IMPORT_DS_JOB

PIM_IMPORT_JOB_STATUS_CNTR

Primary Key(s): PIM_IMPORT_JOB_STATUS_CNTR_ID

Field	Type	Default	Nulls?	Comments
PIM_IMPORT_JOB_STATUS_CNTR_ID	NUMBER (19,0)		No	Auto generated ID.
IMPORT_DS_JOB_ID	NUMBER (10,0)		No	ID of import data source.
STATUS	NUMBER (10,0)		No	Contact status ID."0" - New"1" - Updated"2" - Error"3" - Validation Failed"4" - Ignored duplicate records"5" - Reject pattern matched"6" - Deleted"7" - Existing in DNC list"8" - Phone format issue
STATUS_COUNT	NUMBER (19,0)		No	Number of records for respective status

Index Name	Type	Unique	Fields
SYS_C0027825	NORMAL	Yes	PIM_IMPORT_JOB_STATUS_CNTR_ID
IX_IMPTJOBSTATUSCNTR_IMPTDSJOB	NORMAL	No	IMPORT_DS_JOB_ID

Check Constraint Name	Text
SYS_C0027825	PIM_IMPORT_JOB_STATUS_CNTR_ID
SYS_C0027821	"PIM_IMPORT_JOB_STATUS_CNTR_ID" IS NOT NULL
SYS_C0027822	"IMPORT_DS_JOB_ID" IS NOT NULL

SYS_C0027823	"STATUS" IS NOT NULL
SYS_C0027824	"STATUS_COUNT" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_IMPTJOBSTATUSCNTR_IMPTDSJOB	IMPORT_DS_JOB_ID	POM Schema	PIM_IMPORT_DS_JOB

PIM_JOB

Primary Key(s): JOB_ID

Field	Type	Default	Nulls?	Comments
JOB_ID	NUMBER (10,0)		No	Auto generated Job ID

CAMPAIGN_ID	NUMBER (10,0)		No	Campaign Id from the campaign table, to identify the campaign for this job
SCHEDULE_ID	NUMBER (10,0)		Yes	ID of the schedule, if the job was created by a schedule
STRATEGY_NAME	VARCHAR2(256 CHAR)		Yes	Name of the strategy attached to the Job
STATUS	NUMBER (10,0)		No	Status of the campaign job 1, "JOB_QUEUED" 2, "JOB_ACTIVE" 4, "JOB_COMPLETED" 8, "JOB_PAUSE" 16, "JOB_PAUSED" 32, "JOB_FILTER_IN_PROGRESS" 64, "JOB_RESUME" 128, "JOB_STOP" 256, "JOB_STOPPING" 512, "JOB_STOPPED" 1024, "JOB_PAUSING" 2048, "JOB_CREATING_HISTORY" 4096, "JOB_SHADOW" 8192, "JOB_STOPPED_IN_SHADOW"
START_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when the job started

END_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when the job ended
LAST_ALLOCATED_ID	NUMBER (10,0)		Yes	Reserved for future use.
NEXT_ARCHIVAL_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when next archival will happen for this campaign
ABORT_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when this job would be stopped
TOTAL_CALLS	NUMBER (10,0)		Yes	Total calls made in the campaign
TOTAL_EMAILS	NUMBER (10,0)		Yes	Total emails sent in the campaign
TOTAL_SMS	NUMBER (10,0)		Yes	Total SMS sent in the campaign
TOTAL_CONTACTS	NUMBER (10,0)		Yes	Total contacts participating in this job
SUCCESSFUL_CALLS	NUMBER (10,0)		Yes	Total Live Voice calls in this job
NUISANCE_CALLS	NUMBER (10,0)		Yes	Total Nuisance calls in this job (deprecated)
CUSTOMER_HANGUPS	NUMBER (10,0)		Yes	Total calls for which disposition is Disconnected_By_User
CREATED_BY	VARCHAR2(40 CHAR)		Yes	Name of the user who created this job
PROCESSED_CONTACTS	NUMBER(19,0)		No	Number of contacts got processed
EXCLUDED_CONTACTS	NUMBER(19,0)		No	Number of contacts got excluded

NUISANCE_RATE_TODAY	FLOAT		Yes	Nuisance rate for today
NUISANCE_RATE	FLOAT		Yes	Nuisance rate
NUISANCE_RATE_EXCLUDE_COUNT	NUMBER (10,0)		No	Total answer machine by agent count for this job
JOB_NOTE	NUMBER (10,0)		YES	
PRCNT_COMPLETE	FLOAT	0	YES	
PRCNT_UNIQUE_ATTEMPTED_RECORD	FLOAT	0	YES	
PRCNT_ATTEMPTED_RECORD	FLOAT	0	YES	
ESTIMATED_JOB_END_TIME	NUMBER (19,0)	0	YES	
LINKED_JOB_ID	NUMBER(10,0)		YES	JOB_ID of linked job
LINKED_CAMPAIGN_ID	NUMBER(10,0)		YES	CAMPAIGN_ID of the linked campaign
FT_APPLYALL	NUMBER (1,0)	0	YES	Set to true if same filter template is to be applied to all contact lists (feature backward compatibility and ease of use)
DIAL_ALLOCATION	NUMBER (1,0)	0	YES	Set to true if no dialing allocation is selected for contact lists (feature backward compatibility)
FALSE_POSITIVE_RATE	FLOAT		Yes	For Operational Use

DIALING_ORDER	VARCHAR2(80 CHAR)	NULL	YES	Used to store Campaign dialing order priority. Valid Values or Valid Dialing Orders: 2,1,0 - Priority,Retry,Regular 1,2,0 - Retry,Priority,Regular 2,0,1- Priority,Regular,Retry
TZ_PHONE_ATTRIBUTE	VARCHAR2(2048 CHAR)	NULL	YES	Used to store phone attributes which will be used for timezoning.
USER_PREF_TIME	NUMBER (1,0)		YES	
ZIP_ZONE	NUMBER (1,0)		YES	

Index Name	Type	Unique	Fields
SYS_C0027838	NORMAL	Yes	JOB_ID
IX_JOB_CMPGN	NORMAL	No	CAMPAIGN_ID

Check Constraint Name	Text
SYS_C0027838	JOB_ID
SYS_C0027835	"JOB_ID" IS NOT NULL
SYS_C0027836	"CAMPAIGN_ID" IS NOT NULL
SYS_C0027837	"STATUS" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
---------------------------------	----------------	---------------	--------------

FK_JOB_CMPGN	CAMPAIGN_ID	POM Schema	PIM_CAMPAIGN
--------------	-------------	------------	--------------

PIM_JOB_ACTION

Primary Key(s): JOB_ID, ACTION_ID

Field	Type	Default	Nulls?	Comments
JOB_ID	NUMBER (10,0)		No	ID of running job.
ACTION_ID	NUMBER (10,0)		No	Unique ID used to identify action inside handler.
ACTION_NAME	VARCHAR2(255 CHAR)		No	Name of action given in campaign strategy.
ACTION_TYPE	NUMBER (10,0)		No	Type of action."0" - Voice"1" - SMS"2" - Email"3" - Custom"4" - Selector
PACING_TYPE	NUMBER (10,0)		No	Type of pacing."0" - Expert Call Ratio"1" - Cruise Control"3" - Progressive"4" - Custom"5" - Preview"6" - Time-based Pacing"7" - Skill Based Pacing"8" - None

ATTEMPT_COUNT	NUMBER (10,0)		No	For Operational Use.
NUISANCE_COUNT	NUMBER (10,0)		No	For Operational Use.
CONNECT_COUNT	NUMBER (10,0)		No	For Operational Use.
LAST_TREND_CALCULATE_TIME	TIMESTAMP (6) WITH TIME ZONE		Yes	For Operational Use.

Index Name	Type	Unique	Fields
SYS_C0027847	NORMAL	Yes	JOB_ID, ACTION_ID
IX_JOBACTION_JOB	NORMAL	No	JOB_ID

Check Constraint Name	Text
SYS_C0027847	JOB_ID, ACTION_ID
SYS_C0027839	"JOB_ID" IS NOT NULL
SYS_C0027840	"ACTION_ID" IS NOT NULL
SYS_C0027841	"ACTION_NAME" IS NOT NULL
SYS_C0027842	"ACTION_TYPE" IS NOT NULL
SYS_C0027843	"PACING_TYPE" IS NOT NULL
SYS_C0027844	"ATTEMPT_COUNT" IS NOT NULL
SYS_C0027845	"NUISANCE_COUNT" IS NOT NULL
SYS_C0027846	"CONNECT_COUNT" IS NOT NULL

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
FK_JOBACTION_JOB	POM Schema	PIM_JOB	JOB_ID

PIM_JOB_PARAMS_HISTORY

Primary Key(s): PIM_JOB_PARAMS_HISTORY_ID

Field	Type	Default	Nulls?	Comments
PIM_JOB_PARAMS_HISTORY_ID	NUMBER (10,0)		No	Auto generated ID
ACTION_ID	NUMBER (10,0)		No	Action ID
PARAM_KEY	NUMBER (10,0)		No	Parameter ID
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		No	Time when parameter was last modified.
JOB_ID	NUMBER (10,0)		No	Job ID
PARAM_VALUE	VARCHAR2 (2048 CHAR)		No	Parameter value.

Index Name	Type	Unique	Fields
------------	------	--------	--------

SYS_C0027912	NORMAL	Yes	PIM_JOB_PARAMS_HISTORY_ID
IX_JOBPARAMSHSTRY_JOB	NORMAL	No	JOB_ID

Check Constraint Name	Text
SYS_C0027912	PIM_JOB_PARAMS_HISTORY_ID
SYS_C0027906	"PIM_JOB_PARAMS_HISTORY_ID" IS NOT NULL
SYS_C0027907	"ACTION_ID" IS NOT NULL
SYS_C0027908	"PARAM_KEY" IS NOT NULL
SYS_C0027909	"LAST_MODIFIED_ON" IS NOT NULL
SYS_C0027910	"JOB_ID" IS NOT NULL
SYS_C0027911	"PARAM_VALUE" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_JOBPARAMSHSTRY_JOB	JOB_ID	POM Schema	PIM_JOB

PIM_LIST_OPS_HSTRY

Primary Key(s): PIM_LIST_OPS_HSTRY_ID

Field	Type	Default	Nulls?	Comments
PIM_LIST_OPS_HSTRY_ID	NUMBER (19,0)		No	Auto generated ID.
TYPE	NUMBER (10,0)		No	Type of Record. 0- Contact Record 1- DNC Record
STATUS	NUMBER (10,0)		No	Status of Operation: 0 – Success 1 - Update 6- Deleted
USER_NAME	VARCHAR2(256 CHAR)		Yes	Name of user who performed the operation.
USER_TYPE	NUMBER (10,0)		No	Type of Operations: 0- UI 1- Web Service 2 - Agent
RECORD_ID	NUMBER (19,0)		No	Record ID
OPS_TIME	TIMESTAMP (6) WITH TIME ZONE		No	Operation Time
RECORD_LINE	CLOB		Yes	Record Information
LIST_ID	NUMBER (10,0)		Yes	Contact List ID
USER_CONTACT_ID	VARCHAR2(80 CHAR)		Yes	User given Contact ID.

Index Name	Type	Unique	Fields
SYS_C0027926	NORMAL	Yes	PIM_LIST_OPS_HSTRY_ID

Check Constraint Name	Text
SYS_C0027926	PIM_LIST_OPS_HSTRY_ID
SYS_C0027920	"PIM_LIST_OPS_HSTRY_ID" IS NOT NULL
SYS_C0027921	"TYPE" IS NOT NULL
SYS_C0027922	"STATUS" IS NOT NULL
SYS_C0027923	"USER_TYPE" IS NOT NULL
SYS_C0027924	"RECORD_ID" IS NOT NULL
SYS_C0027925	"OPS_TIME" IS NOT NULL

PIM_ORGANIZATION

Primary Key(s): ORGANIZATION_ID

Field	Type	Default	Nulls?	Comments
ORGANIZATION_ID	NUMBER (10,0)		No	Auto generated Organization ID
VERSION	VARCHAR2(1024 CHAR)		Yes	For Operational Use.
NAME	VARCHAR2(1024 CHAR)		No	Name of Organization.
DESCRIPTION	VARCHAR2(1024 CHAR)		Yes	Description of Organization.
LASTUPDATE	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when organization was last updated.
VP_ORG_ID	VARCHAR2(1024 CHAR)		Yes	For Operational Use.
IS_DELETED	NUMBER (10,0)		No	For Operational Use.

Index Name	Type	Unique	Fields
SYS_C0027937	NORMAL	Yes	ORGANIZATION_ID
SYS_C0027938	NORMAL	Yes	VP_ORG_ID

Check Constraint Name	Text
SYS_C0027937	ORGANIZATION_ID
SYS_C0027934	"ORGANIZATION_ID" IS NOT NULL
SYS_C0027935	"NAME" IS NOT NULL
SYS_C0027936	"IS_DELETED" IS NOT NULL
SYS_C0027938	Unique VP_ORG_ID

PIM_ORGANIZATION_CONTACT_STORE

Primary Key(s): PIM_CONTACT_STORE_ID, ORGANIZATION_ID

Field	Type	Default	Nulls?	Comments
PIM_CONTACT_STORE_ID	NUMBER (10,0)		No	Contact List ID
ORGANIZATION_ID	NUMBER (10,0)		No	Organization ID

Index Name	Type	Unique	Fields
SYS_C0027941	NORMAL	Yes	PIM_CONTACT_STORE_ID, ORGANIZATION_ID
IX_CONTSTORE_ORG	NORMAL	No	ORGANIZATION_ID
IX_ORG_CONTSTORE	NORMAL	No	PIM_CONTACT_STORE_ID

Check Constraint Name	Text
SYS_C0027941	PIM_CONTACT_STORE_ID, ORGANIZATION_ID
SYS_C0027939	"PIM_CONTACT_STORE_ID" IS NOT NULL
SYS_C0027940	"ORGANIZATION_ID" IS NOT NULL

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
FK_CONTSTORE_ORG	POM Schema	PIM_ORGANIZATION	ORGANIZATION_ID
FK_ORG_CONTSTORE	POM Schema	PIM_CONTACT_STORE	PIM_CONTACT_STORE_ID

PIM_SERVER

Primary Key(s): PIM_SERVER_ID

Field	Type	Default	Nulls?	Comments
PIM_SERVER_ID	NUMBER (10,0)		No	Auto generated ID for POM server information.
VPMS_ID	NUMBER (10,0)		Yes	ID of Primary Experience Portal.
HOST_VPMS_ID	NUMBER (10,0)		Yes	Auto generated ID for POM server information.

SERVER_NAME	VARCHAR2(80 CHAR)		No	IP Address of the server
SERVER_STATE	NUMBER (10,0)		No	Field for Operational use.
WS_IP_ADDRESS	VARCHAR2(40 CHAR)		Yes	IP Address of POM Server
SEC_WS_IP_ADDRESS	VARCHAR2(40 CHAR)		Yes	IP Address of Aux/Primary POM server.
SMS_ENABLED	NUMBER (1,0)		No	Reserved for future use.
MAIL_ENABLED	NUMBER (1,0)		No	Reserved for future use.
SOCIAL_ENABLED	NUMBER (1,0)		No	Reserved for future use.
STATUS	VARCHAR2(128 CHAR)		Yes	For Operational use.
PORTS_ALLOCATED	NUMBER (10,0)		Yes	For Operational use.
PORTS_IN_USE	NUMBER (10,0)		Yes	For Operational use.
CPU_USAGE	NUMBER (10,0)		Yes	Reserved for future use.
MEM_USAGE	NUMBER (10,0)		Yes	Reserved for future use.
DISK_USAGE	NUMBER (10,0)		Yes	Reserved for future use.
FRIENDLY_NAME	VARCHAR2(80 CHAR)		Yes	User given name of the server
LAST_UPDATE	TIMESTAMP (6) WITH TIME ZONE		Yes	For Operational use.
WORKER_COUNT	NUMBER (10,0)	0	No	For Operational use.
ISMIGRATED	NUMBER (1,0)		No	

Index Name	Type	Unique	Fields
SYS_C0028038	NORMAL	Yes	PIM_SERVER_ID

SYS_C0028039	NORMAL	Yes	SERVER_NAME
IX_SERVER_VPMS	NORMAL	No	VPMS_ID
IX_SERVER_HOSTVPMS	NORMAL	No	HOST_VPMS_ID

Check Constraint Name	Text
SYS_C0028038	PIM_SERVER_ID
SYS_C0028039	SERVER_NAME
SYS_C0028031	"PIM_SERVER_ID" IS NOT NULL
SYS_C0028032	"SERVER_NAME" IS NOT NULL
SYS_C0028033	"SERVER_STATE" IS NOT NULL
SYS_C0028034	"SMS_ENABLED" IS NOT NULL
SYS_C0028035	"MAIL_ENABLED" IS NOT NULL
SYS_C0028036	"SOCIAL_ENABLED" IS NOT NULL
SYS_C0028037	"WORKER_COUNT" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_SERVER_HOSTVPMS	HOST_VPMS_ID	POM Schema	PIM_VPMS
FK_SERVER_VPMS	VPMS_ID	POM Schema	PIM_VPMS

PIM_ZONE

Primary Key(s): ZONE_ID

Field	Type	Default	Nulls?	Comments
ZONE_ID	NUMBER (10,0)		No	Auto generated ID
VERSION	VARCHAR2(1024 CHAR)		Yes	For Operational Use
NAME	VARCHAR2(1024 CHAR)		No	Name of Zone.
DESCRIPTION	VARCHAR2(1024 CHAR)		Yes	Description of Zone.
TIMEZONE	VARCHAR2(128 CHAR)		Yes	Time zone information of Zone.
LASTUPDATE	TIMESTAMP (6) WITH TIME ZONE		Yes	Time when zone was last updated.
VP_ZONE_ID	VARCHAR2(1024 CHAR)		Yes	For Operational Use.
IS_DELETED	NUMBER (10,0)		No	For Operational Use.
OUTBOUND_PORTS	NUMBER (10,0)		Yes	For Operational Use.
PREVIEW_AGENTS	NUMBER (10,0)		Yes	For Operational Use.
PREDICTIVE_AGENTS	NUMBER (10,0)		Yes	For Operational Use.
FAILOVER_ZONE_ID	NUMBER (10,0)		Yes	For Operational Use.
STATUS	NUMBER (10,0)		No	For Operational Use.

Index Name	Type	Unique	Fields
SYS_C0028100	NORMAL	Yes	ZONE_ID
SYS_C0028101	NORMAL	Yes	VP_ZONE_ID

Check Constraint Name	Text
SYS_C0028100	ZONE_ID
SYS_C0028096	"ZONE_ID" IS NOT NULL
SYS_C0028097	"NAME" IS NOT NULL
SYS_C0028098	"IS_DELETED" IS NOT NULL
SYS_C0028099	"STATUS" IS NOT NULL
SYS_C0028101	Unique VP_ZONE_ID

PIM_JOB_FILTER_CRITERIA

Primary Key(s): JOB_ID, ROW_ID

Field	Type	Default	Nulls?	Comments
JOB_ID	NUMBER (10,0)		No	The Id of the running job
ROW_ID	NUMBER (10,0)		No	The position of the filter condition in GUI
COLUMN_NAME	VARCHAR2(256 CHAR)		Yes	The attribute on which filter condition is defined.
CELL_VALUE	VARCHAR2(3990 CHAR)		Yes	The value against which the attribute value will be checked while filtering records.
DATE_FORMAT	VARCHAR2(20 CHAR)		Yes	Not used anymore
FILTER_OPERATOR	VARCHAR2(40 CHAR)		No	The filter operator to use while comparing the attribute value with the defined value.

Index Name	Type	Unique	Fields
SYS_C0028100	NORMAL	Yes	JOB_ID, ROW_ID
IX_JOBFILTER_JOB	NORMAL	Yes	JOB_ID

Check Constraint Name	Text
PK	JOB_ID, ROW_ID
SYS_C0012427	"JOB_ID" IS NOT NULL
SYS_C0012428	"ROW_ID" IS NOT NULL
SYS_C0012429	"FILTER_OPERATOR" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_JOBFILTER_JOB	JOB_ID	POM Schema	PIM_JOB

PIM_JOB_FILTER_HISTORY

Primary Key(s): PIM_JOB_FILTER_HISTORY_ID

Field	Type	Default	Nulls?	Comments
PIM_JOB_FILTER_HISTORY_ID	NUMBER (10,0)		No	Internal DB ID generated when this row was populated.
JOB_ID	NUMBER (10,0)		No	The Id of the running job

ROW_ID	NUMBER (10,0)		Yes	The position of the filter condition in GUI
COLUMN_NAME	VARCHAR2(256 CHAR)		Yes	The attribute on which filter condition is defined.
CELL_VALUE	VARCHAR2(3990 CHAR)		No	The value against which the attribute value will be checked while filtering records.
DATE_FORMAT	VARCHAR2(20 CHAR)		Yes	Not used anymore
FILTER_OPERATOR	VARCHAR2(40 CHAR)		No	The filter operator to use while comparing the attribute value with the defined value.
LAST_MODIFIED_ON	TIMESTAMP WITH TIME ZONE		No	The time when this filter operation was performed.

Index Name	Type	Unique	Fields
SYS_C0028100	NORMAL	Yes	PIM_JOB_FILTER_HISTORY_ID
IX_JOBFILTERHSTRY_JOB	NORMAL	No	JOB_ID

Check Constraint Name	Text
PK	PIM_JOB_FILTER_HISTORY_ID
SYS_C0012427	"PIM_JOB_FILTER_HISTORY_ID" IS NOT NULL
SYS_C0012428	"JOB_ID" IS NOT NULL
SYS_C0012429	"FILTER_OPERATOR" IS NOT NULL
SYS_C0012430	"LAST_MODIFIED_ON" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
---------------------------------	----------------	---------------	--------------

FK_JOBFILTERHSTRY_JOB	JOB_ID	POM Schema	PIM_JOB
-----------------------	--------	------------	---------

PIM_JOB_SORT_CRITERIA

Primary Key(s): JOB_ID, COLUMN_NAME

Field	Type	Default	Nulls?	Comments
JOB_ID	NUMBER (10,0)		No	The Id of the running job
COLUMN_NAME	VARCHAR2(256 CHAR)		No	The attribute on which records will be sorted.
SORT_ORDER	VARCHAR2(10 CHAR)		No	The sort order i.e. ascending or descending.
ORDER_ID	NUMBER (10,0)		No	The position of the field in sort list.

Index Name	Type	Unique	Fields
SYS_C0028100	NORMAL	Yes	JOB_ID, COLUMN_NAME
IX_CONTSORTCRIT_JOB	NORMAL	No	JOB_ID

Check Constraint Name	Text
-----------------------	------

PK	JOB_ID, COLUMN_NAME
SYS_C0012491	"JOB_ID" IS NOT NULL
SYS_C0012492	"COLUMN_NAME" IS NOT NULL
SYS_C0012493	"SORT_ORDER" IS NOT NULL
SYS_C0012494	"ORDER_ID" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_CONTSORTCRIT_JOB	JOB_ID	POM Schema	PIM_JOB

PIM_JOB_SORT_HISTORY

Primary Key(s): PIM_JOB_SORT_HISTORY_ID

Field	Type	Default	Nulls?	Comments
PIM_JOB_SORT_HISTORY_ID	NUMBER (10,0)		No	Internal DB ID generated when this row was populated.
JOB_ID	NUMBER (10,0)		No	The Id of the running job
COLUMN_NAME	VARCHAR2(256 CHAR)		No	The attribute on which records will be sorted.
SORT_ORDER	VARCHAR2(10 CHAR)		No	The sort order i.e. ascending or descending.
ORDER_ID	NUMBER (10,0)		No	The position of the field in sort list.
LAST_MODIFIED_ON	TIMESTAMP WITH TIME ZONE		No	The time when this sort operation was performed.

Index Name	Type	Unique	Fields
SYS_C0028100	NORMAL	Yes	PIM_JOB_SORT_HISTORY_ID
IX_CONTSORTCRITHSTRY_JOB	NORMAL	No	JOB_ID

Check Constraint Name	Text
PK	PIM_JOB_SORT_HISTORY_ID
SYS_C0012496	"PIM_JOB_SORT_HISTORY_ID" IS NOT NULL
SYS_C0012497	"JOB_ID" IS NOT NULL
SYS_C0012498	"SORT_ORDER" IS NOT NULL
SYS_C0012499	"ORDER_ID" IS NOT NULL
SYS_C0012500	"LAST_MODIFIED_ON" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_CONTSORTCRITHSTRY_JOB	JOB_ID	POM Schema	PIM_JOB

PIM_JOB_CONTACT_LIST

Primary Key(s): PIM_CONTACT_STORE_ID, JOB_ID

Field	Type	Default	Nulls?	Comments
-------	------	---------	--------	----------

JOB_ID	NUMBER (10,0)		No	The Id of the running job
PIM_CONTACT_STORE_ID	NUMBER (10,0)		No	The Id of the contact list associated with this job.
OPERATION	NUMBER (10,0)		No	The type of operation performed with the contact list on the job. i.e. added or removed.
PRIORITY	NUMBER (10,0)			The priority used while adding contact from this contact list to the job.
OPERATION_START_TIME	NUMBER (19,0)		No	The time when the add or remove operation was performed.
PRCNT_UNIQUE_ATTEMPTED_RECORD	FLOAT		Yes	
PRCNT_ATTEMPTED_RECORD	FLOAT		Yes	

Index Name	Type	Unique	Fields
SYS_C0012500	NORMAL	Yes	PIM_CONTACT_STORE_ID, JOB_ID
IX_JCL_CL	NORMAL	No	PIM_CONTACT_STORE_ID
IX_JCL_JOB	NORMAL	No	JOB_ID

Check Constraint Name	Text
PK	PIM_CONTACT_STORE_ID, JOB_ID
SYS_C0012385	"JOB_ID" IS NOT NULL
SYS_C0012386	"PIM_CONTACT_STORE_ID" IS NOT NULL
SYS_C0012387	"OPERATION" IS NOT NULL

SYS_C0012388	"OPERATION_START_TIME" IS NOT NULL
--------------	------------------------------------

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_JCL_CL	PIM_CONTACT_STORE_ID	POM Schema	PIM_CONTACT_STORE
Fk_JCL_JOB	JOB_ID	POM Schema	PIM_JOB

PIM_JOB_CONTACT_LIST_HIST

Primary Key(s): PIM_JOB_CONTACT_LIST_HIST_ID

Field	Type	Default	Nulls?	Comments
PIM_JOB_CONTACT_LIST_HIST_ID	NUMBER (10,0)		No	The Id of the contact list associated with this job.
PIM_CONTACT_STORE_ID	NUMBER (10,0)		No	The Id of the running job.

JOB_ID	NUMBER (10,0)		No	The type of operation performed with the contact list on the job. i.e. added or removed.
OPERATION	NUMBER (10,0)		No	The priority used while adding contact from this contact list to the job.
PRIORITY	NUMBER (10,0)		No	The time when the add or remove operation was performed.
OPERATION_START_TIME	NUMBER (19,0)		No	The time when this contact list operation was performed.
LAST_MODIFIED_ON	TIMESTAMP WITH TIME ZONE		No	The Id of the contact list associated with this job.
PRCNT_UNIQUE_ATTEMPTED_RECORD	FLOAT	0	Yes	
PRCNT_ATTEMPTED_RECORD	FLOAT	0	Yes	
IS_ASSOCIATED_AT_JOB_COMPLETE	NUMBER (1,0)		No	

Index Name	Type	Unique	Fields
SYS_C0012385	NORMAL	Yes	PIM_JOB_CONTACT_LIST_HIST_ID
IX_JCL_CLHSTRY_JOB	NORMAL	No	PIM_CONTACT_STORE_ID
IX_JCL_JOBHSTRY	NORMAL	No	JOB_ID

Check Constraint Name	Text
PK	PIM_JOB_CONTACT_LIST_HIST_ID
SYS_C0012390	"PIM_JOB_CONTACT_LIST_HIST_ID" IS NOT NULL
SYS_C0012391	"PIM_CONTACT_STORE_ID" IS NOT NULL

SYS_C0012392	"JOB_ID" IS NOT NULL
SYS_C0012393	"OPERATION" IS NOT NULL
SYS_C0012394	"OPERATION_START_TIME" IS NOT NULL
SYS_C0012395	"LAST_MODIFIED_ON" IS NOT NULL
SYS_C0012396	"IS_ASSOCIATED_AT_JOB_COMPLETE" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_JCL_CLHSTRY_JOB	PIM_CONTACT_STORE_ID	POM Schema	PIM_CONTACT_STORE
FK_JCL_JOBHSTRY	JOB_ID	POM Schema	PIM_JOB

PIM_CALLBACK

Primary Key(s): CALLBACK_ID

Field	Type	Default	Nulls?	Comments
CALLBACK_ID	NUMBER (19,0)		No	The Id of the callback. Internal DB ID generated when this row is created using the sequence 'PIMCALLBACK_SEQ'
CONTACT_ID	NUMBER (19,0)		No	The Id of the contact on which the callback is created
CAMPAIGN_NAME	VARCHAR2(80 CHAR)		No	Name of the campaign on which the callback is set

CALLBACK_TYPE	NUMBER (10,0)		No	Type of the callback. Possible values are as follows 0 - Agent 1 - Campaign 2 - Standard
STATUS	NUMBER (10,0)		No	Status of the callback. Possible value are as follows 0 - ActiveAttachedToJob 1 - Completed 2 - Expired 3 - CampaignTerminated 4 - Overwritten 5 - ContactExcluded 6 - WaitingForJob 7 - ManuallyCancelled 8 - QueuedForDialing 9 - InProgress
HANDLER_NAME	VARCHAR2(255 CHAR)		No	Handler state on which the callback is set in the campaign
ADDRESS_FIELD_NAME	VARCHAR2(80 CHAR)		Yes	Address field name on which the callback should be performed
ADDRESS	VARCHAR2(128 CHAR)		Yes	Value of the address
JOB_ID	NUMBER (10,0)		Yes	ID of the job to which the callback belongs
ACTION_ID	NUMBER (10,0)		Yes	Action Id mentioned in the campaign's associated campaign strategy through which the callback will be performed
AGENT_SESSION_ID	NUMBER (19,0)		Yes	If the callback is created by the agent then session id of the agent during which the callback was created

NEXT_ATTEMPT_AFTER	NUMBER (19,0)		Yes	EPOCH time after which the callback will be attempted
START_TIME	NUMBER (19,0)		Yes	Start time of the callback in EPOCH
END_TIME	NUMBER (19,0)		Yes	End time of the callback in EPOCH
CREATION_TIME	NUMBER (19,0)		Yes	EPOCH time of the POM system when the callback was created
CREATED_FOR	VARCHAR2(80 CHAR)		Yes	ID of the agent for whom the callback is created
NOTES	CLOB		Yes	Callback notes provided while creating the callback
SERVICED_BY_AGENT_ID	VARCHAR2(80 CHAR)		Yes	ID of the agent who services this callback
CREATED_BY	VARCHAR2(80 CHAR)		Yes	Agent ID or User Name who created this callback
ORGANIZATION_ID	NUMBER (10,0)		Yes	Organization ID of the campaign for which the callback is created
CONTACT_LIST_ID	NUMBER (10,0)		No	Contact List Id of the contact for which this callback is created
STRICT_AGENT_ATTEMP_COUNT	NUMBER (10,0)		Yes	Strict Agent Attempt Count
ADDRESS_COUNTRY_CODE	NUMBER (10,0)		Yes	Address Country Code

Index Name	Type	Unique	Fields
SYS_C0012390	NORMAL	Yes	CALLBACK_ID
IX_CB_CNTID	NORMAL	No	CONTACT_ID
IX_CB_JBID	NORMAL	No	JOB_ID

IX_CALLBK_ADDR	NORMAL	No	ADDRESS
----------------	--------	----	---------

Check Constraint Name	Text
PK	CALLBACK_ID
SYS_C0011786	"CALLBACK_ID" IS NOT NULL
SYS_C0011787	"CONTACT_ID" IS NOT NULL
SYS_C0011788	"CAMPAIGN_NAME" IS NOT NULL
SYS_C0011789	"CALLBACK_TYPE" IS NOT NULL
SYS_C0011790	"STATUS" IS NOT NULL
SYS_C0011791	"HANDLER_NAME" IS NOT NULL
SYS_C0011792	"CONTACT_LIST_ID" IS NOT NULL

NO FOREIGN KEY IN TABLE

PIM_CALLBACK_HISTORY

Primary Key(s): CALLBACK_ID

Field	Type	Default	Nulls?	Comments
CALLBACK_ID	NUMBER (19,0)		No	The Id of the callback which is moved from PIM_CALLBACK TABLE to PIM_CALLBACK HISTORY table

CONTACT_ID	NUMBER (19,0)		No	The Id of the contact on which the callback is created
CAMPAIGN_NAME	VARCHAR2(80 CHAR)		No	Name of the campaign on which the callback is set
CALLBACK_TYPE	NUMBER (10,0)		No	Type of the callback. Possible values are as follows 0 - Agent 1 - Campaign 2 - Standard
STATUS	NUMBER (10,0)		No	Status of the callback. Possible value are as follows 0 - ActiveAttachedToJob 1 - Completed 2 - Expired 3 - CampaignTerminated 4 - Overwritten 5 - ContactExcluded 6 - WaitingForJob 7 - ManuallyCancelled 8 - QueuedForDialing 9 - InProgress
HANDLER_NAME	VARCHAR2(255 CHAR)		No	Handler state on which the callback is set in the campaign
ADDRESS_FIELD_NAME	VARCHAR2(255 CHAR)		Yes	Address field name on which the callback should be performed
ADDRESS	VARCHAR2(128 CHAR)		Yes	Value of the address
JOB_ID	NUMBER (10,0)		Yes	ID of the job to which the callback belongs
ACTION_ID	NUMBER (10,0)		Yes	Action Id mentioned in the campaign's associated campaign strategy through which the callback will be performed

AGENT_SESSION_ID	NUMBER (19,0)		Yes	If the callback is created by the agent then session id of the agent during which the callback was created
NEXT_ATTEMPT_AFTER	NUMBER (19,0)		Yes	EPOCH time after which the callback will be attempted
START_TIME	NUMBER (19,0)		Yes	Start time of the callback in EPOCH
END_TIME	NUMBER (19,0)		Yes	End time of the callback in EPOCH
CREATION_TIME	NUMBER (19,0)		Yes	EPOCH time of the POM system when the callback was created
CREATED_FOR	VARCHAR2(80 CHAR)		Yes	ID of the agent for whom the callback is created
NOTES	CLOB		Yes	Callback notes provided while creating the callback
SERVICED_BY_AGENT_ID	VARCHAR2(80 CHAR)		Yes	ID of the agent who services this callback
CREATED_BY	VARCHAR2(80 CHAR)		Yes	Agent ID or User Name who created this callback
ORGANIZATION_ID	NUMBER (10,0)		Yes	Organization ID of the campaign for which the callback is created
CONTACT_LIST_ID	NUMBER (10,0)		No	Contact List Id of the contact for which this callback is created
STRICT_AGENT_ATTEMP_COUNT	NUMBER (10,0)		Yes	Strict Agent Attempt Count
ADDRESS_COUNTRY_CODE	NUMBER (10,0)		Yes	Address Country Code

Index Name	Type	Unique	Fields
SYS_C0011786	NORMAL	Yes	CALLBACK_ID
IX_CALLBKHIST_ADDR	NORMAL	No	ADDRESS

IX_CALLBKHIST_CREATFOR_ORGID	NORMAL	No	CREATED_FOR, ORGANIZATION_ID
IX_CALLBKHIST_CREATFOR_STIME	NORMAL	No	CREATED_FOR, START_TIME

Check Constraint Name	Text
PIM_CALLBACK_HISTORY_PKEY	CALLBACK_ID
SYS_C0011786	"CALLBACK_ID" IS NOT NULL
SYS_C0011787	"CONTACT_ID" IS NOT NULL
SYS_C0011788	"CAMPAIGN_NAME" IS NOT NULL
SYS_C0011789	"CALLBACK_TYPE" IS NOT NULL
SYS_C0011790	"STATUS" IS NOT NULL
SYS_C0011791	"HANDLER_NAME" IS NOT NULL
SYS_C0011792	"CONTACT_LIST_ID" IS NOT NULL

NO FOREIGN KEY IN TABLE

PIM_DNCLISTS_GROUP

Primary Key(s): PIM_DNCLISTS_GROUP_ID

Field	Type	Default	Nulls?	Comments
PIM_DNCLISTS_GROUP_ID	NUMBER (10,0)		NO	

ORGANIZATION_ID	NUMBER (10,0)		YES	
DNCLISTS_GROUP_NAME	VARCHAR2(80 CHAR)		NO	
DNCLISTS_GROUP_DESCRIPTION	VARCHAR2(256 CHAR)		YES	
ISDELETED	NUMBER (10,0)		YES	
DEFAULT_DNCLIST_ID	NUMBER (10,0)		YES	
CREATED_BY	VARCHAR2(40 CHAR)		YES	
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		YES	
LAST_MODIFIED_BY	VARCHAR2(40 CHAR)		NO	

Index Name	Type	Unique	Fields
PK_PIM_DNCL_5A747360D10D4595	NORMAL		PIM_DNCLISTS_GROUP_ID
IX_DNCGROUP_ORG	NORMAL		ORGANIZATION_ID
UK_5O3MPTD0F0TQA4HC73YR9FQU7	NORMAL	YES	DNCLISTS_GROUP_NAME

Check Constraint Name	Text
PK	PIM_DNCLISTS_GROUP_ID
SYS_C0012119	"PIM_DNCLISTS_GROUP_ID" IS NOT NULL
SYS_C0012120	"DNCLISTS_GROUP_NAME" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_DNCGROUP_ORG	ORGANIZATION_ID	POM Schema	PIM_ORGANIZATION

PIM_DNCLISTS_GROUP_MAP

Primary Key(s): PIM_DNC_LIST_ID, PIM_DNCLISTS_GROUP_ID

Field	Type	Default	Nulls?	Comments
PIM_DNC_LIST_ID	NUMBER (10,0)		NO	
PIM_DNCLISTS_GROUP_ID	NUMBER (10,0)		NO	

Index Name	Type	Unique	Fields
PK_PIM_DNCL_81CB11D1B82BFB99	NORMAL		PIM_DNC_LIST_ID, PIM_DNCLISTS_GROUP_ID
IX_DNCLISTSGROUP_LIST	NORMAL		PIM_DNC_LIST_ID
IX_DNCLISTSGROUP_GROUP	NORMAL		PIM_DNCLISTS_GROUP_ID

Check Constraint Name	Text
SYS_C0012122	"PIM_DNC_LIST_ID" IS NOT NULL
SYS_C0012123	"PIM_DNCLISTS_GROUP_ID" IS NOT NULL

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_DNCLISTSGROUP_GROUP	PIM_DNCLISTS_GROUP_ID	POM Schema	PIM_DNCLISTS_GROUP

FK_DNCLISTSGROUP_LIST	PIM_DNC_LIST_ID	POM Schema	PIM_DNC_LIST
-----------------------	-----------------	------------	--------------

PIM_HOLIDAY

Primary Key(s): HOLIDAY_ID

Field	Type	Default	Nulls?	Comments
HOLIDAY_ID	NUMBER (10,0)		No	Auto generated ID.
HOLIDAY_NAME	VARCHAR2 (80 CHAR)		No	Name of the Holiday
HOLIDAY_LEVEL	NUMBER (10,0)		No	Holiday Level 0 : Campaign Level Holiday 1 : Country Level Holiday 2 : State Level Holiday
HOLIDAY_TYPE	NUMBER (10,0)		No	Type of Holiday 0 : Holiday Created by Superadmin 1: Holiday Created by Org Admin
START_DATE	VARCHAR2 (30 CHAR)		No	Start date of the Holiday

END_DATE	VARCHAR2 (30 CHAR)		No	Start date of the Holiday
IS_RECURRENT	NUMBER (1,0)	0	No	1: Yearly Recurrent 0: Not Yearly Recurrent
IS_ENABLED	NUMBER (1,0)	0	No	1: Holiday Enabled 0: Holiday Disabled
RESTRICTION_TYPE	NUMBER (10,0)		No	0 : Tempraroy Restriction 1 : Permanent Restriction
RESTICT_COMPLETION_CODE	NUMBER (10,0)		No	Completion Code Id incase of Permanent Restriction

Check Constraint Name	Text
PK	HOLIDAY_ID
SYS_C0011786	"HOLIDAY_ID" IS NOT NULL
SYS_C0011787	"HOLIDAY_NAME" IS NOT NULL
SYS_C0011788	"HOLIDAY_LEVEL" IS NOT NULL
SYS_C0011789	"HOLIDAY_TYPE" IS NOT NULL
SYS_C0011790	"START_DATE" IS NOT NULL
SYS_C0011791	"END_DATE" IS NOT NULL
SYS_C0011792	"RESTRICTION_TYPE" IS NOT NULL

SYS_C0011793	"RESTRICT_COMPLETION_CODE" IS NOT NULL
UK	HOLIDAY_NAME

Index Name	Type	Unique	Fields
SYS_C0012251	Normal	Yes	HOLIDAY_ID
UK_1LE834P78BRKUM7IXLME8L4PL	Normal	Yes	HOLIDAY_NAME

NO FOREIGN KEY IN TABLE

PIM_ORG_HOLIDAY

Primary Key(s): HOLIDAY_ID, ORGANIZATION_ID

Field	Type	Default	Nulls?	Comments
HOLIDAY_ID	NUMBER (10,0)		No	HOLIDAY ID
ORGANIZATION_ID	NUMBER (10,0)		No	ORGANIZATION ID

Check Constraint Name	Text
PK	HOLIDAY_ID, ORGANIZATION_ID

SYS_C0012566	"HOLIDAY_ID" IS NOT NULL
SYS_C0012567	"ORGANIZATION_ID" IS NOT NULL

Index Name	Type	Unique	Fields
SYS_C0012568	Normal	Yes	HOLIDAY_ID, ORGANIZATION_ID
IX_HOLIDAY_ORG	Normal	Yes	HOLIDAY_NAME
IX_ORG_HOLIDAY	Normal	Yes	HOLIDAY_ID

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_HOLIDAY_ORG	HOLIDAY_ID	POM Schema	PIM_HOLIDAY
FK_ORG_HOLIDAY	ORGANIZATION_ID	POM Schema	PIM_ORGANIZATION

PIM_CAMPAIGN_HOLIDAY

Primary Key(s): HOLIDAY_ID, CAMPAIGN_ID

Field	Type	Default	Nulls?	Comments
HOLIDAY_ID	NUMBER (10,0)		No	HOLIDAY ID
CAMPAIGN_ID	NUMBER (10,0)		No	CAMPAIGN ID

Check Constraint Name	Text
PK	HOLIDAY_ID, CAMPAIGN_ID

SYS_C0011848	"CAMPAIGN_ID" IS NOT NULL
SYS_C0011849	"HOLIDAY_ID" IS NOT NULL

Index Name	Type	Unique	Fields
SYS_C0012568	Normal	Yes	HOLIDAY_ID, CAMPAIGN_ID
IX_CMPGN_HOLIDAY	Normal	Yes	HOLIDAY_ID
IX_HOLIDAY_CMPGN	Normal	Yes	CAMPAIGN_ID

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_CMPGN_HOLIDAY	HOLIDAY_ID	POM Schema	PIM_HOLIDAY
FK_HOLIDAY_CMPGN	CAMPAIGN_ID	POM Schema	PIM_CAMPAIGN

PIM_COUNTRY_HOLIDAY

Primary Key(s): HOLIDAY_ID, PIM_COUNTRY_CODE

Field	Type	Default	Nulls?	Comments
HOLIDAY_ID	NUMBER (10,0)		No	HOLIDAY ID
PIM_COUNTRY_CODE	NUMBER (10,0)		No	COUNTRY CODE

Check Constraint Name	Text
PK	HOLIDAY_ID, PIM_COUNTRY_CODE

SYS_C0012044	"PIM_COUNTRY_CODE" IS NOT NULL
SYS_C0012045	"HOLIDAY_ID" IS NOT NULL

INDEX NAME	TYPE	UNIQUE	FIELDS
SYS_C0012568	NORMAL	Yes	HOLIDAY_ID, PIM_COUNTRY_CODE
IX_COUNTRY_HOLIDAY	NORMAL	NO	HOLIDAY_ID
IX_HOLIDAY_COUNTRY	NORMAL	NO	PIM_COUNTRY_CODE

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_COUNTRY_HOLIDAY	HOLIDAY_ID	POM Schema	PIM_HOLIDAY
FK_HOLIDAY_COUNTRY	PIM_COUNTRY_CODE	POM Schema	PIM_COUNTRY

PIM_COUNTRY_STATE_HOLIDAY

Primary Key(s): HOLIDAY_ID, PIM_COUNTRY_STATE_ID

Field	Type	Default	Nulls?	Comments
HOLIDAY_ID	NUMBER (10,0)		No	HOLIDAY ID
PIM_COUNTRY_STATE_ID	NUMBER (10,0)		No	STATE ID

Check Constraint Name	Text
PK	HOLIDAY_ID, PIM_COUNTRY_STATE_ID
SYS_C0012054	"PIM_COUNTRY_STATE_ID" IS NOT NULL
SYS_C0012055	"HOLIDAY_ID" IS NOT NULL

Index Name	Type	Unique	Fields
SYS_C0012056	NORMAL	Yes	HOLIDAY_ID, PIM_COUNTRY_STATE_ID
IX_COUNTRY_STATE_HOLIDAY	NORMAL	NO	HOLIDAY_ID
IX_HOLIDAY_COUNTRY_STATE	NORMAL	NO	PIM_COUNTRY_STATE_ID

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_COUNTRY_STATE_HOLIDAY	HOLIDAY_ID	POM Schema	PIM_HOLIDAY
FK_HOLIDAY_COUNTRY_STATE	PIM_COUNTRY_STATE_ID	POM Schema	PIM_COUNTRY_STATE

PIM_FILTER_TEMPLATE

Primary Key(s): FILTER_TEMPLATE_ID

Field	Type	Default	Null ?	Comments
-------	------	---------	--------	----------

FILTER_TEMPLATE_ID	NUMBER (10,0)		NO	filter template id. Internal DB ID generated using the sequence 'pimFilterTemplate_seq'
ORGANIZATION_ID	NUMBER (10,0)		NO	organization id
FILTER_NAME	VARCHAR2 (80 CHAR)		NO	filter name
FILTER_TYPE	NUMBER (10,0)		NO	filter type (campaign or splitter)
TEMPLATE_JSON	CLOB		YES	json definition of the filter template
SQL_QUERY	CLOB		YES	database query
ASSOCIATED_ATTRS	VARCHAR2 (2048 CHAR)		YES	associated attributes

Check Constraint Name	Columns Involved	Description
PK	FILTER_TEMPLATE_ID	PRIMARY KEY OF THE TABLE
SYS_C0012227	"FILTER_TEMPLATE_ID" IS NOT NULL	
SYS_C0012228	"ORGANIZATION_ID" IS NOT NULL	
SYS_C0012229	"FILTER_NAME" IS NOT NULL	
SYS_C0012230	"FILTER_TYPE" IS NOT NULL	

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
PIM_ORG_ID_FKEY	ORGANIZATION_ID	POM SCHEMA	PIM_ORGANIZATION

Index Name	Type	Unique	Fields
SYS_C0012056	NORMAL	Yes	FILTER_TEMPLATE_ID

PIM_FILTER_TEMPLATE_ASSOC

Primary Key(s): CAMPAIGN_ID, PIM_CONTACT_STORE_ID

Field	Type	Default	Null ?	Comments
CAMPAIGN_ID	NUMBER (10,0)		NO	campaign id
PIM_CONTACT_STORE_ID	NUMBER (10,0)		NO	contact store id
FILTER_TEMPLATE_ID	NUMBER (10,0)		YES	filter template id
DIALING_ALLOCATION	NUMBER (10,0)		YES	dialing allocation
DIALING_ORDER	NUMBER (10,0)		YES	dialing order

Check Constraint Name	Columns Involved	Description
PK	CAMPAIGN_ID, PIM_CONTACT_STORE_ID	PRIMARY (COMPOSITE) KEY OF THE TABLE
SYS_C0012232	"CAMPAIGN_ID" IS NOT NULL	
SYS_C0012233	"PIM_CONTACT_STORE_ID" IS NOT NULL	

INTERNAL FOREIGN KEY CONSTRAINT	AFFECTED FIELD	SOURCE SCHEMA	SOURCE TABLE
PIM_CAMPAIGN_ID_FKEY	CAMPAIGN_ID	POM SCHEMA	PIM_CAMPAIGN
PIM_CONTACT_LIST_ID_FKEY	PIM_CONTACT_STORE_ID	POM SCHEMA	PIM_CONTACT_STORE_ID
PIM_FILTER_TEMPLATE_ID_FKEY	FILTER_TEMPLATE_ID	POM SCHEMA	FILTER_TEMPLATE_ID

Index Name	Type	Unique	Fields
SYS_C0012056	NORMAL	Yes	CAMPAIGN_ID, PIM_CONTACT_STORE_ID

PIM_JOB_FT_ASSOC

Primary Key(s): PIM_JOB_FT_ASSOC_ID

Field	Type	Default	Null ?	Comments
--------------	-------------	----------------	-------------------	-----------------

PIM_JOB_FT_ASSOC_ID	NUMBER (10,0)		NO	row id. Internal DB ID generated using the sequence 'pimJobFTAssoc_seq'
JOB_ID	NUMBER (10,0)		NO	job id
CONTACT_LIST_ID	NUMBER (10,0)		NO	contact store id
FILTER_TEMPLATE_ID	NUMBER (10,0)		YES	filter template id
TEMPLATE_JSON	CLOB		YES	json definition of the filter template
SQL_QUERY	CLOB		YES	database query
ASSOCIATED_ATTRS	VARCHAR2 (2048 CHAR)		YES	associated attributes
DIALING_ALLOCATION	NUMBER (10,0)		YES	dialing allocation
DIALING_ORDER	NUMBER (10,0)		YES	dialing order
OPERATION	NUMBER (10,0)	0	NO	operation
PRIORITY	NUMBER (10,0)	0	YES	priority
PRCNT_ATTEMPTED_RECORD	FLOAT	0	YES	Percentage of attempted record
PRCNT_UNIQUE_ATTEMPTED_RECORD	FLOAT	0	YES	Percentage of unique attempted record
OPERATION_START_TIME	NUMBER (19,0)	0	NO	Operation start time
LASTFILTERTIME	NUMBER (19,0)		YES	last filtering time
LAST_FILTER_CHANGE_TIME	NUMBER (19,0)		YES	Last filter change time when filter is run

Check Constraint Name	Columns Involved	Description
PK	PIM_JOB_FT_ASSOC_ID	PRIMARY KEY OF THE TABLE
SYS_C0012432	"PIM_JOB_FT_ASSOC_ID" IS NOT NULL	

SYS_C0012433	"JOB_ID" IS NOT NULL	
SYS_C0012434	"CONTACT_LIST_ID" IS NOT NULL	
SYS_C0012435	"OPERATION" IS NOT NULL	
SYS_C0012436	"OPERATION_START_TIME" IS NOT NULL	

Index Name	Type	Unique	Fields
SYS_C0012056	NORMAL	Yes	PIM_JOB_FT_ASSOC_ID

PIM_JOB_FT_ASSOC_HIST

Primary Key(s): PIM_JOB_FT_HIST_ID

Field	Type	Default	Null ?	Comments
-------	------	---------	-----------	----------

PIM_JOB_FT_HIST_ID	NUMBER (10,0)		NO	row id. Internal DB ID generated using the sequence 'pimJobFTAssocHist_seq'
JOB_ID	NUMBER (10,0)		NO	job id
CONTACT_LIST_ID	NUMBER (10,0)		NO	contact store id
FILTER_TEMPLATE_ID	NUMBER (10,0)		YES	filter template id
TEMPLATE_JSON	CLOB		YES	json definition of the filter template
SQL_QUERY	CLOB		YES	database query
DIALING_ALLOCATION	NUMBER (10,0)		YES	dialing allocation
DIALING_ORDER	NUMBER (10,0)		YES	dialing order
OPERATION	NUMBER (10,0)	0	NO	operation
PRIORITY	NUMBER (10,0)	0	YES	priority
PRCNT_ATTEMPTED_RECORD	FLOAT	0	YES	Percentage of attempted record
PRCNT_UNIQUE_ATTEMPTED_RECORD	FLOAT	0	YES	Percentage of unique attempted record
OPERATION_START_TIME	NUMBER (19,0)	0	NO	Operation start time
LAST_MODIFIED_ON	TIMESTAMP (6) WITH TIME ZONE		NO	Last Modified on
LASTFILTERTIME	NUMBER (19,0)		YES	last filtering time

Check Constraint Name	Columns Involved	Description
PK	PIM_JOB_FT_HIST_ID	PRIMARY KEY OF THE TABLE
SYS_C0012432	"PIM_JOB_FT_HIST_ID" IS NOT NULL	
SYS_C0012433	"JOB_ID" IS NOT NULL	

SYS_C0012434	"CONTACT_LIST_ID" IS NOT NULL	
SYS_C0012435	"LAST_MODIFIED_ON" IS NOT NULL	
SYS_C0012436	"OPERATION" IS NOT NULL	
SYS_C0012437	"OPERATION_START_TIME" IS NOT NULL	

Index Name	Type	Unique	Fields
SYS_C0012056	NORMAL	Yes	PIM_JOB_FT_HIST_ID

PIM_JOB_DIALING_RATIO

Primary Key(s): JOB_ID

Field	Type	Default	Null ?	Comments
JOB_ID	NUMBER (10,0)		No	job id
PIM_CONTACT_STORE_ID	NUMBER (10,0)		No	contact store id
DIALED_RECORDS	NUMBER (10,0)		Yes	number of records dialed

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
DIALING_RATIO_FKEY	JOB_ID	POM SCHEMA	PIM_JOB

Check Constraint Name	Columns Involved	Description
PK	JOB_ID	PRIMARY KEY OF THE TABLE
SYS_C0012415	"JOB_ID" IS NOT NULL	

Index Name	Type	Unique	Fields
SYS_C0012056	NORMAL	Yes	JOB_ID

PIM_JOB_LOOKUP

Primary Key(s): PIM_JOB_FT_LOOKUP_ID

Field	Type	Default	Null ?	Comments
PIM_JOB_FT_LOOKUP_ID	NUMBER (10,0)	0	NO	row id. Internal DB ID generated using the sequence 'pimJobFTLookup_seq'

JOB_ID	NUMBER (10,0)		NO	job id
PIM_CONTACT_STORE_ID	NUMBER (10,0)		NO	contact store id
SORT_COL_NAME	VARCHAR2 (40)		NO	sort column name
MAPPED_COL_NAME	VARCHAR2 (30)		NO	Mapped column name
SORT_ORDER	VARCHAR2 (30)		YES	Sort order

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table

Check Constraint Name	Columns Involved	Description
PK	PIM_JOB_FT_LOOKUP_ID	PRIMARY KEY OF THE TABLE
SYS_C0012472	"JOB_ID" IS NOT NULL	
SYS_C0012473	"CONTACT_STORE_ID" IS NOT NULL	
SYS_C0012474	"SORT_COL_NAME" IS NOT NULL	
SYS_C0012475	"MAPPED_COL_NAME" IS NOT NULL	
SYS_C0012476	"PIM_JOB_FT_LOOKUP_ID" IS NOT NULL	

Index Name	Type	Unique	Fields
------------	------	--------	--------

SYS_C0012056	NORMAL	Yes	PIM_JOB_FT_LOOKUP_ID
--------------	--------	-----	----------------------

PIM_PURGE_DEF

Primary Key(s): PURGE_DEF_ID

Field	Type	Default	Null ?	Comments
PURGE_DEF_ID	NUMBER (10,0)		No	Row id. Internal DB ID generated using the sequence 'pimPurgeDef_seq'
PURGE_NAME	VARCHAR2 (80 CHAR)		No	Name of the purge
FILE_PATH	VARCHAR2 (2048 CHAR)		Yes	Path of the file to be purged
CONFIGURABLE_FOR_ORGS	NUMBER (1,0)	1	No	Whether the purge is configurable by all org admins or just the super admin
APPLY_TO_ALL_ORGS	NUMBER (1,0)	1	No	Used for internal purpose
DEFAULT_RETENTION	NUMBER (10,0)	180	No	Default number of days for which the data corresponding to the purge is retained

Check Constraint Name	Columns Involved	Description
PK	PURGE_DEF_ID	PRIMARY KEY OF THE TABLE
SYS_C0012472	"PURGE_DEF_ID" IS NOT NULL	
SYS_C0012473	"PURGE_NAME" IS NOT NULL	
SYS_C0012474	"CONFIGURABLE_FOR_ORGS" IS NOT NULL	
SYS_C0012475	"APPLY_TO_ALL_ORGS" IS NOT NULL	
SYS_C0012476	"DEFAULT_RETENTION" IS NOT NULL	

Index Name	Type	Unique	Fields
SYS_C0012056	NORMAL	Yes	PURGE_DEF_ID

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table

PIM_ORG_PURGE_RUNSCHEDULE

Primary Key(s): RUNSCHEDULE_ID

Field	Type	Default	Null ?	Comments
RUNSCHEDULE_ID	NUMBER (10,0)		NO	Row id. Internal DB ID generated using the sequence 'pimOrgPurgeRunSchedule_seq'
ORGANIZATION_ID	NUMBER (10,0)		YES	Organization Id for which the configured purges will run at specified time
PURGE_HOURS	NUMBER (10,0)		NO	Hour of the day when the purge should run
PURGE_MINS	NUMBER (10,0)		NO	Minute of the hour when the purge should run
PURGE_SECS	NUMBER (10,0)		NO	Second of the minute when the purge should run

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_ORG_PURGE_RUNSCHEDULE	ORGANIZATION_ID	POM SCHEMA	PIM_ORGANIZATION

Check Constraint Name	Columns Involved	Description
PK	RUNSCHEDULE_ID	PRIMARY KEY OF THE TABLE

SYS_C0012472	"RUNSCHEDULE_ID" IS NOT NULL	
SYS_C0012473	"PURGE_HOURS" IS NOT NULL	
SYS_C0012474	"PURGE_MINS" IS NOT NULL	
SYS_C0012475	"PURGE_SECS" IS NOT NULL	

Index Name	Type	Unique	Fields
SYS_C0012056	NORMAL	Yes	RUNSCHEDULE_ID
IX_ORG_PURGE_RUNSCHEDULE	NORMAL	Yes	ORGANIZATION_ID

PIM_PURGE_ORG_RETENTION

Primary Key(s): PIM_PURGE_ORG_RETENTION_ID

Field	Type	Default	Null ?	Comments
PIM_PURGE_ORG_RETENTION_ID	NUMBER (10,0)		NO	Row id. Internal DB ID generated using the sequence 'pimPurgeOrgRetention_seq'

ORGANIZATION_ID	NUMBER (10,0)		YES	Id of the Organization for which the purge is applicable
PURGE_DEF_ID	NUMBER (10,0)		NO	Id of the Purge that is applicable to the Organization
RETENTION_PERIOD	NUMBER (10,0)	180	NO	Number of days for which the data corresponding to the purge is retained
ENABLED	NUMBER (1,0)	1	NO	Whether the configured purge is enabled

Check Constraint Name	Columns Involved	Description
PK	PIM_PURGE_ORG_RETENTION_ID	PRIMARY KEY OF THE TABLE
SYS_C0012472	"RUNSCHEDULE_ID" IS NOT NULL	
SYS_C0012473	"PURGE_HOURS" IS NOT NULL	
SYS_C0012474	"PURGE_MINS" IS NOT NULL	
SYS_C0012475	"PURGE_SECS" IS NOT NULL	

Index Name	Type	Unique	Fields
SYS_C0012056	NORMAL	Yes	PIM_PURGE_ORG_RETENTION_ID
IX_PURGE_ORG_RETENTION_ORG	NORMAL	Yes	ORGANIZATION_ID
IX_PURGE_ORG_RETENTION_PURGEDEF	NORMAL	Yes	PURGE_DEF_ID

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
FK_PURGE_ORG_RETENTION_PURGEDEF	PURGE_DEF_ID	POM SCHEMA	PIM_PURGE_DEF
FK_PURGE_ORG_RETENTION_ORG	ORGANIZATION_ID	POM SCHEMA	PIM_ORGANIZATION

PIM_CAMPAIGN_INTERVAL

PRIMARY KEY(S): PIM_CAMPAIGN_INTERVAL_ID

Field	Type	Default	Null ?	Comments
PIM_CAMPAIGN_INTERVAL_ID	NUMBER (19,0)		NO	Row id. Internal DB ID generated using the sequence 'PimCampaignInterval_seq'
JOB_ID	NUMBER (10,0)		NO	Job id for which interval per min data is going to be saved.
ACTION_ID	NUMBER (10,0)		NO	Action id for which interval per min data is going to be saved,
CAMPAIGN_TYPE	NUMBER (10,0)		NO	Campaign type whether finite or infinite.
TIME_STAMP	TIMESTAMP (6) WITH TIME ZONE		YES	Time stamp information when record will get inserted.
ATTEMPT	NUMBER (10,0)		YES	Number of attempts for corresponding handler of job.
NUISANCE_COUNT	NUMBER (10,0)		YES	Number of nuisance count for corresponding handler of job.

AVG_TALK_TIME	FLOAT		YES	Per min average talk time for all agents attached for job per handler.
PERCENT_IDLE_TIME	FLOAT		YES	Per min Idle time percentage for all agents attached for job per handler.
PERCENT_BREAK_TIME	FLOAT		YES	Per min break time percentage for all agents attached for job per handler.
AVG_ACW_TIME	FLOAT		YES	Per min average acw time for all agents attached for job per handler.
CONNECTS	NUMBER (10,0)		NO	Number of connects for corresponding handler of job.
RPC_COUNT	NUMBER (10,0)		NO	Number of rpc counts for corresponding handler of job.
CALLBACK_SCHEDULE	NUMBER (10,0)		NO	Number of callbacks scheduled for corresponding handler of job.
CALLBACK_DONE	NUMBER (10,0)		YES	Number of callbacks completed for corresponding handler of job.
AVG_HOLD_TIME	FLOAT		YES	Per min average hold time for all agents attached for job per handler.
AVG_PREVIEW_TIME	FLOAT		YES	Per min average preview time for all agents attached for job per handler.
AVG_IDLE_TIME	FLOAT	0	NO	Per min average idle time for all agents attached for job per handler.
SUCCESS_COUNT	NUMBER (10,0)	0	NO	Number of success counts for corresponding handler of job.
CLOSURE_COUNT	NUMBER (10,0)	0	NO	Number of closure counts for corresponding handler of job.

TOTAL_CALLQUEUE_COUNT	NUMBER (10,0)	0	NO	Number of total call queue counts for corresponding handler of job.
ACTIVE_CALLQUEUE_COUNT	NUMBER (10,0)	0	NO	Number of active call queue counts for corresponding handler of job.
TOTAL_CALLQUEUE_TIME	FLOAT	0	NO	Per min average call queue time for all agents attached for job per handler.
DROPPED_CALL_COUNT	NUMBER (10,0)	0	NO	Number of dropped call queue counts for corresponding handler of job.

Check Constraint Name	Columns Involved	Description
PK	PIM_CAMPAGN_INTERVAL_ID	PRIMARY KEY OF THE TABLE
SYS_C0011851	"PIM_CAMPAGN_INTERVAL_ID" IS NOT NULL	
SYS_C0011852	"JOB_ID" IS NOT NULL	
SYS_C0011853	"ACTION_ID" IS NOT NULL	
SYS_C0011854	"CAMPAGN_TYPE" IS NOT NULL	
SYS_C0011855	"CONNECTS" IS NOT NULL	
SYS_C0011856	"RPC_COUNT" IS NOT NULL	
SYS_C0011857	"CALLBACK_DONE" IS NOT NULL	
SYS_C0011858	"AVG_IDLE_TIME" IS NOT NULL	
SYS_C0011859	"SUCCESS_COUNT" IS NOT NULL	
SYS_C0011860	"CLOSURE_COUNT" IS NOT NULL	

SYS_C0011861	"TOTAL_CALLQUEUE_COUNT" IS NOT NULL	
SYS_C0011862	"ACTIVE_CALLQUEUE_COUNT" IS NOT NULL	
SYS_C0011863	"TOTAL_CALLQUEUE_TIME" IS NOT NULL	
SYS_C0011864	"DROPPED_CALL_COUNT" IS NOT NULL	

Index Name	Type	Unique	Fields
SYS_C0012056	NORMAL	Yes	PIM_CAMPAGN_INTERVAL_ID

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table

PIM_SIP_CODE_EVENT_CC_MAPPING

Primary Key(s): SIP_CC_MAPPING_ID

Field	Type	Default	Null ?	Comments
SIP_CC_MAPPING_ID	NUMBER (10,0)		NO	Row Id. Internal DB ID generated using the sequence PimSipCodeEventCCMapping_seq

SIPCODE_EVENT	VARCHAR2 (1024 CHAR)		NO	Alphanumeric value of Sipcode or event
DESCRIPTION	VARCHAR2 (1024 CHAR)		YES	Description of the Sipcode or event
EDITABLE	NUMBER (10,0)		NO	Specifies if the Sipcode Event to Completion Code mapping can be edited or deleted. Possible values are: -1: Noneditable-Nondeletable 0: Editable-Nondeletable 1: Editable-Deletable
SYSTEM_COMPLETION_CODE	NUMBER (10,0)			Id of system completion code
CUSTOM_COMPLETION_CODE	NUMBER (10,0)			Id of custom completion code

Check Constraint Name	Columns Involved	Description
SYS_C008545	SIP_CC_MAPPING_ID	SIP_CC_MAPPING_ID IS NOT NULL
SYS_C008546	SIPCODE_EVENT	SIPCODE_EVENT IS NOT NULL
SYS_C008547	EDITABLE	EDITABLE IS NOT NULL
PIM_SIP_CODE_EVENT_CC_MAPPING_PKEY	SIP_CC_MAPPING_ID	PRIMARY KEY OF THE TABLE

Index Name	Type	Unique	Fields
------------	------	--------	--------

IX_SIPCODE_EVENT_MAPPING_CUSTOM_CC	NORMAL	No	CUSTOM_COMPLETION_CODE
IX_SIPCODE_EVENT_MAPPING_SYSTEM_CC	NORMAL	No	SYSTEM_COMPLETION_CODE
PIM_SIP_CODE_EVENT_CC_MAPPING_PKEY	NORMAL	Yes	SIP_CC_MAPPING_ID

Internal Foreign Key Constraint	Affected	Source Schema	Source Table
FK_SIPCODE_EVENT_MAPPING_CUSTOM_CC	CUSTOM_COMPLETION_CODE	POM SCHEMA	PIM_COMPLETION_CODE
FK_SIPCODE_EVENT_MAPPING_SYSTEM_CC	SYSTEM_COMPLETION_CODE	POM SCHEMA	PIM_COMPLETION_CODE

PIM_CONTACTLIST_EXPORT

Primary Key(s): EXPORT_ID

Field	Type	Default	Null ?	Comments
EXPORT_ID	NUMBER(19,0)		NO	Row Id. Internal DB ID generated using the sequence PimContactListExport_seq
PIM_CONTACT_STORE_ID	NUMBER(10,0)		YES	Contact list ID
ATTRIBS	VARCHAR2 (3990)		YES	List of attributes selected for export
BATCH_SIZE	NUMBER(10,0)		YES	Contact export batch size
TOTAL_BATCHES	NUMBER(10,0)		YES	Total no.of batches for export
CURRENT_BATCH	NUMBER(10,0)		YES	Current batch number which is being exported

DB_URL	VARCHAR2 (2048)		YES	The url to connect to the database
DB_USER	VARCHAR2 (512)		YES	The username to connect to or log in to the database
DB_PWD	VARCHAR2 (1024)		YES	The password to connect to or log in to the database.
EXPORT_STATUS	NUMBER(10,0)		NO	Status of the export. Possible values are: 0: NOT_STARTED 1: IN_PROGRESS 2: DONE 3: ERROR 4: USER_TERMINATED
STATUS_TIMESTAMP	TIMESTAMP (6) WITH TIME ZONE		YES	Timestamp when the export status was changed/updated
DELIMITER	VARCHAR2 (512)		YES	Delimiter to separate the data

DBTYPE	NUMBER(10,0)		NO	Type of the database that contain the contact lists from which you want to export contacts. Possible values are: 0: POSTGRES 1: ORACLE 2: MSSQL
USER_STATUSCHECK_TIMESTAMP	TIMESTAMP (6) WITH TIME ZONE		YES	Latest timestamp when export status was checked

Check Constraint Name	Columns Involved	Description
PIM_CONTACTLIST_EXPORT_PKEY	EXPORT_ID	PRIMARY KEY OF THE TABLE
SYS_C0063514	EXPORT_ID	EXPORT_IS IS NOT NULL
SYS_C0063514	DBTYPE	DBTYPE IS NOT NULL

Index Name	Type	Unique	Fields
PIM_CONTACTLIST_EXPORT_PKEY	NORMAL	YES	EXPORT_ID

Internal Foreign Key Constraint	Affected	Source Schema	Source Table
---------------------------------	----------	---------------	--------------

All Views

VW__PAJ

Field	Type	Nulls?
JOB_ID	NUMBER (10)	Yes
ACTION_ID	NUMBER (10)	No
JOBS	NUMBER	Yes
AGENT_CALLS	NUMBER	Yes
AGENTS	NUMBER	Yes

```
CREATE OR REPLACE VIEW vw__paj
AS
SELECT
    paj.job_id,
    paj.action_id,
    count(paj.job_id) AS jobs,
    sum(paj.call_count) AS agent_calls,
    count(DISTINCT pas.agent_id) AS agents
FROM
    pim_agent_job paj,
    pim_agent_session pas
WHERE
    paj.agent_session_id = pas.agent_session_id
GROUP BY
    paj.job_id,
    paj.action_id
```

```
ORDER BY
    paj.job_id,
    paj.action_id
;
```

VW__PAJH

Field	Type	Nulls?
JOB_ID	NUMBER (10)	Yes
ACTION_ID	NUMBER (10)	No
JOBS	NUMBER	Yes
AGENT_CALLS	NUMBER	Yes
AGENTS	NUMBER	Yes

```
CREATE OR REPLACE VIEW vw__pajh
AS
SELECT
    pajh.job_id,
    pajh.action_id,
    count(pajh.job_id) AS jobs,
    sum(pajh.call_count) AS agent_calls,
    count(DISTINCT pas.agent_id) AS agents
FROM
    pim_agent_job_history pajh,
    pim_agent_session pas
WHERE
    pajh.agent_session_id = pas.agent_session_id
```

```

GROUP BY
    pajh.job_id,
    pajh.action_id
ORDER BY
    pajh.job_id,
    pajh.action_id
;

```

VW__PAJS

Field	Type	Nulls?
JOB_ID	NUMBER (10)	No
ACTION_ID	NUMBER (10)	No
ZONE_ID	NUMBER (10)	No
ZONE_NAME	VARCHAR2(1024)	No
AGENT_UTILIZATION	FLOAT	Yes
SERVICE_LEVEL_ACHIEVED	FLOAT	Yes
CURRENT_QUEUED_CALL_COUNT	NUMBER	Yes
TOTAL_QUEUED_CALL_COUNT	NUMBER (10)	Yes
TOTAL_CALL_QUEUED_DURATION	NUMBER (19)	Yes

```

CREATE OR REPLACE VIEW vw__pajs
AS

```



```

SELECT
    pajs.job_id,
    pajs.action_id,
    pajs.zone_id,
    pz.name as zone_name,
    pajs.agent_utilization,
    pajs.service_level_achieved,
    (select count(*) from pim_call_queue where call_queue_out_time is null and job_id=pajs.job_id and
    action_id=pajs.action_id and zone_id=pajs.zone_id) as current_queued_call_count,
    pajs.total_queued_call_count,
    pajs.total_call_queued_duration
FROM
    pim_agent_job_summary pajs,
    pim_zone pz
WHERE
    pajs.zone_id = pz.zone_id
GROUP BY
    pajs.job_id,
    pajs.action_id,
    pajs.zone_id,
    pz.name,
    pajs.agent_utilization,
    pajs.service_level_achieved,
    pajs.total_queued_call_count,
    pajs.total_call_queued_duration
ORDER BY
    pajs.job_id,
    pajs.action_id,
    pajs.zone_id
;

```

VW__PAJSH

Field	Type	Nulls?
JOB_ID	NUMBER (10)	No
ACTION_ID	NUMBER (10)	No
ZONE_ID	NUMBER (10)	No
ZONE_NAME	VARCHAR2 (1024)	No
AGENT_UTILIZATION	FLOAT	Yes
SERVICE_LEVEL_ACHIEVED	FLOAT	Yes
TOTAL_QUEUED_CALL_COUNT	NUMBER (10)	Yes
TOTAL_CALL_QUEUED_DURATION	NUMBER (19)	Yes

```
CREATE OR REPLACE VIEW vw__pajsh
AS
SELECT
    pajsh.job_id,
    pajsh.action_id,
    pajsh.zone_id,
    pz.name as zone_name,
    pajsh.agent_utilization,
    pajsh.service_level_achieved,
    pajsh.total_queued_call_count,
    pajsh.total_call_queued_duration
FROM
    pim_agent_job_summary_history pajsh,
    pim_zone pz
WHERE
```

```

    pajsh.zone_id = pz.zone_id
GROUP BY
    pajsh.job_id,
    pajsh.action_id,
    pajsh.zone_id,
    pz.name,
    pajsh.agent_utilization,
    pajsh.service_level_achieved,
    pajsh.total_queued_call_count,
    pajsh.total_call_queued_duration
ORDER BY
    pajsh.job_id,
    pajsh.action_id,
    pajsh.zone_id
;

```

VW__PC_PJ_PJA

Field	Type	Nulls?
ORGANIZATION_ID	NUMBER (10)	Yes
CAMPAIGN_ID	NUMBER (10)	No
NAME	VARCHAR2 (80)	No
IS_INFINITE	NUMBER (10)	No
IS_DELETED	NUMBER (10)	No
LAST_JOB_START_TIME	TIMESTAMP (6) WITH TIME ZONE	Yes
STRATEGY_NAME	VARCHAR2 (256)	Yes

JOB_ID	NUMBER (10)	No
START_TIME	TIMESTAMP (6) WITH TIME ZONE	Yes
END_TIME	TIMESTAMP (6) WITH TIME ZONE	Yes
STATUS	NUMBER (10)	No
JOB_NOTE	NUMBER (10)	No
ACTION_ID	NUMBER (10)	No
ACTION_NAME	VARCHAR2 (255)	No
PACING_TYPE	NUMBER (10)	No
FALSE_POSITIVE_RATE	FLOAT	Yes
NUISANCE_RATE	FLOAT	Yes
LIVE_VOICE_TIMEOUT	NUMBER (10)	No
ENABLE_EXCLU_FRM_NUISANCE_RATE	NUMBER (1)	No
TOTAL_CONTACTS	NUMBER (10)	Yes
PRCNT_UNIQUE_ATTEMPTED_RECORD	FLOAT	Yes
PRCNT_ATTEMPTED_RECORD	FLOAT	Yes
STORELISTFORINPROG	VARCHAR2 (4000)	Yes
STORELISTFORDONE	VARCHAR2 (4000)	Yes
UNIQUEATTMPPRCTFORINPROG	VARCHAR2 (4000)	Yes
UNIQUEATTMPPRCTFORDONE	VARCHAR2 (4000)	Yes
ATTMPPRCTFORINPROG	VARCHAR2 (4000)	Yes
ATTMPPRCTFORDONE	VARCHAR2 (4000)	Yes

```

CREATE OR REPLACE VIEW vw__pc_pj_pja
AS
SELECT
    pc.organization_id,
    pc.campaign_id,
    pc.name,
    pc.is_infinite,
    pc.is_deleted,
    pc.last_job_start_time,
    pj.strategy_name,
    pj.job_id,
    pj.start_time,
    pj.end_time,
    pj.status,
    pj.job_note,
    pja.action_id,
    pja.action_name,
    pja.pacing_type,
    pj.false_positive_rate,
    pj.nuisance_rate,
    pc.live_voice_timeout,
    pc.enable_exclu_frm_nuisance_rate,
    pj.total_contacts,
    pj.prcnt_unique_attempted_record,
    pj.prcnt_attempted_record,
    (SELECT listagg(b.store_name,',') within group (order by a.pim_contact_store_id) from pim_job_contact_list a,
pim_contact_store b where a.pim_contact_store_id = b.pim_contact_store_id and a.job_id = pj.job_id) as storeListForInProgress,
    (SELECT listagg(b.store_name,',') within group (order by a.pim_contact_store_id) from pim_job_contact_list_hist a,
pim_contact_store b where a.pim_contact_store_id = b.pim_contact_store_id and a.job_id = pj.job_id and
a.is_associated_at_job_complete =1) as storeListForDone,
    (SELECT listagg(a.prcnt_unique_attempted_record,',') within group (order by a.pim_contact_store_id) from
pim_job_contact_list a where a.job_id = pj.job_id) as uniqueAttmpPrctForInProgress,

```

```

        (SELECT listagg(a.prcnt_unique_attempted_record,',') within group (order by a.pim_contact_store_id) from
pim_job_contact_list_hist a where a.is_associated_at_job_complete =1 and a.job_id = pj.job_id) as uniqueAttmpPrctForDone,
        (SELECT listagg(a.prcnt_attempted_record,',') within group (order by a.pim_contact_store_id ) from pim_job_contact_list a
where a.job_id = pj.job_id) as attmpPrctForInProg,
        (SELECT listagg(a.prcnt_attempted_record,',') within group(order by a.pim_contact_store_id) from pim_job_contact_list_hist
a where a.is_associated_at_job_complete =1 and a.job_id = pj.job_id) as attmpPrctForDone
FROM
    pim_campaign pc,
    pim_job pj,
    pim_job_action pja
WHERE
    pj.campaign_id = pc.campaign_id
AND    pja.job_id = pj.job_id
ORDER BY
    pc.campaign_id,
    pj.job_id,
    pja.action_id
;

```

VW__PCA

Field	Type	Nulls?
JOB_ID	NUMBER (10)	No
ACTION_ID	NUMBER (10)	Yes
NUISANCE_CALLS	NUMBER	Yes
ANSWER_HUMANS	NUMBER	Yes
VOICE	NUMBER	Yes
SMS	NUMBER	Yes

EMAIL	NUMBER	Yes
CUSTOM	NUMBER	Yes
EXCLUDED_FROM_NUISANCE_RATE	NUMBER	Yes
UNIQUE_ATTEMPTS	NUMBER	Yes
CONNECTED_CALLS	NUMBER	Yes
DROPPED_CALLS	NUMBER	Yes

CREATE OR REPLACE VIEW vw__pca

AS

SELECT

```

    pca.job_id,
    pca.action_id,
    sum( CASE WHEN pca.nuisance_call = 1 THEN 1 ELSE 0 END) AS nuisance_calls,
    sum( case when pca.sys_completion_code_id in (select completion_code_id from pim_completion_code where
completion_code_type = 0 and (code = 'Answer_Human' or code = 'Call_Answered'
    or code = 'Disconnected_By_User' or code = 'Disconnected_By_System' or code = 'Disconnected_By_System_CCA' or code =
'Disconnected_By_System_NuisanceApp'
    or code = 'Disconnected_By_User_CCA' or code = 'Disconnected_By_User_NuisanceApp' or code = 'Nuisance_Call' or code
= 'BgrndAMD_Nuisance_Call' or code='AMD_Application_Played') ) then 1 else 0 end ) AS answer_humans,
    sum( CASE WHEN (pca.channel_type = 0 and pca.completion_code_id not in ( select completion_code_id from
pim_campaign_cc_attempt pcc where pca.campaign_id = pcc.campaign_id))THEN 1 ELSE 0 END) AS voice,
    sum( CASE WHEN (pca.channel_type = 1 and pca.completion_code_id not in ( select completion_code_id from
pim_campaign_cc_attempt pcc where pca.campaign_id = pcc.campaign_id)) THEN 1 ELSE 0 END) AS sms,
    sum( CASE WHEN (pca.channel_type = 2 and pca.completion_code_id not in ( select completion_code_id from
pim_campaign_cc_attempt pcc where pca.campaign_id = pcc.campaign_id)) THEN 1 ELSE 0 END) AS email,
    sum( CASE WHEN (pca.channel_type = 3 and pca.completion_code_id not in ( select completion_code_id from
pim_campaign_cc_attempt pcc where pca.campaign_id = pcc.campaign_id))THEN 1 ELSE 0 END) AS custom,
    sum( CASE WHEN pca.excluded_from_nuisance_rate = 1 THEN 1 ELSE 0 END) AS excluded_from_nuisance_rate,
    (select count(DISTINCT a.contact_id) from pim_contact_attempts a where a.job_id = pca.job_id and a.action_id =
pca.action_id and a.completion_code_id not in ( select completion_code_id from pim_campaign_cc_attempt pcc where

```

```

a.campaign_id = pcc.campaign_id)) AS unique_attempts,
    sum( case WHEN pca.sys_completion_code_id in (select completion_code_id from pim_completion_code where
completion_code_type = 0 and (code = 'Email_Sent' or code = 'SMS_Delivered' or code = 'Call_Answered' or code =
'Answer_Human' or code = 'Disconnected_By_System_CCA' or code = 'Disconnected_By_System_NuisanceApp' or code =
'Disconnected_By_User_CCA' or code = 'Disconnected_By_User_NuisanceApp')) then 1 else 0 end ) AS connected_calls,
    sum( case when pca.sys_completion_code_id in (SELECT regexp_substr((select config_value from pim_config where
config_name='CompletionIDsDropCall'),'[^,]+' , 1, level) AS list FROM dual
CONNECT BY regexp_substr((select config_value from pim_config where config_name='CompletionIDsDropCall'), '[^,]+' , 1,
level) IS NOT NULL ) then 1 else 0 end ) AS dropped_calls
FROM
    pim_contact_attempts pca
GROUP BY
    pca.job_id,
    pca.action_id
ORDER BY
    pca.job_id,
    pca.action_id
;

```

VW__PCAH

Field	Type	Nulls?
JOB_ID	NUMBER (10)	No
ACTION_ID	NUMBER (10)	Yes
NUISANCE_CALLS	NUMBER	Yes
ANSWER_HUMANS	NUMBER	Yes
VOICE	NUMBER	Yes

SMS	NUMBER	Yes
EMAIL	NUMBER	Yes
CUSTOM	NUMBER	Yes
EXCLUDED_FROM_NUISANCE_RATE	NUMBER	Yes
UNIQUE_ATTEMPTS	NUMBER	Yes
CONNECTED_CALLS	NUMBER	Yes
DROPPED_CALLS	NUMBER	Yes

CREATE OR REPLACE VIEW vw__pcah

AS

SELECT

```

    pcah.job_id,
    pcah.action_id,
    sum( case WHEN pcah.nuisance_call = 1 then 1 else 0 end) as nuisance_calls,
    sum( case when pcah.sys_completion_code_id in (select completion_code_id from pim_completion_code where
completion_code_type = 0 and (code = 'Answer_Human' or code = 'Call_Answered'
    or code = 'Disconnected_By_User' or code = 'Disconnected_By_System' or code = 'Disconnected_By_System_CCA' or code =
'Disconnected_By_System_NuisanceApp'
    or code = 'Disconnected_By_User_CCA' or code = 'Disconnected_By_User_NuisanceApp' or code = 'Nuisance_Call' or code
= 'BgrndAMD_Nuisance_Call' or code='AMD_Application_Played') ) then 1 else 0 end ) AS answer_humans,
    sum( CASE WHEN (pcah.channel_type = 0 and pcah.completion_code_id not in ( select completion_code_id from
pim_campaign_cc_attempt pcc where pcah.campaign_id = pcc.campaign_id))THEN 1 ELSE 0 END) AS voice,
    sum( CASE WHEN (pcah.channel_type = 1 and pcah.completion_code_id not in ( select completion_code_id from
pim_campaign_cc_attempt pcc where pcah.campaign_id = pcc.campaign_id)) THEN 1 ELSE 0 END) AS sms,
    sum( CASE WHEN (pcah.channel_type = 2 and pcah.completion_code_id not in ( select completion_code_id from
pim_campaign_cc_attempt pcc where pcah.campaign_id = pcc.campaign_id)) THEN 1 ELSE 0 END) AS email,
    sum( CASE WHEN (pcah.channel_type = 3 and pcah.completion_code_id not in ( select completion_code_id from
pim_campaign_cc_attempt pcc where pcah.campaign_id = pcc.campaign_id))THEN 1 ELSE 0 END) AS custom,
    sum( CASE WHEN pcah.excluded_from_nuisance_rate = 1 THEN 1 ELSE 0 END) AS excluded_from_nuisance_rate,

```

```

(select count(DISTINCT a.contact_id) from pim_contact_attempts_history a where a.job_id = pcah.job_id and a.action_id =
pcah.action_id and a.completion_code_id not in ( select completion_code_id from pim_campaign_cc_attempt pcc where
a.campaign_id = pcc.campaign_id )) AS unique_attempts,
sum( case WHEN pcah.sys_completion_code_id in (select completion_code_id from pim_completion_code where
completion_code_type = 0 and (code = 'Email_Sent' or code = 'SMS_Delivered' or code = 'Call_Answered' or code =
'Answer_Human' or code = 'Disconnected_By_System_CCA' or code = 'Disconnected_By_System_NuisanceApp' or code =
'Disconnected_By_User_CCA' or code = 'Disconnected_By_User_NuisanceApp')) then 1 else 0 end ) AS connected_calls,
sum( case when pcah.sys_completion_code_id in (SELECT regexp_substr((select config_value from pim_config where
config_name='CompletionIDsDropCall'),'[^,]+', 1, level) AS list FROM dual
CONNECT BY regexp_substr((select config_value from pim_config where config_name='CompletionIDsDropCall'), '[^,]+', 1,
level) IS NOT NULL ) then 1 else 0 end ) AS dropped_calls
FROM
    pim_contact_attempts_history pcah
GROUP BY
    pcah.job_id,
    pcah.action_id
ORDER BY
    pcah.job_id,
    pcah.action_id
;

```

VW_PCD

Field	Type	Nulls?
JOB_ID	NUMBER (10)	Yes
ACTION_ID	NUMBER (10)	Yes
CALLBACKS	NUMBER	Yes

EXPIRED	NUMBER	Yes
---------	--------	-----

```

CREATE OR REPLACE VIEW vw__pcd
AS
(SELECT
    pcd.job_id,
    pcd.action_id,
    count(pcd.callback_id) AS callbacks,
    sum( CASE WHEN pcd.status = 2 THEN 1 ELSE 0 END) AS expired
FROM
    pim_callback pcd
GROUP BY
    pcd.job_id,
    pcd.action_id

)
UNION ALL
(SELECT
    pcd.job_id,
    pcd.action_id,
    count(pcd.callback_id) AS callbacks,
    sum( CASE WHEN pcd.status = 2 THEN 1 ELSE 0 END) AS expired
FROM
    pim_callback_history pcd
GROUP BY
    pcd.job_id,
    pcd.action_id

)
;

```

VW_CONTACTATTEMPT

Field	Type	Nulls?
PIM_SESSION_ID	NUMBER (19)	Yes
JOB_ID	NUMBER (10)	Yes
ACTION_ID	NUMBER (10)	Yes
CONTACT_ID	NUMBER (19)	Yes
LAST_NW_DISPOSITION_TIME	TIMESTAMP WITH TIME ZONE	Yes
CONTACT_ATTEMPT_TIME	TIMESTAMP WITH TIME ZONE	Yes
COMPLETION_CODE_ID	NUMBER (10)	Yes
ADDRESS	VARCHAR2 (80)	Yes
CHANNEL_TYPE	NUMBER (10)	Yes
NUISANCE_CALL	NUMBER (1)	Yes
ADDRESS_ATTR_NAME	VARCHAR2 (80)	Yes
RULE_NAME	VARCHAR2 (255)	Yes
SYS_COMPLETION_CODE_ID	NUMBER (10)	Yes
USER_CONTACT_ID	VARCHAR2 (80)	Yes
CAMPAIGN_ID	NUMBER (10)	Yes
EXCLUDED_FROM_NUISANCE_RATE	NUMBER (1)	Yes
CONTACT_LIST_ID	NUMBER (10)	Yes
ORG_ID	NUMBER (10)	Yes

```

CREATE OR REPLACE VIEW vw_contactattempt as
  (select pim_session_id, job_id, action_id, contact_id, last_nw_disposition_time, contact_attempt_time, completion_code_id,
  address, channel_type, nuisance_call,address_attr_name,rule_name,sys_completion_code_id,user_contact_id,
  campaign_id,excluded_from_nuisance_rate,contact_list_id,org_id,agent_id
  from pim_contact_attempts
  union all
  select pim_session_id, job_id, action_id, contact_id, last_nw_disposition_time, contact_attempt_time, completion_code_id,
  address, channel_type, nuisance_call,address_attr_name,rule_name,sys_completion_code_id,user_contact_id,
  campaign_id,excluded_from_nuisance_rate,contact_list_id,org_id,agent_id
  from pim_contact_attempts_history);

```

VW__PCA__DAYWISE

Field	Type	Nulls?
JOB_ID	NUMBER (10)	No
ACTION_ID	NUMBER (10)	Yes
NUISANCE_CALLS	NUMBER	Yes
ANSWER_HUMANS	NUMBER	Yes
VOICE	NUMBER	Yes
SMS	NUMBER	Yes
EMAIL	NUMBER	Yes
CUSTOM	NUMBER	Yes
ANSWER_MACHINE	NUMBER	Yes
CONTACT_ATTEMPTS_TIME	DATE	Yes

CHANNEL_TYPE	NUMBER (10)	No
EXCLUDED_FROM_NUISANCE_RATE	NUMBER	Yes

```
CREATE OR REPLACE VIEW vw__pca_daywise
```

```
AS
```

```
SELECT
```

```

    pca.job_id,
    pca.action_id,
    sum( CASE WHEN pca.nuisance_call = 1 THEN 1 ELSE 0 END) AS nuisance_calls,
    sum( case when pca.sys_completion_code_id in (select completion_code_id from pim_completion_code where
completion_code_type = 0 and (code = 'Answer_Human' or code = 'Call_Answered'
    or code = 'Disconnected_By_User' or code = 'Disconnected_By_System' or code = 'Disconnected_By_System_CCA' or code =
'Disconnected_By_System_NuisanceApp'
    or code = 'Disconnected_By_User_CCA' or code = 'Disconnected_By_User_NuisanceApp' or code = 'Nuisance_Call' or code
= 'BgrndAMD_Nuisance_Call') ) then 1 else 0 end ) AS answer_humans,
    sum( CASE WHEN pca.channel_type = 0 THEN 1 ELSE 0 END) AS voice,
    sum( CASE WHEN pca.channel_type = 1 THEN 1 ELSE 0 END) AS sms,
    sum( CASE WHEN pca.channel_type = 2 THEN 1 ELSE 0 END) AS email,
    sum( CASE WHEN pca.channel_type = 3 THEN 1 ELSE 0 END) AS custom,
    sum( case when pca.sys_completion_code_id in (select completion_code_id from pim_completion_code where
completion_code_type = 0 and code = 'Answer_Machine') then 1 else 0 end ) AS answer_machine ,
    trunc(pca.contact_attempt_time) as contact_attempt_time,
    pca.channel_type,
    sum( CASE WHEN pca.excluded_from_nuisance_rate = 1 THEN 1 ELSE 0 END) AS excluded_from_nuisance_rate

```

```
FROM
```

```
    pim_contact_attempts pca
```

```
WHERE    pca.contact_attempt_time is not null
```

```
GROUP BY
```

```

    pca.job_id,
    pca.action_id ,
    trunc(pca.contact_attempt_time),
    pca.channel_type

```

ORDER BY

```
pca.job_id,  
pca.action_id ,  
trunc(pca.contact_attempt_time)  
;
```

VW_PCAH_DAYWISE

Field	Type	Nulls?
JOB_ID	NUMBER (10)	No
ACTION_ID	NUMBER (10)	Yes
NUISANCE_CALLS	NUMBER	Yes
ANSWER_HUMANS	NUMBER	Yes
VOICE	NUMBER	Yes
SMS	NUMBER	Yes
EMAIL	NUMBER	Yes
CUSTOM	NUMBER	Yes
ANSWER_MACHINE	NUMBER	Yes
CONTACT_ATTEMPTS_TIME	DATE	Yes
CHANNEL_TYPE	NUMBER (10)	No
EXCLUDED_FROM_NUISANCE_RATE	NUMBER	Yes
AGENT_CALLS	NUMBER	Yes

```

CREATE OR REPLACE VIEW vw__pcah_daywise
AS
SELECT
    pca.job_id,
    pca.action_id,
    sum( CASE WHEN pca.nuisance_call = 1 THEN 1 ELSE 0 END) AS nuisance_calls,
    sum( case when pca.sys_completion_code_id in (select completion_code_id from pim_completion_code where
completion_code_type = 0 and (code = 'Answer_Human' or code = 'Call_Answered'
    or code = 'Disconnected_By_User' or code = 'Disconnected_By_System' or code = 'Disconnected_By_System_CCA' or code =
'Disconnected_By_System_NuisanceApp'
    or code = 'Disconnected_By_User_CCA' or code = 'Disconnected_By_User_NuisanceApp' or code = 'Nuisance_Call' or code
= 'BgrndAMD_Nuisance_Call' or code='AMD_Application_Played') ) then 1 else 0 end ) AS answer_humans,
    sum( CASE WHEN pca.channel_type = 0 THEN 1 ELSE 0 END) AS voice,
    sum( CASE WHEN pca.channel_type = 1 THEN 1 ELSE 0 END) AS sms,
    sum( CASE WHEN pca.channel_type = 2 THEN 1 ELSE 0 END) AS email,
    sum( CASE WHEN pca.channel_type = 3 THEN 1 ELSE 0 END) AS custom,
    sum( case when pca.sys_completion_code_id in (select completion_code_id from pim_completion_code where
completion_code_type = 0 and code = 'Answer_Machine') then 1 else 0 end ) AS answer_machine ,
    trunc(pca.contact_attempt_time) as contact_attempt_time,
    pca.channel_type,
    sum( CASE WHEN pca.excluded_from_nuisance_rate = 1 THEN 1 ELSE 0 END) AS excluded_from_nuisance_rate ,
    sum( case when pca.agent_id is not null and pca.agent_connect_time is not null and pca.attempt_type != 5 then 1 else 0 END)
as agent_calls
FROM
    pim_contact_attempts_history pca
WHERE    pca.contact_attempt_time is not null
GROUP BY
    pca.job_id,
    pca.action_id ,
    trunc(pca.contact_attempt_time),
    pca.channel_type
ORDER BY

```



```

pca.job_id,
pca.action_id ,
trunc(pca.contact_attempt_time)
;

```

VW_CALLBACK

Field	Type	Nulls?
CALLBACK_ID	NUMBER (19,0)	No
CONTACT_ID	NUMBER (19,0)	No
CONTACT_LIST_ID	NUMBER	
CAMPAIGN_NAME	VARCHAR2(80 CHAR)	No
CALLBACK_TYPE	NUMBER (10,0)	No
STATUS	NUMBER (10,0)	No
NEXT_ATTEMPT_AFTER	NUMBER (19,0)	Yes
START_TIME	NUMBER (19,0)	Yes
END_TIME	NUMBER (19,0)	Yes
CREATED_BY	VARCHAR2(80 CHAR)	Yes
ORGANIZATION_ID	NUMBER (10,0)	Yes
SERVICED_BY_AGENT_ID	VARCHAR2(80 CHAR)	Yes
CREATION_TIME	NUMBER (19,0)	Yes
CREATED_FOR	VARCHAR2(80 CHAR)	Yes

ADDRESS_FIELD_NAME	VARCHAR2(80 CHAR)	Yes
ADDRESS	VARCHAR2(128 CHAR)	Yes
ADDRESS_COUNTRY_CODE	NUMBER (10,0)	Yes
NOTES	CLOB	Yes
JOB_ID	NUMBER (10,0)	Yes
ACTION_ID	NUMBER (10,0)	Yes
AGENT_SESSION_ID	NUMBER (19,0)	Yes
FIRST_NAME	VARCHAR2(80 CHAR)	Yes
LAST_NAME	VARCHAR2(80 CHAR)	Yes

CREATE OR REPLACE VIEW vw_callback as

(select pcb.callback_id,pcb.contact_id, pcb.contact_list_id, pcb.campaign_name,
pcb.callback_type,pcb.status,pcb.next_attempt_after, pcb.start_time,

pcb.end_time,pcb.created_by,pcb.organization_id,pcb.serviced_by_agent_id,pcb.creation_time,pcb.created_for,pcb.address_field_na
me,pcb.address,pcb.address_country_code,

pcb.notes,pcb.job_id,pcb.action_id,pcb.agent_session_id, pc.first_name, pc.last_name
from pim_callback pcb,

pim_contact pc

where pcb.contact_id=pc.contact_id

union all

select pch.callback_id,pch.contact_id, pch.contact_list_id, pch.campaign_name,
pch.callback_type,pch.status,pch.next_attempt_after, pch.start_time,

pch.end_time,pch.created_by,pch.organization_id,pch.serviced_by_agent_id,pch.creation_time,pch.created_for,pch.address_field_na
me,pch.address,pch.address_country_code,

pch.notes,pch.job_id,pch.action_id,pch.agent_session_id, pc.first_name, pc.last_name
from pim_callback_history pch,

```

    pim_contact pc
where pch.contact_id=pc.contact_id
union all
    select pch.callback_id,pch.contact_id, pch.contact_list_id, pch.campaign_name,
pch.callback_type,pch.status,pch.next_attempt_after, pch.start_time,

pch.end_time,pch.created_by,pch.organization_id,pch.serviced_by_agent_id,pch.creation_time,pch.created_for,pch.address_field_na
me,pch.address,pch.address_country_code,
    pch.notes,pch.job_id,pch.action_id,pch.agent_session_id, pc.first_name, pc.last_name
from pim_callback_history pch
LEFT JOIN pim_contact pc on pch.contact_id=pc.contact_id where pc.contact_id is NULL
);

```